

## 2401 SAFE DEPOSIT LOCKS



2401RH

- Single horn dual custody lock requires a prep and user key to open
- Used by many financial institutions in Canada
- Size 3"L x 1 3/16"H x 3/4"W

MFG #	KEYING	HAND	EZ #
2401LH1389	1389	Left	035833
2401RH1389	1389	Right	035834
2401LH UNPREPPED	Unprepped	Left	069336
2401RH UNPREPPED	Unprepped	Right	069337

## C

## MORTISE CYLINDERS



- 1-1/8" mortise cylinder
- Supplied with butterfly cam

MFG #	KEYWAY	CAM	EZ #
1000 118A01 6L4 626	L4	A01	066813
1000 118A01 6 59A1 626	59A1	A01	035293
1000 118A01 6 59C1 626	59C1	A01	035299
1000 118 A01 6 981	981	A01	035305

## SPRING COLLAR FOR MORTISE CYLINDERS



MFG #	DESCRIPTION	EZ #
253F97 626	Spring Collar	101977

## CAMS



480F05 8



111F55



147F77 2



413F22

- Mortise cylinder cams

MFG #	TYPE	APPLICATION	CYLINDER PREFIX	EZ #
480F05 8	Butterfly	Most ML Series	A01	035250
147F77 2	Straight	ML 55 Function	A02	035249
111F55	Short Straight	Adams Rite	A03	003009
413F22	Long Narrow	DL4000	A04	003080

### MORTISE CYLINDER ACCESSORIES



MFG #	DESCRIPTION	FINISH	EZ #
861B 25 41	Hardened Steel Collar	Satin Chrome	035656
861B 46 41	Hardened Steel Collar	Duranodic	035657
861D 28 10	1/8" Spacer Ring	Aluminum	007431
861D03 10	1/8" Spacer Ring	Polished Brass	085649
861F 28 10	1/4" Spacer Ring	Aluminum	007435
863A 00 10	Adams Rite Cam	Zinc	007194
863G00 10	Standard Cam	Zinc	030342
863U00 10	Sargent Offset Cam	Zinc	085363
869 00 10	Mortise Nut	Brushed Brass	035643

### BUMP HALT™ KITS



#### KEY BUMPING RESISTANT



- Bump Halt™ Bump Resistant Cylinder Technology resists the transfer of force from the bump key to the pins
- Innovative patent pending design
- Kits enable the conversion of a new or existing Ilco® or LSDA® cylinders to be “bump resistant”
- Cost efficient and effective
- No special tools and/or machining is required
- Conversion kits contain 10 pins, 10 springs and instructions
- One spring and one pin will provide resistance to “bumping”; adding an additional pin and spring will increase the security of the cylinder


MFG #	CYLINDER APPLICATION	EZ #
1500BH 00 10	Key-In-Knob & Deadbolt Kit	100064
7000BH 00 10	Mortise & Rim Kit	091456

### RIM CYLINDERS



MFG #	FINISH	KEYWAY	EZ #
7015CC8 26D KA2	Satin Chrome	Corbin 77	102459
7015DA8 26D KA2	Satin Chrome	Dominion 1054F	102460
7015WE26D KD	Satin Chrome	Weiser	084668
7015XE8 26D KA2	Satin Chrome	Dexter 67	102462
7016GB26D KA2	Satin Chrome	Sargent LA-LC	080390
7016YG26D KA2	Satin Chrome	Yale GA	060812

### PROFILE CYLINDER



- Repinnable – chamber caps are M4-0.70 X6mm long set screws
- Keying: keyed different
- Machined from solid brass bar stock
- A: 28 mm, B: 10 mm, C: 28 mm

MFG #	KEYWAY	EZ #
52225SC26D KD	5 Pin SC	067523

## CYLINDER GUARD RINGS & WAVE WASHER



- Hardened steel free spinning and tapered cone-shaped cylinder guard ring
- Protects mortise & rim cylinders against wrenching
- Durable powder coat finish
- K24A & K24LA are packed with a stainless steel wave washer & spacing collar

MFG #	CYLINDER LENGTH	WASHER & COLLAR	FINISH	EZ #
K24A	1" to 1-1/8"	Yes	Aluminum	025686
K24LA	1-1/4" to 1-3/8"	Yes	Aluminum	008215
K24SPA	1" to 1-1/8"	No	Aluminum	035852
K24B NSPB	1" to 1-1/8"	No	Duranodic	035853
MFG #	DESCRIPTION		FINISH	EZ #
K24WSHR	Wave Washer		Aluminum	105529

## DOUBLE ALUMINUM DOOR STILE GUARD



- For securing sets of double aluminum doors
- 12 gauge steel construction increases security and can repair doors that have already been attacked
- Designed with a "knock out" to accommodate Adams Rite Bolt
- Baked on powder coat finish
- 7-3/4" x 1-3/4" x 1-3/4"

MFG #	FINISH	EZ #
K15A	Aluminum	029038


## ALUMINUM DOOR OFFSET STILE GUARD



- For reinforcing or repairing jambs with offset hung aluminum doors
- Non-handed guard is easy to install and includes pop rivets and carriage bolts
- Baked on powder coat finish
- 8" x 1-3/4" x 1-3/8"

MFG #	EZ #
K20A	029040

## ADAMS RITE ROUTER INSTALLATION TEMPLATE



- Make precise installations of Adams Rite 1850S, 4530, 4710, 4711 & 4900 series locks
- For 7/8", 31/32" & 1-1/8" backsets
- Includes guide for Adams Rite exit indicator 4089
- Has cutout for BBW #3925 & International FB-1200 flush bolts
- For 1/2" router guide with a 1/4" bit

MFG #	EZ #
TMPAR	035849

