
The Sedona Elite 700

(ROAST BATCHES AS SMALL AS 3.5 ounces to 24.6 ounces) THE PERFECT SAMPLE ROASTER



BUCKEYECOFFEE.COM RANDY@BUCKEYECOFFEE.COM

Old World Charm Meets New World Technology From The RoastMasters of The Past...Into & Beyond the present...

From the Days when craftsmen took pride in their work designing tools and equipment that went far beyond just meeting the needs of the RoastMaster. This is not simply a tool of the trade. The Sedona Elite is a precision tool designed for years of quality roasting using the best in technology in a beautifully crafted machine that is a joy to work with. The best of the past combined with the advancements of today for great tomorrows.

The artisans and craftsman of yesteryear meet the technicians of tomorrow

WWW.BUCKEYECOFFEE.COM



SALES REPS: SWEDEN: Liane@buckeye.com ARIZONA: <u>brian@buckeyecoffee.com</u> TENNESSEE & SE USA: Jeremiah@buckeyecoffee.com

BUCKEYECOFFEE.COM RANDY@BUCKEYECOFFEE.COM

VIEW ONLINE VIDEO OF SEDONA ELITE ROASTERS:

(click or copy & paste link below) http://youtu.be/fKzykU0PT4o

FEATURES:

GREAT SAMPLE ROASTER OR SMALL HOME OR BUSINESS ROASTER ABLE TO ROAST BATCHES AS LOW AS 3.5 OZ (100gram) up to 24.6 OZ (1.5 lb. or 700Gram) HIGH PERFORMANCE ROASTER IN CHOICE OF GAS/LPG or ELECTRIC DESIGNED BY TEAM OF NUCLEAR & AEROSPACE INDUSTRY TEAM OF ENGINEERS IMMEDIATE RESPONCE AIR FLOW COMPUTER PROFILING 2 MINUTE COOLING TRAY HIGH TECH ELECTRONIC SYSTEM WITH JAPANESE DESIGNED **COMPONENTS** SHATLESS LASER DESIGN DRUM WITH INNER-POT **DESIGN(FIR) FAR-INFRARED** A WORK OF ART LASER CUT FOR PRECISE APPEARANCE FOLLOWS GERMAN & JAPANESE PROFILING WITH USB CABLE TO COMPUTER FIR TECHNOLOGY ENSURES EVEN HEAT BY SENDING OUT FAR INFRARED RAYS AS TEMPERATURE RISES RESULTING IN EVENLY HEATED BEANS **16 DEGREE CELCIUS RAPID TEMPERATURE RISE ENABLES** COFFEE TO DEVELOP SAVORY & MELLOW COFFEE FLAVOR INFINITE VARIABLE CONTROL VENTILATION DOOR FOR SUBTLE AIR FLOW CONTROL PT100 PROBE & OMRON THERMOMETER FOR ERROR FREE TEMPERATURE DATA COLLECTING

BEAN & ENVIRONMENT TEMPERATURE PARAMETER-DETECTS INLET AND EXHAUST AIR TEMPERATURE LARGE CAPACITY SAMPLE SPOON EBONY SAMPLE SPOON 45 DEGREE OBSERVATION WINDOW INTERNAL & EXTERNAL MIRROR SURFACE COOLING TRAY WITH BEAUTIFUL APPEARANCE EXHAUST TEMPERATUR PROBE BEAN POURING DOOR HANDLE SOFT SPOTLIGHT SIMLING TRAY- TRAY TOP ALLOWS EASY POURING OF BEANS WITHOUT SPILL

SPECIFICATIONS:

Model: Half hot Air type coffee roaster Heat Source: Liquefied Gas/Power Operation Air Pressure: O-2.8kp (Liquefied Gas)/Heating Power: 3.2kw Supply voltage: 220V Electrical power: 200W Capacity: 100-700G External dimension: Length 75cm, width 50cm, Height 72cm Base Size: Length 50cm, width 25cm Weight: 75KG (packing weight) Package: wooden case LIST PRICE: \$5999

SALES REPS:

SWEDEN: LIANE@BUCKEYE.COM ARIZONA: <u>brian@buckeyecoffee.com</u> TENNESSEE & SE USA: Jeremiah@buckeyecoffee.com