

A ID	B OD	C THK.	D HEIGHT	E JOINT HT.	F SPACING
2108	2514	203	610	152	305
2108	2514	203	914	152	305
2108	2514	203	1219	152	305
2108	2514	203	1524	152	305
2108	2514	203	1829	152	305


AVAILABLE HEIGHTS	QTY. OF RUNGS	STARCON LIFTING PINS	WEIGHTS [kg]
0.61m [2']	1	8T	2250
0.91m [3']	2	8T	3350
1.22m [4']	3	8T	4475
1.52m [5']	4	8T	5600
1.52m [6']	5	8T	6725

CONCRETE	RELEASE	MPa	20
	28 DAY:	MPa	35
	AIR CONTENT:	6% ± 1%	
	WEIGHT:	kg	VOLUME
STRAND	TYPE:	kg/m ³ 2402	
		mm	
		MPa	

MARK	DESCRIPTION	QTY.



ISOMETRIC VIEW
NTS



ELEVATION
VIEW

NOTES:

- 1) CEMENT : PORTLAND CEMENT TYPE 50(HS)
- 2) Max AGGREGATE SIZE: 20mm
- 3) 28 DAY STRENGTH: MIN. 35 MPa.
- 4) ENTRAINED AIR: 6%±1%
- 5) REINFORCING TO CAN/CSA-G30.18 400 MPa
- 6) ALL UNITS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

DWG. NO.	REFERENCE	NO.:	REVISION DESCRIPTION	BY	APP'D	DATE	DRW BY	SWM	2018/11/21
-	-	A	ISSUED PLAN	-	-	2018/11/21	CH'K BY	-	-
-	-	-	-	-	-	-	AP'D BY	-	-
-	-	-	-	-	-	-	AP'D BY	-	-
-	-	-	-	-	-	-	AP'D BY	-	-
-	-	-	-	-	-	-	SCALE: NTS	PAGE: 1 OF 1	

TITLE:	2100 RISER DETAIL DRAWING	
PROJECT NO.:	JOB NO.:	
DRAWING NO.:	SVI-MR-2100-01A	