2016 Annual Drinking Water Quality Report Testing performed January through December 2015

THORSBY WATER WORKS BOARD PWSID# AL0000229

21060 US Hwy 31 P. O. Box 608 Thorsby, AL 35171 Phone (205) 646-3575 Fax 205-646-2414

We are pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water.

Number of Customers	Approximately 1150 service connections					
Water Sources	Three (3) groundwater wells producing from the Jemison Chert and the Hillabee Greenstone					
Water Treatment	Chlorination for disinfection, lime	Chlorination for disinfection, lime for pH, corrosion control				
Storage Capacity	One storage tank with total capa	One storage tank with total capacity of 300,000 gallons				
Existing Connections	Sell to Jemison Water					
	Emergency connection with Chilton County Water Authority					
City Council Members	Jean Nelson, Mayor	Marvin Crompton, Council				
	Randall Higgins, Council	Glenn Littleton, Council				
	Neil Benson, Council	Nicole Hilyer, Council				
Employees	Terry Jackson, Water Superintendent, Grade III Operator					
	Billy Wyatt, back-up Operator					
	Tyler Hayes, operator trainee					

Source Water Assessment

In compliance with the Alabama Department of Environmental Management (ADEM), **Thorsby Water Works Board** has developed a Source Water Assessment that will assist in protecting our water sources. This plan provides additional information such as potential sources of contamination. It includes a susceptibility analysis, which classifies potential contaminants as high, moderate, or low (non-susceptible) to contaminating the water source. The report has been completed and approved by ADEM. A copy of the report is available in our office for review, or you may purchase a copy upon request for a nominal reproduction fee.

Please help us make this effort worthwhile by protecting our source water. Carefully follow instructions on pesticides and herbicides you use for your lawn and garden, and properly dispose of household chemicals, paints and waste oil.

Monitoring Schedule

Thorsby Water Works Board *routinely* monitors for constituents in your drinking water according to Federal and State laws. This report contains results from the most recent monitoring which was performed in accordance with the regulatory schedule.

Constituent Monitored	Date Monitored
Inorganic Contaminants	2013
Lead/Copper	2015
Microbiological Contaminants	current
Nitrates	2015
Radioactive Contaminants	2003
Synthetic Organic Contaminants (including pesticides and herbicides)	2015
Volatile Organic Contaminants	2015
Disinfection By-products	2015

General Information

All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. MCL's, defined in a List of Definitions in this report, are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and radioactive material, and it can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water run-off, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, storm water run-off, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water.

Some people may be more vulnerable to contaminants in drinking water than the general population. People who are immuno-compromised such as cancer patients undergoing chemotherapy, organ transplant recipients, HIV/AIDS positive or other immune system disorders, some elderly, and infants can be particularly at risk from infections. People at risk should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Based on a study conducted by ADEM with the approval of the EPA a statewide waiver for the monitoring of asbestos and dioxin was issued. Thus, monitoring for these contaminants was not required.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your water system is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water hotline or at www.epa.gov/safewater/lead.

Questions?

If you have any questions about this report or concerning your water utility, please contact **Terry Jackson**, **Superintendent**, at 205-646-3575. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on **the first and third Monday of each month at 6:00 p.m. at the Thorsby Annex Building.**

More information about contaminants to drinking water and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (1-800-426-4791).

As you can see by the table below, our system had no violations. We have learned through our monitoring and testing that some constituents have been detected. We are pleased to report that our drinking water meets federal and state requirements. This report shows our water quality and what it means.

TABLE OF DETECTED DRINKING WATER CONTAMINANTS							
	Violation	Level	Unit			Likely Source	
Contaminants	Y/N	Detected	Msmt	MCLG	MCL	of Contamination	
Barium	NO	0.06	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
Copper	NO	1.11* 0 > AL	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
Nitrate (as Nitrogen)	NO	0.28	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits	
HAA5 [Total haloacetic acids]	NO	Annual ND-1.11	ppb	0	60	By-product of drinking water chlorination	
Secondary Contaminants							
Aluminum	NO	0.33	ppm	n/a	0.2	Erosion of natural deposits or as a result of treatment with water additives	
Chloride	NO	2.98	ppm	n/a	250	Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff	
Hardness	NO	23.8	ppm	n/a		Naturally occurring in the environment or as a result of treatment with water additives	
Iron	NO	0.13	ppm	n/a	0.30	Naturally occurring in the environment; erosion of natural deposits; leaching from pipes	
рН	NO	7.24	S.U.	n/a	n/a	Naturally occurring in the environment or as a result of treatment with water additives	
Sodium	NO	1.41	ppm	n/a	n/a	Naturally occurring in the environment	
Sulfate	NO	6.48	ppm	n/a	250	Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff	
Total Dissolved Solids	NO	56.0	ppm	n/a	500	Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff	

^{*} Amount shown is 90th percentile and # of sites above action level (1.3 ppm) = 0

DEFINITIONS

Action Level- the concentration of a contaminant that, if exceeded, triggers treatment or other requirements which a water system must follow.

Coliform Absent (ca)- Laboratory analysis indicates that the contaminant is not present.

Disinfection byproducts (DBPs)- are formed when disinfectants used in water treatment plants react with bromide and/or natural organic matter (i.e., decaying vegetation) present in the source water. Different disinfectants produce different types or amounts of disinfection byproducts. Disinfection byproducts for which regulations have been established include trihalomethanes (TTHM), haloacetic acids (HAA5), bromate, and chlorite.

Initial Distribution System Evaluation (IDSE)-a one-time study conducted by water systems to identify distribution system locations with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Locational Running Annual Average (LRAA)-yearly average of all the DPB results at each specific sampling site in the distribution system. The highest distribution site LRAA is reported in the Table of Detected Contaminants.

Maximum Contaminant Level-(mandatory language) The Maximum Allowed (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal-(mandatory language) The Goal (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL)-the highest level of a disinfectant allowed in drinking water Micrograms per liter (ug/L) – Equivalent to parts per billion (ppb) since one liter of water is equal in weight to one billion micrograms.

Milligrams per liter (mg/L) - Equivalent to parts per million

Millirems per year (mrem/yr)-measure of radiation absorbed by the body.

Nephelometric Turbidity Unit (NTU)-a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Non-Detects (ND)- laboratory analysis indicates that the constituent is not present above detection limits of lab equipment.

Not Reported (NR)-laboratory analysis, usually Secondary Contaminants, not reported by water system. EPA recommends secondary standards to water systems but does not require systems to comply.

Parts per billion (ppb) or Micrograms per liter (μ g/I)-one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per million (ppm) or Milligrams per liter (mg/l)-one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per quadrillion (ppq) or Picograms per liter (picograms/l)-one part per quadrillion corresponds to one minute in 2,000,000,000 years, or a single penny in \$10,000,000,000.

Parts per trillion (ppt) or Nanograms per liter (nanograms/I)-one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Picocuries per liter (pCi/L)-picocuries per liter is a measure of the radioactivity in water.

RAA-Running annual average

Standard Units (S.U.)-pH of water measures the water's balances of acids and bases and is affected by temperature and carbon dioxide gas. Water with less than 6.5 could be acidic, soft, and corrosive. A pH greater than 8.5 could indicate that the water is hard.

Treatment Technique (TT)- a required process intended to reduce the level of a contaminant in drinking water. Variances & Exemptions (V&E)-State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

At the end of this report a list of *Primary Drinking Water Contaminants* and a list of *Unregulated Contaminants* for which our water system routinely monitors. These contaminants were *not* detected in your drinking water unless they are listed in the *Table of Detected Drinking Water Contaminants*.

STANDARD	LIST OF	PRIMARY DRIN	KING WATER CONTAMINANT	rs		
Contaminant	MCL	Unit of Msmt	Contaminant	MCL	Unit of Msmt	
Bacteriological Contaminants			trans-1,2-Dichloroethylene	100	ppb	
Total Coliform Bacteria	<5%	present or absent	Dichloromethane	5	ppb	
Fecal Coliform and E. coli	0	present or absent	1,2-Dichloropropane	5	ppb	
Turbidity	TT	NTU	Di (2-ethylhexyl)adipate	400	ppb	
Cryptosporidium	TT	Calculated organisms/liter	Di (2-ethylhexyl)phthalate	6	ppb	
Radiological Contaminants			Dinoseb	7	ppb	
Beta/photon emitters	4	mrem/yr	Dioxin [2,3,7,8-TCDD]	30	ppq	
Alpha emitters	15	pCi/l	Diquat	20	ppb	
Combined radium	5	pCi/I	Endothall	100	ppb	
Uranium	30	pCi/I	Endrin	2	ppb	
Inorganic Chemicals			Epichlorohydrin	П	TT	
Antimony	6	ppb	Ethylbenzene	700	ppb	
Arsenic	10	ppb	Ethylene dibromide	50	ppt	
Asbestos	7	MFL	Glyphosate	700	ppb	
Barium	2	ppm	Heptachlor	400	ppt	
Beryllium	4	ppb	Heptachlor epoxide	200	ppt	
Cadmium	5	ppb	Hexachlorobenzene	1 50	ppb	
Chromium	100	ppb	Hexachlorocyclopentadiene	50	ppb	
Copper	AL=1.3	ppm	Lindane	200 40	ppt	
Cyanide Fluoride	4	ppb	Methoxychlor Overnyl Dividetel	200	ppb	
Lead	AL=15	ppm ppb	Oxamyl [Vydate] Polychlorinated biphenyls (PCBs)	0.5	ppb ppb	
Mercury	2		Pentachlorophenol	1		
Nitrate	10	ppb ppm	Picloram	500	ppb ppb	
Nitrite	1	ppm	Simazine	4	ppb	
Selenium	.05	ppm	Styrene	100	ppb	
Thallium	.002	ppm	Tetrachloroethylene	5	ppb	
Organic Contaminants		j-j	Toluene	1	ppm	
2.4-D	70	ppb	Toxaphene	3	ppb	
Acrylamide	TT	TT	2,4,5-TP(Silvex)	50	ppb	
Alachlor	2	ppb	1,2,4-Trichlorobenzene	.07	ppm	
Benzene	5	ppb	1,1,1-Trichloroethane	200	ppb	
Benzo(a)pyrene [PAHs]	200	ppt	1,1,2-Trichloroethane	5	ppb	
Carbofuran	40	ppb	Trichloroethylene	5	ppb	
Carbon tetrachloride	5	ppb	Vinyl Chloride	2	ppb	
Chlordane	2	ppb	Xylenes	10	ppm	
Chlorobenzene	100	ppb	Disinfectants & Disinfection Byprod	ducts	110000	
Dalapon	200	ppb	Chlorine	4	ppm	
Dibromochloropropane	200	ppt	Chlorine Dioxide	800	ppb	
o-Dichlorobenzene	600	ppb	Chloramines	4	ppm	
p-Dichlorobenzene	75	ppb	Bromate	10	ppb	
1,2-Dichloroethane	5	ppb	Chlorite	1	ppm	
1,1-Dichloroethylene	7	ppb	HAA5 [Total haloacetic acids]	60	ppb	
cis-1,2-Dichloroethylene	70	ppb	TTHM [Total trihalomethanes]	80	ppb	
	UNF	REGULATED CO	NTAMINANTS			
1,1 – Dichloropropene	Aldicar	b	Chloroform	Metola	Metolachlor	
1,1,1,2-Tetrachloroethane	Aldicar	b Sulfone	Chloromethane	Metribuzin		
1,1,2,2-Tetrachloroethane	70.00 (0.00)	b Sulfoxide	Dibromochloromethane	2000 0000	N - Butylbenzene	
1,1-Dichloroethane	Aldrin		Dibromomethane	Naphthalene		
1,2,3 - Trichlorobenzene		benzene	Dicamba	N-Propylbenzene		
1,2,3 - Trichloropropane	30000	chloromethane	Dichlorodifluoromethane	O-Chlorotoluene		
1,2,4 - Trimethylbenzene		dichloromethane	Dieldrin	P-Chlorotoluene		
1,3 – Dichloropropane	Bromof		Hexachlorobutadiene	P-Isopropyltoluene		
1,3 – Dichloropropene		methane	Isoprpylbenzene	Propachlor		
1,3,5 - Trimethylbenzene	Butach		M-Dichlorobenzene	Sec - Butylbenzene		
2,2 – Dichloropropane	Carbar		Methomyl	Tert - Butylbenzene		
3-Hydroxycarbofuran			23.007.000.000.000	1000 - 1000 100 100 100 100 100 100 100	200	
o-i iyuloxycarbolulali	Chloroethane		MTBE Trichlorfluorom		omuoronnethane	