




[www.fleetwide.ca](http://www.fleetwide.ca)

# PRODUCT LINE CATALOGUE



1-877-623-5338  
[www.fleetwide.ca](http://www.fleetwide.ca)

# TABLE OF CONTENTS

<b>LOCKING DEVICES</b>	<b>page</b>	<b>ABS SENSORS</b>	<b>page</b>	<b>FIFTH WHEEL</b>	<b>page</b>
* Air Valve Knob Locks	2	Sensors	23	* Bushing Kits	50
* Gladhand Locks	3			* Fifth Wheel Pullers	50
* King Pin Locks	1	<b>CABLES</b>	<b>page</b>	* Reefer Fuel Tanks	50
* Parking Brake Locks	2	* Cable Caddy	24		
* Trailer Latch	3	* Premium Trailer Cables	24	<b>DOC &amp; DPF FILTERS</b>	<b>page</b>
				DOC & DPF Filters	51-55
<b>EMERGENCY &amp; SAFETY</b>	<b>page</b>	<b>GLADHANDS</b>	<b>page</b>	<b>ENGINE COMPONENTS</b>	<b>page</b>
* Flares	8	* Coil Air Hose	27	Radiators	56
* Fire Extinguishers	4 - 6	* Dummy Shut Off Coupling	25	Condensors	56
* First Aid Kits	7	* Gladhands	25-26	Heaters	56
* Personal Safety Products	8 - 9	* Gladhand Seals	26	Charge Air Coolers	56
* Triangle Warning Kits	7	* Gladhand Grips	27	Turbo Chargers & Injectors	56
		* Pogo Sticks	27	Oil Pans & Fuel Tanks	56
<b>DOCUMENT HOLDERS</b>	<b>page</b>	<b>WHEEL PRODUCTS</b>	<b>page</b>	<b>PALLET TRUCKS</b>	<b>page</b>
* Manifest Boxes	10	* Dust Shields	30	* Heavy Duty	57
* Placard Holders	10	* Hub Caps	28-29	* Light duty	57
* Round Twist/Tab Lock	10	* Wheel Guards	30		
* Tube Style	10			<b>FORKLIFT PARTS</b>	<b>page</b>
<b>ADHESIVES &amp; TAPES</b>	<b>page</b>	<b>VALVES &amp; GUAGES</b>	<b>page</b>	* Fork Extensions	57
* Anti-Skid Tape	13	* Pressure Guages	35	* Forklift Seats	58
* Manus Bond	12	* Misc. Valves	31-34	* Replacement forks	57
* Patch Tape	12	* Norgren Valves	35		
* Reflective Tape	11			<b>STEEL PRODUCTS</b>	<b>page</b>
<b>CARGO CONTROL</b>	<b>page</b>	<b>TK &amp; CARRIER RELACEMENTS</b>	<b>page</b>	* Angle Irons	59
* Bungee Cords	14	* Carrier Supra Panels	37	* Checker Plate	59
* Coil Bunks	14	* Carrier Transicold	37	* Cross Members	60
* Mover Blankets	15	* SB II & III Compatible	36	* Flat Bars	60
* Mover Straps	15	* SB Series Compatible	36	* Scuff Liners	58
* Propane Straps	14	* Reefer Trailer Chutes	37		
<b>TARPS</b>	<b>page</b>	<b>TK &amp; CARRIER</b>	<b>page</b>	<b>TRUCK BODY PARTS</b>	<b>page</b>
* Dura-Tarps	16	* Alternators	38-40	* Fenders	59
		* Starters	40-41	* Hoods	59
<b>STEPS &amp; HANDLES</b>	<b>page</b>	<b>MUD FLAPS</b>	<b>page</b>	* Doors	59
* Folding Grab Handles	16	* Aerodynamic Flaps	45	* Bumpers, Grilles & much more	59
* Grab Handles	17	* Light and Heavy Duty	44-45		
* Heavy & Light Duty Steps	17	* Mud Flaps Brackets	46	<b>SPRING BRAKES</b>	<b>page</b>
		* Plastic Mudflaps	45	* Clevis Pins / Clamps	61-63
<b>ROLL UP DOOR</b>	<b>page</b>	<b>RUBBER PRODUCTS</b>	<b>page</b>	* Diaphragms	63
* Hinges	18	* Air Brake Hose	46	* Piggy Back Kits	61
* Rollers & Cables	18	* Air Brake Tubing	46	* Sealed Units	60
		* Rubber Bumpers	42	* Service Chambers	61
<b>TRAILER RESTORATION</b>	<b>page</b>	* Wheel Chocks	42	* Springs & Boots	64
* Corner Restore	20			<b>SLACK ADJUSTERS</b>	<b>page</b>
* Repair Patches	20	<b>ELECTRICAL</b>	<b>page</b>	* Automatic Slacks (ASA)	64
* Restore-A-Door	19	* Junction Boxes	48	* Bendix Style	65
* Trailer Doors	21	* Receptacles & Plugs	47-48	* Gunitite Style	65
				* Haldex Style	65
<b>TRAILER FLOORING</b>	<b>page</b>	<b>HOSE SUPPORT</b>	<b>page</b>	* Meritor Style	64
* Floor Board Screws	22	* Spacers	49		
* Plywood Sheeting	21	* Springs	49		
* Shiplap Flooring	21	* U-Clamps & Eye Bolts	49		
* Threshold Plates	22				

**If there are any products you require, that you do not see in this catalogue. Please feel free to contact us, as our team of experts will strive to find exactly what you are looking for. We are dedicated to find the right products for your every need. "If you cant find it...We will source it."**



[www.fleetwide.ca](http://www.fleetwide.ca)



FleetWide Products is proud to be your number one source for unique aftermarket truck and trailer products. Our products are all made in North America for the transportation industry. Our main focus is heavy & light duty trucks and trailers. We are best known for our unique Trailer Latch-IT, and the Restore-A-Door and custom First Aid Kits.

Over the years FleetWide has become a leading supplier and marketer of functional and idealistic components throughout North & South America. Our Primary focus includes heavy trucks and trailers. Our continuous product line expansion has begun to draw us into other mobile markets. We are now providing the industrial, safety, construction and heavy equipment industries with our reliable and cost worth products. Browse through our catalogue to see our full product line.

## Terms / Conditions & Disclaimer

<b>Payment Terms</b>	Net 30 day, Upon Credit Approval. 2% (24% per annum) will be charged on all overdue accounts.
<b>Warranty</b>	Liability for goods found defective, through faults of materials or workmanship, is limited to the replacement or repair of defective products returned within 60 days of purchase on when and if the warranty is offered by manufacturers. If replacement is not possible, a credit will be issued at the invoice price. Under no circumstances will FleetWide allow charges for labour, expenses, or consequential damages. If any information on application or installation are missing, it is your responsibility to request the information.
<b>Returns &amp; Credits</b>	All returns will first be inspected by FleetWide before issuing a credit. All returns must be approved before being returned and sent back. Products must be in their original packaging and must accompany original invoice and assigned RGA number.
<b>Special Order Items</b>	Orders for special parts are non-returnable. Cancellation of any such order may result in a 25% charge for such items as, tooling, engineering, and labour already preformed.
<b>Acceptance</b>	All orders must be accepted by our representatives and are subject to a credit approval.
<b>Shipping Conditions</b>	F.O.B. our warehouse. Orders of \$500.00 or more shipped within Ontario & Quebec (less core charge + HST charge) qualify for prepaid freight (some height & weight restriction apply). Orders Canada wide (not including Ontario & Quebec) qualify for prepaid freight based on purchases of \$2000.00 or more (less core charge + HST). All prepaid orders will be shipped by the courier of our choice. (Restrictions apply)
<b>Core Charge Policy</b>	A core charge will be applied to all remanufactured product at the time of purchase. A core credit will be given only on cores originating from the sale of remanufactured product, and sold directly to the purchaser from FW Products. We will not refund, in dollars and cents, any amount in excess of the core return value. The following are unacceptable for core credit: <ul style="list-style-type: none"><li>*Badly rusted or corroded cores from the lack of use or neglect</li><li>*Units not shown in our catalog or price lists.</li><li>*Units wrecked or damaged by fire.</li></ul>
<b>Part Numbers</b>	To expedite the handling of your order, please use the part numbers that are listed in our catalogue or on our website.

### Prices are subject to change without prior notice and quantities may be limited

Please note that the names of original manufacturers, their part numbers and other descriptive product information is only for the purpose of aiding customers in cross-referencing to FleetWide part numbers. The following is a listing, compiled to the best of our knowledge, of Trademarks used in this catalogue for the aforementioned purpose.

Please take into consideration that we at FleetWide strive to exceed customers need. If there are products that you require that are not listed in our catalogue, we will efficiently do our best to provide you with what you are looking for. We at FleetWide will provide you with an unprecedented level of customer service, support and competitive pricing.

This catalogue and its content are copyright of FleetWide Products® All rights reserved. Published 2014. The information and images (content) contained in this catalogue is for general information purposes only. Whilst we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, suitability or availability with respect to the catalogue or the information, products, services, images or related graphics contained in the catalogue for any purpose. Routine changes to products, standards, and warranties subsequent to this printing will supersede all information. Please contact FleetWide Products for any revisions, updates, or product changes.

All trademarks, patented processes, product names, and company names or logos used or appearing on this catalogue are the property of their respective owners. Appearance of or reference to any company, products, services, processes or other information, by trade name, trademark, logo, manufacturer, supplier or otherwise does not constitute or imply endorsement, sponsorship or recommendation by FleetWide Products. This publication is not a licence to operate, or intend to suggest infringement of any existing patent, copyright, or trademark



### STANDARD KING PIN LOCK

PART #	ITEM
FW7003	Hollow King Pin Lock

Shaped to prevent jamming the 5th wheel.  
 Shaped to localize damage, if hit, and minimize effort to remove.  
 Strong cylinder locking to make removal without the key very difficult.  
 Lock cylinder can be easily removed for cleaning or changing.  
 Ductile iron casting.  
 Tough yellow flag attached by a strong line, easily replaced if torn off.  
 Keyed alike in any quantity, same key number can be supplied.




### CUP SHAPE KING PIN LOCK "CLEAN HANDS"

PART #	ITEM
FW7000	Cup Shape King Pin Lock

Prevent Hijacking And Provide Security For Spotted Trailers And RV's With King Pin Locks.  
 Fifth wheel locks feature strong steel housing that fits over standard sized King Pin.  
 This trailer theft deterrent device is shaped to prevent jamming the fifth wheel in case of inadvertent hook up. Cylinder lock prevents removal without key.  
 Cup shaped iron casting keeps your hands clean.  
 King pin locks include yellow safety flag.

- Built like a cup to hold the grease away from your hands.
- Cup shape greatly reduces "jamming" from attempted coupling with lack in place.
- Long 5/8 inch locking bolt and "floating" cylinder keeps weight of lock on the 5/8 inch bolt, and not on the 3/16 threaded part. Probably the best, inexpensive King Pin Lock available.





## DUAL KNOB PARKING BRAKE LOCK


PART #	ITEM
FW7001	Dual Aluminum Truck Lock Universal Application

Owner/Drivers - Reduce risk of theft when on the road.

Protect the trucks in your yard. With the air brake lock you can leave your trucks unlocked during business hours.

Truck service - Use on trucks taken out of service until repairs are made and paid for.

- Strong yet light weight and easy to apply.
- Designed to fit oversized valves up to 2 inches in diameter.
- Unique housing shape allows for use on tractors where other locks do not fit.
- Unauthorized key duplication nearly impossible.



## SINGLE KNOB PARKING BRAKE LOCK

PART #	ITEM
FW7002	Single Aluminum Truck Lock Straight Trucks, Buses, RV's

The single knob parking brake lock prevents one from releasing the parking brake until the lock is removed.

This two-piece lock fits over the parking brake knob and can be installed very quickly.



Owner/Drivers - Reduce risk of theft when on the road.

Protect the trucks in your yard. With the air brake lock you can leave your trucks unlocked during business hours.

Truck service - Use on trucks taken out of service until repairs are made.

- Rugged Zinc die cast housing
- Simple and easy to install and can be adjusted for a optimal fit
- Unique housing shape allows for use on tractors where other locks do not fit.
- Unauthorized key duplication nearly impossible.



**TRAILER GLADHAND LOCK "STEEL OR PLASTIC"**

PART #	ITEM
FW6098	Heavy Duty Steel Trailer Gladhand Lock
FW6099	Heavy Duty Plastic Glad Hand Lock

The Heavy Duty Steel Trailer Glad Hand Lock - the perfect way to "Deadline" a trailer  
 A safety device for warehouses to prevent a trailer from being moved while being loaded.  
 A minimum security device to prevent theft.  
 For maximum anti-theft protection, use the King Pin Lock



The glad hand lock is applied to the emergency brake (red) connection of the trailer.  
 This lock must be removed before the air line from the trailer can be connected  
 and thereby release the emergency brakes on the trailer.



**Latch-It™**

**LATCH-IT TRAILER DOOR HOLDBACK**


PART #	ITEM
FW1010	Trailer Barn Door Holdback

Sold in boxes of 50 pieces only

Repair costs to a broken barn door, resulting in an empty haul, are often result of a failed door hold back. The result was the resently patented **Latch-It** When pulled from any direction, it will not self detach. It can only be detached by the driver. Plated to protect from rust & the boxed in T-bar is built to last, it can only be used one way...the right way! **Latch-It** is primarily designed to holdback Refrigerated Trailer doors but can be used for plymetal, composite & stainless steel swing doors. After researching the way that trailer doors were held while loading and unloading and the amount of damage to doors which occurred from swinging doors, our engineers looked how to devise a latch that is 100% secure with no possibility of unlatching and causing personal injury to workers or damage to the trailer.

- Pin will not bend
- When chain is pulled from any direction
- Cannot be misused
- Reduces empty haulback due to damage
- Plated to protect from rust and built to last
- Made in Canada...Sold worldwide
- Can only be detached by the driver
- **FAST, EASY TO USE, SECURE, EXTRA HEAVY DUTY**

**"IT CAN ONLY BE USED ONE WAY...THE RIGHT WAY!"**



LATCH ON...



SECURE DOWNWARDS...



SECURE UPWARDS...



Made in Canada



**AMEREX FIRE EXTINGUISHERS**

PART #	ITEM
FW417TX	2.5 LB. with vehicle bracket- Amerex "Alum Handle"
FW500TX	5 LB. with vehicle bracket-Amerex "Alum Handle"
FW456X	10 LB. with vehicle bracket-Amerex "Alum Handle"
FW411X	20 LB. with vehicle bracket-Amerex "Alum Handle"

**ABC Multi-Purpose Rechargeable Stored Pressure Dry Chemical Extinguishers**

ABC or Multi-Purpose extinguishers utilize a specially fluidized and siliconized mono ammonium phosphate dry chemical. It chemically insulates Class A fires by melting at approximately 350°F and coats surface to which it is applied. It smothers and breaks the chain reaction of Class B fires and will not conduct electricity back to the operator.

- 6 Year Warranty
- Stored Pressure Design
- Dependable Drawn Steel Cylinders
- Durable High Gloss Polyester Powder Paint
- All Metal Valve Construction
- Temperature Range -65°F to 120°F
- Easy and More Economical to Maintain and Service
- Large Loop, Pull Pin, Car Coded, Bi-lingual
- USCG Approved with Bracket Listed on UL Label
- Rechargeable**



Class A fires are those fueled by materials that, when they burn, leave a residue in the form of ash, such as paper, wood, cloth, rubber, and certain plastics.

Class B fires involve flammable liquids and gasses, such as gasoline, paint thinner, kitchen grease, propane, and acetylene.

Fires that involve energized electrical wiring or equipment (motors, computers, panel boxes) are Class C fires. Note that if the electricity to the equipment is cut, a Class C fire becomes one of the other three types of fires.





**KIDDE FIRE EXTINGUISHER**

PART #	ITEM
FW7050	2 3/4 lb. Kidde Fire Extinguisher "Plastic Handle"

Suitable for use on Class B (liquids & gases) and Class C fires (energized electrical equipment).  
 The Fire Control FC10 unit is fitted with a pressure gauge that provides at-a-glance status, is manufactured from lightweight aluminum and a tough nylon valve assembly. Supplied with plastic bracket with metal strap.  
**Non-Rechargeable**



**FIRE EXTINGUISHER COVERS**

PART #	ITEM
FW456X-C	10 LB. cover
FW411X-C	20 LB. cover

Fluorescent Red fire extinguisher covers with black imprint & trim  
 Made of reinforced vinyl, with Velcro closures  
 Stencilled "Fire Extinguisher Keep Clear"  
 Cover for 10lbs. extinguisher - 20"h x 12"w  
 Cover for 20lbs. extinguisher - 25"h x 16"w



**FIRE EXTINGUISHER TAGS**

We carry a larger variety of Fire Extinguisher Tags  
 Please Inquire for Details



**FIRE EXTINGUISHER BRACKETS**

**WALL HANGER BRACKETS**



**10 lb. WALL STRAP TYPE BRACKETS**



**VEHICLE / MARINE / AVIATION BRACKETS**



**HEAVY DUTY BOX TYPE VEHICLE BRACKETS (Red brackets are Galvanized)**



AGENT	SIZE (CAPACITY)	FIRE EXT. MODEL	CYL DIA. INCHES	USCG BRACKET	OPTIONAL BRACKET
ABC DRY CHEMICAL FIRE EXTINGUISHERS	2.5 lb.	FW417TX	3"	FW817	FW817S
	5 lb.	FW500TX	4.25"	FW818, FW812 FW861H	FW818S, FW821 FW821S, FW807
	10 lb.	FW456X	5"	FW808, FW809 FW895	FW808, FW809, FW846 FW889, FW889HB, FW895
	20 lb.	FW411X	7"	FW810	FW810

All Amerex brackets are quality manufactured of steel with a primed and powder coated paint finish. The paint finish assures many years of use and meets the latest U/L salt spray requirements (240 hrs. @ 20% salt solution – ASTM B117).



**FIRST AID KITS**

PART #	ITEM
FW7051	1-5 people First Aid Kit
FW7051-C	1-5 people First Aid Kit - Customized
FW7051-D	1-5 people Deluxe First Aid Kit
FW7051-CD	1-5 people Deluxe First Aid Kit - Customized
FW7052	2-5 people Federal Occupational Kit
FW7052-C	2-5 people Federal Occp. Kit - Customized

**FW7051 Includes:**

- 2 Compress Bandages
  - 1 First Aid Pocket Guide (bilingual)
  - 4 Gauge Pads
  - 2 Gauge Rolls
  - 1 Pair Nitrile disposable Gloves
  - 12 Plastic Bandages
  - 12 Safety Pins
  - 1 Triangular Bandage with Pins
- In a Plastic 8" x 5" x 3" Box

**FW 7051-D (DELUXE) Includes:**

- 3 Strip Bandages 7.5 x 2cm
  - 3 Knuckle Bandages 7.5 x 3.75 cm
  - 3 Fingertip Bandages 5 x 4.5cm
  - 3 Patch Bandages 5 x 7.5cm
  - 1 Cloth Tape 1.25 x 2.25cm
  - 1 Pair Bandage Scissors
  - 1 Bag Assorted Safety Pins (12/bag)
  - 1 Straight Splinter Forceps 9cm
  - 3 Anti-Microbial Hand Wipes
  - 3 Povidone Ointment Packets
  - 1 Triangular Bandage & Pins
  - 1 First Aid Pocket Guide (Bilingual)
  - 1 Plastic Strip Bandages 7.5 x 2cm (12/box)
  - 1 Box Gauze Roll 5 x 4.5m (2/box)
  - 2 Compression Bandages 10 x 10cm
  - 4 Gauze Pads 7.5 x 7.5cm
  - 1 Bag Antiseptic Towelettes (12/bag)
  - 1 Burn-free Packet (1/8oz)
  - 1 Elastic Support Bandage 5 x 4.5cm
  - 1 Small Instant Cold Pack
  - 1 Pair Disposable Nitrile Gloves
  - 1 Iodine Remover Pad
- In a 9" x 7" x 3" or 8" x 5" x 3" Box  
Ontario Regulated

**FW7052 Federal First Aid Kit Includes**

- 1 Pocket Guide, Bilingual
  - 10 BZK Antiseptic Towelettes
  - 12 Plastic Bandage, 7.5 x 2cm
  - 2 Triangular Bandage
  - 1 Silver Rescue Foil Sheet
  - 1 Compress Bandage, 10 x 10cm
  - 4 Gauze Pads, 10 x 10cm
  - 10 Gauze Sponges, 8 Ply,
  - 1 Straight Splinter Forceps
  - 1 Disposable Nitrile Gloves
  - 1 CPR-Aid Rescuer Device
  - 1 Accident Record Book
  - 1 Bandage Scissors, 14cm
  - 2 Conform Bandage, 7.5cm x 4.5m
  - 1 Cloth Tape, 2.5cm x 4.5m
- In a Plastic 8" x 5" x 3" Box



**Federal Kits are regulated and certified for use in all Canadian Provinces**



Personalized Kits are available with a onetime logo set-up fee.

Minimum quantity of 100 boxes is required for personalization.

Packaging: sold in quantities of 50 kits per box

\* Pursuant to Section 8; for workplaces with 1-5 workers (at any one time)

\* Regulation first aid kits meet regulations required by each jurisdiction; regulations change on a continuing basis


\* Requirements vary and are dependent on a number of factors including: maximum number of employees at the work site, location of the place of employment/industry, type of industry and potential hazards, proximity or travel time to a medical facility



**TRIANGLE WARNING KITS**

PART #	ITEM
FW4052	Set of 3 Triangle Flares / box

- Meets FMVSS 125 standards
- Triangle unfolds & locks together
- Non-skid heavy base withstands strong winds
- Reflex reflector strips form border for nighttime visibility
- fluorescent orange inner triangle for daytime warning
- Housed in strong, heavy duty box - 18" X 4" X 4-1/2"



**Packaging: sold in quantities of 4**



**FLARES**

PART #	ITEM
FW7109	20 minute flare with spike (72 pieces per box)
FW7110	30 minute flare with spike (36 pieces per box)
FW7111	20 minute flare with stand (72 pieces per box)
FW7112	30 minute flare with stand (36 pieces per box)
FW7113	wax flare 2 per box (24 pieces per box)

Road safety flares are the reliable, economical, easy way to protect police officers, fire and road personnel, and the general public, as well as their equipment. Non-Spike or Spike flares available, with or without Wire Stand.

- \*Built-in quality to perform to D.O.T. and Bureau of Explosives specifications
- \*Unique patented PlasTcaps™ with Non-Roll feature
- \*Ignites easily
- \*Continues to burn in all kinds of weather
- \*Non-Spike or Spike models



**TEAR-AWAY VESTS**

PART #	ITEM
FW7114	Regular - 5 Point Traffic Vest
FW7115	XL - 5 Point Traffic Vest

This popular 5 point tear-away mesh traffic vest offers 360 degrees of visibility with reflective tape on hi-viz orange mesh. It features two reflective stripes on the front, on waist band, and a "X" on the back. Velcro closures on shoulders, waistband, and front closure allow for more individual sizing and quick safety release.

**Packaging: Sold in quantities of 25 per box**



**BACK BELTS**

PART #	ITEM
FW7116	Back Belt - Small (32-36 inches)
FW7117	Back Belt - Medium (36-40 inches)
FW7118	Back Belt - Large (40-44 inches)
FW7119	Back Belt - X Large (44-48 inches)

Back support belts help reduce lower back discomfort and are designed to be worn in work environments such as material handling, warehousing, construction, transportation, forestry, healthcare institutions, and agriculture. This back belt features smooth, adjustable clips, easily adjustable extra elastic panels for additional support, tapered abdominal support panels, four plastic stays that provide firm support and compression, and extra wide suspenders. 2X - 4X Large available upon request.

**Packaging: Sold in quantities of 24 per box**



**HARD HATS**

PART #	ITEM
FW7120	Peak- Hard Hat
FW7121	Peak- Hard Hat c/w Ratchet



The Peak features a rain trough, HDPE shell, slots for accessories, 4 point suspension (3 levels for height adjustment), adjustment is a pin lock. ANSI Type 1 Class E certified.

The Ratchet hard hat features a rain trough, HDPE shell, slots for accessories, 4 point suspension (with 3 levels for height adjustment), and the adjustment is a ratchet. This ratchet adjustment offers a tighter & comfortable fit. ANSI Type 1 Class E certified.

**Packaging: Sold in quantities of 20 per box**

Available in a variety of colors



**WELDER MITTS**

PART #	ITEM
FW7122	One Finger Welders Mitt (10 per box)
FW7123	Five Finger Welders Glove ( 10 per box)

High quality split leather welding gloves feature a continuous one-piece back and thermal cotton lining for additional protection and comfort. One or five finger gloves are suitable for welding or for abrasive and heavy-duty industrial applications. Grey in color.



**NITRILE DISPOSABLE GLOVES**

PART #	ITEM
FW7124	Nitrile Gloves - Small
FW7125	Nitrile Gloves - Medium
FW7126	Nitrile Gloves - Larger
FW7127	Nitrile Gloves - X Large

Alternative form of protection for those that experience allergic reactions to natural latex rubber. These gloves are powder-free. They offer equal or greater comfort, dexterity, and touch as latex gloves, and have excellent tear and puncture resistance. Offer increased protection against solvents and oils. Available in Small, Medium, Large, and X-Large.

**Packaging: Sold in quantities 10 boxes (100 pairs/ 1 box)**






**PLACARD HOLDER & CLIPS**

PART #	ITEM
FW2022	Aluminum Placard Holder
FW2025	White Aluminum Placard Holder
FW2027	S.S. Placard Holder Replacement Clip



Pre-Punched holes with riveted construction  
 S.S. Spring clip-holds placards in place. Sold in quantities of 60 per box  
 S.S. Clips sold in quantities of 100 per bag



**SPLIT PLACARD HOLDER**

PART #	ITEM
FW2023	Aluminum Split placard
FW2026	White Aluminum Split Placard Holder

Aluminum "Split" Placard Holder Complete with S.S. Clip (60 per box)  
 Corrosion resistant "Split" placard, Unpainted die stamped aluminum



**TUBE DOCUMENT HOLDER**

PART #	ITEM
FW1011	Tube document holder
FW1011C	Replacement End Cap

Predrilled brackets and all weather EPDM rubber cap on both ends  
 Sturdy aluminum construction, corrosion resistant



**ROUND TWIST LOCK & SNAP-ON LIDS**

PART #	ITEM
FW5049	4" Round Holder w/ twist-lock type lid
FW5049L	4" Replacement twist lock lid w/ gasket

PART #	ITEM
FW5050	4.5" Round Holder w/ snap-on type lid
FW5050L	4.5" Replacement twist lock lid w/ gasket


Round plastic document holder with twist-lock or snap-on lids  
 Plastic seals tightly to keep documents safe and dry



**MANIFEST BOX**

PART #	ITEM
FW5051	Weatherproof Manifest Cover Box

Holds permits, logs, registration and manifests  
 Stainless Steel latch, hinges and internal document clip  
 Dimensions: 8"X13"X1.5" (Outside size) 6.5"X11.5"X1.25" (Inside size)




**REFLECTIVE TAPE**

PART #	ITEM
FW4056	Red & White Reflective Tape - 2" x 150'
FW4057	Red & White Reflective Tape - 1 1/2" x 150'
FW4058	Red & White Reflective Tape - 1" x 150'
FW4059	Red Reflective Tape - 2" x 150'
FW4060	White Reflective Tape - 2" x 150'
FW4061	White Reflective Tape - 1 1/2" x 150'
FW4062	White Reflective Tape - 1" x 150'
FW4063	Yellow Reflective Tape - 2" x 150'
FW4064	Yellow Reflective Tape - 1 3/4" x 150'
FW4065	Yellow Reflective Tape - 1 1/2" x 150'
FW4066	Yellow Reflective Tape - 1" x 150'
FW4067	Red & White 1" x 12" Reflective Strips
FW4068	Red & White 2" x 12" Reflective Strips


Highly reflective, microprismatic sheeting. **D.O.T. Approved**  
 Pressure sensitive adhesive for easy application to trucks, trailers &  
 large vehicles to enhance visibility and detection distance  
 Available in Red & White, Red, Yellow and White Rolls and Sheets






**Side Marking Requirements**



Must cover at least 50% of sides with DOT C2 Reflective Tape



**Rear Marking Requirements**





## 75-AM MANUS BOND - SEALANT

PART #	ITEM
FW6069	White
FW6070	Aluminum Gray
FW6071	Black
FW6072	Colonial White

**Packaging: Sold in quantities of 30 caulking tubes per box**

- Non-Sagging.
- Non-Corrosive.
- Non-Staining.
- High Temperature Resistance.
- Low Temperature Flexibility.

### Industrial Grade High Performance Adhesive/Sealant

Manus-Bond 75-AM Industrial Grade exhibits excellent adhesion to many substrates including aluminum, brass, steel, glass, granite, marble, wood and many plastics. Cures fast, even at low temperatures. 75-AM Industrial Grade is highly weather resistant and can be painted with most paints. Contains no solvents or isocyanates and is non-yellowing. Conforms to ASTM C920, Type S, Grade NS, Class 25 and AAMA 802.3 Type II Back Bedding Compound. USDA accepted.



## PATCH TAPES

PART #	ITEM
FW2020	Trailer Repair Tape - Aluminum - 4'X50ft (12 Rolls/box)
FW2020-2	Trailer Repair Tape - Aluminum - 2" x 50 ft. (24 Rolls/box)
FW2020-3	Trailer Repair Tape - Aluminum - 3" x 50 ft. (16 Rolls/box)
FW2020-6	Trailer Repair Tape - Aluminum - 6" x 50 ft. (8 Rolls/box)
FW2020-9	Trailer Repair Tape - Aluminum - 9" x 50 ft. (4 Rolls/box)
FW2020-12	Trailer Repair Tape - Aluminum - 12" x 50 ft. (4 Rolls/box)
FW2021	Trailer Repair Tape - White - 4'X75 ft. (12 Rolls/box)
FW2021-2	Trailer Repair Tape - White - 2" x 75 ft. (24 Rolls/box)
FW2021-3	Trailer Repair Tape - White - 3" x 75 ft. (16 Rolls/box)
FW2021-4	Trailer Repair Tape - White - 6" x 75 ft. (8 Rolls/box)

### "Weather Resistant Trailer Patch Tape"

- Easy, fast application
- Mill finish aluminum foil & White Foil available
- Aggressive grip & adhesion, immediately leak proof
- Elastomeric modified butyl rubber

**Packaging: Sold in quantities of 12 rolls per box**



Note: Make sure all surfaces are clean, dry and free of oil or dirt when applying tape. Use a nonresidual solvent to remove oil or grease on the surface to be taped. Residue can create a chemical reaction effecting the tape adhesive. Take care to allow the surface to dry fully before application of the product.



### ANTI - SKID TAPE

PART #	ITEM
FW5043	black & yellow 1" x 60 ft.
FW5044	black 1"x60 ft.
FW5045	black 2"x 60 ft.
FW5046	black 4"x 60 ft.
FW5047	black 6"x 60 ft.
FW5048	black 12"x 60 ft.

**All sold in 60 ft. rolls**

An easy to apply high visibility tape with a resin bonded grit for a long working life. Non-slip tape may be used indoors or outside and can be applied to most surfaces including concrete, metal, wood and tiles. Ideal for marking entrances, stairways, steps and ramps.

Constructed from a thick PVC base layer impregnated with an aggressive 60-grit mineral abrasive compound. The backing has an aggressive acrylic adhesive system for longevity that will form a strong, water-proof bond to most any clean, dry surface while still being temporarily repositionable during the application process.



An excellent and cost effective choice for commercial, industrial and residential indoor and outdoor non slip tape applications. Suitable for recreational areas such as ramps, playgrounds, pool areas, RV's, stairs, work areas, ladders, snowmobiles, scooters, construction machinery, vehicles, machine shops, hazardous floors, industrial equipment, lawn equipment, boat decks, trucks and trailers.

To install simply peel the backing off the tape and press the tape firmly onto a clean, dry surface.



**BUNGEE CORDS**

PART #	ITEM
FW3012	4" tarp strap with "S" hooks
FW3013	9" tarp strap with "S" hooks
FW3014	15" tarp strap with "S" hooks
FW3015	21" tarp strap with "S" hooks
FW3016	24" tarp strap with "S" hooks
FW3017	31" tarp strap with "S" hooks
FW3018	41" tarp strap with "S" hooks

JB Brand Heavy Duty Flexible Rubber. EPDM with hooks  
 These tarp straps are made with primarily natural rubber  
 They are abrasion and cut resistant and have superior elasticity and low temperature flexibility  
 All straps are pre-assembled with zinc plated crimped S-hooks on both ends



All straps are supplied with hooks installed.

**NOTE:** Crimped "S" Hook



**Packaging: 50 pieces per box Made in Sri Lanka**



The most reputable brand in the trucking industry!



2" Yellow Propane Straps (2 Pcs/Set)

**PROPANE STRAPS**

PART #	ITEM
FW7128	2" Propane Straps

Propane Straps for securing Fork Lift Propane Tanks. Two Pcs/set.  
 2" Logistics Yellow Propane Straps  
 Two Pcs per Set.  
 B/S: 3,300 lbs

**Packaging: Sold in quantities of 10 sets**



**MOVER STRAPS**



PART #	ITEM
FW7129	Mover Straps

Mover Strap safely secures heavy loads for lifting.  
 Made from 2" B quality polyester seatbelt webbing  
 Slider Bar Buckle attached  
 Length: 15'  
 Length can be customized  
 Assembly B/S: 500 lbs



**MOVING BLANKETS**



PART #	ITEM
FW7140	Moving Blankets - (12 per case)

An economical way to protect furniture and other large items during transport and storage. Resists tear, protects from scratches and are reusable.  
 Blue / Blue with black binding edges  
 Quilted with lock-stitching  
 5.5 lbs per blanket  
 Packaging: Sold in quantities of 12



**COIL BUNKS**



PART #	ITEM
FW7139	Coil Bunk

Coil Bunk 33.25" long x 2.75" wide x 2.85" high  
 Steel, painted Black  
 Used with timber to stabilize metal coils in load securement  
 Packaging: Sold in quantities of 10





PVC Tarpaulin for Tarpaulin covers for cargo protection on flatbed trucks. Material can be used for stitching bags, tool holders, warning signs and other customized applications.

**TARPS**

PART #	ITEM
FW18BGND	18 oz. Dura Tarp 61" x 50 yards - Burgundy
FW18BLCK	18 oz. Dura Tarp 61" x 50 yards - Black
FW18BLU	18 oz. Dura Tarp 61" x 50 yards - Blue
FW18BRWN	18 oz. Dura Tarp 61" x 50 yards - Brown
FW18GRY	18 oz. Dura Tarp 61" x 50 yards - Grey
FW18GRN	18 oz. Dura Tarp 61" x 50 yards - Green
FW18ORN	18 oz. Dura Tarp 61" x 50 yards - Orange
FW18RED	18 oz. Dura Tarp 61" x 50 yards - Red
FW18WHT	18 oz. Dura Tarp 61" x 50 yards - White
FW18YEL	18 oz. Dura Tarp 61" x 50 yards - Yellow
FW50FRWHT	18 oz. Fire Rtd. Dura Tarp 60" x 50 yards - White
FW50PVCBLK	PVC Mesh Tarp 84" x 50 yards - Black



Made from PVC  
 18 oz., 61" x 50 yards  
 Good Hot & Cold resistance  
 High Tenacity, Tear Strength, Adhesion and light fastness  
 Colors: 11 colors  
 Colors can be customized, MOQ: 40 Rolls



**Also available:** 180 oz. - Fire Retardant Dura Tarp 61" x 50 Yards - (white) **Special order** MOQ: 50 rolls  
 PVC Mesh Tarp 84" x 50 Yards - Black

**FOLDING STEPS**



FW4054



FW4055

**FOLDING STEPS**

PART #	ITEM
FW4054	Zinc Plated Folding Step

For exterior or interior installation on trailers.  
 Helps gain access to the upper interior deck of trailers.  
 Step will sustain a 500lb Capacity. 6.5in W x 6.26in L

PART #	ITEM
FW4055	Extra Large Folding Step

Designed for fire and rescue vehicles. 6.78in W X 8.5in L  
 Step will sustain a maximum static load of 2,000 lbs. with gasket  
 Zinc-Aluminum Casting, with Stainless Steel Springs



FW7130



FW7133



FW7132



FW7131

**FOLDING GRAB HANDLES**

PART #	ITEM
FW7130	Steel Folding Grab Handle
FW7131	Stainless Steel Folding Grab Handle
FW7132	Steel - Zinc Plated Folding Grab Handle
FW7133	Steel - Painted black Folding Grab Handle

Use these handles to help maintain your balance and assist you with getting in and out of your trucks, trailers and other high equipment. Constructed from Steel, SS, Zinc, or painted finishes for maximum corrosion and rust resistance. Feature a rough, textured surface for extra grip and traction, plus folds out of the way when not in use.



FW5021



FW5024



FW5026



FW5027

**GRAB HANDLES**

PART #	ITEM
FW5021	Grab Handle Zinc - 13" OD - 4 Holes
FW5024	Grab Handle Zinc - 13" OD - 2 Holes
FW5026	Grab Handle S/S - 11.5" OD - 4 Holes
FW5027	Grab Handle S/S - 28" OD - 4 Holes

Multi-purpose grab handles.  
Heavy Duty  
Provides support when getting in and out of truck cab





FW5029



FW5030



FW5031



FW5032

**HINGES**

PART #	ITEM
FW5029	End Hinge (Todco Style) - Zinc Plated
FW5030	Centre Hinge (Todco Style)
FW5031	End Hinge w/ Cover (Whiting Style) - Black Paint
FW5032	Centre Hinge (Whiting Style) - Black Paint

**ROLL-UP DOOR ROLLERS**



FW1013



FW1012



FW1015



FW1014



FW1016

**ROLL UP DOOR ROLLERS**


PART #	ITEM
FW1012	Rollers - Zinc (Whiting Style) - Shaft 7/16" x 3" (Short Shaft)
FW1013	Rollers - Zinc (Whiting Style) - Shaft 7/16" x 6-1/2" (Long Shaft)
FW1014	Rollers - Nylon (Whiting Style) - Shaft 7/16" x 2-1/2" (Short Shaft)
FW1015	Rollers - Nylon (Whiting Style) - Shaft 7/16" x 6" (Long Shaft)
FW1016	Rollers - (Todco Style) - Shaft 7/16" x 2-1/2"

**ROLL-UP DOOR CABLES**



**ROLL-UP DOOR CABLES**



PART #	ITEM
FW5210	Roll-Up Door Cables - 110"
FW5215	Roll-Up Door Cables - 115"
FW5220	Roll-Up Door Cables - 120"
FW5225	Roll-Up Door Cables - 125"
FW5230	Roll-Up Door Cables - 130"



**RESTORE-A-DOOR**

PART #	ITEM
FW2012	Restore A Door
<b>Packaging: Sold in Pairs (2 per box)</b>	

- ✓ Light weight & durable
- ✓ 26 gauge high density steel
- ✓ Aluminum pre-painted white
- ✓ Quick and easy no hassle repair 100% Made in Canada
- ✓ Door inserts directly into a custom molded "U" shaped sleeve



Why Replace the entire door when you can save money by using the Restore-A-Door treatment. This quick and easy process is simply, slip the sleeve on the bottom of the door and secure with rivets or any other adhesive material. These panels are 100% Canadian Made out of 26 gauge high density steel. They are pre-painted white ready to go. They are light weight yet durable. Fits all standard 48" inch doors.




BEFORE RESTORE-A-DOOR



AFTER RESTORE-A-DOOR





Save time and money with the Restore-A-Door  
 Sold 2 per box. (will repair both trailer barn doors)  
 Visibly hides damage, rust and cracks  
 This product saves fleet thousands of dollars annually  
 Cuts your time and labor in half



## CORNER RESTORE

PART #	ITEM
FW2013	Corner Restore
Packaging: Sold in Pairs (2 per box)	

The Corner Restore comes in a pack of two (front and back) can be applied with a variety of applications, glue, caulking, rivets, etc. Made out of 12 gauge high density steel. Light weight and durable. The Quick, easy and cost effective, hassle free way to repair. 100% Made In Canada. One pair will repair one corner of your trailer door Pre-painted white and ready to be used. Each Corner Restore Panel is 16" x 16" 90 degree corner and 1" inch in width



The cost effective way to repair a damaged trailer corner. Why replace it...When you can repair it with...“Corner Restore”

# TRAILER RESTORATION

## TRAILER REPAIR PATCHES



PART #	ITEM	
FW2003	12" x 24" Clear Polycarbonate	5 per box
FW2004	12" x 24" White Polycarbonate	5 per box
FW2005	12" x 34" Vinyl Matte HD	5 per box
FW2006	12" x 24" Stainless Steel	5 per box
FW2007	12" x 48" Grey Aluminum	3 per box
FW2008	12" x 24" Grey Aluminum	5 per box
FW2009	12" x 12" Grey Aluminum	10 per box
FW2010	12" x 48" White Aluminum	3 per box
FW2011	12" X 24" Natural Aluminum	3 per box
FW2014	12" x 12" White Aluminum	10 per box
FW2015	12" x 12" Natural Aluminum	10 per box
FW2016	12" x 24" White Aluminum	5 per box
FW2017	12" x 24" Natural Aluminum	5 per box
FW2018	12" x 12" Transparent	10 per box
FW2019	12" x 24" Transparent Polycarbonate	5 per box

- Easy to apply, day or night.
- Self-adhering & flexible.
- Permanent bond. Watertight seal.
- No clean-up. Immediately ready for road travel.
- Butyl rubber backing guarantees watertight, anti-corrosive seal.
- Choice of white panel finish or aluminum to match original panel look.
- Fast repair and seal of skin punctures.
- Trailer is immediately ready for road travel after Patch is applied.
- 90° PATCH bendability contours to rounded trailer corners & roof edges.





**PLYMETAL TRAILER SWING DOOR**

PART #	ITEM
FW7079	Trailer Swing Door 49" x 3/4" x 110"

PlyMetal Trailer Swing Door  
49" x 3/4" x 110"  
Aluminum

Composite doors and other sizes  
available upon request.



\* All trailer doors are excluded from prepaid shipping

**TRAILER FLOORING**



**SHIPLAP TRAILER FLOOR BOARD**

PART #	ITEM
FW7096	Trailer Floor Boards

A solid plank of wood with a machined shiplap that provides a tight interlocking fit. Naturally resistant to rot & decay and able to withstand extreme temperatures & prolonged exposure to moisture.  
**12" x 1-3/8" (10 ft.)**



\* All wood products are excluded from prepaid shipping



**TRAILER PLYWOOD SHEET**

PART #	ITEM
FW901	Trailer Plywood - 1/4" (5.2MM) 4' x 8' sheets

**Packaging: Sold in quantities of 100 sheets per pallet**

1/4" (5.2MM) 4' x 8' sheets  
Multi-purpose panel that will fill a variety of needs, including cabinetry, flooring, millwork and woodworking projects.  
You can now substitute tropical plywood with a better alternative that does not impact the world's rainforests. Every panel has an HPVA B grade or better face veneer.





**THRESHOLD PLATE**

PART #	ITEM
FW7135	2ft. Threshold Plate with 1 3/8" lip
FW7136	4ft. Threshold Plate with 1 3/8" lip



Our custom trailer threshold plates provides floor surface protection from forklifts . Its surface has a raised diamond design which creates a safe non-slip environment. Available in two sizes. High quality 1/8" diamond plate steel All Dimensions are custom cut with 1 3/8" lip

\* All threshold products are excluded from prepaid shipping



Type F (Torx Head)  
Meets SAEJ81 Standard  
Black Finish

**FLOOR SCREWS**

PART #	DIAMETER	LENGTH
FW6064	1/4" - 20	1 1/2"
FW6065	1/4" - 20	2"
FW6066	1/4" - 20	2 1/2"
FW6067	5/16" - 18	2"
FW6068	5/16" - 18	2 1/2"

Packaging: Sold in Quantities of 1000 screws per box

Torx flathead screws make securing a wood floor to your trailer quick, easy and economical with a 1/4" diameter and type F points for heavy-gauge sheet metal, aluminum, cast iron and zinc.  
Tapered flathead sits flush with surface  
End of screw has a blunt tip with multiple cutting surfaces

Notes:



FW #	Cable	"A"	Can Replace
FW090-03M	0.3M	57mm	Meritor R955335, Haldex AL10271914
FW090-09M	0.9M	57mm	Meritor R955336
FW090-15M	1.5M	57mm	Meritor R955365
FW090-18M	1.9M	57mm	Meritor R955341
FW090-20M	2.0M	57mm	Meritor R955342, Haldex AL341070

All sensors come with a spring clip and a tube of installation lubricant



FW #	Cable	"A"	Can Replace
FW180-06	0.6M	79mm	Haldex AL1027194, AL1027196
FW180-18-65	1.8M	65mm	Meritor R955337
FW180-18-79	1.8M	79mm	Meritor R955338
FW180-20	2.0M	79mm	Haldex AL1027197, Meritor R955349

All sensors come with a spring clip and a tube of installation lubricant



FW #	Cable	Can Replace
FW-E090-18	1.8M	Meritor S4497130180, Haldex AL919803
FW-E090-30	3.0M	Meritor S4497130300, Haldex AL919805
FW-E090-50	5.0M	Meritor S4497130500, Haldex AL919808

2-Conductor cables, with Haldex / Meritor connector



FW #	Cable	Can Replace
FW090-10B	1.0M	Bendix 801551
FW090-15B	1.5M	Bendix 801549
FW090-20B	2.0M	Bendix 801550

All sensors come with a spring clip, and a tube of installation lubricant  
All sensors have a Bendix DT04 style connector



FW #	Cable	Can Replace
FW180-10B	1.0M	Bendix 801553
FW180-19B	1.9M	Bendix 801552

All sensors come with a spring clip, and a tube of installation lubricant  
All sensors have a Bendix DT04 style connector



FW #	Sensor Spring Clip
FW0001	Comes with a tube of installation lubricant



**PREMIUM TRAILER CABLE**

PART #	GAUGE	LENGTH FT.
FW414-50	4/14 gauge	50'
FW414-100	4/14 gauge	100'
FW414-500	4/14 gauge	500'
FW614-50	6/14 gauge	50'
FW614-100	6/14 gauge	100'
FW614-500	6/14 gauge	500'
FW714-50	7/14 gauge	50'
FW714-100	7/14 gauge	100'
FW714-500	7/14 gauge	500'
FW710-50	6/14 - 1/12 gauge	50'
FW710-100	6/14 - 1/12 gauge	100'
FW710-500	6/14 - 1/12 gauge	500'
FW730-50	6/12 - 1/10 gauge	50'
FW730-100	6/12 - 1/10 gauge	100'
FW730-500	6/12 - 1/10 gauge	500'
FW750-50	ABS 4/12 - 2/10 - 1/8	50'
FW750-100	ABS 4/12 - 2/10 - 1/8	100'
FW750-500	ABS 4/12 - 2/10 - 1/8	500'

**Premium Trailer Cables TPR**

Cable remains flexible at -65°C (-85°F). High dielectric strength.  
 TPR (thermoplastic rubber) outer jacket resists abrasion and is oil-resistant.  
 Color-coded multiple conductors. Constructed with the highest grade copper stranding available, recommended for rewiring trailers to ICC regulations. Manufactured to provide superior performance.

**GLADHANDS & ACCESSORIES**



3-Function Holder

**CABLE CADDY - Gladhand/7-Way Plug Holder**

PART #	ITEM
FW34211	Holds one electrical plug and two gladhands

- Constructed of durable ABS plastic
- Keeps gladhands and electrical plugs out of dirt, grease and other contaminants.
- Mounts with plugs pointing down to prevent moisture from gathering...reducing corrosion.



4-Function Holder

PART #	ITEM
FW34211-2	Holds two electrical plugs and two gladhands

- Constructed of durable ABS plastic
- Keeps gladhands and electrical plugs out of dirt, grease and other contaminants.
- Mounts with plugs pointing down to prevent moisture from gathering...reducing corrosion.
- 4-function holder used for brake systems equipped with ABS



**GLADHAND DUMMY BRACKET**

PART #	ITEM
FW313-00	Single gladhand holder

- Single gladhand holder
- Made for extreme durability
- Plated for corrosion resistance



**GLADHAND DUMMY SHUTOFF**

PART #	ITEM
FW313-01	Dummy Shutoff Coupling with Chain - Vented
FW313-02	Dummy Shutoff Coupling with Chain - Non Vented

- Use to shutoff gladhand air flow when trailer is disconnected



**GLADHANDS**

PART #	ITEM
FW313-E	Emergency Red, Straight Mount Glad hand
FW313-S	Service Blue, Straight Mount Glad hand
FW313-U	Universal, Straight Mount Glad hand

Aluminum construction, with steel wear and color plates.  
 1/2" NPT Pipe Port  
 Glad hand Seal Included



**SHUT OFF GLADHANDS**

PART #	ITEM
FW441004	Shut Off Service - Blue Glad Hand
FW441014	Shut Off Emergency - Red Glad Hand

Aluminum Glad Hand  
 Bracket mount with shut off tap  
 Designed for double trailers  
 Integrated shut-off valve  
 Color coded connector plate for easy identification  
 Includes bulk head fitting  
 With Polyurethane dust flap seal to protect against debris



**ANGLE MOUNT GLADHANDS**

PART #	ITEM
FW441019	Angle Mount Glad Hand - Emergency Red
FW441023	Angle Mount Glad Hand - Service Blue

Angle mount gladhand, bottom port, with filter screen and 3/8" pipe port. Wrap-around connector plate provides additional strength. Glad hand for use on trailers only. Powder coated connector plate for corrosion protection  
Zinc-coated detent plates  
Keyed for positive connection  
E-coated screws for corrosion protection



**SWIVEL MOUNT GLADHANDS**

PART #	ITEM
FW441102	Swivel Mount - 45° Glad Hand - Emergency Red
FW441103	Swivel Mount - 45° Glad Hand - Service Blue

Provides the lowest projection height form the "trailer skin"  
Corrosion free, stainless steel torsion spring  
45° degree swivel designed elbow permits optimal air line entry from either the bottom or back port  
Eliminates expensive swivel type hoses and permits the use of inexpensive nylon reinforced tubing.



**GLADHAND SEALS**

PART #	ITEM
FW4012	Glad Hand Seal - Surface Sealing Type
FW4013	Glad Hand Seal - Compression Type (Wide Lip)
FW4014	Glad Hand Seal - Closed Type with Flaps

Superior Quality Nitrile Rubber Seals  
Packaging: Sold in quantities of 100 each



**POLY GLADHAND SEALS**

PART #	ITEM
FW-312BS	Blue Polyurethane, Surface sealing with Screen
FW-312BRS	Set of 2 Blue & 2 Red Polyurethane Surface Sealing Seals with 4 Screens
FW-312RS	Red Polyurethane, Surface Sealing with Screen

Superior Quality Polyurethane Rubber Seals  
Packaging: Sold in quantities of 100 each  
Each seal comes with a screen



### GLADHAND GRIPS

PART #	ITEM
FW36430	Color coded Gladhand Grips

Designed to make gladhand coupling easier, while extending the life of air coils on air lines.

Installs between gladhand and the air line

Color coded red and blue

Heat, cold, oil and UV resistant

Sold in set of 2



PART #	ITEM
FW-315	Solid Aluminum Glad Hand Grips

Solid aluminum 1 piece design

Red & Blue Anodized knurled grip surface

Sold in set of 2

### GLADHAND PACIFIER



PART #	ITEM
FW441721	Glad Hand Pacifier

Keeps airlines and exposed glad hands free from dirt, insects and moisture.

2 - piece nylon strap keeps pacifier handy and easy to find.

### COIL AIR HOSE



PART #	ITEM
FW451036	Coil Air Hose Set - 15ft.
FW451061	Coil Air Hose Set - 20ft.

Hose assemblies come in sets of one red and one blue.

150 psi working pressure

Conforms to SAE J844

Operating temperatures of -40°F to +200°F

### POGO STICKS



PART #	ITEM
FW7141	40" Pogo Stick w/3-Hose Holder

Designed for use with heavier ABS cables. Extra heavy-duty internal spring. Heavy-duty 7/16" Aircraft-quality mounting bolt. Includes 3-hose holder. 8" coated spring for corrosion resistance.



Standard Hub Cap with Side Plug

Standard 6 Bolt hub caps  
 5/16" bolt x 5 1/2" bolt circle  
 Die-cast aluminum body  
 Clear polycarbonate lens  
 Vented center fill pug  
 Replaces Stemco # 343-4009

**HUB CAP W/ SIDE PLUG**

PART #	ITEM
FW4009	Hub Cap with Side Plug
FW4009P	Hub Cap w/o Side Plug - Polished
FW4009G	Hub Cap - Gasket



Gasket



Polished Hub Cap



Propar Hub Cap

Thread size 6 1/4" - 8 TPI  
 Clear polycarbonate body  
 Vented center fill plug & O-ring included

**PROPAR HUB CAP**

PART #	ITEM
FW4020	Propar Hub Cap
FW4001	Hub Cap Vented Plug
FW4021	Hub Cap O-Ring



Vented Plug



O-Ring



**STEER AXLE OIL CAPS**

PART #	ITEM
FW4024	Steer Axle Oil Cap w/o Side Plug

5/16" bolt x 4 1/2" bolt circle  
 Aluminum  
 Replaces Stemco #340-4024



PART #	ITEM
FW4095	Steer Axle Oil Cap with Side Plug

5/16" bolt x 5 1/2" bolt circle  
 Aluminum  
 Replaces Stemco #340-4095



PART #	ITEM
FW4249	Steer Axle Oil Cap with Side Plug

5/16" bolt x 5 1/2" bolt circle  
 Aluminum  
 Replaces Stemco #340-4249



PART #	ITEM
FW-5984	3/8" NPT Magnetic Drain Plug

Replaces: Stemco 359-5984



PART #	ITEM
FW-5915	3/4" Red Plug only

Replaces: Stemco 359-5915



PART #	ITEM
FW-5990	1 1/8" Red Plug only

Replaces: Stemco 359-5915

Notes:



FW600





FW601



FW602



FW607



**DUST SHIELDS**


PART #	ITEM
FW-600	Trailer Axle Dust Shield - Meritor (replaces E9095)
FW-601	Drive Axle Dust Shield (replaces 33-1487, A1-3236)
FW-602	Trailer Axle Dust Shield (replaces E-11907)
FW-607	Trailer Axle Dust Shield (replaces E886)

FW-600: Trailer Dust Shield (Meritor Style) Used on trailer axle with fabricated spiders  
 FW-601: Drive Axle Dust Shield Used on 16 1/2" x 7" P and Q brakes  
 FW-602: Trailer Axle Dust Shield used for 16 1/2" Brakes - 5" Axle dia. Intraax/Vantraax  
 FW-607: Trailer Axle Dust Shield Used on 16 1/2" P brakes with cast spiders


**Packaging: Sold in quantities of 10 per box**

**WHEEL GUARDS**

FW#	BOLT CIRCLE	BOLT HOLES	DESCRIPTION	REPLACES
FW-5901-WG	11 1/4"	10 X 7/8" , 10 X 1 1/8"	Stud - piloted	Accuride 590-1
FW-5902-WG	11 1/4"	10 X 7/8"	Stud - piloted	Accuride 590-2
FW-5903-WG	285.75mm	10 X 22mm	Hub-piloted	Accuride 590-3
FW-7381-WG	335mm	10 X 22mm	Hub-piloted ISO Euro mount	Accuride 738-1
FW-7902-WG	225mm	8 X 22mm	Hub - piloted	Accuride 790-2



**STOP RUST, SCALE & CORROSION ON TRUCK WHEELS**



The Wheel-Guard Separator Plate is approximately .040" thick. It is placed between the hub or drum and the wheel, and/or between two wheels in dual applications. Both aluminum and steel wheels can benefit from the Wheel-Guard.  
**Packaging: Sold in quantities of 100 pieces per box**

**ABS VALVES**



FW #	Replacement Modulator	Configuration	Notes
FW-4005001010X	4721950330X	2S/1M	Use with standard trailers only
FW-4005001040X	4721950330X	2S/1M	Use with Turnables, Steerables & Dollies
All Valves available as Reman only			



FW #	Replacement Modulator	Configuration	Notes
FW-4005001020X	4008506020X	2S/2M	Standard, for Trailers
FW-4005001030X	4008506020X	2S/2M, 4S/2M, 4S/3M	Premium, for Trailers
FW-4005001050X	4008506020X	2S/2M, 4S/2M, 4S/3M	Premium (with infoLink capability) for Trailers
All Valves available as Reman only			

**SEALCO VALVES**



FW PART #	Inlet Port (NPT)	Outlet Port (NPT)
FW10200-1/2	1/2"	1/2"
FW10200-3/8	3/8"	3/8"

One Way Check Valves



FW PART #	Inlet Port (NPT)	Outlet Port (NPT)	Exhaust Ports (NPT)
FW110130	3/4"	1"	1/4"

Combination 1-Way Check Valve



FW PART #	Auxiliary Supply (NPT)	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports (2) (NPT)
FW110139	3/8"	3/8"	3/4"	3/8"

Service Relay Valve with Ratio - 4 Delivery Ports



FW PART #	Supply Port (NPT)	Control Port (NPT)	Reservoir Port A (NPT)	Reservoir Port B (NPT)	Delivery Ports (NPT)
FW110139	3/8"	3/8"	1/2"	1/2"	3/8"

Spring Brake Control Valve - 4 Delivery Ports



FW PART #	Control Port (NPT)	Reservoir Port (NPT)	Delivery Port (2) (NPT)
FW11070	3/8"	1/2"	3/8"

Relay Valve 2 Delivery Ports



FW PART #	Inlet Port (NPT)	Outlet Port (NPT)	Normal Closing (NPT)
FW110257	3/8"	3/8"	70 psi

Emergency Brake Pressure Protection Valve 3/8"



FW PART #	Supply Port (NPT)	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports (4) (NPT)	Supply Outlet (NPT)
FW110338	3/8"	3/8"	3/4"	3/8"	3/8"

Relay Emergency Valve Non-Charging



FW PART #	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports (NPT)
FW110360	3/8"	1/2"	3/8"

Relay Valve 2 Delivery Ports



FW PART #	Supply Port (NPT)	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports (NPT)
FW110367	3/8"	3/8"	3/8"	3/8"

Emergency Control Valve 3/8" Ports



FW PART #	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports (NPT)
FW110380	3/8"	3/4"	3/8"

Relay Valve 4 Delivery Ports 1.5 psi



FW PART #	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports (NPT)	Mounting
FW110410	3/8"	1/2"	3/8"	Nipple
FW110412	3/8"	1/2"	3/8"	Frame

Relay Valves 2 Delivery Ports 4 psi.



FW PART #	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports (NPT)	Mounting
FW110415	3/8"	3/4"	3/8"	Nipple
FW110416	3/8"	3/4"	3/8"	Frame

Relay Valves 4 Delivery Ports 4 psi.



FW PART #	Supply Port (NPT)	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports 4 (NPT)	Supply Outlet (NPT)
FW110475	3/8"	3/8"	3/4"	3/8"	3/8"

Relay Emergency Valve 4 Delivery Ports - Charging



FW PART #	Supply Port (NPT)	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports (NPT)
FW110500	3/8"	3/8"	1/2"	3/8"

Spring Brake Control Valve



FW PART #	ITEM	DESCRIPTION
FW110524	3/8" Flapper Breather	General purpose breathers can be used to inhibit outside particulants from entering the threaded exhaust ports on many valves.



FW PART #	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports 2 (NPT)
FW110570	3/8"	1/2"	3/8"

Control Line Booster Valve 4 Delivery Ports



FW PART #	Supply Port (NPT)	Reservoir Port (NPT)
FW110576	3/8"	3/8"

Emergency Control Valve Drawbar



FW PART #	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports 2 (NPT)
FW110580	3/8"	1/2"	3/8"

Control Line Booster Valve - 3 Ports



FW PART #	Supply Port (NPT)	Delivery Port (NPT)	Exhaust Port (NPT)	Pilot Port (NPT)
FW110587	3/8"	3/8"	3/8"	3/8"

Pilot Control Valve - NC



FW PART #	Inlet Port (RES)	Outlet Port (OUT)	Pilot Port (SUPPLY)
FW110589	1/4" NPT	1/4" NPT	1/4" NPT

Pilot Resent Hand Valve - Normally Closed



FW PART #	Port Sizes (NPT)
FW110591	3/8" NPT (All)

Pilot Control Valve



FW PART #	Supply Port (NPT)	Control Port (NPT)	Reservoir Port (NPT)	Delivery Port (NPT)
FW110700	3/8"	3/8"	1/2"	3/8"

Spring Brake Control Valve - 4 Ports - Spring Brake Priority



FW PART #	Supply Port (NPT)	Control Port (NPT)	Reservoir Port (NPT)	Delivery Ports 4 (NPT)
FW110800	3/8"	3/8"	1/2"	3/8"

Spring Brake Control Valve - 4 Ports - Service Reservoir Priority



FW PART #	Inlet Port (NPT)	Outlet Port (NPT)	Normal Closing
FW140200	3/8"	3/8"	50 PSI
FW140270	3/8"	3/8"	60 PSI
FW140280	3/8"	3/8"	70 PSI

Pressure Protection Valve



FW PART #	Name Plate	Knob	Inlet Port (NPT)	Outlet Port (NPT)	Exh. Port (NPT)
FW17600B	826	13	1/4"	1/4"	1/4"

Hand Control Valve - Push Pull



826



13



FW PART #	Inlet Port (NPT)	Outlet Port (NPT)	Exhaust Port (NPT)
FW20002	1/2"	3/8"	1/2"

Standard Quick Release Valve



FW PART #	Inlet Port (NPT)	Outlet Port (NPT)
FW2550	3/8"	3/8"

Supply Line Filter



FW PART #	Inlet Port (NPT)	Outlet Port (NPT)
FW320100	3/8"	3/8"

Two Way Check Valve - 3/8" Female



FW PART #	Inlet Port (NPT)	Outlet Port (NPT)	Exhaust Port (NPT)
FW5400	1/4"	1/4"	1/4"

Pressure Control Valve - 3 Port  
Zero psi To Reservoir Pressure



Valves have countless applications in a variety of industries. Turn to FleetWide Products for all the Norgren valves you need, or consult with one of our representatives to learn which valve is right for your situation. Our selection includes:

- \* Poppet Valves
- \* Press Double Safety Valves
- \* Lockout Valves
- \* Solenoid Valves



Highlights of Norgren Poppet Valves include a long life, they are easily serviceable and can handle a high flow, they are made with a lightweight aluminum body. The Press Double Safety Valves can get rid of overlap in different brake and clutch systems and limit excessive vibration as well. Lockout Valves feature a cast aluminum handle and body that is built to last. Norgren Solenoid Valves incorporate a pilot valve silencer to reduce noise. We have the Norgren regulator, filter, and valve options your systems require.

Please call in and talk to one of our sales representatives for further information and product pricing & availability.

**PRESSURE GAUGES - LIQUID FILLED**



**BOTTOM MOUNT GAUGE - LIQUID FILLED**

PART #	ITEM
FW6583-S	2 ½ Dia. X ¼" PT Bottom mount 0 - 160 psi Silicone liquid filled, Stainless steel.



**CENTER MOUNT GAUGE - LIQUID FILLED**

PART #	ITEM
FW6848-S	2 ½ Dia. X ¼" PT Center mount. 0 - 160 psi Silicone liquid filled, Stainless steel.



**BOTTOM MOUNT GAUGE**

PART #	ITEM
FW6584	1 ⅝" Dia. X ⅛" PT Bottom Mount Reads: 0 - 160 PSI.



**CENTER MOUNT GAUGE**

PART #	ITEM
FW6849	1 ⅝" Dia. X ⅛" PT Center Mount Reads: 0 - 160 PSI.

**fwReefer**



**SB SERIES COMPATIBLE DOORS & PANELS**

PART #	ITEM
1	FW5755FG SB200 Top Cap
2	FW7302FG SB200 Honeycomb Grille Curbside
3	FW7474FG SB200 Honeycomb Grille Roadside
4	FW5757FG SB200 Top Center Door
5	FW5763FG SB200 Curbside Front Door
6	FW5764FG SB200 Roadside Front Door
7	FW5761FG SB200 Roadside Panel (large opening)
7	FW7078FG SB200 Roadside Control panel (smaller opening)
8	FW5762 SB200 Curbside Panel
9	FW7057FG SB200 Bottom Pan

**fwReefer**



**SB II & III COMPATIBLE DOORS & PANELS**


PART #	ITEM
1	FW2747 SB-II/III Top Cap
2	FW3032 SB-II/III Top Center Door
3	FW2748 SB-II/III Lower Curbside Panel
3	FW4478P SB-II/III Lower Curbside Panel (Replaces Plastic)
4	FW2978 SB-II/III Lower Roadside Panel
4	FW4487P SB-II/III Lower RS Control Panel (Replaces Plastic)
5	FW3030 SB-II/III Curbside Front Door
6	FW3031 SB-II/III Roadside Front Door
6	FW4489FG SB-II/III Roadside Front Door, lower latch assy



**fwReefer**

**COMPATIBLE SPECTRUM EVAPORATOR COVERS**

PART #	ITEM
1	FW1448FG Evaporator Cover S-3 Back
2	FW1450FG Evaporator Cover S-3 Front



**fwReefer**

**SB SERIES COMPATIBLE HARDWARE**

PART #	ITEM
FWR2T63	Hinge Set For FW5763
FWR2T64	Hinge Set For FW5764
FWR2T61	Hinge Set For FW5761 & FW7078
FWR2T62	Hinge Set For FW5762

All Hinges Fit: SB-100, SB-110, SB-190, SB-200, SB-210, SB-230, SB-300, SB-310, SB-400



**CARRIER TRANSICOLD ULTRA DOORS & PANELS**

PART #	ITEM
1 FW1358FG	Ultra Lower Curbside Panel
2 FW1302FG	Ultra Curbside Lower Center Front Door
3 FW1301FG	Ultra Roadside Lower Center Front Door
4 FW1314FG	Ultra Lower Roadside Panel

Our entire product line of reefer doors and panels are made to fit the exact specifications of the originals but at a fraction of the cost. We save companies thousands of dollars annually.



**CARRIER SUPRA REPLACEMENT PANEL**

PART #	ITEM
FW1201	Carrier Supra Panel

Our entire product line of reefer doors and panels are made to be 100% compatible with the OEM originals but at an affordable cost. We save companies thousands of dollars annually. There are no modifications necessary on any item in our product line. All of our FW Reefer replacement doors and panels are exclusively manufactured in North America with the highest quality in mind.



Visit [www.fwreefer.com](http://www.fwreefer.com) to view our full online Catalogue



**REEFER TRAILER CHUTES**



**REEFER CHUTES**

PART #	ITEM
FW1200	Reefer Trailer Chutes

Whether you are a trailer dealership, repair shop, or fleet, FleetWide is pleased to offer you high quality reefer chutes at a very competitive price.

Made from 12oz, rip stop polyethylene

We know the abuse that trailers take on a day to day basis, this is why quality comes first. Universal fit for Carrier or Thermo King reefers.

The Chute design provides uniform temperature throughout the entire trailer by using an adapter and chutes that move the air flow from the reefer unit to the rear of the trailer. Without these Chutes, the cold air blowing from the reefer unit would not reach the back of the trailer before heating up. Pop Up & Mesh Chutes available.



Operational and performance requirements of over-the-road temperature control units are unlike any other. These belts are designed and built especially for your system and its specific temperature requirements – you can depend on the belt to withstand the heat specific to your application. Premium materials mean superior temperature and chemical resistance, resulting in longer belt life.

When you our aftermarket belts, you can be confident of fitting the best performing product for your application to protect your investment.

We carry a wide variety of belts for:

Engines, fans, alternators, water pumps, compressor drive, engine idlers, & Fan Drives

Any time you need to change a single belt on a unit, always closely inspect all of the other belts and their condition. Remember - the entire drive system is only as good as the weakest link. Please provide OEM part number when placing you order.



**TK & CARRIER COMPATIBLE - ALTERNATORS**



FW PART #	OEM PART #	DESCRIPTION
FW110-606	30-00409-02, 30-00409-04, 30-00409-06, 30-00409-07, 30-00409-08, 30-00409-10, 30-00409-16, 30-00409-19, 30-00409-60, 30-00409-60, 30-00409-62, 30-00409-64, 30-00409-65, 30-01114-06	OEM Prestolite Alternator 12V 65 AMPS CCW (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW110-608	30-00409-00, 30-00409-03, 30-00409-09, 30-00409-11	OEM Prestolite Alternator 12V 105 AMPS CCW (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW110-609	30-00409-12, 30-00409-13	OEM Prestolite Alternator 12V 65 AMPS CCW (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW110-610	30-00409-01, 30-00409-05, 30-00409-14, 30-00409-15	OEM Prestolite Alternator 12V 37 AMPS CCW (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW110-611	30-50326-00	OEM Prestolite Alternator 12V 65 AMPS Bi-Directional (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW110-612	30-00423-00	OEM Prestolite Alternator 12V 65 AMPS Bi-Directional (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW110-581	41-2194, 5D44463G01	OEM Prestolite Alternator 12V 23AMPS Bi-Directional (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW110-699	41-2197, 41-2198, 41-2199, 44-7154, 44-7155, 44-7376, 44-7924, 44-7925, 44-7926, 44-8091, 44-8535, 44-8901, 44-8902, 44-8903, 44-8939, 44-9750, 44-9751, 44-9752, 44-9754, 5D44466G01	OEM Prestolite Alternator 12V 37AMPS CW (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW110-600	41-2200, 41-2201, 44-7156, 44-7927, 44-9755	OEM Prestolite Alternator 12V 65AMPS CW (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW110-631	41-2195	OEM Prestolite Alternator 12V 37AMPS Bi-Directional (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW110-638	41-2705, 5D51051G01, 5D51051G02	OEM Prestolite Alternator 12V 90AMPS Bi-Directional (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW8SC3200V	41-3020, 41-3021, 44-6368, 44-6918, 110-568, 110-575, 110-576, 8SC3110V, 8SC3111V, 8SC3112V, 8SC3017VA, 8SC3018VA	OEM Prestolite Alternator 24V 150AMPS Bus Air (Leece Neville)



FW PART #	OEM PART #	DESCRIPTION
FW514-12223	41-5458, 41-6780, 41-8461, 44-8950, 44-9571, 45-2254, 9120060027	BOSCH Alternator 12V 37AMPS



FW PART #	OEM PART #	DESCRIPTION
FW514-12224	41-5457, 41-6781, 44-9572, 45-2256, 45-2257, 9120060023, 0120488296, AL928N, AL928X, 20-44-9572, 20-44-9572RM, 19020508, 44-8949, 5D33841G01, 5D38604G01, 41-6990.	BOSCH Alternator 12V 65AMPS



FW PART #	OEM PART #	DESCRIPTION
FW514-12333	44-9716,30-50340-00, 5D37920G01, 9120060038, 0120484049, AL929N, AL929X.	BOSCH Alternator 12V 90AMPS
	CAN REPLACE ALSO 514-12224, 41-5457, 41-6781, 44-9572, 45-2256, 45-2257, 9120060023, 0120488296, AL928N, AL928X, 20-44-9572, 20-44-9572RM, 19020508, 44-8949, 5D33841G01, 5D38604G01, 41-6990.	



FW PART #	OEM PART #	DESCRIPTION
FW514-12334	0120484028, 1E32217G01, 41-2571, 41-5456, 41-6782, 45-2258, 5D50461G01	BOSCH Alternator 12V 120AMPS



FW PART #	OEM PART #	DESCRIPTION
FW100211-1680	41-0749, 5D36221G01, 96-111-02K, P-274934	OEM Denso Alternator 12V 40AMPS Comfortpro P5000



FW PART #	OEM PART #	DESCRIPTION
FW211-8000	101211-8810, 96-101-21K	OEM Denso Alternator 12V 60AMPS Comfortpro P6000

# TK & CARRIER COMPATIBLE - STARTERS



FW PART #	OEM PART #	DESCRIPTION
FW516-16791	25-34885-00 ** (SMALLER BODY VERSION 70 MM FIELD CASE O.D.)	12V 9 TOOTH 0.8KW STARTER FOR KUBOTA ENGINE PROHEAT HEATER APP.



FW PART #	OEM PART #	DESCRIPTION
FWM3T33481	25-34885-00 **(OEM REPLACEMENT FOR 516-16791 - M3T33481 IS LARGER BODY VERSION 89MM FIELD CASE O.D.), 29-70050-00, 35-34885-00	OEM MITSUBISHI 12V 9 TOOTH 0.9KW STARTER FOR KUBOTA PROHEAT HEATER APP



FW PART #	OEM PART #	DESCRIPTION
FW516-18277	25-39135-00, 25-39192-00, 25-39291-00, 25-39316-00, 25-39587-00, 25-39587-00SV, 228000-6950, 228000-6951, 228000-6952, 228000-6953, 1G494-63011, 9722809-695	12V 9 TOOTH DENSO STARTER (CARRIER ULTRA)



FW PART #	OEM PART #	DESCRIPTION
516-17099	45-1312, 228000-3800, 45-1335, 45-1718, 45-1724	12V 15 TOOTH DENSO STARTER New Style



FW PART #	OEM PART #	DESCRIPTION
516-18067	45-1263, S13-89B, S13-211, 45-1993, 45-1671, 45-2325, 845-2325	12V 9 TOOTH HITACHI STARTER



FW PART #	OEM PART #	DESCRIPTION
516-18490	45-1688, S13-207C, 45-2323	12V 9 TOOTH YANMAR STARTER Large Pinion



FW PART #	OEM PART #	DESCRIPTION
516-S13407A	45-2177, 45-2324	12V 9 TOOTH HITACHI / YANMAR STARTER Large Pinion



FW PART #	OEM PART #	DESCRIPTION
516-17088	45-1285, S13-84B, 45-1229	12V 9 TOOTH HITACHI STARTER



FW PART #	OEM PART #	DESCRIPTION
516-17044	20-44-1285, 20-44-5674, 44-2918, 44-5443, 44-5674, 45-5657, 45-56572, 45-5674, 128000-0960	12V 9 TOOTH DENSO 2.0KW STARTER



FW PART #	OEM PART #	DESCRIPTION
516-17116	25-37640-00, 25-37725-00, 25-38750-00	12V 11 TOOTH CARRIER OPTIMA ADVANTAGE



FW PART #	OEM PART #	DESCRIPTION
M8T70971	25-39476-00, 25-39476-00SV	12V 9 TOOTH 2.5KW MITSUBISHI STARTER



FW PART #	OEM PART #	DESCRIPTION
9722809-106	25-35465-00	12V 9 TOOTH 1.4KW DENSO REMAN STARTER



**WHEEL CHOCKS**

PART #	ITEM
FW2400-SD	9 1/2" x 7 3/4" x 5 5/8" Pyramid Wheel Chock
FW2400-HD	9 1/2" x 8" x 5 5/8" Pyramid Wheel Chock
FW2401	9 3/4" x 6 3/4" x 7 1/2" Contour Wheel Chock
FW2401-1	10" x 7" x 7 1/2" Contour Wheel Chock

The Truck Wheel Chock with eyebolt is constructed of reinforced molded rubber to provide a sure grip on virtually any surface.




FW2400-SD



FW2400-HD



FW2401




FW2401-1

**RUBBER BUMPERS**




PART #	ITEM
FW2441	16" x 2 1/2" x 2" - Hole Center ( 6 1/4")
FW2442	7 7/8" x 2 1/2" x 2" - Hole Center (4 5/8")
FW2443	6" x 4" x 3 1/4" - Hole Center (2 1/2")
FW2444	6" x 2 7/8" x 3 1/4" - Hole Center (2 1/2")
FW2445	8" x 5 1/4" x 3 5/8" - Hole Center (5 1/4" x 3)
FW-24-1020	6" L x 4"W x 3 1/2"H with 3/8" Holes on 3" Centers
FW-24-1021	12"L x 4"W x 3 1/2"H "D" Shaped Dock Bumper


Made from fibre-reinforced Rubber for extended service life. Available in various sizes to meet your needs. Recessed 1/2" diameter bolt holes help protect vehicles and structures from damage on impact. Rounded corners improve durability by reducing the chance of tearing or breaking.




FW2441




FW2442



FW2443



FW2444



FW2445



FW-24-B1020



FW-24-1021

**STANDARD RUBBER MUD FLAPS**



**NON - PRINTED**

PART #	ITEM
FW2418-S	5/16" Standard Mud Flap 24" x 18"
FW2424-S	5/16" Standard Mud Flap 24" x 24"
FW2430-S	5/16" Standard Mud Flap 24" x 30"
FW2436-S	5/16" Standard Mud Flap 24" x 36"



**PRINTED - Silk Screened**

PART #	ITEM
FW2418-SP	5/16" Standard Mud Flap 24" x 18"
FW2424-SP	5/16" Standard Mud Flap 24" x 24"
FW2430-SP	5/16" Standard Mud Flap 24" x 30"
FW2436-SP	5/16" Standard Mud Flap 24" x 36"



Our biggest selling rubber mud flap have a smooth back. These highly durable rubber mud flaps are fiber reinforced to ensure the highest quality available on the market. Available plain or printed with your custom logo.

**TRI-HEADER RUBBER MUD FLAPS**



**NON-PRINTED**

PART #	ITEM
FW2424-TR	3/8" HD Tri-Header 24" x 24" non-printed
FW2427-TR	3/8" HD Tri-Header 24" x 27" non-printed
FW2430-TR	3/8" HD Tri-Header 24" x 30" non-printed
FW2436-TR	3/8" HD Tri-Header 24" x 36" non-printed



**PRINTED - Silk Screened**

PART #	ITEM
FW2424-TRP	3/8" HD Tri-Header 24" x 24" printed
FW2427-TRP	3/8" HD Tri-Header 24" x 27" printed
FW2430-TRP	3/8" HD Tri-Header 24" x 30" printed
FW2436-TRP	3/8" HD Tri-Header 24" x 36" printed



**PRINTED - Raised Lettering/Logo**

PART #	ITEM
FW2424-TRR	3/8" HD Tri-Header 24" x 24" raised logo
FW2427-TRR	3/8" HD Tri-Header 24" x 27" raised logo
FW2430-TRR	3/8" HD Tri-Header 24" x 30" raised logo
FW2436-TRR	3/8" HD Tri-Header 24" x 36" raised logo

Our most complete printed & non-printed mud flap. Splashguard backing (Rainguard backing) as well as a multi hole design, makes this a very popular choice amongst our printed and non-printed flaps.

**SINGLE HEADER HD MUD FLAPS**



<b>NON-PRINTED</b>	
<b>PART #</b>	<b>ITEM</b>
FW2418-HD	3/8" Single Header 24" x 18" non-printed (smooth back)
FW2424-HD	3/8" Single Header 24" x 24" non-printed (smooth back)
FW2427-HD	3/8" Single Header 24" x 27" non-printed (smooth back)
FW2430-HD	3/8" Single Header 24" x 30" non-printed (smooth back)
FW2436-HD	3/8" Single Header 24" x 36" non-printed (smooth back)



<b>PRINTED - Silk Screened</b>	
<b>PART #</b>	<b>ITEM</b>
FW2418-HDP	3/8" Single Header Mud Flap 24" x 18" smooth/printed
FW2424-HDP	3/8" Single Header Mud Flap 24" x 24" smooth/printed
FW2427-HDP	3/8" Single Header Mud Flap 24" x 27" smooth/printed
FW2430-HDP	3/8" Single Header Mud Flap 24" x 30" smooth/printed
FW2436-HDP	3/8" Single Header Mud Flap 24" x 36" smooth/printed




<b>PRINTED - Raised Lettering/Logo</b>	
<b>PART #</b>	<b>ITEM</b>
FW2418-HDR	3/8" Single Header Mud Flap 24" x 18" smooth/raised logo
FW2424-HDR	3/8" Single Header Mud Flap 24" x 24" smooth/raised logo
FW2427-HDR	3/8" Single Header Mud Flap 24" x 27" smooth/raised logo
FW2430-HDR	3/8" Single Header Mud Flap 24" x 30" smooth/raised logo
FW2436-HDR	3/8" Single Header Mud Flap 24" x 36" smooth/raised logo

Our biggest selling printed & non-printed rubber mud flap. These highly durable rubber mud flaps are fiber reinforced to ensure the highest quality available on the market. These flaps can be silk screened, or raised logo or lettering. Please see below for all coloring and tooling charges.


**WE WANT YOUR  
MUD FLAP BUSINESS!**



**PLASTIC MUD FLAPS**



<b>NON-PRINTED</b>	
PART #	ITEM
FW2455	1/4" White or Black 24" x 24" (rainguard) non-printed
FW2456	1/4" White or Black 24" x 27" (rainguard) non-printed
FW2457	1/4" White or Black 24" x 30" (rainguard) non-printed
FW2458	1/4" White or Black 24" x 36" (rainguard) non-printed
FW2459	3/8" White or Black 24" x 24" (rainguard) non-printed
FW2460	3/8" White or Black 24" x 27" (rainguard) non-printed
FW2461	3/8" White or Black 24" x 30" (rainguard) non-printed
FW2462	3/8" White or Black 24" x 36" (rainguard) non-printed
FW2463	3/16" White or Black 24" x 24" smooth back non-printed
FW2464	3/16" White or Black 24" x 27" smooth back non-printed
FW2465	3/16" White or Black 24" x 30" smooth back non-printed
FW2466	3/16" White or Black 24" x 36" smooth back non-printed



<b>PRINTED - Hot Stamped</b>	
PART #	ITEM
FW2455-P	1/4" White or Black 24" x 24" (rainguard) printed
FW2456-P	1/4" White or Black 24" x 27" (rainguard) printed
FW2457-P	1/4" White or Black 24" x 30" (rainguard) printed
FW2458-P	1/4" White or Black 24" x 36" (rainguard) printed
FW2459-P	3/8" White or Black 24" x 24" (rainguard) printed
FW2460-P	3/8" White or Black 24" x 27" (rainguard) printed
FW2461-P	3/8" White or Black 24" x 30" (rainguard) printed
FW2462-P	3/8" White or Black 24" x 36" (rainguard) printed
FW2463-P	3/16" White or Black 24" x 24" smooth back, printed
FW2464-P	3/16" White or Black 24" x 27" smooth back, printed
FW2465-P	3/16" White or Black 24" x 30" smooth back, printed
FW2466-P	3/16" White or Black 24" x 36" smooth back, printed

A very simple plastic mud flap. It is smooth on front sides and its technical properties make it the most durable plastic flap on the market.




**AERODYNAMIC MUD FLAPS**

PART #	ITEM
FW2418-OR	Mud Flap 18" x 24" (1/4" thickness) Right
FW2418-OL	Mud Flap 18" x 24" (1/4" thickness) Left
FW243018-OR	Mud Flap 18" x 30" (1/4" thickness) Right
FW243018-OL	Mud Flap 18" x 30" (1/4" thickness) Left
FW2424-O	Mud Flap 24" x 24" (1/4" thickness)
FW2427-O	Mud Flap 24" x 27" (1/4" thickness)
FW2430-O	Mud Flap 24" x 30" (1/4" thickness)
FW2436-O	Mud Flap 24" x 36" (1/4" thickness)



Professionally engineered with each vertical bar of the Aerodynamic flap molded with a patented, curved, wing-type design that makes contact with the water and channels it to the small dead air space on the back side of the flap which form drops that gravitate to the ground. Reduces splashing, and lets air pass through keeping flaps from flapping around at high speeds.



**MUD FLAP BRACKETS**

PART #	ITEM
FW7012	Anti-Sail Mud Flap Brackets

Prevents mud flaps from curling, lifting and blowing  
 Sold in pairs, fits all 24" mud flaps  
 21" x 24" chrome bracket  
 21" x 24" Zinc bracket



**AIR BRAKE HOSE**

PART #	ITEM
FW6-250	Air Brake Hose 3/8" I.D.
FW8-250	Air Brake Hose 1/2" I.D.



Sold in 250 ft. Reels

Designed for compressed air brake systems more commonly found on heavy duty trucks. The uniform dual-braided design consists of interwoven spirals providing greater flexibility and improved twist resistance compared to other spiral designs. The rugged elastomeric hose cover is resistant to gasoline, diesel fuel, oil and commonly used road cleaning chemicals. Meets or exceeds SAE J1402 - Type A Meets or exceeds DOT FMVSS No. 106 - Brake Hoses, 49 CFR 571.106 Minimum burst pressure of 900 psi. Designed for operating pressure upto 225 psi. Operating temperature of -40°F to +200°F (-40°C to + 93°C)

**NYLON AIR BRAKE TUBING**



PART #	TUBE O.D.	TUBE I.D.	WALL THICKNESS	FT. PER ROLL
FW5085-100	1/8"	0.079	0.023	100ft
FW5085-1000	1/8"	0.079	0.023	1000ft
FW5086-100	1/4"	0.17	0.04	100ft
FW5086-1000	1/4"	0.17	0.04	1000ft
FW5087-100	5/16"	0.232	0.04	100ft
FW5087-500	5/16"	0.232	0.04	500ft
FW5088-100	3/8"	0.25	0.062	100ft
FW5088-500	3/8"	0.25	0.062	500ft
FW5089-100	1/2"	0.375	0.062	100ft
FW5089-500	1/2"	0.375	0.062	500ft
FW5090-100	5/8"	0.441	0.092	100ft
FW5090-250	5/8"	0.441	0.092	250ft
FW5091-100	3/4"	0.566	0.092	100ft
FW5091-250	3/4"	0.566	0.092	250ft
FW5092-100	5/32"	0.086	0.025	100ft

Nylon air brake tubing for use in air brake and air suspension systems 150 psi maximum working pressure, withstands temperatures of -40°F to +200°F. Tubing meets SAE J844 and FMVSS 106 requirements. Available colours: black, blue, green, red, yellow, orange. Available in 100' spools.

Standard colors in all sizes is black. The 1/4" and 3/8" sizes are also stocked in red, blue, green, and yellow. The 1/2" size is also stocked in red green.



### 7-WAY PLUG WITH SPRING

PART #	ITEM
FW6092	7-Way Plug w/Spring

Durable, zinc, die-cast housing for rugged service  
 Meets requirements of SAE J560  
 Brass terminal pins for maximum current carrying ability  
 Field repairable with standard tools  
 Available with spring guard for improved cable protection  
 Fully interchangeable with other SAE-type, 7-way connectors



### 7-WAY RECEPTACLE

PART #	ITEM
FW6093	7-Way Receptacle

Durable, zinc, die-cast  
 7 conductor split pin 2 bolt  
 Meets requirement of SAE  
 Field repairable with standard tools



### BOOT RECEPTACLE

PART #	ITEM
FW6093-1	Receptacle Boot

Reduces Exposure To Contaminants & Moisture



### 6-WAY PLUG WITH SPRING

PART #	ITEM
FW6094	6-Way Plug w/Spring

Durable, zinc, die-cast housing for rugged service  
 Meets requirements of SAE J560  
 Brass terminal pins for maximum current carrying ability  
 Field repairable with standard tools  
 Available with spring guard for improved cable protection  
 Fully interchangeable with other SAE-type, 6-way connectors



**6-WAY RECEPTACLE**

PART #	ITEM
FW6095	6-Way Receptacle

Heavy duty 6 way die-cast connector for rugged service  
 Meets requirements of SAE  
 Field repairable with standard tools  
 6 conductor split pin 2 bolt



**4-WAY PLUG WITH SPRING**

PART #	ITEM
FW6096	4-Way Plug w/ Spring

Durable, zinc, die-cast housing for rugged service  
 Fully interchangeable with other SAE-type, 4-way connectors  
 Meets requirements of SAE J560  
 Brass terminal pins for maximum current carrying ability  
 Field repairable with standard tools  
 Available with spring guard, improving cable protection



**4-WAY RECEPTACLE**

PART #	ITEM
FW6097	4-Way Receptacle

Extended exterior and socket conceals terminals  
 SS springs, resistant to water and dust. Polarized  
 1/4" mounting holes on 4 way sockets, 2 7/8" on center.  
 Mounts through 1 3/8" dia hole.



**JUNCTION BOXES**

PART #	ITEM
FW907	7 Terminal Junction Box
FW907A	12 Terminal Junction Box

Constructed of high impact, black UV resistant ABS plastic  
 Supplied with nuts, washers and grommets

PART #	ITEM
FW907B	7 Terminal Polycarbonate Junction Box

Molded from smoked see-thru Polycarbonate material



**HOSE SUPPORT SPRINGS**

PART #	ITEM
FW34015	12" Length x 1" Outer Diameter Spring
FW34016	12" Length x 3/4" Outer Diameter Spring
FW34017	25 1/2" Length x 1 1/8" Diameter Spring
FW34114	16" Length x 1 1/16" Outer Diameter Spring

Springs hold either air or vacuum lines.  
Heat-treated, zinc-plated spring steel construction for corrosion resistance.  
Double wire loop ends for extra strength.



**HOSE SUPPORT U-CLAMPS & EYE BOLTS**

PART #	ITEM
FW34213	Heavy Duty 3 hole U-Clamp For two - 3/8" I.D. Hoses and One Trailer cable
FW34200	Heavy Duty 3 hole U Clamp For two - 1/2" I.D. Hoses and One Trailer cable



PART #	ITEM
FW34213-S	Standard 3 hole U-Clamp For two - 3/8" I.D. Hoses and One Trailer cable



PART #	ITEM
FW34229	Heavy Duty 3 hole Eye Bolt For two - 3/8" I.D. Hoses and One Trailer cable



PART #	ITEM
FW34268	Heavy Duty 2 Hole Eye Bolt - Reinforced Steel For two - 3/8" I.D. Hoses and One Trailer cable
FW34269	Heavy Duty 2 Hole Eye Bolt - Reinforced Steel For two - 1/2" I.D. Hoses and One Trailer cable



**HOSE SPACERS**

PART #	ITEM
FW34020	Hose Spacer 3/8" x 3/8"
FW34021	Hose Spacer 1/2" x 1/2"
FW34022	Hose Spacer 3/8" x 1/2"

Made of high-impact nylon  
Can be mounted with a cable toe or can be suspended from a hose support spring.



**FIFTH WHEEL PULLERS**

PART #	ITEM
FW403229	29" Puller (chrome)
FW403239	39" Puller (chrome)

5th Wheel Slider Pin Puller with Safety Catch  
 Durable, chrome plated solid steel, with T-bar  
 Used to assist drivers in releasing 5th wheels and trailer tandems  
 Available in 29" lengths 39" lengths  
 Packaging: Sold in quantities of 10



**REPLACEMENT FIFTH WHEEL BUSHING**

PART #	ITEM
FW4033	Rubber Bushing Kit
FW4033-P	Poly Bushing Kit

5th Wheel Holland Rubber & Poly Bushing Kits  
 5th Wheel Pin & Bush for Holland 5000, 5092 & 6000 Series top plates  
 Replacement Kit for Holland (RK-06973-1)

**REEFER FUEL TANKS**



**REEFER FUEL TANK**

PART #	ITEM
FW205	Reefer Fuel Tank 50 Gallon 22" x 30" Aluminum

Aluminium diesel fuel tanks are purposely designed for trailer refrigeration systems. They are exceptionally robust, light-weight and have additional corrosion resistance associated with aluminium. Ideal for the most extreme environments, they are configured to integrate seamlessly with any fuel tank accessories for added security and fuel level monitoring. The new tank has been ergonomically designed to facilitate easier accessibility to reduce installation times. Other sizes are available. Please call for information.



\* All reefer tanks are excluded from the pre-paid shipping

## Diesel Oxidation Catalyst (DOC)

Pollution emitted by diesel fueled engines is a main contributor to the poor air quality found in today's society. Even with the stricter standards for today's heavy-duty diesel engines, many existing trucks and buses continue to emit harmful amounts of nitrogen oxides and diesel particulate matter which contributes to very serious health issues.

Fortunately, with the advances in technology we are now able to produce devices to reduce the amount of pollutants which are an unwanted bi-product of older diesel fueled trucks and buses. Using pollution controlling devices such as a diesel oxidation catalyst (DOC) is an excellent example of a device that can be utilized to upgrade your diesel engine or "retrofit" it in order to pollute less.



## A Diesel Particulate Filter (DPF)

Designed to remove diesel particulate matter (DPM) or soot, from the exhaust of diesel engines. Diesel particulate filters can remove roughly 85% of the soot found in diesel emissions and can at times, depending on the filter and other equipment it is paired with can attain 100% soot removal efficiencies. Diesel-powered vehicles which are equipped with a DPF emit no visible emissions from the exhaust pipe and far less harmful not only to the environment, but to the general health of those in the vicinity of the running vehicle.



### Supported Brands

- ❖ Caterpillar
- ❖ Cummins
- ❖ Detroit Diesel
- ❖ Freightliner
- ❖ Fuso
- ❖ Hino
- ❖ International
- ❖ Kenworth
- ❖ Mack
- ❖ Mitsubishi
- ❖ Paccar
- ❖ Peterbilt
- ❖ Sterling
- ❖ Volvo
- ❖ Western Star

**All Parts are brand new  
(not reconditioned)**

**Built as direct  
replacements of OEM  
parts**


**Tested to produce the  
same emission  
reductions and produce  
the same backpressure  
as the original units**

**Can be cleaned in the  
same manner as the  
OEM parts**

### How IT WORKS

The catalytically-coated ceramic monolith contains long narrow channels open at one end and blocked at the other. The exhaust gas is forced to escape by passing through the filter walls, trapping particulate matter (soot) in the filter. At a high exhaust gas temperature, the soot particles burn away and transform into harmless carbon dioxide. The filter also destroys carbon monoxide (CO) and diesel hydrocarbons (HC).

#### BASIC REACTIONS




<b>Engine OEM</b>	<b>OEM Part #</b>	<b>Part #</b>	<b>Product Description</b>
CAT C9	261-2318 (Assembly# 220-6054)	FW-C011-SA	New Cordierite DPF
CAT C9	264-1556 (Assembly# 250-0630)	FW-C011-SA	New Cordierite DPF
CAT C13, C15	291-8519	FW-C012-SA	New Cordierite DPF
CAT C13, C15	294-8694	FW-C012-SA	New Cordierite DPF
CAT C13, C15	10R-6089	FW-C012-SA	New Cordierite DPF
CAT C13, C15	290-0045 /301-7856	FW-C013-SA	New Cordierite DPF
CAT C13, C15	10R-6088	FW-C013-SA	New Cordierite DPF
CAT C9, C7	291-8515 (Assembly#309-6991)	FW-C032-SA	New Cordierite DPF
CAT C9, C7	294-8692 /10R-6087	FW-C032-SA	New Cordierite DPF
CAT C9, C13, C15	304-7502 / 304-7519 or 10R-7056	FW-C037-SA	New Cordierite DPF
CAT C9	272-2425	FW-C093-SA	New Cordierite DPF
Cummins ISX	4969700NX/2880168NX	FW-C001-SA	New Cordierite DPF
Cummins ISX	4969701NX/5283778NX/ 5297990NX	FW-C001-SA	New Cordierite DPF
Cummins ISX	4969702NX/5283669NX/ 5297522NX	FW-C001-SA	New Cordierite DPF
Cummins ISX	4965226NX/4965129NX	FW-C001-SA	New Cordierite DPF
Paccar PX8	4969838NX	FW-C003-SA	New Cordierite DPF
Cummins ISC	4965286NX	FW-C003-SA	New Cordierite DPF
Cummins ISM	4965244NX	FW-C004-SA	New Cordierite DPF
Cummins ISM	4936737NX/4965055NX 4352920NX	FW-C018-SA	New Cordierite DPF
Cummins ISX	4965129D	FW-C021-SA	New Cordierite DPF
Cummins ISX	4965305NX/ 5283799NX	FW-C021-SA	New Cordierite DPF
Cummins ISX	5297989NX/ 4969703NX* *Assembly: 20970295 /4965322	FW-C021-SA	New Cordierite DPF
Cummins ISM	4965224NX	FW-C022-SA	New Cordierite DPF
Cummins ISB; PX6	4965287NX	FW-C023-SA	New Cordierite DPF
Cummins ISB 6.7L	4965227NX	FW-C024-SA	New Cordierite DPF
Cummins	3976606* or 3103617 Q619496 / Q619733 /Q617940A *Sub-assembly for DPF muffler	FW-C026-SA	New Cordierite DPF
Cummins ISX	2871581NX	FWC033-SA	New Cordierite DPF

Engine OEM	OEM Part #	Part #	Product Description
Cummins ISM	4965218NX	FW-C045-SA	New Cordierite DPF
Cummins ISL	2871463NX	FW-C062-SA	New Cordierite DPF
Cummins ISX	2871578NX	FW-C066-SA	New Cordierite DPF
Cummins ISM	2880169NX	FW-C073-SA	New Cordierite DPF
Cummins ISM	5273093NX	FW-C090-SA	New Cordierite DPF
Cummins ISB, PX6	2871462NX	FW-C098-SA	New Cordierite DPF
Cummins ISX	5295609NX	FW-C0A7-SA	New Cordierite DPF
Cummins ISC, PX8	4965284NX/5287496NX	FW-C005-ID	New Metallic DOC
Cummins ISX	2888261NX / 4969718NX	FW-C010-ID	New Metallic DOC
Cummins ISX	4965304NX/2888247NX	FW-C015-ID	New Metallic DOC
Cummins ISX	2880259NX/4936734NX	FW-C016-ID	New Metallic DOC
Cummins ISX	2888262NX	FW-C016-ID	New Metallic DOC
Cummins	4969721NX	FW-C016-ID	New Metallic DOC
Cummins ISM	4936736NX/4969719NX 5287519NX	FW-C017-ID	New Metallic DOC
Cummins ISM	4965243NX/5287191NX	FW-C028-ID	New Metallic DOC
Cummins	3999660 / 3103618 or Q619494 / Q619723	FW-C034-ID	New Metallic DOC
Cummins ISX	4965225NX / 2888248NX	FW-C038-ID	New Metallic DOC
Cummins ISM	4965223NX / 5287521NX	FW-C043-ID	New Metallic DOC
Cummins ISM	5287520NX/4965217NX	FW-C046-ID	New Metallic DOC
Cummins ISX	2888249NX / 4969542NX	FW-C060-ID	New Metallic DOC
Cummins ISX	2871577NX	FW-C070-ID	New Metallic DOC
Cummins ISM	4969668NX / 5287516NX	FW-C072-ID	New Metallic DOC
Cummins ISX	2888250NX / 2871496NX	FW-C076-ID	New Metallic DOC
Cummins ISX	4965079NX / Q620939	FW-C083-ID	New Metallic DOC
Cummins	Q617786 / Q617786A	FW-C085-ID	New Metallic DOC
Cummins ISC, PX8	5287489NX / 4965353NX	FW-C092-ID	New Metallic DOC
Cummins ISL-G	4969771* *(Two catalysts per truck)	FW-C0A1-ID	New Metallic Catalyst

<b>Engine OEM</b>	<b>OEM Part #</b>	<b>Part #</b>	<b>Product Description</b>
Cummins	4965285NX / 5287480NX	FW-C0A3-ID	New Metallic DOC
Cummins ISX	2880505NX	FW-C0A6-ID	New Metallic DOC
Cummins ISX	2880582NX	FW-C0B1-ID	New Metallic DOC
Detroit DD15	RA6804910294	FW-C002-SA	New Cordierite DPF
Detroit DD15	RA6804908692 (Assembly# A6804910594)	FW-C002-SA	New Cordierite DPF
Detroit DD13,DD15	EA6804910794	FW-C029-SA	New Cordierite DPF
Detroit / Mercedes MBE	A6804910094 / A6804906192 R23537521 / RA6804908792 or A6804904392 (Assembly# A6804905792)	FW-C054-SA	New Cordierite DPF
Detroit DD13	EA6804910894* *(Two DPFs per Truck)	FW-C080-SA	New Cordierite DPF
Detroit DD15	EA6804910494* *(Two DPFs per Truck)	FW-C088-SA	New Cordierite DPF
Detroit Series 50	23535827	FW-C089-SA	New Cordierite DPF
Detroit DD15	RA6804901214 (Assembly# A6804901592)	FW-C014-ID	New Metallic DOC
HINO 6-Cyl. JO8E	S1805E0270/S1850E0281	FW-C027-HF	New Cordierite DPF+DOC
Isuzu 6HK1	897608057/8-97608-057-3 (Assembly#8-97608057-0)	FW-C053-SA	New Cordierite DPF
Isuzu 4HK1-TC 5.2L	898155142 (Assembly# 898155142-0)	FW-C077-SA	New Cordierite
Maxxforce7, DT	2594131C91	FW-C020-SA	New Cordierite
Maxxforce 11or13	2596665C91/ Q622369	FW-C030-SA	New Cordierite
Maxxforce 7, DT	2593981C91 *C039-SA for Vertical Install	FW-C039-SA*	New Cordierite DPF (Modular Design)
Maxxforce 7, DT	*C057-SA - Horizontal Install	FW-C057-SA*	(Modular Design)
Maxxforce 7, DT	2594356C91 *C042-SA for Vertical Install	FW-C042-SA*	New Cordierite DPF (Modular Design)
Maxxforce 7, DT	2594356C91 *C058-SA for Horizontal Install	FW-C058-SA*	New Cordierite DPF (Modular Design)
Maxxforce 7, DT	2594165C91	FW-C047-SA	New Cordierite DPF
Maxxforce DT	3712647C91 / 2604430C91 2612521C91 (Asbly2605039C91)	FW-C048-SA	New Cordierite DPF
Maxxforce 13, 11	2601229C91	FW-C063-SA	New Cordierite DPF
Maxxforce 9, DT	2604870C91 /2605796C91 Or 2611630C91	FW-C078-SA	New Cordierite DPF (Modular Design)
Maxxforce 13	2604830C91 / 2604046C91	FW-C079-SA	New Cordierite DPF

Engine OEM	OEM Part #	Part #	Product Description
Maxxforce 13	(Assembly# 3886127C91)	FW-C091-SA	New Cordierite DPF
Maxxforce 7, DT	2604873C91 / 2605123C1	FW-C0B3-SA	New Cordierite DPF (Modular Design)
Maxxforce7, DT	2594140C91	FW-C019-ID	New Metallic DOC
Maxxforce DT	2605332C91 (Assembly# 2605039C91)	FW-C051-ID	New Metallic DOC
Maxxforce DT	2596407C92	FW-C069-ID	New Metallic DOC
Maxxforce 13, 11	2596690C91	FW-C071-ID	New Metallic DOC
Maxxforce 7,DT	2595714C91	FW-C081-ID	New Metallic DOC
Maxxforce 7,DT	2597007C91	FW-C0A2-ID	New Metallic DOC
Maxxforce 13	2603960C91	FW-C0A4-ID	New Metallic DOC
Maxxforce 13	2604039C91	FW-C0A5-ID	New Metallic DOC
Paccar MX	1827739PEX	FW-C067-SA	New Cordierite DPF
Paccar MX	1827310PEX	FW-C099-SA	New Cordierite DPF
Paccar MX	1837303PE	FW-C070-ID	New Metallic DOC
Sprinter Van Mercedes 3.0L	A9064901592 Dodge Part# 68011959AA	FW-C055-SA	New Silicon Carbide DPF(Modular Design)
Volvo/Mack D13	20864127/85000726 or 21850658	FW-C006-SA	New Cordierite DPF
Volvo/Mack MP7	20863859/85001366 Or 21850651	FW-C007-SA	New Cordierite DPF
Volvo/Mack MP8	20864316 / 85000725 Or 21851879	FW-C044-SA	New Cordierite DPF
Volvo/Mack MP7	21817835 / 21804785 85125682 / 21048577 20231111 / 85000899 20992181 / 85003793	FW-C049-SA	New Cordierite DPF
Volvo/Mack MP7, MP8	20864558 / 85001367 21905492	FW-C050-SA	New Cordierite DPF
Volvo D11	21212426	FW-C061-SA	New Cordierite DPF
VolvoD13/Mack MP8	21212429 /21212431 Or 21415912	FW-C064-SA	New Cordierite DPF
Volvo/Mack MP8/7	21212428	FW-C074-SA	New Cordierite DPF
Volvo/Mack MP7	21395825 / 85124613	FW-C095-SA	New Cordierite DPF
Volvo/Mack MP7	20863840 / 85001356	FW-C008-ID	New Metallic DOC
Volvo/Mack D13	28064129 / 85001355 20864129 / 21850645	FW-C009-ID	New Metallic DOC
Volvo/Mack MP8	21212407 / 21756506	FW-C075-ID	New Metallic DOC
Volvo/Mack D13/11	21212405 / 21756505	FW-C097-ID	New Metallic DOC

Limited Warranty: Copies of the one-year / unlimited mileage limited warranty statements are available from FW Products upon request.



FleetWide Products sources only the highest quality aftermarket Radiators, Condensers, Heaters and Charge Air Coolers manufactured of Original Equipment Style materials like: plastic/aluminum, copper/brass and copper/plastic. However, purchasing the best products available is only part of our Quality First philosophy.

We are stocking units for most major vehicle manufacturers including Peterbilt, Freightliner, Ford, International, Sterling, Volvo and Mack, and many more.

If we don't have the unit that you need in stock, we have the flexibility to have the unit manufactured for you. By manufacturing heavy duty Radiators, Condensers, Heaters and Charge Air Coolers, we are able to ensure the standards of quality our customers have come to expect time and time again. To Place an order please provide the VIN # of the truck or OEM part number

Compatible with:



## INJECTORS & TURBO CHARGERS



We can help you with all your diesel fuel injection and turbocharger needs, from new parts sales to rebuilding your old pump, injector, or turbocharger. In order to give you fast and accurate pricing information, we ask that you provide the engine application, the OEM part number for the unit and the part number of the unit you are wanting information about.

Compatible with:



## OIL PANS & FUEL TANKS

FleetWide carries an extensive line of model and application coverage on Fuel Tanks, Oil Pans, Sending Units, Fuel Tank Lock Rings and Straps, Oil Pan Gaskets, Electric Fuel Pumps and Modular Units, covering over 500 different part numbers for domestic and import applications.

- Made in North America
- Manufactured according to original equipment specifications
- Tested on engine in our tooling facility to obtain exact fit
- Prototype road tested before production
- Quality control during all processes of production





**5,500 lb PALLET TRUCK**

PART #	ITEM
FW7137	5,500LB Pallet Truck

Heavy steal gauge construction  
 Heavy duty hydraulic pump with 1 year warranty  
 Polyurethane wheels for smooth ride  
 Tapered forks with entry rollers  
 Three-position ergonomic handle  
 5,500lb capacity, 1 year warranty

\*All pallet trucks & forklifts parts are excluded from the prepaid shipping



**5,500 lb PALLET TRUCK**

PART #	ITEM
FW7138	5,500LB Heavy Duty Pallet Truck

Load capacity 5,500lbs, 3 year pump warranty  
 Option of single and tandem fork rollers  
 Additional entry and exit fork rollers guarantee maximum stability and safety for transporting goods  
 Galvanized whole casting hydraulic pump  
 Ergonomically designed 3 position handle with comfortable rubber grip allows for optimized safety



**PALLET FORKS**

Quality and value

- All forks are standard taper
- Forks ship complete with fork pin kit
- Additional in a wide variety of sizes, please inquire
- Sold individually or in pairs
- Call your Sales rep today for further information



**PALLET FORK EXTENSIONS**

- All Steel Construction
- Powder coat safety yellow
- Warning and operating stickers included
- Sold in pairs
- Please inquire for sizes available
- Call your Sales rep today for further information



**FORKLIFT REPLACEMENT SEATS**

Available in a large variety and different brands.  
 Vinyl, fabric, with or without suspension.  
 Seat belts available for all seats.  
 Please inquire for further details and product information




**STEEL PRODUCTS**



**STEEL SCUFF LINERS**

PART #	ITEM
FW1901	16" x 10ft (10 gauge steel) sheet
FW1902	16" x 10ft (¼" thickness) sheet

Engineered for truck or trailer fleets requiring extreme duty protection for sidewalls and flooring. Full-length (non-welded) scuff has no seams to snag and all holes are countersunk to protect fasteners.  
 Call today for more information



Extremely durable galvanized steel  
 Seamless, solid, full-length scuff (no welding)  
 Top edge offset to protect fasteners  
 Floor lip turn down to increase scuff life and provide a snag free surface



\*All metal products are excluded from the prepaid shipping




**POLY SCUFF LINERS**

PART #	ITEM
FW1903	12" x 53ft. (¾" thickness) Poly Scuff Liner Roll
FW1904	18" x 53ft. (¾" thickness) Poly Scuff Liner Roll

Poly Scuff Liner is used to extend the life of semi trailer walls, and eliminate the chance for product damage/loss.  
 Scuff is also used for radius concrete forms and Race track barrier walls.





### CHECKER PLATES

Checker Plate is a type of lightweight metal sheet with a regular pattern of raised diamonds or lines on one side. Checker plates are available in a galvanized plate, aluminum plate or stainless steel plates. Checker plate has a variety of uses mainly on floor boards, factory stair boards, loading ramps, building storage system or any area where an anti-slip flooring is necessary.

All thicknesses of checker plate are normally kept in stock in 4'x8' sheets. Some thicknesses may also be stocked in 4'x10' or 5'x10'. Call for availability. Call today for more information

\*All steel products are excluded from the prepaid shipping



### ANGLE IRON

Steel angle bar is a hot rolled, mild steel angle shape with inside radius corners that is ideal for all structural applications, general fabrication and repairs. Steel Angle is used in industrial maintenance, agricultural implements, transportation equipment, etc.

Please call us today for pricing and sizing. When you contact us, please provide your detail requirements. That will help us give you a valid quotation.

## TRUCK BODY PARTS


We sell aftermarket replacement hoods, bumpers, doors, grills, headlights, fenders, and skirts on trucks from manufacturers such as Ford, Freightliner, GMC, Mack, International, Kenworth, Mack, Peterbilt, Volvo, Western Star, and more.



We continue to source and add new items to satisfy our customer repair needs.

We strive to maintain continuous quality control improvement program and is committed to provide the highest quality truck parts to meet our customer's demands.

With our inventory and quality, we guarantee the most quality-cost effective pricing to meet your high quality and cost effective truck repair needs. Please call your sales representative for further information on our product line.



**FLAT BARS**

We can provide steel flat bars for your manufacturing, fabricating and/or contracting needs. Our steel flat bar comes in a variety of sizes. Many industries use hot rolled steel such as industrial, agricultural and transportation industries. The process for making hot rolled steel flat is to strip coil and roll it into bars. Call today for more information

\*All steel products are excluded from the prepaid shipping



**JUNIOR "I" BEAMS / CROSS MEMBERS**


Light weight I-beams used as cross members in truck bodies and van trailers. These are the structural, load carrying components supporting the floor of the truck body or trailer. This material must be high strength, but light weight, in order to maximize the weight and volume of the cargo being hauled. Our cross members are in dry freight vans, flat bed trailers, truck bodies and cargo containers

Cross members are available in various widths and section weights. For dimensions and more information please call us

**SPRING BRAKES**

**SPRING BRAKES - SEALED UNITS**

FW PART #	STROKE	PUSHROD LENGTH	THREAD LENGTH	PORT BOSS	DESCRIPTION	REPLACES BENDIX #
FW-5606	2.5"	13 ½"	10 ½"	Round	Standard stroke, standard pushrod	NT3030STD-56TC
FW-5606INT	2.5"	13 ½"	10 ½"	Round	Standard stroke, castings rotated for intraax	n/a
FW-5606-8	2.5"	18"	11"	Round	Standard Stroke, extended pushrod	n/a
FW-5606181-INT	2.5"	18"	11"	Round	Standard Stroke, extended pushrod, casting rotated for intraax	n/a
FW-5606L	3"	13 ½"	10 ½"	Square	Long Stroke, standard pushrod	NT3030ELS-80TC
FW-5606L-INT	3"	13 ½"	10 ½"	Square	Long Stroke, standard pushrod, casting rotated for intraax	n/a
FW-5606L-18	3"	18"	11"	Square	Long stroke, extended pushrod for intraax	n/a
FW-5606L-18INT	3"	18"	11"	Square	Long stroke, extended pushrod, casting rotated for intraax	n/a
FW-5606L-WY	3"	5 ¾"	n/a	Square	Long stroke, with yoke welded on	NT3030ELS-80TC
All units are Type 30/30. All units are supplied with cleavis, and release stud.						n/a





**PIGGYBACK PLUS KITS**

PART #	ITEM	REPLACES
FW5608P	30/30 Piggy back plus kit for standard stroke	Bendix NT3030STD-KIT

Comes caged & individually boxed, with a FW-5606CW wide lip clamp assembly



PART #	ITEM	REPLACES
FW5608PL	30/30 Piggy back plus kit for long stroke	Bendix NT3030ELS-KIT

Comes caged & individually boxed, with a FW-5606CW wide lip clamp assembly


**SERVICE CHAMBERS**



PART #	UNIT SIZE	STROKE	HOUSING DEPTH	REPLACES BENDIX #
FW-5002	12	1.75"	3 3/4"	50077117N
FW-5003	16	2.25"	3 11/16"	5007118N
FW-5003L	16LS	2.50"	4"	N/A
FW-5004	20	2.25"	4 5/16"	800824
FW-5004L	20LS	2.50"	4 5/16"	N/A
FW-5005	24	2.50"	4"	800825
FW-5005L	24LS	3.0"	4 1/2"	K025365
FW-5006	30	2.50"	4 1/2"	5007121N
FW-5006L	30LS	3.0"	4 1/2"	K025356
FW-5007	36	3.0"	5"	5007122N

Note: All chambers feature full threaded pushrods, and 2 3/8" NPT air fittings.

Arvin Meritor ASA Replacement




**CLEVIS ASSEMBLIES**

FW #	THREAD	LENGTH "L"	LENGTH "S"
FW-R810019	5/8"	1 15/16"	1 3/8"
Supplied with both 1/2" and 1/4" pins			
FW-R810019LP	Large pin only replaces: R801732		
FW-R810019SP	Small pin only replaces: R801730		




### Bendix ASA Replacement




FW #	THREAD	LENGTH " "L"	LENGTH "S"
FW-107158N	N/A	1 3/4"	1"
Supplied with both 1/2" and 1/4" pins Threaded for easy-on standard adapter			
FW-291452N	5/8-18 easy-on standard adapter		

### Stemco/Crewson Auto-Check Replacement




FW #	THREAD	LENGTH " "L"	LENGTH "S"
FW-8420-KTA	5/8"	1 15/16"	1 3/8"
Supplied with both 1/2" and 1/4" pins			
FW-8420LP	Large pin only		
FW-8420SP	Small pin only		

### Gunite ASA Replacement




FW #	THREAD	LENGTH " "L"	LENGTH "S"
FW-AS3016	5/8"	1 3/4"	1 1/8"
Supplied with both 1/2" and 1/4" pins			
FW-AS3000LP	Large pin only		
FW-AS3000SP	Small pin only		

### Gunite ASA Collar Lock Clevis Replacement




PART #	DESCRIPTION
FW-AS3017	Collar Lock Clevis (5/8") for Gunite
FW-AS3018	Extended Collar Lock Clevis (5/8") for Gunite
FW-AS3019	Collar Lock Clevis (1/2") for Gunite
FW-AS4004	6 large and small Pins, with Cotter Pins

### Clevis Assembly



PART #	THREAD	PIN DIA.	LENGTH "L"
FW-5081	1/2"	1/2"	1 3/4"
FW-5082A	5/8"	1/2"	1 7/8"
FW-5083A	5/8"	5/8"	1 7/8"

PART #	THREAD	PIN DIA.	LENGTH "L"
FW-5076	PIN	1/2"	1 1/2"
FW-5077A	PIN	5/8"	1 3/8"



**GREASEABLE CLEVIS PINS**

PART #	PIN DIA.	LENGTH "L"
FW-GCP1014	1/4"	1 1/8"
FW-GCP1012	1/2"	1 1/2"
FW-GCP1058	5/8"	1 1/2"



**REPLACEMENT CLAMP BANDS**

PART #	UNIT SIZE	DESCRIPTION
FW-5606C	30	Clamp band assembly, standard lip
FW-5606CE	30	Clamp band, economy style
FW-5606CW	30	Clamp band assembly, wider lip
FW-5042NB	n/a	Replacement clamp nut & bolt



**DIAPHRAGMS**

PART #	ITEM
FW-5011D	Type 9 Air Brake Diaphragm
FW-5012D	Type 12 Air Brake Diaphragm
FW-5013D	Type 16 Air Brake Diaphragm
FW-5014D	Type 20 Air Brake Diaphragm
FW-5015D	Type 24 Air Brake Diaphragm
FW-5016D	Type 30 Air Brake Diaphragm
FW-5017D	Type 36 Air Brake Diaphragm
FW-5014LS	Type 20 Air Brake Diaphragm (Long Stroke)
FW-5015LS	Type 24 Air Brake Diaphragm (Long Stroke)
FW-5016LS	Type 30 Air Brake Diaphragm (Long Stroke)



**DUST BOOT**

PART #	DESCRIPTION
FW-5584	Pushrod Dust Boot - Fits All



**PUSHROD**

FW #	UNIT SIZE	THREAD	DESCRIPTION
FW-5019	30	3/8"	Standard 13 1/2" Pushrod
FW-5019-15	30	3/8"	Extended 14 1/4" Pushrod
FW-5019-18	30	3/8"	Extended 18" Pushrod
FW-5019-22	30	3/4"	Extended 22" Pushrod

**REPLACEMENT SPRINGS**



PART #	DESCRIPTION
FW-5012	Service return spring for 30/30 Standard & Long Stroke

**REPLACEMENT NON-PRESSURE HOUSING**



PART #	UNIT SIZE	DESCRIPTION
FW-5040S	30	Housing for 30/30 standard stroke
FW-4050L	30	Housing for 30/30 long stroke

**REPLACEMENT RELEASE STUDS**



PART #	DESCRIPTION
FW-5620S	Release stud for 30/30 standard stroke
FW-5620L	Release stud for 30/30 Long Stroke
FW-5606R	Release plud stud plug

**SLACK ADJUSTERS**

**AUTOMATIC SLACK ADJUSTERS**

Meritor Style



FW #	SPLINE	ARM LENGTH	COMPATIBLE WITH
FW-R801041	1½ - 10	5½"	R802290, R802291, R802292, R802293, R802300 R802301, R802310, R802311, R801041
FW-R801042	1½ - 10	6"	R801040, R802354, R802355, R801042, R802356 R802357, R801044
FW-R801073	1½ - 28	5½"	R802440, R802441, R802446, R802447, R801072 R801073, R802444, R802445
FW-R801074	1½ - 28	6"	R801071, R802486, R802487, R801074, R802490 R802491, R801075

All Units are Type 3, "unhanded" and are supplied with a FW-R810019 clevis (please see clevis assembly section for clevis description)

Bendix Style



PART #	SPLINE	ARM LENGTH
FW-065175N	1½ - 28	6"
FW-065179N	1⅝ - 37	6"
FW-065247N	1½ - 28	5½"
FW-065344N	1½ - 10	6"
FW-065700N	1½ - 10	5½"

All units supplied with straight yokes, and ⅝ - 18 "easy-on" standard adapters



PART #	DESCRIPTION
FW-291452N	⅝ - 18 "East-On" Standard adapter



PART #	DESCRIPTION
FW-107158N	"Easy-On" Straight Yoke Kit

Gunite Style



FW #	SPLINE	ARM LENGTH	SUPPLIED CLEVIS	REPLACES GUNITE #
FW-AS1132	1½ - 10	5½"	FW-AS3019	AS1132
FW-AS1133	1½ - 10	6"	FW-AS3016	AS1133
FW-AS1136	1½ - 10	5½"	FW-AS3019	AS1136
FW-AS1140	1½ - 28	5½"	FW-AS3019	AS1140
FW-AS1141	1½ - 28	6"	FW-AS3016	AS1141
FW-AS1147	1½ - 10	6"	FW-AS3018	AS1147

Haldex Style



FW400-10140  
FW400-10141  
FW400-10143


FW400-10144

FW400-10211  
FW400-10212  
FW400-10215  
FW400-10216

FW400-10305  
FW400-10306

FW400-10155

FW #	SPLINE	ARM LENGTH	INSTALLATION KIT (included)	APPLICATION
FW400-10140	1½ - 28	5" or 6"	FW427-10553	Standard
FW400-10141	1½ - 28	5½" or 6½"	FW427-10553	Standard
FW400-10143	1½ - 10	5½" or 6½"	FW427-10553	Standard
FW400-10144	1½ - 28	6"	FW427-10566	Mack Truck
FW400-10155	1½ - 10	5½"	FW427-10554	Kenworth 8-Bag Air Ride
FW400-10211	1½ - 28	5½"	FW427-10563	Trailer 16 - ½" Brake Assy.
FW400-10212	1½ - 28	6"	FW427-10563	Trailer 16 - ½" Brake Assy.
FW400-10215	1½ - 10	5½"	FW427-10563	Trailer 16 - ½" Brake Assy.
FW400-10216	1½ - 10	6"	FW427-10563	Trailer 16 - ½" Brake Assy.
FW400-10305	1½ - 28	6"	FW427-10563	Trailer 12 - ¼" Brake Assy.
FW400-10306	1½ - 10	6"	FW427-10563	Trailer 12 - ¼" Brake Assy.



Fleetwide \$9.95 CND



[www.fleetwide.ca](http://www.fleetwide.ca)

FleetWide Products

6810 Kitimat Road Unit 28

Mississauga, Ontario L5N 5M2

email: [sales@fleetwide.ca](mailto:sales@fleetwide.ca) • online: [www.fleetwide.ca](http://www.fleetwide.ca)

phone: 905-362-9333 • fax: 905-817-1987

toll free: 1-877-623-5338

**fw**Reefer

