

Critical Care • Dosage Chart



Dosage Guidelines:

These are meant as daily feeding guidelines. Individual needs will vary with age, genetics, activity level, and medical condition. Consult with a veterinarian for specific directions.

Mammal: Small Herbivore			
Weight		Dry Product	
lb	kg	Tbsp (dry product)	grams (dry product)
1.1	0.5	1.7	15.6
2.2	1.0	2.9	26.3
3.3	1.5	4.0	35.6
4.4	2.0	4.9	44.1
5.5	2.5	5.8	52.2
6.6	3.0	6.6	59.8
8.8	4.0	8.2	74.2
11.0	5.0	9.8	87.8

Reptile: Herbivore			
Weight		Dry Product	
lb	kg	Tbsp (dry product)	grams (dry product)
0.6	0.3	0.5	4.1
1.1	0.5	0.8	7.0
2.2	1.0	1.3	12.0
3.3	1.5	1.8	16.4
4.4	2.0	2.3	20.5
6.6	3.0	3.1	28.0
7.7	3.5	3.5	31.5
8.8	4.0	3.9	34.9

Directions for Use:

As a general guideline, mix 1 part Critical Care to 2 parts warm water. The volume of water may be adjusted to obtain optimal feeding consistency. Amounts are general guidelines and should be adjusted based on patient condition. Divide into 4-6 feedings or as indicated by your veterinarian. Water should be available to the animal at all times.

References:

1. Cheeke PR. Rabbit Feeding and Nutrition. Academic Press; 1987.
2. Hand MS, Thatcher CD, Remillard RL, Roudebush P (eds). Small Animal Clinical Nutrition 4th Ed. Topeka: Mark Morris Institute; 2000.
3. Mader DR. Reptile Medicine and Surgery 2nd Ed. St. Louis: Elsevier/Saunders; 2006.