
Solid Pine BEAUTIFULLY GRAINED AND EASY TO WORK WITH



Solid Pine is beautifully grained, easy to work with and offers many choices for finishing. Pine can simply be clear coated to show its natural warmth, or it can be stained in a variety of colors, antiqued, or painted. Solid Pine often has a special place in the hearts of those who love wood.

When staining pine it is recommended to use a highly trained professional, as pine is a softwood that can absorb stain differently across the wood creating a blotchy look.



section contents

Astragal	118
Base	107
Base Shoe & Cap	
Casing	101
Chair Rail	117
Cove	116
Crown	112
Exterior Molds	121
Full Round	121
Half Round	116
Interior Door Jambs	124
Lattice	121
Outside Corner Guard	120
Panel Cap	118
Panel & Decorative Mold	119
Quarter Round	116
S4S	121
Standard Door Frame	124
T&G Wainscot	122
Weatherstrip Kerfed Eext. Door Frames	124
Window & Door Stop	106
Window Stool	122

Solid Pine

380

Determining How Much You Need

- 1 Measure the room at the height or length where each moulding goes to determine the number and the length of the pieces you'll need.
- Solid pine moulding is available in 8-16 ft. lengths. Add your footage and multiply that number by 1.1. The result is the total footage needed plus ten percent for waste. Perform this step for each type of moulding, base, chair rail and crown, separately.
- 3 When ordering casing for 6/8 doors, order 7 or 8 lengths and for 8/0 doors use 9 or 10 lengths.
- Most door heads are cut from lineal random lengths. Always cut the longest pieces first.
- 5) The most important tool when working with moulding is patience. Remember the old adage, measure twice and cut once. Never try to rush trim work.
- 6 Lengths ordered may not always be available. Always verify availability when ordering.

ALWAYS TEST TO MAKE SURE YOUR MEASURING TOOLS ARE ACCURATE. IF YOU ARE WORKING WITH A HELPER, TAKE A MEASUREMENT WITH ONE TOOL WHILE YOUR HELPER MEASURES WITH ANOTHER AND COMPARE YOUR RESULTS.

HELPFUL HINTS

- Chair rails can be installed 32" to 36" from the floor.
- Base, shoe and quarter rounds should be the last mouldings to be installed.
- Use Rosettes and Plinth blocks at the corners of windows and doors to eliminate the mitering process.
- Use any brand of spray furniture polish on saw blade as a lubricant for easier cutting.
- After installation is complete: caulk and/or putty all gaps and nail holes with wood putty.
- CHECK the moisture content of all wood moulding: for interior trim, the MC should be 8-10%; for exterior trim the MC should be 12-14%. For every 4% change in MC, wood moves 1%.

Sand the surface of the pine moulding until it is smooth. Finish it with at least a 220 grit sandpaper for best results. Remove dust with a tack rag or by blowing the moulding clean with compressed air.

Apply a thin coat of the prepared shellac to the moulding using a clean cloth. Allow the shellac to dry. Sand lightly with 320 grit sandpaper to smooth the surface; don't remove the shellac layer. Remove dust from the surface before applying stain or another coat. Each coat of shellac will decrease the amount of stain that can penetrate the wood.

Pour 1 cup of shellac into a quart container. Add three cups of denatured alcohol. Stir well. Place a lid on the container until you are ready to use the thinned shellac.

Apply stain with a clean cloth. Stir the container of stain frequently as you work to maintain consistent color. Leave the stain on for the desired amount of time. then wipe thoroughly with a clean cloth. Sand lightly between coats of stain and before applying a protective clear coat.



SOLID PINE CAN ABSORB STAIN UNEVENLY. ALWAYS APPLY A LIBERAL COAT OF A PRE-STAIN WOOD CONDITIONER PRIOR TO STAINING AND, EVEN THEN, SELECT LIGHT TO MEDIUM COLORS FOR STAINING.





190SP 11/16 x 1-1/8 Solid Pine Back Band S (lips 9/16")



104SP 1/2 x 1-1/2 Solid Pine Streamline Casing s



100SP 9/16 x 1-5/8 Solid Pine 2 Round Edge Casing N



101SP 1/2 x 1-5/8 Solid Pine Streamline Casing s



5/8 x 1-5/8 102SP Solid Pine Flat Beveled/ Streamline Casing N/S



105SP 5/8 x 1-5/8 Solid Pine Oval/Streamline Casing N/S



107SP 5/8 x 1-5/8 Solid Pine #711 Casing s



109SP 5/8 x 1-5/8 Solid Pine 3-Step Casing N/S



111SP 1/2 x 1-5/8 Solid Pine Bead & Barrel Casing s




112SP 1/2 x 1-5/8 Solid Pine 4-Bead Casing s



113SP 1/2 x 1-5/8 Solid Pine #1550 Casing S



130SP 5/8 x 1-5/8 Solid Pine Moulded Casing N



Solid Pine Oval Casing N

2" to 2-1/4" Casing







121SP 5/8 x 2 Solid Pine Clamshell Casing s



103BSP	5/8 x 2-1/4	Solid Pine Beveled Casing	N	
103SP	5/8 x 2-1/2	Solid Pine Streamline Casing	s	Ī




106BSP	5/8 x 2-1/4	Solid Pine Oval Casing	N
106SP	5/8 x 2-1/2	Solid Pine Streamline Casing	S



110BSP	5/8 x 2-1/4	Solid Pine 3-Step Casing	N
110SP	5/8 x 2-1/2	Solid Pine 3-Step Casing	S



120BSP 9/16 x 2-1/		Solid Pine 2 Round Edge Casing	N	
120SP	5/8 x 2-1/2	Solid Pine 2 Round Edge Casing	S	



143SP 9/16 x 2-1/4 Solid Pine Oval Casing N



1528P 11/16 x 2-1/4 Solid Pine Colonial/#356 Casing N/S Also Available in Pre-packaged Sets

✓ lengths available: 7' thru 16'



115SP 5/8 x 2-1/2

Solid Pine Universal Casing S

122SP


5/8 x 2-1/2


Solid Pine 7-Bead Casing S

108SP 5/8 x 2-1/2 Solid Pine #711 Casing s



116SP 11/16 x 2-1/2 Solid Pine Colonial Casing S










145SP 5/8 x 2-5/8 Coronado Casing / Chair Rail N


2-7/8" to 3-1/4" Casing

✓ lengths available: 8' thru 16'


(arranged in order of width; items are approximate scale only)



119SP 11/16 x 2-7/8
Solid Pine Colonial Casing s



139SP 9/16 x 3-1/4
Solid Pine 2 Round Edge Casing N/S



155BSP	11/16 x 3-1/4	Solid Pine Cape Cod Casing	N
155SP	11/16 x 3-1/2	Solid Pine Cape Cod Casing	S



176SP 5/8 x 3-1/4
Solid Pine Moulded Casing N/S



186SP 1 x 3-1/4 Solid Pine 49er Casing N



114SP 1/4 x 3-1/2
Solid Pine 2 Eased Edge Mullion Casing s



117SP 9/16 x 3-1/2
Solid Pine Colonial Casing/Base s
(use with 190SP to create a wider casing)



118SP-4 9/16 x 4-1/4
Solid Pine Colonial Casing/Base s
(use with 190SP to create a wider casing)



Window & Door Stop







200SP 3/8 x 1/2 Solid Pine 1 Round Edge Stop s



213SP 3/8 x 3/4 Solid Pine 1 Round Edge Stop s



212SP 7/16 x 7/8
Solid Pine
1 Round Edge Stop N



204SP 1/2 x 3/4
Solid Pine
1 Round Edge Stop s



208SP 3/8 x 1 Solid Pine 1 Round Edge Stop s



205SP 1/2 x 1 Solid Pine 1 Round Edge Stop s



214SP 7/16 x 1-1/8
Solid Pine
1 Round Edge Stop N



201SP 7/16 x 1-1/4
Solid Pine
1 Round Edge Stop N



202SP 3/8 x 1-1/4 Solid Pine 1 Round Edge Stop s



206SP 1/2 x 1-1/4
Solid Pine
1 Round Edge Stop s




 210BSP
 7/16 x 1-3/8
 Colonial Stop
 N

 Solid Pine
 210SP
 1/2 x 1-3/4
 Ogee Stop
 s



216SP 7/16 x 1-3/8 Solid Pine 1 Round Edge Stop N



219SP 7/16 x 1-3/8 Solid Pine Ogee Stop N/S



203SP 3/8 x 1-5/8
Solid Pine
1 Round Edge Stop s



207\$P 1/2 x 1-5/8
Solid Pine
1 Round Edge Stop s



217SP 7/16 x 1-5/8
Solid Pine
1 Round Edge Stop N




218SP 7/16 x 2-1/4
Solid Pine
1 Round Edge Stop N

3/4" to 2-1/4" Base, Shoe & Cap



Streamline Base s




1/2 x 2-1/2 Streamline Base

306SP


2-1/4" to 2-1/2" Base












1/2 x 2-1/4 **Solid Pine** Reversible Base N

7/16 x 2-1/2 **Solid Pine** Streamline Base s

309SP 1/2 x 2-1/2 Solid Pine Combo Base & Shoe s







321SP-2 1/2 x 2-1/2 Solid Pine 3-Step Base s (FORMERLY 312SP-2)


7/16 x 2-1/2 Solid Pine #1550 Base s


Ν


Solid Pine

3-1/4" to 3-1/2" Base

✓ lengths available: 8' thru 16'










9/16 x 3-1/4

Solid Pine Coronado/#623 Base N/S

314SP-3







Solid Pine Colonial Base/Casing s

3-1/2" to 4-1/4" Base

(arranged in order of width; items are approximate scale only)








9/16 x 4-1/4
Solid Pine
Colonial Base/Casing s


✓ lengths available: 8' thru 16'




1-5/8" to 3-5/8" Crown








400SP 9/16 x 1-5/8 Solid Pine Colonial Crown N



401SP-1 $9/16 \times 1-5/8$ Solid Pine Crown s



401SP-2 9/16 x 2-1/4 **Solid Pine Crown s** (FORMERLY E401)



 436SP
 9/16 x 2-3/4
 Solid Pine Colonial Crown
 N

 418SP
 9/16 x 2-1/4
 Solid Pine Colonial Crown
 s




401SP-3 9/16 x 3-1/2 Solid Pine Crown s



 405BSP
 9/16 x 3-5/8
 Solid Pine Colonial Crown
 N

 405SP
 9/16 x 3-3/8
 Solid Pine Colonial Crown
 s







406SP 9/16 x 4-1/2 Solid Pine Colonial Crown N/S

4-1/2" to 5-1/4" Crown


₩ lengths available: 8' thru 16'

(arranged in order of width; items are approximate scale only)



414SP 9/16 x 5-1/4
Solid Pine Colonial Crown N/S

✓ lengths available: 8' thru 16'



EL & EL WOOD PRODUCTS



solid pine | half round / quarter round / cove

Half Round





Solid Pine Half Round

		-
570SP	1/4 x 1/2	N/S
571SP	5/16 x 5/8	N/S
572SP	3/8 x 3/4	N/S
573SP	1/2 x 1	N/S
574SP	5/8 x 1-1/4	S



Solid Pine Quarter Round

Quarter Round

√ lengths available: 8' thru 16'

500SP	1/4 x 1/4	N/S
501SP	3/8 x 3/8	N/S
502SP	1/2 x 1/2	N/S
503SP	5/8 x 5/8	N/S
504SP	3/4 x 3/4	N/S
505SP	1 v 1	NIZE

Cove





520SP 3/8 x 3/8 Solid Pine Cove S

521SP 1/2 x 1/2 Solid Pine Cove N/S



(arranged in order of width; items are approximate scale only)


522SP 5/8 x 5/8 Solid Pine Cove S



523SP 3/4 x 3/4 Solid Pine Cove N/S



528SP 3/4 x 3/4 Solid Pine Decorative Cove N




524SP 1 x 1 Solid Pine Cove N/S




7/16 x 1-1/4

Linoleum Cove







Sprung Cove 2018 CATALOG

5/8 x 1-5/8

525SP

527SP

Screen / Scribe / Bead



590SP 3/16 x 1/2 Solid Pine Insert N/S



591SP Solid Pine Flat Screen Mold N/S



593SP 3/16 x 3/4 Solid Pine Scribe Mold N/S



592SP Solid Pine Beaded Screen Mold N/S



597SP 3/8 x 3/8 Solid Pine Glass Bead N/S




596SP 1/4 x 7/16 Solid Pine Glass Bead s



594SP 3/8 x 3/4 Solid Pine Cloverleaf N/S











Astragal

(arranged in order of width; items are approximate scale only)







661SP

Panel Cap

√ lengths available: 8´ thru 16´ only





[with 1/4" x 3/8" Rab't]

√ lengths available: 7´ and 8´ only



Solid Pine Large Panel Cap N [with 1/4" x 1-1/8" Rab't]





Panel & Decorative

√ lengths available: 8′ thru 16′

(arranged in order of width; items are approximate scale only)





605SP 3/4 x 1-5/8 Solid Pine Panel Mold N/S



603SP 1-1/16 x 1-1/2 Solid Pine Panel/Brick Mold s




2018 CATALOG

Panel & Decorative

(arranged in order of width; items are approximate scale only)





610SP 1 x 2 Solid Pine Decorative Panel Mold S



608SP 3/4 x 1-7/8 Solid Pine Beauty Mold S



611SP 1-3/8 x 3-1/4 Solid Pine Decorative Panel Mold s


Outside Corner Guard



720SP 3/4 x 3/4
Solid Pine Outisde Corner Guard N/S



721SP 1 x 1
Solid Pine Outside Corner Guard N/S





722SP 1-3/8 x 1-3/8
Solid Pine Outside Corner Guard N/S

Lattice / S4S / Full Round

√ lengths available: 8′ thru 16′



(arranged in order of width; items are approximate scale only)

Solid Pine Lattice				
700SP	1/4 x 1-1/8	N/S		
701SP	1/4 x 1-1/4	S		
701BSP	1/4 x 1-3/8	N		
702SP	1/4 x 1-5/8	s		
702BSP	1/4 x 1-3/4	N		
703SP	1/4 x 2-1/2	S		
703BSP	1/4 x 2-1/4	N		
704SP	1/4 x 3-1/2	N/S		



705SP	1/2 x 1/2		S4S N/S
706SP	1/2 x 3/4		S4S N/S
707SP	1/2 x 1-1/2		S4S N/S
708SP	1/2 x 2-1/2		S4S N/S
709SP	1/2 x 3-1/2		S4S N/S
710SP	1/2 x 5-1/2		S4S N/S
711SP	3/4 x 3/4		S4S N/S
712SP	11/16 x 1-1/4		\$4\$ s
713SP	11/16 x 1-5/8	(1x2)	S4S N/S
714SP	11/16 x 2-1/2	(1x3)	S4S N/S
715SP	11/16 x 3-1/2	(1x4)	S4S N/S
716SP	1 x 1	(1x1)	S4S N/S
717SP	1-9/16 x 1-9/16	(2x2)	S4S N/S
719SP	1-1/2 x 1-1/2	(2x2)	4EE S4S S
750SP	3/4 x 5-1/2	(1x6)	C&BTR S4S N/S
751SP	3/4 x 7-1/4	(1x8)	C&BTR S4S N/S
752SP	3/4 x 9-1/4	(1x10)	C&BTR S4S S
753SP	3/4 x 11-1/4	(1x12)	C&BTR S4S N/S
715KP	3/4 x 3-1/2	(1x4)	#2 COMMON S4S N
750KP	3/4 x 5-1/2	(1x6)	#2 COMMON S4S N
751KP	3/4 x 7-1/4	(1x8)	#2 COMMON S4S N
752KP	3/4 x 9-1/4	(1x10)	#2 COMMON S4S N
753KP	3/4 x 11-1/4	(1x12)	#2 COMMON S4S N
758KP	1-1/2 x 11-1/4	(2x12)	#2 COMMON S4S N

Full Round

✓ lengths available: 6′ - 16′




Solid Pine Full Round 800SP 3/4" N 801SP 1" 802SP 1-1/4" N/S 803SP 1-3/8" s 807SP 1-5/8" N

Exterior Molds

¥ lengths available: 71 thru 161




612ASP Solid Pine #180 Eastern Brick Mold N/S without Stucco Key



Solid Pine #180 Eastern Brick Mold N/S with Stucco Key






(arranged in order of width; items are approximate scale only)



901SP 3/8 x 3/4 Solid Pine Parting Bead N/S



903SP Solid Pine Flat Hoffco s



Miscellaneous


904SP 3/4 x 1-1/4 Solid Pine Drip Mold S



900SP 11/16 x 1-5/8 Solid Pine Band Mold s



916SP	3/4 x 1-3/4	Solid Pine Picture Mould	N
905SP	11/16 x 1-5/8	Solid Pine #1139 Picture Mould	S



Solid Pine Nose & Cove N/S

911SP 11/16 x 1-5/8 Solid Pine Rab't Shelf Cleat N

[with 3/8" x 11/16" Rab't]





2018 CATALOG

908SP

Weatherstrip Kerfed Exterior Door Frames

(arranged in order of width; items are approximate scale only)



EXT We			
For 1/2	?" x 2-1/8" l	Door Rab't.	
	Solid	Pine	
SIZE	6/8	8/0	
4-1/8	418WSP6	418WSP8	N/S
4-5/8	458WSP6	458WSP8	N/S
5-1/4	514WSP6	514WSP8	N/S
6-5/8	658WSP6	658WSP8	N/S
7-1/4	714WSP6	714WSP8	N/S

Standard Frame for 1-3/4" Doors



Window Jamb Extension



JAMBEXT 11/16 x 3-15/16 Jamb Extension N (for Andersen® windows)

EXTERIOR DOOR FRAMES Standard								
For 1/2"	x 1-13/16"	Door Rab't.						
Solid Pine								
SIZE	6/8	8/0						
4-1/8	418SP6	418SP8	N/S					
4-5/8	458SP6	458SP8	N/S					
5-1/4	514SPE6	514SPE8	N/S					
6-5/8	658SP6	658SP8	N/S					
7-1/4	714SPE6	714SPE8	N/S					
	SIZE 4-1/8 4-5/8 5-1/4 6-5/8	FRAME Standard For 1/2" x 1-13/16" Solid SIZE 6/8 4-1/8 418SP6 4-5/8 458SP6 5-1/4 514SPE6 6-5/8 658SP6	FRAMES Standard For 1/2" x 1-13/16" Door Rab't. Solid Pine SIZE 6/8 8/0 4-1/8 418SP6 418SP8 4-5/8 458SP6 458SP8 5-1/4 514SPE6 514SPE8 6-5/8 658SP6 658SP8					

Interior Door Jambs



Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request.

INTERIOR DOOR JAMBS									
	Solid Pine				Veneer				
SIZE	6/8	8/0		SIZE	6/8	8/0			
4-9/16	4916SPI6	4916SPI8	N/S	4-9/16	4916PVI6	4916PVI8	N		
4-13/16	434SPI6	434SPI8	N	4-13/16	434PV16	_	N		
5-1/4	514SPI6	514SPI8	N/S	5-1/4	514PV16	_	N		
6-9/16	-	-	-	6-9/16	6916PV16	_	N		
7-1/4	714SPI6	714SPI8	N/S	7-1/4	714PV16	_	N		

Interior Door Jamb Specs

3 11/16" Thick

03 6/8 = 81" Below Dado N 80-5/8" Below Dado S

8/0 = 97" Below Dado N 96-5/8" Below Dado S

- Solid Pine jambs may have a glue line where door stop is applied
- Random Lengths only available in most Solid Wood Species
- Os Dado depth is 3/8"
- Meads cut 3/4 over opening
- 5 pair per bundle

