



## Quick Reference Guide

Delivering long  
life and maximum  
performance for  
**Motorcycles**  
**ATVs**  
**UTVs**  
**Scooters and**  
**all other Toys**







**MARK SROMALLA**  
National Sales Manager  
marks@lucasoil.com  
951.795.3052

**RYAN FARABAUGH**  
Motorcycle Oil Salesman  
ryan@lucasoil.com  
951.532.9965

**AARON TIPPETTS**  
Distribution Manager  
atippetts@lucasoil.com  
951.870.1207

**MICHAEL FARABAUGH**  
Motorcycle Sales Manager  
mwfphoto@hughes.net  
812.267.8104

**KEVIN MCWILLIAMS**  
Account Executive  
kevin@lucasoil.com  
951.532.3279

**JEFF CROTTY**  
On-site Promotions  
crottys@lucasoil.com  
812.322.8783

**MOTORCYCLE TECH LINE: 855.462.9335**

LucasOilMotorcycleProducts.Com | Lucas Motorcycle Products | LucasOil.com

**UNITED KINGDOM LTD.**  
*European Headquarters*  
Unit 4 Cunliffe Drive · Industrial Estate,  
Llangefni · Anglesey, LL77 7JA · UK  
Tel: 01248 723 666 · Fax: 01248 723 275  
Toll Free: 0808 100 3259  
www.LucasOil.co.uk

**CANADA**  
4060B Sladeview Cr., Unit 2  
Mississauga, ON L5L 5Y5  
905.819.1882 · Fax 905.814.9836  
Toll Free Canada & US 888.878.6973  
www.LucasOil.ca

**UNITED STATES**  
*Corporate Headquarters, California*  
302 N. Sheridan St. · Corona, CA 92880-2067  
951.270.0154 · Fax 951.270.1902  
Toll Free US, Canada & Mexico 800.342.2512  
www.LucasOil.com

**Indiana Manufacturing Facility**  
3199 Harrison Way NW · Corydon, IN 47112-6903  
812.738.1147 · Fax 812.734.0466  
Toll Free 800.261.0392  
www.LucasOil.com

**AUSTRALIA & NEW ZEALAND**  
Unit 2/5-7 Meakin Road  
Meadowbrook, QLD 4131 · Australia  
07 3299 6320 · Fax 07 3299 7365  
Toll Free Australia 1800 686 632  
www.LucasOil.com.au

**MEXICO**  
Representaciones MKJ  
Arquímides No. 199-202 · Col. Polanco  
Miguel Hidalgo, C.P. 11560 · México D.F., Mex.  
Tel: 52 55 5203 7308 · 001.800.342.2512  
www.LucasOil.com.mx

## BIKE CARE



#10160

#10725

#10392

#10727

#10020

# TABLE OF CONTENTS

## V-TWIN MOTORCYCLES

Harley Twin Cam Bagger (1999-Present) .....	VT-1
Buell .....	VT-2
Harley Sportster .....	VT-3
Victory V-Twin Bagger .....	VT-4

## METRIC ROAD BIKES

Yamaha .....	MR-1
Suzuki Metric Cruiser .....	MR-2
Spyder .....	MR-3

## METRIC DIRT BIKES

4 Stroke .....	MD-1
2 Stroke .....	MD-2

## EUROPEAN MOTORCYCLES

Triumph .....	EU-1
BMW .....	EU-2

## ANTIQUE MOTORCYCLES

Harley Knucklehead (1936-1947) .....	AT-1
Harley Panhead (1948-1965) .....	AT-2
Honda .....	AT-3

## ATV / UTV / RTV

ATV .....	TV-1
UTV .....	TV-2

## SCOOTERS

4 Stroke Scooter .....	SC-1
------------------------	------



Lucas Oil Products  
302 North Sheridan Street • Corona, CA 92880  
1.800.342.2512 • 951.270.1902 fax  
**LucasOil.com**

# Lucas Motor Oil & Motorcycle Oil

## TYPICAL ZINC VALUES

Part #	Description	Zinc PPM
--------	-------------	----------

### MOTOR OIL

10564	Synthetic SAE 0W-20	861
10179	Synthetic SAE 0W-30	1,265
10211	Synthetic SAE 0W-40	1,265
10082	Synthetic SAE 5W-20 API	861
10049	Synthetic SAE 5W-30 API	861
10189	Synthetic SAE 5W-40 API	861
10050	Synthetic SAE 10W-30 API	861
10176	Semi-Synthetic SAE 10W-40	1,265
10054	Synthetic SAE 20W-50	1,265
10516	SAE 5W-20 API	861
10474	SAE 5W-30 API	861
10276	SAE 10W-30 API	861
10275	SAE 10W-40 API	861
10252	SAE 20W-50 API	861
10162	SAE 40WT API	861
10053	30 Plus	1,265

### RACING ONLY OIL

10281	Synthetic SAE 0W-5	4,836
10286	Synthetic SAE 0W-10	3,289
10291	Synthetic SAE 0W-20	3,218
10605	Synthetic SAE 0W-30	2,616
10610	Synthetic SAE 10W-30	3,097
10615	Synthetic SAE 20W-50	3,132
10306	Semi-Syn SAE 20W-50	3,115
10620	SAE 20W-50	3,132
10380	Jr. Drag SAE 5W-20 15 oz	6,795
10848	4-Stroke Medium Karting Oil	3,873
10044	50 Plus Racing	3,921
10695	60 Plus Racing	3,921
10261	70 Plus Racing	5,458

Part #	Description	Zinc PPM
--------	-------------	----------

### HOT ROD & CLASSIC CAR OIL

10687	SAE 10W-30	2,100
10688	SAE 10W-40	2,100
10689	SAE 20W-50	2,100

### EXTREME DUTY MARINE OIL

10653	SAE 20W-50	3,132
10654	Semi-Synthetic SAE 20W-50	3,115
10661	Synthetic SAE 10W-30 Outboard	820
10662	Synthetic SAE 10W-40 Outboard	820
10677	SAE 25W-40 Inb Strn Drv	820
10807	Marine SAE 15W-40API CJ-4	1,281

### MOTORCYCLE OIL

10700	SAE 20W-50	1,058
10702	Synthetic SAE 20W-50	1,058
10704	Synthetic SAE 5W-20	1,058
10706	Synthetic SAE 5W-30	1,058
10708	Synthetic SAE 10W-30	1,058
10710	Semi-Synthetic 10W-40	1,058
10712	50W	1,058
10714	70W	1,058
10716	Synthetic SAE 10W-50	1,058
10718	Synthetic SAE 0W-40	1,058
10720	Semi-Synthetic SAE 10W-40 ATV	1,058
10765	Synthetic 50W	1,542
10767	SAE 10W-40	1,058
10777	SAE Synthetic 10W-40 Moly	1,058

### BREAK-IN OIL

10626	SAE 20	3,634
10630	SAE 30	3,634
10635	SAE 20W-50	3,634

Part #	Description	Zinc PPM
--------	-------------	----------

### HEAVY DUTY DIESEL

10075	SAE 15W-40 CI 4 Magnum	1,524
10298	Synthetic 15W-40 CJ 4 API	1,281
10296	SAE 15W-40 CJ 4 API	1,281
10435	Synthetic 5W-40 CJ 4 API	1,362
10571	SAE 10W30 CJ 4 API (5 gallon)	1,281

### ENGINE BREAK IN OIL ADDITIVE

10063	TB Zinc Plus	31,000
10063	Mix Ratio: 4.5 qt Oil + 16oz Zinc Plus	3,500
10063	Mix Ratio: 4.75 qt Oil + 8oz Zinc Plus	1,600
10063	Mix Ratio: 4.9 qt Oil + 4oz Zinc Plus	1,000



#10063




Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ride HARLEY® TWIN CAM BAGGER (1999-PRESENT)



**Brake Fluid**  
#10825 / #10826 — DOT 3  
#10827 — DOT 4




**Engine Break-in Oil Additive (Zinc-Plus)**  
#10063



**High Performance Motorcycle Oil**  
#10700 — SAE 20W-50 Petroleum  
#10702 — SAE 20W-50 Synthetic  
#10765 — SAE 50 wt. Synthetic  
**Motorcycle Oil Stabilizer**  
#10727



**Synthetic V-Twin Gear Oil**  
#10791 — SAE 75W-140



**Synthetic Fork Oil**  
#10773 — SAE 15 wt.  
#10779 — SAE 20 wt.



**Slick Mist Detail Kit**  
#10558



**Foam Filter Oil (Air Filter Oil)**  
#10798



**Xtra Heavy Duty Grease**  
(For all wheel bearings)  
#10301 / #10330



**Fuel Additives**  
**Upper Cylinder Lubricant Fuel Treatment**  
#10020 / #10003 / #10013  
**Safeguard™ Ethanol Fuel Conditioner**  
#10576 / #10670  
**Deep Clean™ Fuel System Cleaner**  
#10512 / #10669  
**Octane Booster**  
#10026 / #10725  
**Fuel Stabilizer**  
#10314 / #10302 / #10303



**Primary Chaincase Oil**  
#10790

**Quality lubricants for all your moving parts**  
that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | [LucasOilMotorcycleProducts.com](http://LucasOilMotorcycleProducts.com)  
302 N. Sheridan Street • Corona CA 92880 | [LucasOil.com](http://LucasOil.com)

Lucas Motorcycle Products



**MADE IN AMERICA**  
SOLD TO THE WORLD













# Lucas Oil Products for HARLEY-DAVIDSON®

## 1984 – present/Evolution or EVO/Revolution Twin Cam

 **Manufacturer recommended:** 20/50W oil (meets or exceeds OEM specs)  **Lucas recommended:** To customize your ride – different blends of oils for your different applications

	V-TWIN	PRODUCT #	EVOLUTION	PRODUCT #	REVOLUTION TWIN CAM	PRODUCT #
FULL SYNTHETIC ENGINE OILS						
 Lowering and maintaining engine temperature	SAE 50W V-Twin Motorcycle Oil	10765 – 1 qt	SAE 50W V-Twin Motorcycle Oil	10765 – 1 qt	SAE 50W V-Twin Motorcycle Oil	10765 – 1 qt
Cold weather recommendation for easier start up	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
 Manufacturer's recommendation – 20/50W oil	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
PETROLEUM ENGINE OILS						
 Manufacturer's recommendation – 20/50W oil	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
	SAE 50W	10712 – 1 qt	SAE 50W	10712 – 1 qt	SAE 50W	10712 – 1 qt
SYNTHETIC PRIMARY						
 Manufacturer's recommendation – 20/50W oil	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
 Recommended Petroleum Primary	Primary Chaincase Oil	10790 – 1 qt	Primary Chaincase Oil	10790 – 1 qt	Primary Chaincase Oil	10790 – 1 qt
PURE SYNTHETIC GEAR OILS – COOLS & QUIETS TRANSMISSIONS						
 Main recommendation	SAE 75W-140 V-Twin Gear Oil	10791 – 1 qt	SAE 75W-140 V-Twin Gear Oil	10791 – 1 qt	SAE 75W-140 V-Twin Gear Oil	10791 – 1 qt
 5 Speed recommendation	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
PETROLEUM HEAVY DUTY GEAR OILS						
 All transmissions, including leaky	SAE 80W-90 Gear Oil	10043 – 1 qt   10046 – 1 gal	SAE 80W-90 Gear Oil	10043 – 1 qt   10046 – 1 gal	SAE 80W-90 Gear Oil	10043 – 1 qt   10046 – 1 gal
 All transmissions, including leaky	SAE 85W-140 Gear Oil	10042 – 1 qt   10045 – 1 gal	SAE 85W-140 Gear Oil	10042 – 1 qt   10045 – 1 gal	SAE 85W-140 Gear Oil	10042 – 1 qt   10045 – 1 gal
FORK OIL						
Depends on bike and load range	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES						
 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 – 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 – 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal
New engines – increases zinc in engine oil	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES						
 Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
 Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz	Octane Booster	10725 – 2 oz   10026 – 15 oz	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
Use every 3,000 – 4,000 miles	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz
CHAIN LUBE						
 For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE						
 Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol
SPORTSTERS – MOTORS AND TRANSMISSIONS						
 <b>Petroleum</b> recommendation – 20/50W oil	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
 <b>Synthetic</b> recommendation – 20/50W oil	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt



Product Guides  
Customized for  
Every Ride

# LUCAS-ize ~~your ride~~ BUELL



Foam Filter Oil  
(Air Filter Oil)  
#10798



Brake Fluid  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



High Performance  
Motorcycle Oil  
# 10700 — SAE 20W-50 Petroleum  
#10702 — SAE 20W-50 Synthetic  
Motorcycle Oil Stabilizer  
#10727



Engine  
Break-in  
Oil Additive  
(Zinc-Plus)  
#10063



Slick Mist Detailing Kit  
#10558



Synthetic  
Fork Oils  
#10771 — Light 5wt  
#10772 — Medium 10wt  
#10773 — Heavy 15wt  
#10779 Extra Heavy 20wt



Fuel Additives  
Upper Cylinder  
Lubricant Fuel  
Treatment  
#10020 / #10003 / #10013  
Safeguard™ Ethanol  
Fuel Conditioner  
#10576 / #10670  
Deep Clean™ Fuel  
System Cleaner  
#10512 / #10669  
Octane Booster  
#10026 / #10725  
Fuel Stabilizer  
#10314 / #10302 / #10303



Xtra Heavy  
Duty Grease  
#10301 / #10330

Quality lubricants for all your moving parts  
that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | LucasOilMotorcycleProducts.com  
302 N. Sheridan Street • Corona CA 92880 | LucasOil.com

f Lucas Motorcycle Products

HI-PERFORMANCE  
**LUCAS**  
MOTORCYCLE  
PRODUCTS

MADE IN AMERICA  
SOLD TO THE WORLD

TM





# Lucas Oil Products for **BUELL**

**Manufacturer recommended:** 20/50W oil (meets or exceeds OEM specs) **Lucas recommended:** To customize your ride – different blends of oils for your different applications

	Buell	PRODUCT #
ENGINES AND TRANSMISSIONS		
♥ <b>Petroleum</b> recommendation – 20/50W oil	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
♥ <b>Synthetic</b> recommendation – 20/50W oil	SAE 20W-50 Motorcycle Oil	10702 – 1 qt

## FUEL STABILIZER

### KEY BENEFITS

- Easy to use
- Preserves fuel for up to 12 months or longer
- Application rate: 1oz. treats 1 gallon
- Prevents gasoline break-down during storage
- **Safe to use in all grades of gasoline that contain 10% or less ethanol**
- **For fuels containing over 10% ethanol use Lucas Safeguard #10670**
- Safe to use in all 2 and 4-cycle engines, inboard or outboard

PREVENTS FUEL  
DEGRADATION  
DURING STORAGE



**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512



#10314 – 8 oz

#10302 – 15 oz

## OCTANE BOOSTER

TESTED AND PROVEN TO DELIVER 3 TIMES  
MORE BOOST THAN MOST OTHER BRANDS

### KEY BENEFITS

- Suitable for use in fuel injected and carbureted engines
- Promotes clean fuel burn for fewer emissions
- Safe for turbos, oxygen sensors and catalytic converters
- Easier piston travel and valve seat protection
- Enhances life and performance of pumps, injectors and carburetors
- Lubricates rings for improved cylinder life

IT WORKS!



**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512



#10026 – 15 oz

#10725 – 2 oz



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ride HARLEY® SPORTSTER



**Brake Fluid**  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



**Slick Mist Detailing Kit**  
#10558



**Tool Box Buddy**  
(Cable Lube)  
#10070 / #10392



**Fuel Additives**  
**Upper Cylinder Lubricant**  
**Fuel Treatment**  
#10020 / #10003 / #10013

**Safeguard™ Ethanol**  
**Fuel Conditioner**  
#10576 / #10670

**Deep Clean™ Fuel**  
**System Cleaner**  
#10512 / #10669

**Octane Booster**  
#10026 / #10725

**Fuel Stabilizer**  
#10314 / #10302 / #10303



**High Performance**  
**Motorcycle Oil**  
# 10700 — SAE 20W-50 Petroleum  
#10702 — SAE 20W-50 Synthetic  
**Motorcycle Oil Stabilizer**  
#10727



**Foam Filter Oil**  
(Air Filter Oil)  
#10798



**Synthetic**  
**Fork Oils**  
#10771 — Light 5wt  
#10772 — Medium 10wt  
#10773 — Heavy 15wt  
#10779 Extra Heavy 20wt



**Xtra Heavy**  
**Duty Grease**  
#10301 / #10330



**Quality lubricants for all your moving parts**  
that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | [LucasOilMotorcycleProducts.com](http://LucasOilMotorcycleProducts.com)  
302 N. Sheridan Street • Corona CA 92880 | [LucasOil.com](http://LucasOil.com)

Lucas Motorcycle Products



**MADE IN AMERICA**  
SOLD TO THE WORLD

VT-3





# Lucas Oil Products for HARLEY-DAVIDSON® SPORTSTER

**Manufacturer recommended:** 20/50W oil (meets or exceeds OEM specs) **Lucas recommended:** To customize your ride – different blends of oils for your different applications

	SPORTSTER	PRODUCT #
<b>ENGINES AND TRANSMISSIONS</b>		
🔴 <b>Petroleum</b> recommendation – 20/50W oil	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
🔴 <b>Synthetic</b> recommendation – 20/50W oil	SAE 20W-50 Motorcycle Oil	10702 – 1 qt

## GREASES

### X-TRA HEAVY DUTY

- Automotive chassis lubrication
- Automotive wheel bearing lubrication
- Industrial equipment
- Electrical contacts
- Multi-Purpose
- Heavy duty equipment
- CVJ
- GC-LB



### RED "N" TACKY #2

- Automotive chassis lubrication
- Automotive wheel bearing lubrication
- Industrial equipment
- Construction equipment
- Heavy duty equipment
- Multi-Purpose
- GC-LB



### WHITE LITHIUM

- Automotive chassis lubrication
- Industrial equipment
- Household
- Doors/hinges
- Garage doors



### MARINE

- Boat trailer chassis lubrication
- Boat trailer wheel bearing lubrication
- Boat overdrive/outboards
- Boat steering linkage
- Industrial equipment
- Multi-Purpose
- Fresh water and salt water rust and corrosion protection
- Environmentally safe
- GC-LB



**X-TRA HEAVY DUTY**  
#10301 – 14.5 oz

**WHITE LITHIUM**  
#10533 – 8 oz

**RED "N" TACKY #2**  
#10005 – 14 oz

**MARINE**  
#10320 – 14 oz

PROPERTY/ APPLICATION	X-TRA HEAVY DUTY	RED "N" TACKY #2	WHITE LITHIUM	MARINE
NLGI Grade	2	2	2	2
NLGI Certified	GC-LB	GC-LB	No	GC-LB
Thickener Type	Polyurea	Lithium Complex	Li-12 Hydroxystearate	Lithium Complex
Tacky/Adhesive	No	Yes	No	Yes
Color	Green	Red	White	Blue
Appearance	Buttery	Buttery	Buttery	Buttery
Worked Pen. at 77°F, 1/10 mm	265-295	265-295	265-295	265-295
Dropping Point °F	540	540	360	550
Rust Protection	✓	✓	✓	✓
Salt Water Corrosion Protection	Fair	Good	Poor	Excellent
Operating Temperature	-20 to 400°F	-20 to 400°F	-10 to 300°F	-20 to 400°F
Low Temperature Torque @ -40°F	Pass	Pass	Pass	Pass
Automotive Chassis Lubrication	✓	✓	✓	✓
Automotive Wheel Bearing Lubrication	✓	✓	No	✓
Industrial Equipment	✓	✓	✓	✓
Electrical Contacts	✓	No	No	No
Heavy Duty/Construction Equipment	✓	✓	No	✓
Constant Velocity Joints (CVJ)	✓	No	No	No
Boat Trailer Wheel Bearings	No	✓	No	✓
Boat Trailer Chassis Lubrication	✓	✓	No	✓
Boat Outdrive	No	✓	No	✓
Automotive and Boat Steering Linkage	✓	✓	✓	✓
Centralized Delivery Systems	✓	No	✓	No
Extreme Pressure Properties	✓	✓	No	✓
Timken OK Load, Lbs	60	60	<40	80
Industrial Plain bearings	✓	✓	✓	✓
Anti-Friction Bearings above 5000 rpms	✓	No	✓	No
Household Use	✓	✓	✓	✓
Shock Load Protection	✓	✓	No	✓
Multi-Purpose Grease	✓	✓	No	✓
Water Resistance	Excellent	Excellent	Good	Excellent
Environmentally Safe	Fair	Fair	Fair	Excellent



**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512



Product Guides  
Customized for  
Every Ride

# LUCAS-ize ~~your ride~~ VICTORY



Engine  
Break-in  
Oil Additive  
(Zinc-Plus)  
#10063



Foam Filter Oil  
(Air Filter Oil)  
#10798



Slick Mist Detailing Kit  
#10558



Tool Box Buddy  
(Cable Lube)  
#10070 / #10392



High Performance  
Motorcycle Oil  
# 10710 — SAE 10W-40 Semi-Synthetic  
  
Motorcycle Oil Stabilizer  
#10727



Brake Fluid  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



Synthetic  
Fork Oils  
#10771 — Light 5wt  
#10772 — Medium 10wt  
#10773 — Heavy 15wt  
#10779 Extra Heavy 20wt



Xtra Heavy  
Duty Grease  
#10301 / #10330



Fuel Additives  
  
Upper Cylinder Lubricant  
Fuel Treatment  
#10020 / #10003 / #10013  
  
Safeguard™ Ethanol  
Fuel Conditioner  
#10576 / #10670  
  
Deep Clean™ Fuel  
System Cleaner  
#10512 / #10669  
  
Octane Booster  
#10026 / #10725  
  
Fuel Stabilizer  
#10314 / #10302 / #10303

Quality lubricants for all your moving parts  
that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | LucasOilMotorcycleProducts.com  
302 N. Sheridan Street • Corona CA 92880 | LucasOil.com

f Lucas Motorcycle Products



MADE IN AMERICA  
SOLD TO THE WORLD





# Lucas Oil Products for VICTORY

**Manufacturer recommended:** 20/40W oil (meets or exceeds OEM specs) **Lucas recommended:** To customize your ride – different blends of oils for your different applications

# LUCAS OIL

## SLICK MIST®

### SLICK MIST® INTERIOR DETAILER

- Cleans and protects doors, dashboards, consoles, seats, steering wheels and trims
- Shake well before and during use
- Excellent for household leather and pleather

### SLICK MIST® TIRE & TRIM SHINE

- Gives a long lasting shine to tires, bumpers, rims, rubber, plastic and vinyl trims
- Removes dull, grey oxidation from surfaces
- Ultraviolet light resistant

### SLICK MIST® SPEED WAX

- Quick & easy exterior detailer
- Use either wet or dry for an extreme show car shine
- Excellent for boats and many household uses



**INTERIOR DETAILER**  
#10514 – 24 oz

**TIRE & TRIM SHINE**  
#10513 – 24 oz

**SPEED WAX**  
#10160 – 24 oz

**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512

**ATTENTION:** Do not use any Slick Mist® products on floors, vehicle controls (pedals, grips, steering wheels) motorcycle seats or tires, bicycle seats or tires, brake drums and any other surface where slipperiness may be hazardous. SHAKE WELL.

PRODUCTS	VICTORY	PRODUCT #
<b>FULL SYNTHETIC ENGINE OILS</b>		
Lucas does not recommend a full synthetic oil for use in this bike with stock clutch due to clutch slippage		
<b>SEMI-SYNTHETIC ENGINE OILS</b>		
♥ Easier start up weight	SAE 10W-40 Motorcycle Oil	10010 – 1 qt
<b>PETROLEUM ENGINE OIL</b>		
♥	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
<b>PETROLEUM PRIMARY</b>		
Transmissions – where applicable		
<b>FORK OIL</b>		
Depends on bike and load range	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz
<b>OIL ADDITIVES</b>		
♥ 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 – 1 gal
New engines – increase zinc in engine oil	Engine Break-In Oil	10063 – 16 oz
<b>FUEL ADDITIVES</b>		
♥ Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
♥ Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ride

## YAMAHA



**Brake Fluid**  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



**Slick Mist Detailing Kit**  
#10558



**Tool Box Buddy  
(Cable Lube)**  
#10070 / #10392



**Engine  
Break-in  
Oil Additive  
(Zinc-Plus)**  
#10063



**Foam Filter Oil  
(Air Filter Oil)**  
#10798



**Xtra Heavy  
Duty Grease**  
#10301 / #10330



**High Performance  
Motorcycle Oil**  
# 10708 — SAE 10W-30 Synthetic  
#10767 — SAE 10W-40 Petroleum  
**Motorcycle Oil Stabilizer**  
#10727



**Chain Lube  
Aerosol**  
#10393



**Fuel Additives**  
**Upper Cylinder Lubricant Fuel Treatment**  
#10020 / #10003 / #10013  
**Safeguard™ Ethanol Fuel Conditioner**  
#10576 / #10670  
**Deep Clean™ Fuel System Cleaner**  
#10512 / #10669  
**Octane Booster**  
#10026 / #10725  
**Fuel Stabilizer**  
#10314 / #10302 / #10303

# Quality lubricants for all your moving parts

that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | [LucasOilMotorcycleProducts.com](http://LucasOilMotorcycleProducts.com)  
302 N. Sheridan Street • Corona CA 92880 | [LucasOil.com](http://LucasOil.com)

Lucas Motorcycle Products

HI-PERFORMANCE  
**LUCAS**  
MOTORCYCLE  
PRODUCTS

MADE IN AMERICA  
SOLD TO THE WORLD





# Lucas Oil Products for YAMAHA

All years – all products · Check your owner’s manual for OEM products

 **Manufacturer recommended:** 10/30W-20/50W oil (meets or exceeds OEM specs)  **Lucas recommended:** To customize your ride – different blends of oils for different applications

# LUCAS OIL

## SYNTHETIC BRAKE FLUID DOT 3 & DOT 4

### KEY BENEFITS

- Meets the Federal Motor Vehicle Safety Standards
- Recommended for use in both disc and drum brake systems and clutch systems
- Prevents seal hardening or softening
- Protects against rust and corrosion
- Provides excellent lubricity

### DOT 3

- 401°F dry boiling point
- No.116 and SAE J1703

### DOT 4

- 446°F dry boiling point
- No.116 and SAE J1704

### IT WORKS!





**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512



DOT 4 | #10827 – 12 oz

DOT 3 | #10825 – 12 oz | #10826 – 1 qt

METRIC ROAD BIKES	YAMAHA	PRODUCT #
FULL SYNTHETIC ENGINE OILS		
♥ Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
♥ Hotter temperatures	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS		
♥ Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
♥ Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS		
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS		
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt
REAR DIFFERENTIALS – GEAR OILS		
 Most manufacturers	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL		
Depends on bike and load range	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES		
♥ 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 – 1 gal
New engines – increase zinc in engine oil	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES		
♥ Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
♥ Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz
CHAIN LUBE		
♥ For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE		
♥ Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ride

## SUZUKI METRIC CRUISER



**Brake Fluid**  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



**Foam Filter Oil**  
(Air Filter Oil)  
#10798



**Slick Mist  
Detailing Kit**  
#10558



**Tool Box Buddy**  
(Cable Lube)  
#10070 / #10392



**Fuel Additives**  
**Upper Cylinder  
Lubricant Fuel  
Treatment**  
#10020 / #10003 / #10013  
**Safeguard™ Ethanol  
Fuel Conditioner**  
#10576 / #10670  
**Deep Clean™ Fuel  
System Cleaner**  
#10512 / #10669  
**Octane Booster**  
#10026 / #10725  
**Fuel Stabilizer**  
#10314 / #10302 / #10303



**High Performance  
Motorcycle Oil**  
# 10710 — SAE 10W-40 Semi-Synthetic  
#10767 — SAE 10W-40 Petroleum  
**Motorcycle Oil Stabilizer**  
#10727




**Engine  
Break-in  
Oil Additive**  
(Zinc-Plus)  
#10063



**Xtra Heavy  
Duty Grease**  
#10301 / #10330



**Synthetic  
Fork Oils**  
#10771 — Light 5wt  
#10772 — Medium 10wt  
#10773 — Heavy 15wt  
#10779 Extra Heavy 20wt



**Heavy Duty  
Gear Oil**  
#10043

# Quality lubricants for all your moving parts

that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | [LucasOilMotorcycleProducts.com](http://LucasOilMotorcycleProducts.com)  
302 N. Sheridan Street • Corona CA 92880 | [LucasOil.com](http://LucasOil.com)

Lucas Motorcycle Products







# Lucas Oil Products for METRIC ROAD BIKES

All years – all products · Check your owner’s manual for OEM products

 **Manufacturer recommended:** 10/30W–20/50W oil (meets or exceeds OEM specs)  **Lucas recommended:** To customize your ride – different blends of oils for different applications



## METAL POLISH

GIVES A DEEP SHINE AND MAXIMUM LUSTER WITH MINIMUM EFFORT

### KEY BENEFITS

- Cleans, polishes and protects aluminum and other metals
- Easy to use
- Long lasting
- Safe on all metals
- No acid
- No ammonia














IT WORKS!



ASK YOUR COUNTERMAN!

LucasOil.com | (800) 342-2512

#10155 – 16 oz

METRIC ROAD BIKES	SUZUKI	PRODUCT #
FULL SYNTHETIC ENGINE OILS		
 Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
 Hotter temperatures	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS		
 Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
 Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS		
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS		
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt
REAR DIFFERENTIALS – GEAR OILS		
 Most manufacturers	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL		
Depends on bike and load range	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES		
 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 – 1 gal
New engines – increase zinc in engine oil	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES		
 Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
 Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz
CHAIN LUBE		
 For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE		
 Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol





**Manufacturer recommended:** 5/30W–20/50W oil (meets or exceeds OEM specs)



**Lucas recommended:** To customize your ride – different blends of oils for different applications

METRIC ROAD BIKES	KAWASAKI	PRODUCT #	HONDA	PRODUCT #	KTM	PRODUCT #
FULL SYNTHETIC ENGINE OILS						
♥ Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
New spec oil for 2009 and newer Hondas   oil with moly	SAE 10W-40 Motorcycle Oil	10777 – 1 qt	SAE 10W-40 Motorcycle Oil	10777 – 1 qt	SAE 10W-40 Motorcycle Oil	10777 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
♥ Hotter temperatures	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS						
♥ Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
♥ Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS						
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
♥ For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS						
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt
REAR DIFFERENTIALS – GEAR OILS						
Most manufacturers	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL						
Depends on bike and load range	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES						
♥ 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal
New engines – increase Zinc in engine oil	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES						
♥ Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
♥ Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz	Octane Booster	10725 – 2 oz   10026 – 15 oz	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10512 – 16 oz	Deep Clean Fuel System Cleaner	10512 – 16 oz	Deep Clean Fuel System Cleaner	10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz
CHAIN LUBE						
♥ For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE						
♥ Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol





**Manufacturer recommended:** 5/30W-20/50W oil (meets or exceeds OEM specs)



**Lucas recommended:** To customize your ride – different blends of oils for different applications

METRIC ROAD BIKES	CAN-AM	PRODUCT #	YAMAHA	PRODUCT #	HYOSUNG	PRODUCT #
FULL SYNTHETIC ENGINE OILS						
💖 Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
New spec oil for 2009 and newer Hondas   oil with moly	SAE 10W-40 Motorcycle Oil	10777 – 1 qt	SAE 10W-40 Motorcycle Oil	10777 – 1 qt	SAE 10W-40 Motorcycle Oil	10777 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
💖 Hotter temperatures	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS						
💖 Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
💖 Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS						
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
💖 For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS						
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt
REAR DIFFERENTIALS – GEAR OILS						
Most manufacturers	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL						
Depends on bike and load range	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES						
💖 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal
New engines – increase Zinc in engine oil	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES						
💖 Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
💖 Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz	Octane Booster	10725 – 2 oz   10026 – 15 oz	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10512 – 16 oz	Deep Clean Fuel System Cleaner	10512 – 16 oz	Deep Clean Fuel System Cleaner	10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz
CHAIN LUBE						
💖 For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE						
💖 Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ~~ride~~ SPYDER



Slick Mist  
Detailing Kit  
#10558



High Performance  
Motorcycle Oil  
# 10710 — SAE 10W-40 Semi-Synthetic  
Motorcycle Oil Stabilizer  
#10727



Engine  
Break-in  
Oil Additive  
(Zinc-Plus)  
#10063

- Fuel Additives
- Upper Cylinder  
Lubricant Fuel  
Treatment  
#10020 / #10003 / #10013
- Safeguard™ Ethanol  
Fuel Conditioner  
#10576 / #10670
- Deep Clean™ Fuel  
System Cleaner  
#10512 / #10669
- Octane Booster  
#10026 / #10725



Brake Fluid  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



Quality lubricants for all your moving parts  
that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | [LucasOilMotorcycleProducts.com](http://LucasOilMotorcycleProducts.com)  
302 N. Sheridan Street • Corona CA 92880 | [LucasOil.com](http://LucasOil.com)

Lucas Motorcycle Products





# LUCAS OIL

## EXTREME DUTY GUN OIL

**SUPERIOR PROTECTION,  
SUPERIOR PERFORMANCE**

### KEY BENEFITS

- For firearms that experience high-volume, full auto and suppressed fire
- Polymeric film protects metal parts from rust, wear and moisture during extreme conditions
- Maximum heat resistance up to 400°F and also good to -38°F
- Provides unmatched, burnoff-resistant protection unlike any other multi-purpose gun oil
- Neutralizes acids caused by contact from human hands and resists drying during long periods of storage
- OK for use in any firearm



#10876  
1 gal

#10875  
1 oz

#10877  
4 oz

#10870  
8 oz



**IT WORKS!**

LucasOil.com | (800) 342-2512

# LUCAS OIL

## SLICK MIST® DETAILING KIT

### KIT INCLUDES:

- Interior Detailer  
24 oz. (710 mL)
- Tire & Trim Shine  
24 oz. (710 mL)
- Speed Wax  
24 oz. (710 mL)
- Microfiber Towel  
16" x 16"
- No Mess!® Tire & Trim Applicator
- Shake well

**EVERYTHING  
NEEDED TO MAKE  
YOUR VEHICLE  
SHOWROOM  
READY!**



#10558



**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ride 4 STROKE



**Contact Cleaner**  
(Use on all  
electrical plugs)  
#10799



**Brake Fluid**  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



**Tool Box Buddy**  
(Cable Lube)  
#10070 / #10392



## Fuel Additives

**Upper Cylinder Lubricant Fuel Treatment**  
#10020 / #10003 / #10013

**Safeguard™ Ethanol Fuel Conditioner**  
#10576 / #10670

**Deep Clean™ Fuel System Cleaner**  
#10512 / #10669

**Octane Booster**  
#10026 / #10725

**Fuel Stabilizer**  
#10314 / #10302 / #10303



**Foam Filter Oil**  
(Air Filter Oil)  
#10798



**Synthetic Fork Oil**  
#10771 — SAE 5 wt.



**Xtra Heavy Duty Grease**  
#10301 / #10330



**Assembly Lube**  
#10152 / #10153



**Chain Lube Aerosol**  
#10393



**High Performance Motorcycle Oil**  
# 10767 — SAE 10W-40 Petroleum  
#10710 — SAE 10W-40 Semi-Synthetic

**Motorcycle Oil Stabilizer**  
#10727



**Engine Break-in Oil Additive (Zinc-Plus)**  
#10063

**Quality lubricants for all your moving parts**  
that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | [LucasOilMotorcycleProducts.com](http://LucasOilMotorcycleProducts.com)  
302 N. Sheridan Street • Corona CA 92880 | [LucasOil.com](http://LucasOil.com)

Lucas Motorcycle Products



**MADE IN AMERICA**  
SOLD TO THE WORLD

MD-1





# Lucas Oil Products for 4-STROKE DIRT BIKES

All years – all products · Check your owner’s manual for OEM products

 **Manufacturer recommended:** 5/30W–20/50W oil (meets or exceeds OEM specs)  **Lucas recommended:** To customize your ride – different blends of oils for different applications



## CHAIN LUBE

PENETRATES, LUBRICATES AND  
EXTENDS CHAIN AND SPROCKET LIFE

### KEY BENEFITS

- Designed to penetrate deeply into the pins and bushing of the chains
- Excellent rust and corrosion inhibitor, as well as outstanding water resistance
- Leaves a protective film to ensure minimum wear and drag
- Suitable for use in all chains including O-ring types
- Moist, pliable and resists drying
- Easy to use can—sprays anywhere, even upside down












**NO CHLORINE  
NO FLUOROCARBONS**



**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512

#10393 – 11 oz Aerosol

METRIC OFF ROAD BIKE – 4 STROKE	HONDA	PRODUCT #
FULL SYNTHETIC ENGINE OILS		
 Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
NEW PRODUCT – without moly, for 2008 and older Hondas	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
New spec oil for 2009 and newer Hondas   oil with moly	SAE 10W-40 Motorcycle Oil	10777 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
 Hotter temperatures	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS		
 Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
 Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS		
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS		
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt
Spec for Honda gears boxes – 2009 and newer	SAE 80W-85 Trans Oil	10778 – 1 qt
REAR DIFFERENTIALS – GEAR OILS		
 Most manufacturers	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL		
Depends on bike and load range	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES		
 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 – 1 gal
New engines – increase zinc in engine oil	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES		
 Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
 Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz
CHAIN LUBE		
 For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE		
 Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol



METRIC OFF ROAD BIKES – 4 STROKE	SUZUKI	PRODUCT #	KAWASAKI	PRODUCT #	KTM	PRODUCT #
FULL SYNTHETIC ENGINE OILS						
 Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
New spec oil for 2009 and newer Hondas   oil with moly	SAE 10W-40 Motorcycle Oil	10777 – 1 qt	SAE 10W-40 Motorcycle Oil	10777 – 1 qt	SAE 10W-40 Motorcycle Oil	10777 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
 Hotter temperatures	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS						
 Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
 Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS						
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS						
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt
Spec for Honda gears boxes – 2009 and newer	SAE 80W-85 Trans Oil	10778 – 1 qt	SAE 80W-85 Trans Oil	10778 – 1 qt	SAE 80W-85 Trans Oil	10778 – 1 qt
REAR DIFFERENTIALS – GEAR LUBE						
 Most manufacturers	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL						
Depends on bike and load range	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES						
 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal
New engines – increase Zinc in engine oil	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES						
 Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
 Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz	Octane Booster	10725 – 2 oz   10026 – 15 oz	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz   10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz   10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz   10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10512 – 16 oz	Deep Clean Fuel System Cleaner	10512 – 16 oz	Deep Clean Fuel System Cleaner	10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stablizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stablizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stablizers	10512 – 16 oz
CHAIN LUBE						
 For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE						
 Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol



Manufacturer recommended: 5/30W-20/50W oil (meets or exceeds OEM specs)

Lucas recommended: To customize your ride – different blends of oils for different applications

METRIC OFF ROAD BIKES – 4 STROKE	CAN-AM	PRODUCT #	YAMAHA	PRODUCT #	HUSQVARNA	PRODUCT #
FULL SYNTHETIC ENGINE OILS						
<div>Hotter temperatures</div>	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
New spec oil for 2009 and newer Hondas   oil with moly	SAE 10W-40 Motorcycle Oil	10777 – 1 qt	SAE 10W-40 Motorcycle Oil	10777 – 1 qt	SAE 10W-40 Motorcycle Oil	10777 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
<div>Hotter temperatures</div>	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS						
<div>Best of both worlds</div>	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
<div>Best of both worlds</div>	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS						
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS						
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt
Spec for Honda gears boxes – 2009 and newer	SAE 80W-85 Trans Oil	10778 – 1 qt	SAE 80W-85 Trans Oil	10778 – 1 qt	SAE 80W-85 Trans Oil	10778 – 1 qt
REAR DIFFERENTIALS – GEAR LUBE						
<div>Most manufacturers</div>	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL						
Depends on bike and load range	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES						
<div>10% mixture for motor and transmission only</div>	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal
New engines – increase Zinc in engine oil	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES						
<div>Run full time for better fuel mileage</div>	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
<div>Run full time for better fuel mileage</div>	Octane Booster	10725 – 2 oz   10026 – 15 oz	Octane Booster	10725 – 2 oz   10026 – 15 oz	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz   10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz   10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz   10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10512 – 16 oz	Deep Clean Fuel System Cleaner	10512 – 16 oz	Deep Clean Fuel System Cleaner	10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz
CHAIN LUBE						
<div>For all exterior type chains</div>	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE						
<div>Cable lube for stock cables</div>	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol



Product Guides  
Customized for  
Every Ride



Slick Mist Detail Kit  
#10558

# LUCAS-ize your ride

## 2 STROKE



High Performance  
Motorcycle Oil  
#10710 — SAE 10W-40 Semi-Synthetic  
Motorcycle Oil Stabilizer  
#10727



Engine  
Break-in  
Oil Additive  
(Zinc-Plus)  
#10063



Brake Fluid  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



Synthetic  
Fork Oil  
#10771 — SAE 5 wt.



Tool Box Buddy  
(Cable Lube)  
#10070 / #10392



Xtra Heavy  
Duty Grease  
#10301 / #10330



Mixed Gas and 2-Cycle Oil  
Semi-Synthetic 2-Cycle Oil  
#10058 — 2.6 oz.  
#10059 — 6.4 oz.  
#10120 — 16 oz.  
#10110 — 1 qt.  
#10115 — 1 gal.

2-Cycle Snowmobile Oil  
#10835 — Synthetic



Foam Filter Oil  
(Air Filter Oil)  
#10798



Chain Lube  
Aerosol  
#10393

Quality lubricants for all your moving parts  
that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | LucasOilMotorcycleProducts.com  
302 N. Sheridan Street • Corona CA 92880 | LucasOil.com

f Lucas Motorcycle Products



MADE IN AMERICA  
SOLD TO THE WORLD

MD-2





# Lucas Oil Products for 2-STROKE DIRT BIKES

All years – all products · Check your owner’s manual for OEM products

**Manufacturer recommended:** 5/30W-20/50W oil (meets or exceeds OEM specs)

**Lucas recommended:** To customize your ride – different blends of oils for different applications

## Semi-Synthetic 2-Cycle Oil

Lucas Semi-synthetic 2-Cycle Oil is formulated with an exclusive additive package that burns clean and helps plugs and rings last longer. User can expect less fuel consumption and NO MORE FILTER CLOGGING!

Suitable for use in air-cooled engines.

Designed for any oil injection system or pre-mix up to 50:1

Use in all chainsaws, snowmobiles, leaf blowers, weed eaters, motorcycles, etc.

- Clean Burning “Smokeless”
- Reduces carbon build-up
- Prevents piston burning, spark plug fouling, ring sticking and corrosion caused by combustion residues
- Provides rust protection during storage

Gallons of Gasoline	Gasoline to Oil Ratio				
	16:1	24:1	32:1	40:1	50:1
	Ounces of Oil to be added				
1 Gal	8	5	4	3	2.75
2 Gal	16	11	8	6	5.5
3 Gal	24	16	12	10	8
4 Gal	32	21	16	13	11
5 Gal	40	27	20	16	13

#10058 –2.6 oz | #10059 – 6.4 oz  
#10120 – 16 oz | #10110 – 1 qt  
#10115 – 1 gal

METRIC OFF ROAD BIKE - 2 STROKE	KTM	PRODUCT #
FULL SYNTHETIC ENGINE OILS		
♥ Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
♥ NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
♥ New spec oil for 2009 and newer  oil with moly	SAE 10W-40 Motorcycle Oil	10777 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
Extreme hot temperatures or worn out motor	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS		
♥ Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
♥ Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS		
■	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS		
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt
Spec for Honda gears boxes – 2009 and newer	SAE 80W-85 Trans Oil	10778 – 1 qt
REAR DIFFERENTIALS – GEAR OILS		
■ Most manufacturers	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL		
Depends on bike and load range	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES		
♥ 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 – 1 gal
New engines – increase zinc in engine oil	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES		
♥ Semi-Synthetic 2-Cycle	2-Cycle Gas Additive	10058 – 2.6 oz   10059 – 6.4 oz   10120 – 1 pt   10110 – 1 qt   10115 – 1 gal
Semi-Synthetic 2-Cycle Land and Sea	2-Cycle Gas Additive	10467 – 1 qt   10557 – 1 gal
♥ Full Synthetic 2-Cycle	2-Cycle Gas Additive	10835 –1 qt   10847 – 1 gal
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz   10303 – 1 qt
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz
CHAIN LUBE		
♥ For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE		
♥ Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol
AIR FILTER OIL		
♥	Foam Filter Oil	10798 – 1 qt



METRIC OFF ROAD BIKES – 2 STROKE	HUSQVARNA	PRODUCT #	YAMAHA	PRODUCT #	SUZUKI	PRODUCT #
FULL SYNTHETIC ENGINE OILS						
Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
New spec oil for 2009 and newer Hondas   oil with moly	SAE 10W-40 Motorcycle Oil	10777 – 1 qt	SAE 10W-40 Motorcycle Oil	10777 – 1 qt	SAE 10W-40 Motorcycle Oil	10777 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
Extreme hot temperatures or worn out motor	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS						
Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS						
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS						
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt
Spec for Honda gear boxes – 2009 and newer	SAE 80W-85 Trans Oil	10778 – 1 qt	SAE 80W-85 Trans Oil	10778 – 1 qt	SAE 80W-85 Trans Oil	10778 – 1 qt
REAR DIFFERENTIALS – GEAR OILS						
Most manufacturers	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL – ALL 15 OZ BOTTLES						
Depends on bike and load range	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES						
10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal
New engines – increase zinc in engine oil	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES						
Semi-Synthetic 2-Cycle	2-Cycle Gas Additive	10058 – 2.6 oz   10059 – 6.4 oz 10120 – 1 pint   10110 – 1 qt 10115 – 1 gal	2-Cycle Gas Additive	10058 – 2.6 oz   10059 – 6.4 oz 10120 – 1 pint   10110 – 1 qt 10115 – 1 gal	2-Cycle Gas Additive	10058 – 2.6 oz   10059 – 6.4 oz 10120 – 1 pint   10110 – 1 qt 10115 – 1 gal
Semi-Synthetic 2-Cycle Land and Sea	2-Cycle Gas Additive	10467 – 1 qt   10557 – 1 gal	2-Cycle Gas Additive	10467 – 1 qt   10557 – 1 gal	2-Cycle Gas Additive	10467 – 1 qt   10557 – 1 gal
Full Synthetic 2-Cycle	2-Cycle Gas Additive	10835 – 1 qt   10847 – 1 gal	2-Cycle Gas Additive	10835 – 1 qt   10847 – 1 gal	2-Cycle Gas Additive	10835 – 1 qt   10847 – 1 gal
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
CHAIN LUBE						
For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE						
Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol
AIR FILTER OIL						
	Foam Filter Oil	10798 – 1 qt	Foam Filter Oil	10798 – 1 qt	Foam Filter Oil	10798 – 1 qt



Manufacturer recommended: 5/30W–20/50W oil (meets or exceeds OEM specs)

Lucas recommended: To customize your ride – different blends of oils for different applications

METRIC OFF ROAD BIKES – 2 STROKE	KAWASAKI	PRODUCT #	HONDA	PRODUCT #	CAN-AM	PRODUCT #
FULL SYNTHETIC ENGINE OILS						
Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
New spec oil for 2009 and newer Hondas   oil with moly	SAE 10W-40 Motorcycle Oil	10777 – 1 qt	SAE 10W-40 Motorcycle Oil	10777 – 1 qt*	SAE 10W-40 Motorcycle Oil	10777 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
Extreme hot temperatures or worn out motor	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS						
Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS						
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS						
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt	SAE 75W-140 Gear Oil	10791 – 1 qt
Spec for Honda gear boxes – 2009 and newer	SAE 80W-85 Trans Oil	10778 – 1 qt	SAE 80W-85 Trans Oil	10778 – 1 qt	SAE 80W-85 Trans Oil	10778 – 1 qt
REAR DIFFERENTIALS – GEAR OILS						
Most manufacturers	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL – ALL 15 OZ BOTTLES						
Depends on bike and load range	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES						
10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal
New engines – increase Zinc in engine oil	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES						
Semi-Synthetic 2-Cycle	2-Cycle Gas Additive	10058 – 2.6 oz   10059 – 6.4 oz 10120 – 1 pint   10110 – 1 qt 10115 – 1 gal	2-Cycle Gas Additive	10058 – 2.6 oz   10059 – 6.4 oz 10120 – 1 pint   10110 – 1 qt 10115 – 1 gal	2-Cycle Gas Additive	10058 – 2.6 oz   10059 – 6.4 oz 10120 – 1 pint   10110 – 1 qt 10115 – 1 gal
Semi-Synthetic 2-Cycle Land and Sea	2-Cycle Gas Additive	10467 – 1 qt   10557 – 1 gal	2-Cycle Gas Additive	10467 – 1 qt   10557 – 1 gal	2-Cycle Gas Additive	10467 – 1 qt   10557 – 1 gal
Full Synthetic 2-Cycle	2-Cycle Gas Additive	10835 – 1 qt   10847 – 1 gal	2-Cycle Gas Additive	10835 – 1 qt   10847 – 1 gal	2-Cycle Gas Additive	10835 – 1 qt   10847 – 1 gal
For full time use with all ethanol fuel	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz	Safeguard Ethanol Fuel Conditioner with Stabilizers	10512 – 16 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
CHAIN LUBE						
For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE						
Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol	Tool Box Buddy	10392 – 11 oz Aerosol
AIR FILTER OIL						
	Foam Filter Oil	10798 – 1 qt	Foam Filter Oil	10798 – 1 qt	Foam Filter Oil	10798 – 1 qt



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ride TRIUMPH®



High Performance  
Motorcycle Oil  
# 10712 — SAE 50  
#10714 — 70 wt.  
  
Motorcycle Oil  
Stabilizer  
#10727



Brake Fluid  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



Tool Box Buddy  
(Cable Lube)  
#10070 / #10392



Xtra Heavy  
Duty Grease  
#10301 / #10330



Fuel Additives  
Upper Cylinder Lubricant  
Fuel Treatment  
#10020 / #10003 / #10013  
  
Safeguard™ Ethanol  
Fuel Conditioner  
#10576 / #10670  
  
Deep Clean™ Fuel  
System Cleaner  
#10512 / #10669  
  
Octane Booster  
#10026 / #10725  
  
Fuel Stabilizer  
#10314 / #10302 / #10303



Slick Mist Detail Kit  
#10558



Heavy Duty Gear Oil  
#10043 / #10046 — SAE 80W-90  
#10042 / #10045 — SAE 85W-140



Primary  
Chaincase Oil  
#10790



Chain Lube  
Aerosol  
#10393

Quality lubricants for all your moving parts  
that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | LucasOilMotorcycleProducts.com  
302 N. Sheridan Street • Corona CA 92880 | LucasOil.com

f Lucas Motorcycle Products



MADE IN AMERICA  
SOLD TO THE WORLD


EU-1





# Lucas Oil Products for TRIUMPH

 **Manufacturer recommended:** 10/40W Semi-Synthetic oil (meets or exceeds OEM specs)

 **Lucas recommended:** To customize your ride – different blends of oils for different applications

## LUCAS OIL

### UPPER CYLINDER LUBRICANT WITH INJECTOR CLEANERS AND FUEL CONDITIONERS

#### THE COMPLETE FUEL TREATMENT

#### KEY BENEFITS

- Cleans and lubricates the entire fuel system
- Increases the life of pumps, valves, rings and injectors
- Solves low sulphur diesel fuel problems
- Fuel burns more efficiently—greater MPGs and fewer emissions
- Use at every fill-up to maintain peak engine performance

#### INCREASES FUEL MILEAGE AND PERFORMANCE!



#10020 – 5.25 oz







#10013 – 1 gal

#10003 – 1 qt



**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512

PRODUCTS	TRIUMPH	PRODUCT #
<b>FULL SYNTHETIC ENGINE OILS</b>		
	SAE 50W Motorcycle Oil	10712 – 1 qt
NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
<b>PETROLEUM ENGINE OILS</b>		
	SAE 50W Motorcycle Oil	10712 – 1 qt
	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
<b>REAR DIFFERENTIALS &amp; TRANSMISSIONS</b>		
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
	SAE 75W-140 Gear Oil	10791 – 1 qt
<b>PETROLEUM PRIMARY</b>		
Transmissions – where applicable	Primary Chaincase Oil	10790 – 1 qt
<b>PETROLEUM GEAR OILS</b>		
	SAE 80W-90 Gear Oil	10043 – 1 qt   10046 – 1 gal
	SAE 85W-140 Gear Oil	10042 – 1 qt   10045 – 1 gal
<b>FORK OIL</b>		
Depends on bike and load range	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz
<b>OIL ADDITIVES</b>		
 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal
New engines – increases zinc in engine oil	Engine Break-In Oil	10063 – 16 oz
<b>FUEL ADDITIVES</b>		
 Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
 Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz   10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ~~ride~~ BMW



**Brake Fluid**  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



**Slick Mist  
Detailing Kit**  
#10558



**Foam Filter Oil  
(Air Filter Oil)**  
#10798



- Fuel Additives**
- Upper Cylinder  
Lubricant Fuel  
Treatment**  
#10020 / #10003 / #10013
  - Safeguard™ Ethanol  
Fuel Conditioner**  
#10576 / #10670
  - Deep Clean™ Fuel  
System Cleaner**  
#10512 / #10669
  - Octane Booster**  
#10026 / #10725
  - Fuel Stabilizer**  
#10314 / #10302 / #10303



**Synthetic  
Fork Oils**  
#10771 — Light 5wt  
#10772 — Medium 10wt  
#10773 — Heavy 15wt  
#10779 — Extra Heavy 20wt



**Xtra Heavy  
Duty Grease**  
#10301 / #10330



**High Performance  
Motorcycle Oil**  
# 10716 — SAE 10W-50 Synthetic

**Motorcycle Oil Stabilizer**  
#10727



**Engine  
Break-in  
Oil Additive  
(Zinc-Plus)**  
#10063

**Heavy Duty Gear Oil**  
#10791 — SAE 75W-140 Synthetic



**Quality lubricants for all your moving parts**  
that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | [LucasOilMotorcycleProducts.com](http://LucasOilMotorcycleProducts.com)  
302 N. Sheridan Street • Corona CA 92880 | [LucasOil.com](http://LucasOil.com)

Lucas Motorcycle Products



**MADE IN AMERICA**  
SOLD TO THE WORLD





# Lucas Oil Products for BMW

Manufacturer recommended: 15/50W (meets or exceeds OEM specs)  Lucas recommended: To customize your ride – different blends of oils for different applications

## LUCAS OIL

### SLICK MIST® SPEED WAX

USED BY PROFESSIONAL AUTO  
DETAILERS TO GET A FAST AND  
EXTREME SHOW CAR SHINE

#### KEY BENEFITS

- Great for waxing cars, trucks, motorcycles, ATVs, boats and airplanes
- Use on wet or dry surfaces
- Can easily be used in direct sunshine
- Helps keep mud, bugs and tar from sticking to your vehicle
- Excellent for all paint jobs, clearcoats, vinyl wraps and decals
- Quick and easy
- Provides UV protection

SHAKE WELL BEFORE  
AND DURING USE



#10160 – 24 oz







#10161 – 2 oz



ASK YOUR COUNTERMAN!

LucasOil.com | (800) 342-2512

ATTENTION: Do not use any Slick Mist® products on floors, vehicle controls (pedals, grips, steering wheels) motorcycle seats or tires, bicycle seats or tires, brake drums and any other surface where slipperiness may be hazardous. SHAKE WELL.

PRODUCTS	BMW	PRODUCT #
FULL SYNTHETIC ENGINE OILS		
	SAE 50W Motorcycle Oil	10712 – 1 qt
NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
 Easier start up	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
PETROLEUM ENGINE OILS		
	SAE 50W Motorcycle Oil	10712 – 1 qt
	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
REAR DIFFERENTIALS & TRANSMISSIONS		
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
	SAE 75W-140 Gear Oil	10791 – 1 qt
PETROLEUM PRIMARY		
Transmissions – where applicable	Primary Chaincase Oil	10790 – 1 qt
PETROLEUM GEAR OILS		
	SAE 80W-90 Gear Oil	10043 – 1 qt   10046 – 1 gal
	SAE 85W-140 Gear Oil	10042 – 1 qt   10045 – 1 gal
FORK OIL		
Depends on bike and load range	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES		
 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal
New engines – increases zinc in engine oil	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES		
 Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
 Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz   10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ride

## HARLEY® KNUCKLEHEAD (1936-1947)



Motorcycle Oil Stabilizer  
#10727

High Performance Motorcycle Oil  
# 10712 — SAE 50 wt.  
#10714 — SAE 70 wt.



Foam Filter Oil  
(Air Filter Oil)  
#10798



Tool Box Buddy  
(Cable Lube)  
#10070 — Liquid  
#10392 — Aerosol



**Fuel Additives**  
Upper Cylinder Lubricant Fuel Treatment  
#10020 / #10003 / #10013  
Safeguard™ Ethanol Fuel Conditioner  
#10576 / #10670  
Deep Clean™ Fuel System Cleaner  
#10512 / #10669  
Octane Booster  
#10026 / #10725  
Fuel Stabilizer  
#10314 / #10302 / #10303



Slick Mist Detail Kit  
#10558



Xtra Heavy  
Duty Grease  
#10330 / #10301

Transmission  
Gear Oil  
#10043 — SAE 80W-90  
#10042 — SAE 85W-140



Xtra Heavy  
Duty Grease  
#10301 / #10330



Primary Chaincase Oil  
#10790



Chain Lube  
Aerosol  
#10393

# Quality lubricants for all your moving parts

that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | LucasOilMotorcycleProducts.com  
302 N. Sheridan Street • Corona CA 92880 | LucasOil.com

Lucas Motorcycle Products

HI-PERFORMANCE  
**LUCAS**  
MOTORCYCLE  
PRODUCTS

MADE IN AMERICA  
SOLD TO THE WORLD





# Lucas Oil Products for **ANTIQUE HARLEY | INDIAN**

■ **Manufacturer recommended:** 50W petroleum oil (meets or exceeds OEM specs)    ❤️ **Lucas recommended:** To customize your ride – different blends of oils for different applications



## ENGINE OIL STOP LEAK

ALL NEW FORMULATION OF LUCAS ADDITIVES AND VERY SPECIFIC BASE STOCKS DESIGNED TO STOP LEAKS IN ENGINES

### KEY BENEFITS

- Compatible with petroleum, semi-synthetic and full synthetic motor oils
- Renews worn seals with no risk of damage or eventual corrosion
- Reduces engine noise and oil consumption, while raising oil pressure
- Contains no harmful solvents

STOPS SEAL LEAKS IN BOTH GASOLINE OR DIESEL ENGINES



**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512

#10279 – 1 gal

#10278 – 1 qt

PRODUCTS	ANTIQUE BIKES	PRODUCT #
Harley-Davidson   Indian 1903-1984		
PETROLEUM ENGINE OILS		
■ Manufacturers' recommendation	SAE 50W Motorcycle Oil	10712 – 1 qt
❤️ Hotter temperatures or areas	SAE 70W Motorcycle Oil	1014 – 1 qt
❤️ Colder temperatures or areas	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
PETROLEUM PRIMARY		
Transmissions – where applicable	Primary Chaincase Oil	10790 – 1 qt
PETROLEUM GEAR OILS		
❤️ 3, 4 & 5 speed transmissions and transmissions with reverse	SAE 80W-90	10043 – 1 qt
❤️ 3, 4 & 5 speed transmissions and transmissions with reverse	SAE 85W-140	10042 – 1 qt
FORK OIL		
Depends on bike and load range	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES		
❤️ 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 1 gal
New engines – increases zinc in engine oil	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES		
❤️ Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
❤️ Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz   10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz
CHAIN LUBE		
❤️ For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE		
❤️ Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ride HARLEY® PANHEAD (1948-1965)



**Motorcycle Oil Stabilizer**  
#10727

**High Performance Motorcycle Oil**  
# 10712 — SAE 50 wt.  
#10714 — SAE 70 wt.



**Foam Filter Oil**  
(Air Filter Oil)  
#10798



**Tool Box Buddy**  
(Cable Lube)  
#10070 — Liquid  
#10392 — Aerosol

**Fuel Additives**  
**Upper Cylinder Lubricant**  
**Fuel Treatment**  
#10020 / #10003 / #10013

**Safeguard™ Ethanol**  
**Fuel Conditioner**  
#10576 / #10670

**Deep Clean™ Fuel**  
**System Cleaner**  
#10512 / #10669

**Octane Booster**  
#10026 / #10725

**Fuel Stabilizer**  
#10314 / #10302 / #10303



**Slick Mist Detail Kit**  
#10558



**Chain Lube**  
**Aerosol**  
#10393



**Transmission**  
**Gear Oil**  
#10043 — SAE 80W-90  
#10042 — SAE 85W-140



**Xtra Heavy**  
**Duty Grease**  
#10330 / #10301



**Fork Oil**  
#1771 — SAE 5 wt.  
#10772 — SAE 10 wt.  
#10773 — SAE 15 wt.  
#10779 — SAE 20 wt.



**Primary Chaincase Oil**  
#10790

## Quality lubricants for all your moving parts

that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | [LucasOilMotorcycleProducts.com](http://LucasOilMotorcycleProducts.com)  
302 N. Sheridan Street • Corona CA 92880 | [LucasOil.com](http://LucasOil.com)

Lucas Motorcycle Products



AT-2



# LUCAS OIL

## SAFEGUARD™ ETHANOL FUEL CONDITIONER WITH STABILIZERS

SPECIALLY DEVELOPED TO PREVENT CORROSION AND DEGRADATION IN ETHANOL BASED FUELS

### KEY BENEFITS

- Protects your motor oil from the harmful side effects of alcohol combustion
- Can be used in E-10, E-15, E-85, pure alcohol or any alcohol gasoline combination, even pure gasoline
- Cleans and maintains injectors, carburetors and valve seats
- For use in 2-stroke and 4-stroke engines

IT WORKS!



**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512



#10670 – 5.25 oz

#10576 – 16 oz

## ETHANOL Q & A

### WHAT IS ETHANOL?

Ethanol is referred to as grain alcohol or ethyl alcohol. It is used in alcoholic beverages, but is also used in gasoline as an oxygenator. Ethanol used in gasoline applications is denatured, which means that it contains a bittering agent to prevent it from being consumed by humans. Ethanol is used in gasoline typically at 10 volume percent (E-10), but can be found at higher concentrations in flex fuel vehicles up to 85% ethanol.

More recently, E-15 has been introduced, which is 15% ethanol. Ethanol is fermented from starches such as corn, wheat, grain sorghum, barley and potatoes, as well as from sugar crops such as sugar cane and sweet sorghum. In the U.S., it is derived from corn.

### HOW DOES ETHANOL HARM MY EQUIPMENT?

Ethanol in concentrations of 10 to 15 volume percent can cause rust and corrosion in the fuel systems, soften hoses, and cause deposits to form in injectors and carburetors. Ethanol can attract moisture. If enough water gets into your fuel, the alcohol and water will drop out of the fuel. This problem is worsened during storage. Ethanol is definitely bad for most engines even if you get by with just a clogged up fuel filter.

### WHY ARE MOTOR MANUFACTURERS HAVING DIFFICULTIES IN KEEPING UP WITH THE NEED TO ADAPT FOR USE IN ETHANOL?

Some engine manufacturers have kept up with the introduction of higher concentrations by making flex fuel vehicles, which can run on E-85 gasoline, E-10 and E-15. These systems typically have hoses and connections that are designed to withstand the softening properties associated with ethanol. The problem is that most engines made today are still designed for use with straight gasoline or at the most E-10. Anything above that creates issues.

### HOW LONG CAN I STORE ETHANOL VERSUS GASOLINE?

Typically the shelf life of ethanol fuels is about 3-4 months if it is not stabilized. Adding a stabilizer to the fuel will help extend the shelf life. It also depends on where the vehicle is stored. If it is stored in an exposed environment in humid conditions, then it is likely to pick up moisture quicker. This is called hygroscopic. Pure gasoline shelf life varies. It could be several months to several years, again based on its storage location. Stabilizers will help extend the life of the fuel and prevent the formation of varnish, gums and deposits.

### WHAT PRODUCTS CAN I PUT IN MY FUEL TO HELP THE EFFECTS OF ETHANOL?

We lab tested several other products. One company made outlandish claims but we found their product to do nothing. Some others were certainly better than nothing but we could not find anything in a class with Lucas Safeguard.

Lucas recommends using our Safeguard Ethanol Fuel Conditioner and Stabilizer. It is designed to inhibit rust and corrosion while removing deposits from the entire fuel system, including carburetors and fuel injectors. It also has very effective oxidation inhibitors in it to extend the life of the fuel during long storage periods, typically up to one year.

Remember, nothing removes the water from fuel except alcohol — and then, of course you still have the water in your fuel tank.

### CAN SAFEGUARD BE USED IN 2 STROKE ENGINES?

Our product is designed to be used in both 4-Stroke and 2-Stroke engines. The treat rate is 1 fluid ounce per 5 gallons of fuel. An over treat will not be harmful and is actually recommended before long-term storage.



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ride

## ANTIQUE METRIC



Slick Mist  
Detailing Kit  
#10558




Brake Fluid  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



Tool Box Buddy  
(Cable Lube)  
#10070 / #10392




- Fuel Additives**
- Upper Cylinder Lubricant  
Fuel Treatment  
#10020 / #10003 / #10013
  - Safeguard™ Ethanol  
Fuel Conditioner  
#10576 / #10670
  - Deep Clean™ Fuel System Cleaner  
#10512 / #10669
  - Octane Booster  
#10026 / #10725
  - Fuel Stabilizer  
#10314 / #10302 / #10303



Chain Lube  
Aerosol  
#10393



Assembly Lube  
#10152 / #10153



Xtra Heavy  
Duty Grease  
#10301 / #10330



Synthetic  
Fork Oils  
#10771 — Light 5wt  
#10772 — Medium 10wt  
#10773 — Heavy 15wt  
#10779 Extra Heavy 20wt



Engine  
Break-in  
Oil Additive  
(Zinc-Plus)  
#10063



High Performance  
Motorcycle Oil  
#10767 — SAE 10W-40 Petroleum  
  
Motorcycle Oil Stabilizer  
#10727

# Quality lubricants for all your moving parts

that meet or exceed OEM specifications

HI-PERFORMANCE  
**LUCAS**  
MOTORCYCLE  
PRODUCTS

MADE IN AMERICA  
SOLD TO THE WORLD



# LUCAS OIL

## ANTI-GEL

### COLD WEATHER DIESEL TREATMENT

WITH REAL WATER DISPERSANTS

DESIGNED ESPECIALLY TO  
PREVENT COLD FILTER PLUGGING

#### KEY BENEFITS

- 1 quart treats 150 gallons to -10°F  
½ gallon treats 300 gallons to -10°F
- Contains no alcohol
- Won't void warranties
- Has no harmful effect on particulate filters

#### EFFECTIVE IN ULSD AND BIOFUELS

(Expect bio diesel fuel  
or BIOFUELS to thicken  
at a higher temperature)



**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512

#10865 – 32 oz

#10866 – 64 oz

# LUCAS OIL

## DIESEL DEEP CLEAN™

PARTICULATE FILTER CLEANER  
& POWER BOOSTER

DEEP CLEANS THE ENTIRE FUEL  
AND EXHAUST SYSTEM

#### KEY BENEFITS

- Reduces the cost and aggravation of particulate filter maintenance
- Removes and dissolves harmful exhaust deposits that could plug the particulate filter
- Can be used full time for maximum performance and MPG
- 16 oz treats 30 gallons (115 liters)
- 64 oz treats 120 gallons (454 liters)
- Overtreat will not harm system

REDUCES NO<sub>x</sub>  
EMISSIONS



**ASK YOUR COUNTERMAN!**

LucasOil.com | (800) 342-2512

#10872 – 16 oz

#10873 – 64 oz



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ride ~~ATV~~



Foam Filter Oil  
(Air Filter Oil)  
#10798



Chain Lube  
Aerosol  
#10393



Slick Mist  
Detailing Kit  
#10558



## Fuel Additives

Upper Cylinder Lubricant  
Fuel Treatment  
#10020 / #10003 / #10013

Safeguard™ Ethanol  
Fuel Conditioner  
#10576 / #10670

Deep Clean™ Fuel  
System Cleaner  
#10512 / #10669

Octane Booster  
#10026 / #10725

Fuel Stabilizer  
#10314 / #10302 / #10303



Xtra Heavy  
Duty Grease  
(For all wheels)  
#10301 / #10330



Brake Fluid  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



Tool Box Buddy  
(Cable Lube)  
#10070 / #10392



Engine  
Break-in  
Oil Additive  
(Zinc-Plus)  
#10063

High Performance Motorcycle Oil  
# 10708 — SAE 10W-30 Synthetic  
#10710 — SAE 10W-40 Semi-Synthetic  
#10767 — SAE 10W-40 Petroleum

Motorcycle Oil Stabilizer  
#10727



Quality lubricants for all your moving parts  
that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | LucasOilMotorcycleProducts.com  
302 N. Sheridan Street • Corona CA 92880 | LucasOil.com

f Lucas Motorcycle Products



MADE IN AMERICA  
SOLD TO THE WORLD

TV-1





# Lucas Oil Products for 4-STROKE ATV

All years – all products · Check your owner’s manual for OEM products

 **Manufacturer recommended:** 5/30W–20/50W oil (meets or exceeds OEM specs)  **Lucas recommended:** To customize your ride – different blends of oils for different applications



## ATV/UTV ENGINE OIL SEMI-SYNTHETIC SAE 10W-40

4-STROKE

ALL TEMP, ALL SEASONS

KEY BENEFITS

- Lower oil temperatures
- Longer oil life
- Longer component life
- Less noise, fewer leaks
- Far exceeds major manufacturer specifications, on the trail or on the track
- Exceptional wet clutch protection for 4-stroke engines with integrated transmissions
- Formulated to stand up to the high temperatures of air-cooled 4-stroke ATV/UTV engines














IT WORKS!



**ASK YOUR COUNTERMAN!**  
LucasOil.com | (800) 342-2512



#10720 – 1 qt

METRIC OFF ROAD – 4 STROKE ATV	ALL BRANDS	PRODUCT #
FULL SYNTHETIC ENGINE OILS		
 Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
 NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
 New spec oil for 2009 and newer   oil with moly	SAE 10W-40 Motorcycle Oil	10777 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
 Extreme hot temperatures or worn out motor	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS		
 Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
 Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS		
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS		
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt
Spec for Honda gears boxes – 2009 and newer	SAE 80W-85 Trans Oil	10778 – 1 qt
REAR DIFFERENTIALS – GEAR OILS		
 Most manufacturers	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL		
Depends on bike and load range	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES		
 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 – 1 gal
New engines – increase zinc in engine oil	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES		
 Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
 Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz
CHAIN LUBE		
 For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE		
 Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ~~ride~~ UTV



**High Performance Motor Oil**  
(Final Drive Oil)  
#10706 — 10W-30  
#10710 — 10W-40



**Engine Break-in Oil Additive**  
(Zinc-Plus)  
#10063



**High Performance Motorcycle Oil**  
#10767 — SAE 10W-40 Petroleum  
#10700 — SAE 20W-50 Petroleum  
#10710 — SAE 10W-40 Semi-Synthetic  
#10793 — SAE 10W-40 Synthetic  
#10716 — SAE 10W-50 Synthetic  
#10702 — SAE 20W-50 Synthetic  
**Motorcycle Oil Stabilizer**  
#10727



**Contact Cleaner**  
(Use on all electrical plugs)  
#10799



**Heavy Duty Gear Oil**  
(Front Differential)  
#10043 — SAE 80W-90 Petroleum  
**Pure Synthetic Gear Oil**  
(Front Differential)  
#10047 — SAE 75W-90 Synthetic



**Slick Mist Detailing Kit**  
#10558



**Brake Fluid**  
#10825 / #10826 — DOT 3  
#10827 — DOT 4



**Foam Filter Oil**  
(Air Filter Oil)  
#10798



**Fuel Additives**  
**Upper Cylinder Lubricant Fuel Treatment**  
#10020 / #10003 / #10013  
**Safeguard™ Ethanol Fuel Conditioner**  
#10576 / #10670  
**Deep Clean™ Fuel System Cleaner**  
#10512 / #10669  
**Octane Booster**  
#10026 / #10725  
**Fuel Stabilizer**  
#10314 / #10302 / #10303



**Xtra Heavy Duty Grease**  
#10301 / #10330

## Quality lubricants for all your moving parts

that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | [LucasOilMotorcycleProducts.com](http://LucasOilMotorcycleProducts.com)  
302 N. Sheridan Street • Corona CA 92880 | [LucasOil.com](http://LucasOil.com)

Lucas Motorcycle Products

HI-PERFORMANCE  
**LUCAS**  
MOTORCYCLE  
PRODUCTS

MADE IN AMERICA  
SOLD TO THE WORLD





# Lucas Oil Products for 4-STROKE UTV

All years – all products · Check your owner’s manual for OEM products

 **Manufacturer recommended:** 5/30W–20/50W oil (meets or exceeds OEM specs)  **Lucas recommended:** To customize your ride – different blends of oils for different applications



## GUN OIL

### KEY BENEFITS

- Polymeric film protects metal parts from rust, wear and moisture during extreme conditions
- Provides unmatched, burnoff-resistant protection unlike any other multi-purpose gun oil
- Neutralizes acids caused by contact from human hands and resists drying during long periods of storage
- Maximum heat resistance
- Super slick, yet clings to metal parts for for easier operation and reduced wear
- A “must” for competition shooting

IT WORKS!















ASK YOUR COUNTERMAN!

LucasOil.com | (800) 342-2512



#10006 – 2 oz

METRIC OFF ROAD – 4 STROKE UTV	ALL BRANDS	PRODUCT #
FULL SYNTHETIC ENGINE OILS		
 Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
 NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
 New spec oil for 2009 and newer   oil with moly	SAE 10W-40 Motorcycle Oil	10777 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
Extreme hot temperatures or worn out motor	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS		
 Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
 Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS		
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS		
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt
Spec for Honda gears boxes – 2009 and newer	SAE 80W-85 Trans Oil	10778 – 1 qt
REAR DIFFERENTIALS – GEAR OILS		
 Most manufacturers	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL		
Depends on bike and load range	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES		
 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 – 1 gal
New engines – increase zinc in engine oil	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES		
 Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
 Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz
CHAIN LUBE		
 For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE		
 Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol



Product Guides  
Customized for  
Every Ride

# LUCAS-ize your ~~ride~~ 4 STROKE SCOOTER



Engine Break-in  
Oil Additive  
(Zinc-Plus)  
#10063



High Performance Motorcycle Oil  
# 10767 — SAE 10W-40 Petroleum  
#10710 — SAE 10W-40 Semi-Synthetic  
Motorcycle Oil Stabilizer  
#10727



Tool Box Buddy  
(Cable Lube)  
#10070 / #10392



**Fuel Additives**  
**Upper Cylinder Lubricant Fuel Treatment**  
#10020 / #10003 / #10013  
**Safeguard™ Ethanol Fuel Conditioner**  
#10576 / #10670  
**Deep Clean™ Fuel System Cleaner**  
#10512 / #10669  
**Octane Booster**  
#10026 / #10725  
**Fuel Stabilizer**  
#10314 / #10302 / #10303



Synthetic  
Fork Oil  
#10771 — SAE 5 wt.



Xtra Heavy  
Duty Grease  
(For all wheel  
bearings)  
#10301 / #10330



Slick Mist Detailing Kit  
#10558

Quality lubricants for all your moving parts  
that meet or exceed OEM specifications

855.462.9335 MOTORCYCLE OIL TECH LINE | LucasOilMotorcycleProducts.com  
302 N. Sheridan Street • Corona CA 92880 | LucasOil.com

Lucas Motorcycle Products

HI-PERFORMANCE  
**LUCAS**  
MOTORCYCLE  
PRODUCTS

MADE IN AMERICA  
SOLD TO THE WORLD





# Lucas Oil Products for 4-STROKE SCOOTER

All years – all products · Check your owner’s manual for OEM products

 **Manufacturer recommended:** 10/30W–20/50W oil (meets or exceeds OEM specs)  **Lucas recommended:** To customize your ride – different blends of oils for different applications



## DEEP CLEAN™ FUEL SYSTEM CLEANER

REDUCES NO<sub>x</sub> EMISSIONS

BLENDED WITH AN EXCLUSIVE LUCAS ADDITIVE PACKAGE AND A SPECIFIC CARRIER FLUID THAT CONTAINS NO DIESEL FUEL, KEROSENE OR ANYTHING ELSE THAT CAN BE HARMFUL OR USELESS TO AN ENGINE

### KEY BENEFITS

- Eliminates the need for higher octane fuel
- Removes carbon deposits
- Totally eliminates knocking and pinging
- Brings sluggish engines back to life
- 5.25 oz treats up to 15 gallons
- 16 oz treats up to 30 gallons

IT WORKS!





ASK YOUR COUNTERMAN!

LucasOil.com | (800) 342-2512



#10669 – 5.25 oz

#10512 – 16 oz

METRIC OFF ROAD – 4 STROKE SCOOTER	ALL BRANDS	PRODUCT #
FULL SYNTHETIC ENGINE OILS		
♥ Colder temperatures	SAE 5W-30 Motorcycle Oil	10706 – 1 qt
Colder temperatures	SAE 10W-30 Motorcycle Oil	10708 – 1 qt
Easier start up weight	SAE 0W-40 Motorcycle Oil	10718 – 1 qt
♥ NEW PRODUCT – without moly	SAE 10W-40 Motorcycle Oil	10793 – 1 qt
♥ New spec oil for 2009 and newer   oil with moly	SAE 10W-40 Motorcycle Oil	10777 – 1 qt
	SAE 10W-50 Motorcycle Oil	10716 – 1 qt
Hotter temperatures	SAE 20W-50 Motorcycle Oil	10702 – 1 qt
SEMI-SYNTHETIC ENGINE OILS		
♥ Best of both worlds	SAE 10W-40 Motorcycle Oil	10710 – 1 qt
♥ Best of both worlds	SAE 10W-40 ATV Oil	10720 – 1 qt
PETROLEUM ENGINE OILS		
	SAE 10W-40 Motorcycle Oil	10767 – 1 qt
For hotter temperatures or older motors	SAE 20W-50 Motorcycle Oil	10700 – 1 qt
SYNTHETIC REAR DIFFERENTIALS		
	SAE 75W-90 Gear Oil	10047 – 1 qt   10048 – 1 gal
For noisy or older gear boxes	SAE 75W-140 Gear Oil	10791 – 1 qt
REAR DIFFERENTIALS – GEAR OILS		
 Most manufacturers	SAE 80W-90	10043 – 1 qt
For loud or worn out differentials	SAE 85W-140	10042 – 1 qt   10045 – 1 gal
FORK OIL		
Depends on bike and load range	SAE 5W Light	10771 – 15 oz
Depends on bike and load range	SAE 10W Medium	10772 – 15 oz
Depends on bike and load range	SAE 15W Heavy	10773 – 15 oz
Depends on bike and load range	SAE 20W Extra-Heavy	10779 – 15 oz
OIL ADDITIVES		
♥ 10% mixture for motor and transmission only	Motorcycle Oil Stabilizer	10727 – 12 oz
For all leaky cavities	Engine Oil Stop Leak	10278 – 1 qt   10279 – 1 gal
New engines – increase zinc in engine oil	Engine Break-In Oil	10063 – 16 oz
FUEL ADDITIVES		
♥ Run full time for better fuel mileage	Fuel Treatment	10020 – 5.25 oz   10003 – 1 qt
♥ Run full time for better fuel mileage	Octane Booster	10725 – 2 oz   10026 – 15 oz
For winterization and storage. Use in gasoline products of 10% ethanol or less	Fuel Stabilizer	10314 – 8 oz   10302 – 15 oz 10303 – 1 qt
Use every 3,000-4,000 miles	Deep Clean Fuel System Cleaner	10669 – 5.25 oz   10512 – 16 oz
For full time use with all ethanol and non-ethanol fuels, winterization and storage	Safeguard Ethanol Fuel Conditioner with Stabilizers	10670 – 5.25 oz   10576 – 16 oz
CHAIN LUBE		
♥ For all exterior type chains	Chain Lube	10393 – 11 oz Aerosol
CABLE LUBE		
♥ Cable lube for stock cables	Tool Box Buddy	10392 – 11 oz Aerosol