



ICD-9-CM Code	ICD-10-CM Code(s)
786.50	Chest pain, unspecified
ICD-10-CM Codes	R07.9 Chest pain, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: R07.89 Other chest pain R07.2 Precordial pain R07.1 Chest pain on breathing R07.81 Pleurodynia
414.00	Coronary atherosclerosis of unspecified type of vessel, native or graft
ICD-10-CM Codes	No map (No ICD-10 code exists for unspecified vessel; native or bypass graft must be indicated)
427.31	Atrial fibrillation
ICD-10-CM Codes	I48.0 Paroxysmal atrial fibrillation I48.1 Persistent atrial fibrillation I48.2 Chronic atrial fibrillation I48.91 Unspecified atrial fibrillation
427.89	Cardiac dysrhythmias, other specified
ICD-10-CM Codes	I49.8 Other specified cardiac arrhythmias *Instructional note in ICD-10-CM indicates to code first cardiac arrhythmia complicating: abortion or ectopic or molar pregnancy (O00-O07, O08.8) obstetric surgery and procedures (O75.4)
414.01	Coronary atherosclerosis of native coronary artery
ICD-10-CM Codes	I25.10 Atherosclerotic heart disease of native coronary artery without angina pectoris **Assign code from I25.110–I25.119 when angina pectoris is present *Instructional note in ICD-10-CM indicates to use additional code, if applicable, to identify coronary atherosclerosis due to lipid rich plaque (I25.83) Use additional code to identify: chronic total occlusion of coronary artery (I25.82) exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0)
794.31	Abnormal electrocardiogram
	R94.31 Abnormal electrocardiogram
424.1	Aortic valve disorders
ICD-10-CM Codes	I35.9 Nonrheumatic aortic valve disorder, unspecified I35.0 Nonrheumatic aortic (valve) stenosis I35.1 Nonrheumatic aortic (valve) insufficiency I35.2 Nonrheumatic aortic (valve) stenosis with insufficiency I35.8 Other nonrheumatic aortic valve disorders
786.05	Shortness of breath
	R06.02 Shortness of breath

ICD-9-CM Code	ICD-10-CM Code(s)
427.69	Premature beats, NEC
ICD-10-CM Codes	I49.40 Unspecified premature depolarization I49.1 Atrial premature depolarization I49.2 Junctional premature depolarization I49.3 Ventricular premature depolarization I49.8 Other specified cardiac arrhythmias I49.49 Other premature depolarization *Instructional note in ICD-10-CM indicates to code first cardiac arrhythmia complicating: abortion or ectopic or molar pregnancy (O00-O07, O08.8) obstetric surgery and procedures (O75.4)
427.1	Paroxysmal ventricular tachycardia
	I47.2 Ventricular tachycardia
425.4	Primary cardiomyopathies, NEC
ICD-10-CM Codes	I42.2 Other hypertrophic cardiomyopathy I42.5 Other restrictive cardiomyopathy I42.8 Other cardiomyopathies I42.9 Cardiomyopathy, unspecified (familial)(idiopathic) *Instructional note in ICD-10-CM indicates to code first cardiomyopathy complicating pregnancy and puerperium (O99.4)
780.2	Syncope and collapse
	R55 Syncope and collapse
427.81	Sinoatrial node dysfunction
ICD-10-CM Codes	I49.5 Sick sinus syndrome *Instructional note in ICD-10-CM indicates to code first cardiac arrhythmia complicating: abortion or ectopic or molar pregnancy (O00-O07, O08.8) obstetric surgery and procedures (O75.4)
786.09	Dyspnea and respiratory abnormalities, other
	R06.89 Other abnormalities of breathing
424.0	Mitral valve disorders
ICD-10-CM Codes	I34.9 Nonrheumatic mitral valve disorder, unspecified I34.0 Nonrheumatic mitral (valve) insufficiency I34.1 Nonrheumatic mitral (valve) prolapse I34.2 Nonrheumatic mitral (valve) stenosis I34.8 Other nonrheumatic mitral valve disorders
794.30	Abnormal cardiovascular function study, unspecified
ICD-10-CM Codes	R94.30 Abnormal result of cardiovascular function study, unspecified R94.39 Abnormal result of other cardiovascular function study
427.9	Cardiac dysrhythmia, unspecified
ICD-10-CM Codes	I49.9 Cardiac arrhythmia, unspecified ** Code first cardiac arrhythmia complicating: Abortion or ectopic or molar pregnancy (O00-O07, O08.8) Obstetric surgery and procedures (O75.4) ** There are more specific code choice selections available in ICD-10-CM. These include: I47.0 Re-entry ventricular arrhythmia I47.1 Supraventricular tachycardia



ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont...)	I47.2 Ventricular tachycardia I47.9 Paroxysmal tachycardia, unspecified ** For I47.0–I47.9 Code first cardiac arrhythmia complicating: Abortion or ectopic or molar pregnancy (O00-O07, O08.8) Obstetric surgery and procedures (O75.4) I48.0 Atrial fibrillation I48.1 Atrial flutter I49.01 Ventricular fibrillation I49.02 Ventricular flutter I49.1 Atrial premature depolarization I49.2 Junctional premature depolarization I49.3 Ventricular premature depolarization I49.40 Unspecified premature depolarization I49.49 Other premature depolarization I49.5 Sick sinus syndrome I49.8 Other specified cardiac arrhythmias ** For I49.0–I49.9 Code first cardiac arrhythmia complicating: Abortion or ectopic or molar pregnancy (O00-O07, O08.8) Obstetric surgery and procedures (O75.4)
785.1	Palpitations
ICD-10-CM Codes	R00.2 Palpitations F45.8 Psychogenic palpitations
429.3	Cardiomegaly I51.7 Cardiomegaly
428.22	Systolic heart failure, chronic
ICD-10-CM Codes	I50.22 Chronic systolic (congestive) heart failure *Instructional note in ICD-10-CM indicates to code first: heart failure complicating abortion or ectopic or molar pregnancy (O00-O07, O08.8) heart failure following surgery (I97.13-) heart failure due to hypertension (I11.0) heart failure due to hypertension with chronic kidney disease (I13-) obstetric surgery and procedures (O75.4) rheumatic heart failure (I09.81)
427.61	Supraventricular premature beats
ICD-10-CM Codes	I49.1 Atrial premature depolarization *Instructional note in ICD-10-CM indicates to code first cardiac arrhythmia complicating: abortion or ectopic or molar pregnancy (O00-O07, O08.8) obstetric surgery and procedures (O75.4)
427.0	Paroxysmal supraventricular tachycardia
ICD-10-CM Codes	I47.1 Supraventricular tachycardia *Instructional note in ICD-10-CM indicates to code first tachycardia complicating: abortion or ectopic or molar pregnancy (O00-O07, O08.8) obstetric surgery and procedures (O75.4)
786.59	Chest pain, Other
ICD-10-CM Codes	R07.89 Other chest pain NOS R07.82 Intercostal pain

ICD-9-CM Code	ICD-10-CM Code(s)
401.9	Hypertension (essential), unspecified
ICD-10-CM Codes	I10 Essential (primary) hypertension *Instructional note in ICD-10-CM indicates to use additional code to identify: exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0)
426.0	Atrioventricular block, complete I44.2 Atrioventricular block, complete
426.11	Atrioventricular block, first degree I44.0 Atrioventricular block, first degree
401.1	Hypertension, benign
ICD-10-CM Codes	I10 Essential (primary) hypertension *Instructional note in ICD-10-CM indicates to use additional code to identify: exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0)
272.4	Hyperlipidemia, other and unspecified
ICD-10-CM Codes	E78.4 Other hyperlipidemia E78.5 Hyperlipidemia, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: E78.0 Pure hypercholesterolemia E78.1 Pure hyperglyceridemia E78.2 Mixed hyperlipidemia E78.3 Hyperchylomicronemia E78.6 Lipoprotein deficiency
V72.81	Pre-operative cardiovascular exam Z01.810 Encounter for preprocedural cardiovascular examination
785.2	Cardiac murmurs, undiagnosed R01.1 Cardiac murmur, unspecified
428.0	Congestive heart failure, unspecified
ICD-10-CM Codes	I50.9 Heart failure, unspecified I50.1 Left ventricular failure I50.20 Unspecified systolic (congestive) heart failure I50.21 Acute systolic (congestive) heart failure I50.22 Chronic systolic (congestive) heart failure I50.23 Acute on chronic systolic (congestive) heart failure I50.30 Unspecified diastolic (congestive) heart failure I50.31 Acute diastolic (congestive) heart failure I50.32 Chronic diastolic (congestive) heart failure I50.33 Acute on chronic diastolic (congestive) heart failure I50.40 Unspecified combined systolic (congestive) and diastolic (congestive) heart failure I50.41 Acute combined systolic (congestive) and diastolic (congestive) heart failure



ICD-9-CM Code	ICD-10-CM Code(s)
428.0 cont..	Congestive heart failure, unspecified
ICD-10-CM Codes cont...	I50.42 Chronic combined systolic (congestive) and diastolic (congestive) heart failure I50.43 Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure *Instructional note in ICD-10-CM indicates to code first: heart failure complicating abortion or ectopic or molar pregnancy (O00-O07, O08.8) heart failure following surgery (I97.13-) heart failure due to hypertension (I11.0) heart failure due to hypertension with chronic kidney disease (I13-) obstetric surgery and procedures (O75.4) rheumatic heart failure (I09.81)
414.8	Other specified forms of chronic ischemic heart disease
ICD-10-CM Codes	I25.89 Other forms of chronic ischemic heart disease I25.9 Ischemic heart disease; unspecified
427.32	Atrial flutter
ICD-10-CM Codes	I48.3 Typical atrial flutter I48.4 Atypical atrial flutter I48.92 Unspecified atrial flutter
426.4	Right bundle branch block
ICD-10-CM Codes	I45.10 Unspecified right bundle-branch block I45.19 Other right bundle-branch block I45.2 Bifascicular block
780.79	Other malaise and fatigue
ICD-10-CM Codes	R53.81 Other malaise R53.1 Weakness R53.83 Other fatigue G93.3 Postviral fatigue syndrome
413.9	Angina pectoris, other and unspecified
ICD-10-CM Codes	I20.8 Other forms of angina pectoris I20.9 Angina pectoris, unspecified I20.0 Unstable angina I20.1 Angina pectoris with documented spasm *Instructional note in ICD-10-CM indicates to use additional code to identify: exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0)
780.4	Dizziness and giddiness R42 Dizziness and giddiness

ICD-9-CM Code	ICD-10-CM Code(s)
428.42	Combined systolic and diastolic heart failure, chronic
ICD-10-CM Codes	I50.42 Chronic combined systolic (congestive) and diastolic (congestive) heart failure *Instructional note in ICD-10-CM indicates to code first: heart failure complicating abortion or ectopic or molar pregnancy (O00-O07, O08.8) heart failure following surgery (I97.13-) heart failure due to hypertension (I11.0) heart failure due to hypertension with chronic kidney disease (I13-) obstetric surgery and procedures (O75.4) rheumatic heart failure (I09.81)
411.1	Intermediate coronary syndrome
ICD-10-CM Codes	I20.0 Unstable angina *Instructional note in ICD-10-CM indicates to use additional code to identify: exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0)
412	Myocardial infarct, old
ICD-10-CM Codes	I25.2 Old myocardial infarction *Instructional note in ICD-10-CM indicates to use additional code to identify: exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0)
426.3	Left bundle branch block, other and unspecified
ICD-10-CM Codes	I44.7 Left bundle-branch block, unspecified I45.2 Bifascicular block I44.60 Unspecified bifascicular block I44.4 Left anterior bifascicular block I44.5 Left posterior bifascicular block
426.50	Bundle branch block, unspecified
ICD-10-CM Codes	I45.4 Nonspecific intraventricular block I44.30 Unspecified atrioventricular block I44.39 Other atrioventricular block
425.11	Hypertrophic obstructive cardiomyopathy
ICD-10-CM Codes	I42.1 Obstructive hypertrophic cardiomyopathy *Instructional note in ICD-10-CM indicates to code first cardiomyopathy complicating pregnancy and puerperium (O99.4)



ICD-9-CM Code	ICD-10-CM Code(s)
---------------	-------------------

424.2	Tricuspid valve disorders, specified as nonrheumatic
ICD-10-CM Codes	I36.0 Nonrheumatic tricuspid (valve) stenosis I36.1 Nonrheumatic tricuspid (valve) insufficiency I36.2 Nonrheumatic tricuspid (valve) stenosis with insufficiency I36.8 Other nonrheumatic tricuspid valve disorders I36.9 Nonrheumatic tricuspid valve disorder, unspecified
410.40	Myocardial infarction, acute, of other inferior wall, episode of care unspecified
ICD-10-CM Codes	I21.19 ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall I22.1 Subsequent ST elevation (STEMI) myocardial infarction of inferior wall *Instructional note in ICD-10-CM indicates to use additional code to identify: exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility (Z92.82) tobacco dependence (F17-) tobacco use (Z72.0)
785.0	Tachycardia, unspecified R00.0 Tachycardia, unspecified

ICD-9-CM Code	ICD-10-CM Code(s)
---------------	-------------------

416.8	Pulmonary heart diseases, other, chronic
ICD-10-CM Codes	I27.2 Other secondary pulmonary hypertension I27.89 Other specified pulmonary heart disease I27.9 Pulmonary heart disease, unspecified *Instructional note under I27.2 states to code also associated underlying condition
426.13	Atrioventricular block, second degree, other I44.1 Atrioventricular block, second degree
782.3	Edema
ICD-10-CM Codes	R60.0 Localized edema R60.1 Generalized edema R60.9 Edema, unspecified
427.41	Ventricular fibrillation
ICD-10-CM Codes	I49.01 Ventricular fibrillation *Instructional note in ICD-10-CM indicates to code first cardiac arrhythmia complicating: abortion or ectopic or molar pregnancy (O00-O07, O08.8) obstetric surgery and procedures (O75.4)
416.0	Primary pulmonary hypertension I27.0 Primary pulmonary hypertension

Fast Forward

to ICD-10



ICD-10