



**COMBINATION KEY CABINET**



- Has all the same functionality of regular key cabinets but is locked with a 4 wheel lock combination lock capable of 10,000 available combinations

MFG #	CAPACITY	DIMENSIONS	EZ #
KEKAB4W65	65	17" x 13" x 3.25"	100053

**SINGLE-TAG KEKAB® SERIES KEY CABINETS**



**KEKAB30**

- Heavy gauge steel construction with piano hinged doors and key panels provide a sturdy location to secure keys
- Key tags are made of white plastic and are numbered for easy identification
- Each tag has a nickel plated snap which can hold multiple keys or rings
- Key racks are slotted to store key tags uniformly for immediate identification
- "Out Key" control tags are used to record when a key is removed from a cabinet, by whom, and when it will be returned
- Lock location record supplied with cabinet allows the user to specify what each key opens
- Supplied with a key retaining 5-wafer cam lock, or a 7-pin tubular lock with popout T-Handle on 260X, 500 & 730 models
- The finish of the unit is neutral sand in a durable powder coat textured application
- Supplied with necessary hardware for wall mounting



**KEKAB160X**

MFG #	CAPACITY	DIMENSIONS	EZ #
KEKAB8	8	6.625" x 5.75" x 2"	004977
KEKAB30	30	12" x 8" x 2.5"	004971
KEKAB40	40	12" x 8" x 2.5"	004973
KEKAB60	60	17" x 13" x 3.25"	004975
KEKAB80	80	17" x 13" x 3.25"	004978
KEKAB120	120	17" x 13" x 3.25"	004967
KEKAB160X	160*	20" x 16.5" x 5"	004968
KEKAB240	240	20" x 16.5" x 5"	004969
KEKAB330	330	20" x 16.5" x 5"	004972
KEKAB500	500	25.25" x 18" x 5.5"	004974
KEKAB730	730	25.25" x 18" x 7"	026422



**KEKABA**

**KEKABA: EXPANSION LEAF**

- Makes KEKAB160X expandable to 330 key capacity

EXPANSION LEAF		
KEKABA	Expands 160X to 330	035577



# MISCELLANEOUS

## KEY TAGS, COMBINATION CAM LOCKS & KEY CABINETS

### KEY TAGS

**Kevron**



ID5

- Tag size: 2 3/16" x 1-1/8"
- Insert size: 1 7/16" x 13/16"
- Ring size: 3/4"

MFG #	COLOUR	PACKAGE	EZ #
ID5 AC100	Assorted	100	039412
ID5 BLUE	Blue	50	039413
ID5 GREEN	Green	50	039414
ID5 ORANGE	Orange	50	039415
ID5 RED	Red	50	039416
ID5 WHITE	White	50	039417
ID5 YELLOW	Yellow	50	039411

### COMBINATION CAM LOCKS

**Combi-Cam™**



- A secure solid metal cam lock with 1,000 possible combinations
- The combination is easy to change, no expensive rekeying kit required
- Simply have it on the opening combination and push the reset button in while changing to the desired combination
- For metal or wood applications; cabinet doors, drawers, chests, equipment, lockers, security boxes, RV, marine compartments, tonneau covers, & wherever keys are a hassle
- Replaces any 3/4" keyed cam lock
- Finish: Satin chrome

MFG #	SIZE	MAX MATERIAL	EZ #
7850S	5/8"	3/8"	083282
7850M	7/8"	5/8"	083283
7850L	1-1/8"	7/8"	083284

### KEY CABINETS

**Combi-Cam™**



SL8548

- Locked with Combi-cam resettable cam lock
- Durable, reliable and convenient
- Heavy gauge steel
- Steel key hooks
- Continuous "piano" hinge
- Reliable 3 dial combination security
- 1,000 possible combinations
- Change code easily in seconds
- All metal construction
- Mounting hardware included
- Colour coded key tags included

MFG #	CAPACITY	SIZE	EZ #
SL8548	48	9-7/8"H x 7-3/8"W x 2-7/8"D	091029
SL9122	122	14-1/8"H x 10-1/2"W x 4-1/8"D	091030

M



**TOUCHPOINT™ KEY CABINETS PRO**



1795




1796  
1797

- Heavy duty 16 gauge steel construction key cabinets
- Includes numbered key tags with key rings and lock reference chart
- More depths for larger key rings and access card
- Keys hang directly on hooks
- TouchPoint™ pushbutton lock combines convenience and security
- Entry code can be changed as often as you like to over a thousand different combinations
- Instant access
- Clutch mechanism

MFG #	KEY CAPACITY	SIZE	EZ #
GE001795	30	12.04"H x 8.11"W x 3.19"D	083345
GE001796	60	19.53"H x 13.62"W x 4.76"D	083346
GE001797	120	19.53"H x 13.62"W x 4.76"D	083347

**TOUCHPOINT™ KEYLESS PUSHBUTTON CAM LOCK**



- Heavy duty die-cast construction
- Output shaft sized for 5/16-inch square-hole cams
- Output rotates 360°
- Rotation can be adjusted to 180° or 90° using available stop cams
- Mounting screws: 4 x #6-32 Torx-drive pan-head thread-rolling screws
- Bracket model designed for flush mounted application
- Includes: lock, all stops, cams and a bracket
- Body size: 2.185" overall
- Weight: 1 lbs
- Temperature range: High temp operation 68°C
- Low temp operation: -32°C; temperature shock: 85°C to -20°C
- Cycling temp/humidity: 6 days exposure
- Salt fog: 48 hours
- Water resistance: 4 in/hr (10.16 cm/hr) exposure
- Snow/ice: -26°C
- Dust bombardment: 6 hours at 23°C
- UV Exposure: Long-term sunlight exposure
- Chemicals/cleaners: Standard household chemicals
- Cycle life: 1800 cycles (tested to 3600)
- Handling drop: 4 drops, 48", concrete

MFG #	FINISH	SIZE	EZ #
GE001773	Titanium	3.5"L x 1.625"W x 0.916"D	083592