

2023 CDN PRICE LIST

GOODYEAR
Racing

FAIRCHILD
RACE TIRES

www.fcracetires.com

(905)641-8633

info@fcracetires.com



GENERAL INFORMATION

No Warranty

Due to the conditions under which they operate, Goodyear MAKES NO WARRANTY AND SPECIFICALLY DISCLAIMS ANY WARRANTY (INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), EITHER EXPRESSED OR IMPLIED, with respect to Goodyear racing tires, tubes, safety spares or air containers and shall not be liable for any damages whatsoever including, without limitation, consequential or special damages, arising out of their use. Goodyear racing tires are designed and compounded solely for racing purposes and are not tested or labeled to meet FMVSS/ECE Regulations. It is therefore not only dangerous, but also illegal to sell for use or use race tires on public streets or highways.

Pressure Recommendations

Consult your Goodyear Racing Tire Distributor for specific recommendations for your local track.

Tire changing should be done by trained personnel using proper tools and procedures. NEVER attempt to install and inflate a tire of one diameter on a rim or wheel of another diameter. All Goodyear racing tires are designed to be used on wheels or rims that are manufactured to Tire and Rim Association (T&RA) specifications and tolerances. Use of Goodyear racing tires on damaged or improper rims can cause the assembly to explode with force sufficient to cause injury or death. When inflating, always lock wheel on mounting machine or place in safety cage and use extension gauge and hose with clip on air chuck.

STAND BACK. NEVER EXCEED 35 PSI TO SEAT BEADS.

Tire Care

Goodyear racing tires should not be stored near high temperatures, in direct sunlight, around welding areas, in overhead garage areas or around high-voltage electric motors.

NEVER attempt to patch or repair a Goodyear racing tire.

NEVER attempt to chemically or physically treat or alter a Goodyear racing tire.

NEVER re-use a Goodyear racing tire involved in a vehicle fire under ANY circumstances.

Tire Specifications

Size designations on Goodyear racing tires show nominal outside diameter, tread width and bead diameter (ie. 27.0x 9.0 -15). All dimensions are taken from an inflated tire under no load conditions.

Our comprehensive line of Goodyear racing tires brings versatility to the racing fraternity. Each type of racing activity is provided with a choice of tires affording the ultimate in performance during acceleration, cornering and braking.

The increasing successes of the Goodyear racing tires in worldwide competition give testimony to the effort in development, design and production of this extensive line.

A choice of compounds is available for some types of racing to best suit given track conditions. Consult your nearest Goodyear Racing Tire Distributor for specific recommendations for any particular vehicle or track in your area.

Additional Information

Additional information can be found at www.racegoodyear.com or by contacting Fairchild Race Tires at www.fcracetires.com.

***Prices in this catalogue are subject to change without notice based on exchange rates.**

Eagle Dragway Special

Eagle Dragway Special



TOP FUEL, FUNNY CAR

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2023 CDN Price
36.0x17.5-16	808-018-081	2747 231233	D-2H	BL, LW	16.0	36.6	115.0	21.8	17.3	48.0	\$1,285.00

PRO MOD, ALCOHOL, PRO STOCK

34.5x17.0-16	808-117-081	3122 229258	D-2G		16.0	34.8	109.0	21.3	17.0	43.0	\$860.00
33.5x17.0-16	808-043-081	2433 233411	D-4A	SS, BL	16.0	33.4	105.0	21.5	17.7	43.0	\$935.00
35.0x17.0-16	808-521-081	2739 243701	D-2H		16.0	35.2	110.0	19.6	17.0	45.1	\$730.00

STOCK, SUPER STOCK, SUPER GAS

32.0x14.0-15	808-178-081	1984 23556	D-5		14.0	32.4	101.0	17.0	14.4	39.3	\$545.00
32.0x14.5-15	808-163-081	1672 23540	D-5	MS	14.0	32.8	103.0	17.7	14.8	39.4	\$545.00
32.0x16.0-15	808-184-081	1408 23558	D-5	MS	15.0	32.4	102.0	18.4	16.0	39.6	\$560.00
33.0x15.0-15	808-260-081	2078 192212	D-5	MS	14.0	33.2	104.0	17.5	15.0	40.6	\$595.00
33.0x17.0-15	808-031-081	3153 244213	D-2H		15.0	32.8	102.0	20.6	17.3	42.9	\$665.00
28.0x9.0-15	808-735-081	2790 210598	D-5		8.0	28.0	88.0	10.7	9.0	21.3	\$320.00
28.0x10.0-15	808-736-081	2791 210599	D-5		10.0	28.0	88.0	12.0	10.0	23.1	\$325.00
29.0x11.0-15	808-174-081	2796 210596	D-5		10.0	29.0	91.0	12.8	10.9	25.1	\$385.00
29.0x12.0-15	808-188-081	2797 210597	D-5		11.0	29.0	91.0	13.9	11.8	25.1	\$390.00
30.0x9.0-15	808-717-081	1909 23623	D-5		8.0	30.7	96.5	12.4	9.0	25.0	\$440.00
31.0x13.0-15	808-096-081	2018 190161	D-5	MS	12.0	30.6	96.0	15.6	12.8	33.4	\$545.00
31.0x14.0-15	808-097-081	2019 190162	D-5	MS	12.0	31.0	97.0	16.2	14.0	35.8	\$545.00

COMP, SUPER COMP

31.0x12.0-15	808-095-081	2585 206637	D-3		12.0	30.8	96.5	15.2	12.0	22.6	\$530.00
33.0x12.0-15	808-921-081	1288 23654	D-7	HG	12.0	32.4	102.0	16.5	12.3	28.8	\$575.00
32.0x14.5-15	808-163-081	1911 193992	D-1		14.0	32.2	101.0	17.7	15.0	34.1	\$570.00
33.0x14.5-15	808-164-081	2070 190163	D-6		14.0	32.8	104.0	18.9	14.9	34.1	\$585.00
33.0x16.0-15	808-942-081	2533 215174	D-2A		15.0	32.4	106.0	19.9	16.3	39.6	\$555.00
33.0x16.0-15	808-942-081	2052 190167	D-6		15.0	32.8	102.0	19.6	16.1	38.0	\$580.00

Eagle Dragway Special

COMP, SUPER COMP cont.

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2023 CDN Price
32.5x17.0-15	808-031-081	2051 190102	D-4A	LW,SS	15.0	32.5	100.0	20.8	17.2	41.1	\$695.00
33.0x17.0-15	808-031-081	2534 215232	D-2A		15.0	32.4	104.0	20.5	17.4	39.5	\$585.00
33.0x17.0-15	808-031-081	3151 244212	D-2H	LW,SS	15.0	32.5	100.0	20.8	17.2	41.1	\$645.00
33.5X17.0-16	808-043-081	2433 233411	D-4A	BL, SS	16.0	33.4	105.0	21.5	17.7	43.0	\$935.00
33.5X17.0-16	808-391-081	2775 227639	D-2A	BL	16.0	33.5	105.0	21.1	16.8	40.3	\$630.00
33.5X17.0-16	808-393-081	2776 235137	D-2A	BL, SS	16.0	33.5	105.0	21.1	16.8	45.1	\$630.00
35.0x15.0-16	808-522-082	3111 239367	D-2A		16.0	33.5	110.0	18.8	14.8	42.0	\$675.00
35.0x15.0-16	808-522-082	2719 242495	D-2H		16.0	35.0	110.0	18.8	14.8	42.0	\$665.00
35.0x17.0-16	808-521-081	2739 243701	D-2H		16.0	35.2	110.0	19.6	17.0	45.1	\$730.00
36.0x17.0-16	808-495-010	2779 254393	D-2H		16.0	36.0	113.0	19.7	17.0	49.0	\$825.00

EAGLE FRONTRUNNER

22.0x2.5-17	808-102-089	1445 177193	Hard	ET	2.5	22.0	69.9	2.5	1.5	4.5	\$280.00
22.0x4.0-17	808-130-089	2904 215560	Hard		2.5	22.9	72.0	3.4	3.1	5.2	\$405.00
23.0x5.0-15	808-243-089	2989 240982	Hard		4.0	23.0	72.7	6.8	5.0	12.2	\$365.00
24.0x5.0-15	808-730-089	1962 189955	Hard		4.0	24.0	75.8	6.8	5.0	11.3	\$290.00
25.0x4.5-15	808-028-089	2991 215499	Hard	LW	4.0	25.0	78.5	6.5	4.5	11.6	\$315.00
26.0x4.5-15	808-062-089	1964 190130	Hard		4.0	26.0	81.2	6.3	4.5	10.8	\$290.00
27.0x4.5-15	808-181-089	1965 197495	Hard		4.0	27.0	84.8	7.9	4.5	13.5	\$300.00
28.0x4.5-15	808-729-089	1966 189822	Hard		4.0	28.0	89.1	7.7	5.1	12.4	\$300.00

DRAG RADIAL

30.0x9.0-15	388-717-097	5202 243655	D-1B	Factory Stock, Super Stock	9.0	29.6	93.1	12.4	9.8	21.5	\$430.00
30.0x9.0-15	388-717-097	5204 243660	D-1B	Factory Stock, Super Stock	9.0	30.1	94.7	12.8	9.8	21.7	\$430.00
30.0x9.0-15	388-717-097	5192 243651	D-1B	LW	9.0	29.5	92.5	11.8	9.1	21.1	\$425.00
30.0x9.0-15	388-717-097	4894 236035	D-1A	LW	9.0	30.0	94.0	12.0	9.1	21.4	\$425.00
30.0x10.5-15	388-361-097	4915 237694	D-8		10.0	29.6	93.0	13.3	10.5	23.5	\$425.00
31.0x13.5-15	388-250-097	4909 237692	D-8		14.0	31.7	99.5	16.9	13.8	33.0	\$520.00
31.0x16.0-15	388-387-097	4917 237741	D-8		15.0	31.0	101.0	19.4	16.3	37.3	\$590.00
32.0x14.0-15	388-178-097	4911 237490	D-8		14.0	32.1	101.0	17.2	13.8	32.4	\$560.00
33.0x14.5-15	388-164-097	4913 237488	D-8		14.0	33.0	103.0	17.4	14.5	36.4	\$570.00

Eagle Dragway Special

EAGLE LANDSPEED

Size	Product Code	Tire Code Mat No.	Rim	Width	Overall	Diam.	Section Width	Tread Width	Weight (lbs)	Min. Inflation (psi)	Max Load (lbs)	Max Speed (MPH)	2023 CDN Price
21.0x5.0-15	808-975-090	2952 234517		4.5	21.3		5.4	4.1	10.0	50.0	1200	300	\$970.00
23.0x5.0-15	808-243-090	2953 234515		4.5	23.1		7.0	5.0	12.0	70.0	1700	300	\$990.00
25.0x4.5-15	808-028-090	2954 234514		4.5	24.8		6.7	4.0	12.0	70.0	1700	300	\$1,000.00
28.0x4.5-15	808-682-089	2956 234516		4.5	27.8		7.7	4.5	13.0	70.0	1700	300	\$1,050.00
28.0x10.0-15	813-264-058	2934 229063		9.5	28.3		13.6	10.0	22.0	70.0	1700	300	\$345.00
27.5x12.0-15	Radial	4600 227725		9.5	28.2		13.5	11.0	21.9	88.5			\$570.00
24.5x7.5-16	808-523-090	2860 239857		5.5	24.5		7.4	5.5	14.2	70.0	2300	320	\$1,060.00
22.0x4.0-17	808-130-089	2904 215560		2.5	22.9		3.4	3.1	5.2	72.0	1200	300	\$405.00
30.0x9.0-18	808-425-090	2870 233188		6.5	30.0		8.5	3.0	16.5	70.0	2300	320	\$1,100.00

LIFEGUARD SAFETY SPARE

PR-16	185-244-515	2912 230874	#	#	#	#	#	#	#	#	#	\$275.00
-------	-------------	----------------	---	---	---	---	---	---	---	---	---	----------

DRAG TIRE COMPOUND DATA

Listed in order from softest to hardest.

Note that in some cases, a softer compound is not necessarily more tractive due to the nature of Goodyear's drag racing compounds.

- D-8** High grip compound for high horsepower radial tire applications
- D-2A** High grip compound used for TAD and some bracket applications
- D-2G** For Pro Mod and TAFC. High level of grip that can also sustain wheelspeed
- D-2H** For TF/FC and other high horsepower applications
- D-1** For use on Dragsters and other lightweight cars.
- D-4B** For Stock Eliminator. Slightly more tractive than D-4A.
- D-4A** Good for hot and/or slick track conditions.
- D-4** Excellent wear/longevity for heavy applications, +3,000 lbs.
- D-1B** New and improved compound for Stock and Factory Stock Showdown
- D-1A** For use on Stock and Super Stock Radials
- D-6** Works well on Dragsters and 1,500 - 2,500 lbs. cars.
- D-5** Works well on Dragsters and 2,000 - 3,200 lbs. cars.
- D-7** Limited application compound. Designed to eliminate shake.
- D-3** For heavy manual and automatic cars
- HARD** Frontrunners

COMMENT KEY

R - Radial, **HG** - High Growth, **LW** - Lightweight, **MS** - Medium Stiff Sidewall, **SS** - Stiff Sidewall,
ET - Extended Tread Life, **BL** - Beadlock Wheel Required

Eagle Sports Car Special



FORMULA AND SPORTSCAR - BIAS

Size	R160	R250	R255	R430	R465	R470	R600	Application/ Tread Design	Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2023 CDN Price
20.0x7.0-13			2756 234776					S2000 G-19	6.0-8.0	20.5	9.0	7.2	9.5	\$360.00
20.0x7.0-13						2659 228938		FM Spec G-19	6.0-8.0	20.5	9.0	7.2	9.5	\$355.00
20.0x9.5-13	2640 221592							Vintage Fm ATL G-19	10.0	20.3	10.9	9.1	11.9	\$375.00
21.0x8.0-13			2767 237144			2769 235624		G-19	9.0	21.5	10.0	8.5	11.0	\$440.00
22.0x9.0-13			2757 234777					S2000 G-19	8.0-10.0	22.5	11.3	9.2	11.9	\$415.00
22.0x9.0-13						2660 228985		FM Spec G-19	8.0-10.0	22.5	11.3	9.2	11.9	\$405.00
22.0x10.-13						2706 242413								\$445.00
22.0x11.0-13			2768 237145			2770 235085		G-19	11.0	22.7	12.5	10.8	13.6	\$465.00
23.0x13.0-13	2453 221813							Vintage Fm ATL G-19	14.0	23.0	16.1	12.3	19.3	\$475.00
20.0x8.0-13	2138 237143		2140 236865					Prod/Canilever G-19	6.0	20.2	9.3	8.2	14.3	\$370.00
20.0x9.5-13			2162 236866					Prod/Canilever G-19	7.0	20.1	10.5	9.5	16.0	\$375.00
23.0x9.0-15			2185 236599	2189 237142				Prod/Canilever G-19	7.0	23.0	10.4	9.3	18.0	\$440.00
23.5x10.5-16			1651 221579			1512 247028		GT/Production G-19	11.0	23.3	11.8	10.1	18.0	\$640.00
25.0x13.0-16	1980 221721		1570 221561			1510 247026		GT/Production G-19	12.0	24.5	13.7	12.4	22.5	\$670.00
27.0x14.0-16	1981 221804		1571 221562			1511 246027		GT/Production G-19	14.0	26.6	15.9	13.7	26.5	\$730.00

VINTAGE FORMULA / SPORTSCAR - BIAS

Size	R250	R310	R645	R655	Firm	Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)		
5.00-15			1664 237033			Blue Streak G-12A	5.0	24.5	7.6	5.6	16.0	\$475.00
6.00-15			2724 238711	1725 221565		Blue Streak G-7	8.0	25.5	10.6	8.4	17.0	\$365.00
6.00-15W			2726 238696			Blue Streak G-7	10.0	25.5	11.6	9.4	19.3	\$370.00
26.5x8.0-15				2546 230167		Cobra G-15M	8.0	26.5	11.0	7.9	17.8	\$445.00
26.5x10.0-15				2547 230168		Cobra G-15M	10.0	27.0	12.9	10.2	22.3	\$445.00
7.00-15			2728 238712			Blue Streak G-7	9.0	26.8	12.0	8.7	18.7	\$370.00
8.00-15			2729 238713			Blue Streak G-7	10.0	26.8	13.1	10.1	19.7	\$375.00
23.5x10.5-15	2225 221728					F 5000/INDY G-19	10.0	23.4	11.8	10.4	16.9	\$640.00
27.0x14.0-15	2226 221730					F 5000/INDY G-19	17.0	27.0	18.5	14.8	25.8	\$705.00

Eagle Sports Car Special



FORMULA AND SPORTSCAR - RADIAL

	R160	R245	R250	R255G	R410	R430	R465		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2023 CDN Price
21.5x8.0-13	4572 242221			4582 237146			4540 226363	Formula	9.0	21.6	9.8	8.2	13.1	\$520.00
22.5x11.0-13	4573 242222			4583 237147			4541 226364	Formula	11.0	22.6	12.2	10.6	16.5	\$545.00
23.0x9.5-15				4285 243865				GT3	7.0	23.1	9.9	9.3	18.5	\$515.00
25.5x14.0-16		4825 243865				4533 240035		GT1	12.0	25.5	14.1	14.0	25.0	\$760.00
28.5x14.5-16		4826 243867				4534 240036		GT1	13.0	28.5	15.4	14.8	28.5	\$825.00
25.5x12.0-18			4848 242375					GT1	13.5	25.6	14.3	12.8	24.0	\$770.00
28.5x14.5-18			4849 242376					GT1	14.5	28.5	16.0	14.5	30.0	\$790.00

VINTAGE - RADIAL

	R160	R210	R245	R255G	R310	R430	R465		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	
23.5x10.5-16	4482 219472	4483 219473						Radial G-19	10.0	23.5	11.2	10.6	18.0	\$605.00
25.5x12.0-16		4480 219447						Radial G-19	12.0	25.5	13.5	12.2	24.5	\$705.00
25.5x14.0-16		4481 219471						Radial G-19	14.0	25.4	15.2	14.0	25.0	\$715.00
25.5x12.0-18				4535 232432				Radial G-19	13.0	25.6	13.5	12.3	23.0	\$715.00
25.5x12.5-18			4971 244547		4575 234480			Radial G-19	13.5	25.6	14.3	12.8	24.0	\$770.00
28.0x12.5-18					4570 239364			Radial G-19	13.0	28.0	13.5	12.5	24.0	\$775.00
28.5x14.5-18			4972 244548		4536 232433			Radial G-19	14.5	28.5	16.0	14.5	30.0	\$795.00

D.O.T RADIAL

	RCMD	WCMD		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	
P205/50ZR15	4850 242197		2 Grooves	6.5	23.1	8.8	8.1	18.7	\$340.00
P225/45ZR15	4934 246462		2 Grooves	7.5	23.0	9.5	8.9	19.4	\$350.00
P225/50ZR16	4854 243939		2 Grooves	7.0	24.5	9.6	8.9	21.2	\$370.00
P245/45ZR16	4858 243883		2 Grooves	8.0	24.5	10.2	9.6	22.6	\$415.00
P275/45ZR16	4898 243886		2 Grooves	9.0	25.5	11.0	10.8	23.7	\$445.00
P225/45ZR17	4919 246464		2 Grooves	7.5	24.9	9.3	8.9	20.9	\$405.00
P245/40ZR17	4856 243219		2 Grooves	8.5	25.0	10.2	9.6	21.8	\$415.00
P275/40ZR17	4896 243776		2 Grooves	9.5	25.6	11.5	10.8	24.5	\$515.00
P255/35ZR18	4852 249017		2 Grooves	9.0	25.0	10.3	10.0	22.7	\$535.00

Eagle Sports Car Special

D.O.T RADIAL cont.

	RCMD	WCMD		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2023 CDN Price
P275/35ZR18	4846 242629		2 Grooves	9.5	25.6	11.3	10.8	24.1	\$555.00
P295/30ZR18	4939 246463		2 Grooves	10.5	24.9	11.9	11.6	24.0	\$565.00
P315/30ZR18	4900 243218		2 Grooves	11.0	25.6	12.6	12.4	26.2	\$565.00
P335/30ZR18	4906 243220		2 Grooves	12.0	26.2	14.0	13.2	28.8	\$590.00
P205/50R15		4851 241796	Gatorback	6.5	23.1	8.5	8.1	19.1	\$385.00
P245/40R17		4857 243882	Gatorback	8.5	24.6	9.9	9.6	21.7	\$465.00
P275/35R18		4847 243884	Gatorback	9.5	25.7	10.8	10.8	24.2	\$610.00
P315/30R18		4901 243840	Gatorback	11.0	25.7	12.4	12.4	27.3	\$610.00

MODERN ERA RADIAL

	MED -	MED -	MED -	MED	MED +	HARD	WET		Rim Width	Diametre MM	Width MM	Tread MM	
200/580R15				6051 241863			Revolution		7.0	583	216	195	\$535.00
265/605R16				6054 241865			Revolution		9.0	607	275	260	\$590.00
285/660R18				6063 244768			Porsche		11.0	655	301	277	\$720.00
305/660R18	6067 247029						LMPC/DP Sprint		12.5	656	332	290	\$890.00
305/680R18				5027 240165			GT2 Sprint		12.0	685	333	290	\$840.00
310/710R18	6065 247030						LMPC/DP Sprint		13.0	706	354	308	\$895.00
310/710R18				6041 241710			Porsche Sprint		13.0	706	354	308	\$860.00
310/710R18				5028 240166			GT2 Sprint		13.0	706	354	308	\$855.00
310/710R18				6064 244769			Porsche Sprint		13.0	706	354	308	\$855.00

MODERN ERA RADIAL - RAIN

						Rim Width	Diametre MM	Width MM	Tread MM	
200/580R15			6053 241833	Revolution		7.0	583	216	195	\$555.00
265/605R16			6056 241834	Revolution		9.0	607	275	260	\$610.00
305/660R18			6059 242947	LMPC/DP		12.5	656	332	290	\$925.00
310/710R18			6060 242948	LMPC/DP		13.0	706	354	308	\$935.00

FORMULA AND SPORTSCAR - BIAS, RAIN

	R065 G-18	R085 F1		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	
20.0x6.5-13	2661 226343		G-18 Rain	6.0-8.0	21.0	7.7	5.9	10.5	\$365.00
22.0x9.0-13	2662 226351		G-18 Rain	8.0-10.0	22.4	11.1	8.8	13.0	\$435.00
20.5x7.5-13		1079 221803	Cantilever Eagle F1 Rain	6.0-7.0	20.7	8.2	6.6	11.3	\$390.00
23.0x8.0-15		1275 221807	Cantilever Eagle F1 Rain	7.0	22.7	10.0	8.3	14.9	\$475.00

Eagle Sports Car Special

FORMULA, SPORTSCAR AND VINTAGE - RADIAL, RAIN

	R065	R085		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2023 CDN Price
21.5x8.0-13	4544 226361		Formula F1 Rain	9.0	21.6	9.8	8.2	13.1	\$555.00
22.5x11.0-13	4545 226340		Formula F1 Rain	11.0	22.6	12.2	10.6	16.5	\$580.00
23.5x10.5-16	4484 219474		Eagle F1 Carved Rain	10.0	23.5	11.2	10.6	17.0	\$680.00
25.5x12.0-16	4485 219476		Radial Rain G-18	12.0	25.5	13.5	12.2	24.5	\$700.00
25.5x14.0-16	6672 240508		Eagle F1 Carved Rain	12.0	25.5	14.1	14.0	30.0	\$825.00
28.5x14.5-16	6673 240509		Eagle F1 Carved Rain	13.0	28.5	15.4	15.4	36.6	\$885.00
25.5x12.5-18	4975 242373		Eagle F1 Carved Rain	13.5	25.6	14.3	12.8	24.0	\$860.00
28.5x14.5-18	4936 242374		Eagle F1 Carved Rain	14.5	28.5	16.0	14.5	30.0	\$905.00

FORMULA SAE

	DRY	RAIN		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	
22.0x7.0-13	2773 253420		FSAE G-19	7.0	20.4	7.9	6.9	8.9	\$365.00
22.0x7.0-13		2703 239261	FSAE Rain F-1 Carved	7.0	20.4	7.9	6.9	8.9	\$370.00