

STAINLESS STEEL

18-8 HEX HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
24676	1/4-20 x 1/2	100
24719	1/4-20 x 5/8	100
24677	1/4-20 x 3/4	100
24678	1/4-20 x 1	100
24679	1/4-20 x 1-1/4	100
24680	1/4-20 x 1-1/2	100
24681	1/4-20 x 1-3/4	100
24682	1/4-20 x 2	100
38052	1/4-20 x 2-1/4	50
24683	1/4-20 x 2-1/2	50
24684	1/4-20 x 3	50
37950	1/4-20 x 3-1/2	50
41670	1/4-20 x 4	50

5/16-18 DIAMETER		
J&B #	SIZE	QTY
24685	5/16-18 x 1/2	100
24686	5/16-18 x 3/4	100
24687	5/16-18 x 1	100
24688	5/16-18 x 1-1/4	100
24689	5/16-18 x 1-1/2	100
24690	5/16-18 x 1-3/4	100
24691	5/16-18 x 2	50
38053	5/16-18 x 2-1/4	50
24692	5/16-18 x 2-1/2	50
37955	5/16-18 x 2-3/4	50
24693	5/16-18 x 3	50
37957	5/16-18 x 3-1/2	25
37958	5/16-18 x 4	25

3/8-16 DIAMETER		
J&B #	SIZE	QTY
28157	3/8-16 x 1/2	100
24694	3/8-16 x 3/4	100
24695	3/8-16 x 1	100
24696	3/8-16 x 1-1/4	100
24697	3/8-16 x 1-1/2	100
24698	3/8-16 x 1-3/4	50
24699	3/8-16 x 2	50
24700	3/8-16 x 2-1/4	50
24701	3/8-16 x 2-1/2	50
32252	3/8-16 x 2-3/4	50
24702	3/8-16 x 3	50
37962	3/8-16 x 3-1/2	25
37964	3/8-16 x 4	25
41671	3/8-16 x 5	25
41672	3/8-16 x 6	25

7/16-14 DIAMETER		
J&B #	SIZE	QTY
24590	7/16-14 x 1	25
24591	7/16-14 x 1-1/4	25
24592	7/16-14 x 1-1/2	25
32253	7/16-14 x 2	25
24595	7/16-14 x 3	25

STAINLESS STEEL

18-8 HEX HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



1/2-13 DIAMETER		
J&B #	SIZE	QTY
24703	1/2-13 x 1	50
24704	1/2-13 x 1-1/4	50
24705	1/2-13 x 1-1/2	50
24706	1/2-13 x 1-3/4	50
24707	1/2-13 x 2	50
24708	1/2-13 x 2-1/4	25
24709	1/2-13 x 2-1/2	25
41681	1/2-13 x 2-3/4	25
24710	1/2-13 x 3	25
37968	1/2-13 x 3-1/2	25
28155	1/2-13 x 4	25
41673	1/2-13 x 4-1/2	25
22305	1/2-13 x 5	25
41674	1/2-13 x 5-1/2	25
41675	1/2-13 x 6	25


5/8-11 DIAMETER		
J&B #	SIZE	QTY
24711	5/8-11 x 1-1/4	25
24712	5/8-11 x 1-1/2	25
24713	5/8-11 x 1-3/4	25
24714	5/8-11 x 2	25
24715	5/8-11 x 2-1/4	25
24716	5/8-11 x 2-1/2	25
24717	5/8-11 x 3	25
28159	5/8-11 x 3-1/2	25
28160	5/8-11 x 4	25
41676	5/8-11 x 4-1/2	25
28164	5/8-11 x 5	25
41677	5/8-11 x 5-1/2	25
41678	5/8-11 x 6	25

3/4-10 DIAMETER		
J&B #	SIZE	QTY
24718	3/4-10 x 2	20
32254	3/4-10 x 2-1/2	20
32255	3/4-10 x 3	20
32262	3/4-10 x 3-1/2	10
32263	3/4-10 x 4	10
41679	3/4-10 x 5	10
41680	3/4-10 x 6	10

STAINLESS STEEL

18-8 HEX HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



1/4-28 DIAMETER		
J&B #	SIZE	QTY
55870	1/4-28 x 1/2	50
55871	1/4-28 x 3/4	50
55872	1/4-28 x 1	50
55873	1/4-28 x 1-1/2	50
55874	1/4-28 x 2	50

5/16-24 DIAMETER		
J&B #	SIZE	QTY
55877	5/16-24 x 1/2	50
55878	5/16-24 x 3/4	50
55879	5/16-24 x 1	50
55880	5/16-24 x 1-1/2	50
55881	5/16-24 x 2	25

3/8-24 DIAMETER		
J&B #	SIZE	QTY
55883	3/8-24 x 3/4	50
55884	3/8-24 x 1	50
55885	3/8-24 x 1-1/2	50
55886	3/8-24 x 2	25


1/2-20 DIAMETER		
J&B #	SIZE	QTY
55888	1/2-20 x 1	25
55889	1/2-20 x 1-1/2	25
55890	1/2-20 x 2	25

STAINLESS STEEL

HEX HEAD CAP SCREWS

Regular Pitch - Grade 18-8

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



5 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
45920	5 x 10	.80	50
45921	5 x 12	.80	50
45922	5 x 16	.80	50
45923	5 x 20	.80	50
45924	5 x 25	.80	50
45925	5 x 30	.80	50

6 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
45767	6 x 16	1.00	50
45768	6 x 20	1.00	50
45769	6 x 25	1.00	50
45770	6 x 30	1.00	50
45468	6 x 35	1.00	50
45772	6 x 40	1.00	50
45774	6 x 50	1.00	50
45469	6 x 60	1.00	50

8 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
45776	8 x 16	1.25	50
45777	8 x 20	1.25	50
45778	8 x 25	1.25	50
45779	8 x 30	1.25	50
45488	8 x 35	1.25	50
45781	8 x 40	1.25	50
45783	8 x 50	1.25	50
45489	8 x 60	1.25	50
45490	8 x 70	1.25	50
45491	8 x 80	1.25	25


10 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
45786	10 x 20	1.50	50
45787	10 x 25	1.50	50
45788	10 x 30	1.50	25
45789	10 x 35	1.50	25
45790	10 x 40	1.50	25
45792	10 x 50	1.50	25
45492	10 x 60	1.50	25
45493	10 x 70	1.50	25
45494	10 x 80	1.50	25

12 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
45940	12 x 25	1.75	25
45941	12 x 30	1.75	25
45495	12 x 35	1.75	25
45943	12 x 40	1.75	25
45496	12 x 50	1.75	25
45497	12 x 60	1.75	25
45498	12 x 70	1.75	25
45499	12 x 80	1.75	20

STAINLESS STEEL

18-8 CARRIAGE BOLTS

- Good resistance to heat, cold and corrosion.
- Square, sharp neck prevents bolt from turning when nut is tightened.
- Precision rolled threads.



1/4" DIAMETER		
J&B #	LENGTH	QTY
4099	3/4	100
4100	1	100
4101	1-1/4	100
4102	1-1/2	100
4104	2	100
4105	2-1/2	50
4106	3	50

5/16" DIAMETER		
J&B #	LENGTH	QTY
4119	3/4	100
4120	1	100
4121	1-1/4	100
4122	1-1/2	100
4124	2	50
4126	2-1/2	50
4128	3	50


3/8" DIAMETER		
J&B #	LENGTH	QTY
4140	1	50
4141	1-1/4	50
4142	1-1/2	50
4144	2	50
4146	2-1/2	50
4148	3	50

1/2" DIAMETER		
J&B #	LENGTH	QTY
4089	1	25
4090	1-1/2	25
4091	2	25
4092	2-1/2	25
4093	3	25

STAINLESS STEEL

18-8 SOCKET HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



4-40 DIAMETER		
J&B #	SIZE	QTY
38530	4-40 x 1/4	100
38531	4-40 x 3/8	100
38532	4-40 x 1/2	100

6-32 DIAMETER		
J&B #	SIZE	QTY
38536	6-32 x 1/4	100
38537	6-32 x 3/8	100
38538	6-32 x 1/2	100
38535	6-32 x 5/8	100
38539	6-32 x 3/4	100
38540	6-32 x 1	100
38541	6-32 x 1-1/4	100

8-32 DIAMETER		
J&B #	SIZE	QTY
38542	8-32 x 1/4	100
38543	8-32 x 3/8	100
38544	8-32 x 1/2	100
38545	8-32 x 5/8	100
38546	8-32 x 3/4	100
38547	8-32 x 1	100
38548	8-32 x 1-1/4	100
38549	8-32 x 1-1/2	100


10-24 DIAMETER		
J&B #	SIZE	QTY
38479	10-24 x 1/4	100
38550	10-24 x 3/8	100
38551	10-24 x 1/2	100
38552	10-24 x 5/8	100
38553	10-24 x 3/4	100
38554	10-24 x 1	100
38555	10-24 x 1-1/4	100
38556	10-24 x 1-1/2	100
38558	10-24 x 2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
38498	10-32 x 1/4	100
38560	10-32 x 3/8	100
38561	10-32 x 1/2	100
38562	10-32 x 5/8	100
38563	10-32 x 3/4	100
38564	10-32 x 1	100
38565	10-32 x 1-1/4	100
38566	10-32 x 1-1/2	100
38568	10-32 x 2	100

STAINLESS STEEL

18-8 SOCKET HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
38569	1/4-20 x 3/8	100
38570	1/4-20 x 1/2	100
38571	1/4-20 x 5/8	100
38572	1/4-20 x 3/4	100
38573	1/4-20 x 1	100
38574	1/4-20 x 1-1/4	100
38575	1/4-20 x 1-1/2	100
38577	1/4-20 x 2	100

5/16-18 DIAMETER		
J&B #	SIZE	QTY
38582	5/16-18 x 1/2	100
38584	5/16-18 x 3/4	100
38585	5/16-18 x 1	100
38586	5/16-18 x 1-1/4	100
38587	5/16-18 x 1-1/2	100
38589	5/16-18 x 2	100

3/8-16 DIAMETER		
J&B #	SIZE	QTY
38592	3/8-16 x 1/2	100
38594	3/8-16 x 3/4	100
38595	3/8-16 x 1	100
38596	3/8-16 x 1-1/4	100
38597	3/8-16 x 1-1/2	100
38599	3/8-16 x 2	50


1/2-13 DIAMETER		
J&B #	SIZE	QTY
38645	1/2-13 x 1	50
38646	1/2-13 x 1-1/2	50
38647	1/2-13 x 2	50

STAINLESS STEEL

18-8 SOCKET HEAD CAP SCREWS

Metric

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



5 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
4237	5 x 10	.80	50
4239	5 x 16	.80	50
4240	5 x 20	.80	50
4241	5 x 25	.80	50
4242	5 x 30	.80	50
4244	5 x 40	.80	50
4246	5 x 50	.80	50

6 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
4150	6 x 10	1.00	50
4151	6 x 16	1.00	50
4152	6 x 20	1.00	50
4153	6 x 25	1.00	50
4154	6 x 30	1.00	50
4156	6 x 40	1.00	50
4157	6 x 50	1.00	50


8 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
4160	8 x 20	1.25	50
4161	8 x 25	1.25	50
4162	8 x 30	1.25	50
4164	8 x 40	1.25	50
4166	8 x 50	1.25	50

10 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
4170	10 x 20	1.50	25
4171	10 x 25	1.50	25
4172	10 x 30	1.50	25
4174	10 x 40	1.50	25
4176	10 x 50	1.50	25

STAINLESS STEEL

18-8 BUTTON HEAD SOCKET CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



6-32 DIAMETER		
J&B #	SIZE	QTY
86000	6-32 x 3/8	100
86001	6-32 x 1/2	100

8-32 DIAMETER		
J&B #	SIZE	QTY
86004	8-32 x 3/8	100
86005	8-32 x 1/2	100
86007	8-32 x 3/4	100

10-24 DIAMETER		
J&B #	SIZE	QTY
86010	10-24 x 3/8	100
86011	10-24 x 1/2	100
86012	10-24 x 3/4	100
86013	10-24 x 1	100


10-32 DIAMETER		
J&B #	SIZE	QTY
86016	10-32 x 3/8	100
86017	10-32 x 1/2	100
86021	10-32 x 5/8	100
86018	10-32 x 3/4	100
86019	10-32 x 1	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
86023	1/4-20 x 3/8	100
86024	1/4-20 x 1/2	100
86025	1/4-20 x 3/4	100
86026	1/4-20 x 1	100
86027	1/4-20 x 1-1/4	100
86028	1/4-20 x 1-1/2	50

STAINLESS STEEL

18-8 FLAT HEAD SOCKET CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



8-32 DIAMETER		
J&B #	SIZE	QTY
21540	8-32 x 3/8	100
21541	8-32 x 1/2	100
21542	8-32 x 5/8	100
21543	8-32 x 3/4	100
21544	8-32 x 1	100

10-24 DIAMETER		
J&B #	SIZE	QTY
21550	10-24 x 3/8	100
21551	10-24 x 1/2	100
21553	10-24 x 3/4	100
21554	10-24 x 1	100
21555	10-24 x 1-1/4	50
21556	10-24 x 1-1/2	50

10-32 DIAMETER		
J&B #	SIZE	QTY
21560	10-32 x 3/8	100
21561	10-32 x 1/2	100
21563	10-32 x 3/4	100
21564	10-32 x 1	100
21565	10-32 x 1-1/4	50
21566	10-32 x 1-1/2	50

1/4-20 DIAMETER		
J&B #	SIZE	QTY
21570	1/4-20 x 3/8	100
21571	1/4-20 x 1/2	100
21573	1/4-20 x 3/4	100
21574	1/4-20 x 1	100
21575	1/4-20 x 1-1/4	50
21576	1/4-20 x 1-1/2	50

STAINLESS STEEL

18-8 SOCKET SET SCREWS

Cup Point

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



6-32 DIAMETER		
J&B #	SIZE	QTY
55840	6-32 x 1/4	100
55841	6-32 x 3/8	100

8-32 DIAMETER		
J&B #	SIZE	QTY
55843	8-32 x 1/4	100
55844	8-32 x 3/8	100
55845	8-32 x 1/2	100

10-24 DIAMETER		
J&B #	SIZE	QTY
55847	10-24 x 1/4	100
55848	10-24 x 3/8	100
55849	10-24 x 1/2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
55865	10-32 x 1/4	100
55866	10-32 x 3/8	100
55867	10-32 x 1/2	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
55852	1/4-20 x 1/4	100
55853	1/4-20 x 3/8	100
55854	1/4-20 x 1/2	100

5/16-18 DIAMETER		
J&B #	SIZE	QTY
55857	5/16-18 x 3/8	100
55858	5/16-18 x 1/2	100

3/8-16 DIAMETER		
J&B #	SIZE	QTY
55862	3/8-16 x 3/8	100
55863	3/8-16 x 1/2	100

STAINLESS STEEL

18-8 MACHINE SCREWS

Phillips Pan Head

- Deep twist-resistant slots eliminate screw driver slippage.
- Resists: salt, water and corrosion.
- Higher tensile and shear strengths.



4-40 DIAMETER		
J&B #	SIZE	QTY
86950	4-40 x 1/4	100
86140	4-40 x 3/8	100
86141	4-40 x 1/2	100
86142	4-40 x 3/4	100
86143	4-40 x 1	100

6-32 DIAMETER		
J&B #	SIZE	QTY
86951	6-32 x 1/4	100
24720	6-32 x 3/8	100
24636	6-32 x 1/2	100
24637	6-32 x 3/4	100
24638	6-32 x 1	100
86150	6-32 x 1-1/4	100
24639	6-32 x 1-1/2	100
24640	6-32 x 2	100

8-32 DIAMETER		
J&B #	SIZE	QTY
86952	8-32 x 1/4	100
24721	8-32 x 3/8	100
24641	8-32 x 1/2	100
24642	8-32 x 3/4	100
24643	8-32 x 1	100
86151	8-32 x 1-1/4	100
24644	8-32 x 1-1/2	100
24645	8-32 x 2	100

10-24 DIAMETER		
J&B #	SIZE	QTY
86953	10-24 x 1/4	100
24722	10-24 x 3/8	100
24646	10-24 x 1/2	100
24647	10-24 x 3/4	100
24648	10-24 x 1	100
86154	10-24 x 1-1/4	100
24649	10-24 x 1-1/2	100
24650	10-24 x 2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
86954	10-32 x 1/4	100
24723	10-32 x 3/8	100
24651	10-32 x 1/2	100
24652	10-32 x 3/4	100
24653	10-32 x 1	100
86156	10-32 x 1-1/4	100
24654	10-32 x 1-1/2	100
24655	10-32 x 2	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
86955	1/4-20 x 1/4	100
24724	1/4-20 x 3/8	100
24656	1/4-20 x 1/2	100
24657	1/4-20 x 3/4	100
24658	1/4-20 x 1	100
86158	1/4-20 x 1-1/4	100
24659	1/4-20 x 1-1/2	100
24660	1/4-20 x 2	100
60014	1/4-20 x 2-1/2	50
60015	1/4-20 x 3	50
60016	1/4-20 x 4	25

SLOTTED TRUSS HEAD		
8-32 DIAMETER		
J&B #	SIZE	QTY
41968	8-32 x 1/2	100



STAINLESS STEEL

18-8 MACHINE SCREWS

Phillips Flat Head

- Deep twist-resistant slots eliminate screw driver slippage.
- Resists: salt, water and corrosion.
- Higher tensile and shear strengths.



4-40 DIAMETER		
J&B #	SIZE	QTY
57320	4-40 x 1/4	100
57321	4-40 x 3/16	100
57322	4-40 x 3/8	100
57323	4-40 x 1/2	100

8-32 DIAMETER		
J&B #	SIZE	QTY
57338	8-32 x 3/8	100
57339	8-32 x 1/2	100
57340	8-32 x 3/4	100
57341	8-32 x 1	100
57342	8-32 x 1-1/4	50
57343	8-32 x 1-1/2	50

10-24 DIAMETER		
J&B #	SIZE	QTY
57347	10-24 x 1/2	100
57348	10-24 x 3/4	100
57349	10-24 x 1	100
57350	10-24 x 1-1/4	50
57351	10-24 x 1-1/2	50
57352	10-24 x 2	50

6-32 DIAMETER		
J&B #	SIZE	QTY
57328	6-32 x 1/4	100
57329	6-32 x 3/16	100
57330	6-32 x 3/8	100
57331	6-32 x 1/2	100
57332	6-32 x 3/4	100
57333	6-32 x 1	100
57334	6-32 x 1-1/4	50
57335	6-32 x 1-1/2	50

10-32 DIAMETER		
J&B #	SIZE	QTY
57355	10-32 x 1/2	100
57356	10-32 x 3/4	100
57357	10-32 x 1	100
57358	10-32 x 1-1/4	50
57359	10-32 x 1-1/2	50
57360	10-32 x 2	50


1/4-20 DIAMETER		
J&B #	SIZE	QTY
57363	1/4-20 x 1/2	100
57364	1/4-20 x 3/4	100
57365	1/4-20 x 1	100
57366	1/4-20 x 1-1/4	50
57367	1/4-20 x 1-1/2	50
57368	1/4-20 x 2	50

STAINLESS STEEL

18-8 MACHINE SCREWS

Phillips Pan Head

- Deep twist-resistant slots eliminate screw driver slippage.
- Resists: salt, water and corrosion.
- Higher tensile and shear strengths.



3 MM DIAMETER		
J&B #	SIZE	QTY
57140	3mm - .50 x 6	100
57141	3mm - .50 x 8	100
57142	3mm - .50 x 10	100
57143	3mm - .50 x 12	100
57144	3mm - .50 x 16	100
57145	3mm - .50 x 20	100

4 MM DIAMETER		
J&B #	SIZE	QTY
57150	4mm - .70 x 6	100
57151	4mm - .70 x 8	100
57152	4mm - .70 x 10	100
57153	4mm - .70 x 12	100
57154	4mm - .70 x 16	100
57155	4mm - .70 x 20	100
57156	4mm - .70 x 25	100

5 MM DIAMETER		
J&B #	SIZE	QTY
57160	5mm - .80 x 8	100
57161	5mm - .80 x 10	100
57162	5mm - .80 x 12	100
57163	5mm - .80 x 16	100
57164	5mm - .80 x 20	100
57165	5mm - .80 x 25	100


6 MM DIAMETER		
J&B #	SIZE	QTY
57170	6mm - 1.00 x 8	100
57171	6mm - 1.00 x 10	100
57172	6mm - 1.00 x 12	100
57173	6mm - 1.00 x 16	100
57174	6mm - 1.00 x 20	100
57175	6mm - 1.00 x 25	100
57176	6mm - 1.00 x 30	100

STAINLESS STEEL

18-8 SHEET METAL SCREWS

Slotted Hex Washer Head

- Sharp hardened threads with sharp lead points.
- Resists: salt, water, corrosion.
- Non-magnetic with high abrasion resistance.



# 6 DIAMETER		
J&B #	SIZE	QTY
38772	6 x 1/2	100
38773	6 x 3/4	100
38774	6 x 1	100

# 8 DIAMETER		
J&B #	SIZE	QTY
38776	8 x 1/2	100
38777	8 x 3/4	100
38778	8 x 1	100
38779	8 x 1-1/4	100
38780	8 x 1-1/2	50

# 10 DIAMETER		
J&B #	SIZE	QTY
38782	10 x 1/2	100
38783	10 x 3/4	100
38784	10 x 1	100
38785	10 x 1-1/4	50
38786	10 x 1-1/2	50
38787	10 x 2	50

# 12 DIAMETER		
J&B #	SIZE	QTY
38789	12 x 3/4	100
38790	12 x 1	100
38791	12 x 1-1/4	50
38792	12 x 1-1/2	50

# 14 DIAMETER		
J&B #	SIZE	QTY
38794	14 x 1/2	100
38795	14 x 3/4	100
38801	14 x 3/4	1000
38796	14 x 1	50
38797	14 x 1-1/4	50
38798	14 x 1-1/2	50

STAINLESS STEEL

18-8 SHEET METAL SCREWS

Phillips Pan Head

- Sharp hardened threads with sharp lead point.
- Resists: salt, water, corrosion.
- Non-magnetic with high abrasion resistance.



# 6 DIAMETER		
J&B #	SIZE	QTY
24661	6 x 1/2	100
24662	6 x 3/4	100
24663	6 x 1	100

#8 DIAMETER		
J&B #	SIZE	QTY
24664	8 x 1/2	100
24665	8 x 3/4	100
24666	8 x 1	100
32264	8 x 1-1/4	100
32265	8 x 1-1/2	100
86130	8 x 2	100

#10 DIAMETER		
J&B #	SIZE	QTY
24667	10 x 1/2	100
24668	10 x 3/4	100
24669	10 x 1	100
32256	10 x 1-1/4	100
32257	10 x 1-1/2	100
32248	10 x 1-3/4	50
32258	10 x 2	100
60010	10 x 2-1/2	50
60011	10 x 3	50

#12 DIAMETER		
J&B #	SIZE	QTY
24670	12 x 1/2	100
24671	12 x 3/4	100
24672	12 x 1	100
32259	12 x 1-1/2	100
32260	12 x 2	100

#14 DIAMETER		
J&B #	SIZE	QTY
24673	14 x 1/2	100
24674	14 x 3/4	100
24675	14 x 1	100
86132	14 x 1-1/4	100
32261	14 x 1-1/2	100
86133	14 x 2	50
60012	14 x 2-1/2	50
60013	14 x 3	50

STAINLESS STEEL

TEKS HEX WASHER HEAD

Grade 410



- Drills, taps and fastens in one quick, easy motion eliminating alignment problems.
- Tek's fasten metal to metal and a wide range of other materials including wood, synthetics and mechanical components to metal.

6-20 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
45547	6-20 x 1/2	1/4	100
45548	6-20 x 3/4	1/4	100
45549	6-20 x 1	1/4	100

8-18 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
4030	8-18 x 1/2	1/4	100
4032	8-18 x 3/4	1/4	100
4033	8-18 x 1	1/4	100
4034	8-18 x 1-1/4	1/4	50
4035	8-18 x 1-1/2	1/4	50

10-16 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
4040	10-16 x 1/2	5/16	100
4042	10-16 x 3/4	5/16	100
4043	10-16 x 1	5/16	100
4044	10-16 x 1-1/4	5/16	50
4045	10-16 x 1-1/2	5/16	50
45553	10-16 x 2	5/16	50

12-14 DIAMETER			
J&B #	SIZE	SOCKET	QTY
4046	12-14 x 3/4	5/16	50
4047	12-14 x 1	5/16	50
4048	12-14 x 1-1/4	5/16	50
4049	12-14 x 1-1/2	5/16	50
45551	12-14 x 2	5/16	50

1/4-14 DIAMETER			
J&B #	SIZE	SOCKET	QTY
4050	1/4-14 x 3/4	3/8	50
4051	1/4-14 x 1	3/8	50
4052	1/4-14 x 1-1/4	3/8	50
45575	1/4-14 x 1-1/2	3/8	50
4054	1/4-14 x 2	3/8	50

TEKS PHILLIPS PAN HEAD



8-18 DIAMETER		
86960	8 x 1/2	100
86961	8 x 3/4	100
86962	8 x 1	100
86963	8 x 1-1/4	50
86964	8 x 1-1/2	50

12-14 DIAMETER		
60037	12-14 x 3/4	50
60038	12-14 x 1	50
60039	12-14 x 1-1/4	50
60040	12-14 x 1-1/2	50

10-16 DIAMETER		
86970	10 x 1/2	100
86971	10 x 3/4	100
86972	10 x 1	100
86973	10 x 1-1/4	50
86974	10 x 1-1/2	50

1/4-14 DIAMETER		
60032	1/4 x 3/4	50
60033	1/4 x 1	50
60034	1/4 x 1-1/4	50
60035	1/4 x 1-1/2	50
60036	1/4 x 2	50

STAINLESS STEEL

PHILLIPS TRUSS HEAD



#10 DIAMETER		
45583	10 x 1/2	100
45584	10 x 5/8	100
45588	10 x 3/4	100
45592	10 x 1	100
45593	10 x 1-1/4	100

#14 DIAMETER		
45589	14 x 3/4	100

PHILLIPS OVAL HEAD

- Deep burr-free, recessed heads for easier and faster driving.
- Top protrudes slightly above material surface.



# 8 THREADS		
J&B #	SIZE	QTY
60017	8 x 1/2	100
55755	8 x 3/4	100
55756	8 x 1	100
55757	8 x 1-1/4	100
55758	8 x 1-1/2	50
55759	8 x 1-3/4	50
55760	8 x 2	50

# 10 THREADS		
J&B #	SIZE	QTY
60018	10 x 1/2	100
55761	10 x 3/4	100
55762	10 x 1	100
55763	10 x 1-1/4	100
55764	10 x 1-1/2	50
55765	10 x 1-3/4	50
55766	10 x 2	50


# 12 THREADS		
J&B #	SIZE	QTY
60019	12 x 1/2	50
60022	12 x 3/4	50
60023	12 x 1	50
60024	12 x 1-1/4	50
60025	12 x 1-1/2	50
60026	12 x 2	50

# 14 THREADS		
J&B #	SIZE	QTY
60027	14 x 3/4	50
60028	14 x 1	50
60029	14 x 1-1/4	50
60030	14 x 1-1/2	50
60031	14 x 2	50

STAINLESS STEEL

18-8 HEX NUTS


- Resists: salt, water, corrosion and is non-magnetic.
- General purpose nut; standard height and hex dimensions.



J&B #	SIZE	QTY
24599	4-40	100
24600	6-32	100
24601	8-32	100
24602	10-24	100
24603	10-32	100
24604	1/4-20	100
55800	1/4-28	100
24605	5/16-18	100
55801	5/16-24	100
24606	3/8-16	100
55802	3/8-24	50
24607	7/16-14	50
55803	7/16-20	50
24608	1/2-13	50
55804	1/2-20	50
24609	5/8-11	25
24610	3/4-10	25

18-8 NYLON INSERT LOCK NUTS

- Resists: salt, water, corrosion and is non-magnetic.
- Fully re-usable; vibration and shock-proof.



J&B #	SIZE	QTY
24596	4-40	100
40225	6-32	100
40226	8-32	100
40227	10-24	100
40228	10-32	100
40230	1/4-20	100
40231	5/16-18	100
40232	3/8-16	100
40238	7/16-14	50
40234	1/2-13	50
40236	5/8-11	25
40237	3/4-10	25

STAINLESS STEEL

TOP LOCKNUTS

- Resists: salt, water, corrosion and is non-magnetic.
- Similar to a stover locknut except only 3 small sections of a thread are distorted, not the entire thread.
- Never works loose; absorbs vibration and shock loads.
- Re-usable.

J&B #	SIZE	QTY
46780	1/4-20	100
46781	5/16-18	50
46782	3/8-16	50
46784	1/2-13	25
46786	3/4-10	10



THIN NYLON LOCKNUTS

- Resists: salt, water, corrosion and is non-magnetic.
- Re-usable.

J&B #	SIZE	QTY
57302	6-32	100
57303	8-32	100
57304	10-24	100
57305	10-32	100
57306	1/4-20	100
57307	5/16-18	50
57308	3/8-16	50
57310	1/2-13	25



SERRATED FLANGE NUTS

- Resists: salt, water, corrosion and is non-magnetic.

J&B #	SIZE	QTY
86040	6-32	100
86041	8-32	100
86042	10-24	100
86043	10-32	100
86044	1/4-20	100
86045	5/16-18	50
86046	3/8-16	50
86047	1/2-13	25



STAINLESS STEEL

18-8 SAE FLAT WASHERS

- Resists: salt, water, corrosion and is non-magnetic.
- Perfectly round; burr-free.



J&B #	SIZE	QTY
24598	# 4	200
24613	# 6	200
24614	# 8	200
24615	#10	200
24616	1/4	100
24617	5/16	100
24618	3/8	100
24619	7/16	100
24620	1/2	100
24621	5/8	50
24622	3/4	25

18-8 USS FLAT WASHERS

J&B #	SIZE	QTY
21580	1/4	100
21581	5/16	100
21582	3/8	100
21583	7/16	100
21584	1/2	50
21585	5/8	25
21586	3/4	25



HELICAL SPRING LOCK WASHERS

- Resists: salt, water, corrosion and is non-magnetic.
- Add strength and insure against equipment breakdown; non-linking, positive locking.




J&B #	SIZE	QTY
24597	# 4	200
24625	# 6	200
24626	# 8	200
24627	#10	200
24628	1/4	100
24629	5/16	100
24630	3/8	100
24631	7/16	100
24632	1/2	100
24633	5/8	50
24634	3/4	50

STAINLESS STEEL

FENDER WASHERS

18-8

- Specifically designed for application where a larger bearing is required.
- Smooth surface; free from burrs.
- **Uniform** thickness.



J&B #	I. D.	O. D.	QTY
45516	3/16	3/4	100
45525	3/16	1	100
45517	3/16	1-1/4	100
45515	1/4	1	100
45528	1/4	1-1/4	100
45529	1/4	1-1/2	100
45524	5/16	1	100
45530	5/16	1-1/4	100
45531	5/16	1-1/2	100
45532	3/8	1-1/2	50
45518	3/8	2	50
45520	1/2	2	50

ACORN NUTS

- Resists: salt, water, corrosion and is non-magnetic.



J&B #	SIZE	QTY
86067	6-32	100
86068	8-32	100
86069	10-24	100
86039	10-32	100
86035	1/4-20	100
86036	5/16-18	50
86037	3/8-16	50
86038	1/2-13	25

STAINLESS STEEL

18-8 HEX NUTS

- Resists: salt, water, corrosion and is non-magnetic.
- General purpose nut; standard height and hex dimensions.



COARSE THREAD			
J&B #	SIZE	PITCH	QTY
45715	3MM	.50	100
45724	4MM	.70	100
45751	5MM	.80	100
45756	6MM	1.00	100
45757	8MM	1.25	50
45758	10MM	1.50	50
45759	12MM	1.75	25

18-8 SAE FLAT WASHERS

J&B #	SIZE	QTY
45716	3MM	100
45725	4MM	100
45747	5MM	100
45760	6MM	100
45761	8MM	100
45762	10MM	100
45763	12MM	50



18-8 HELICAL SPRING LOCK WASHERS


J&B #	SIZE	QTY
45717	3MM	100
45726	4MM	100
45745	5MM	100
45764	6MM	100
45765	8MM	100
45766	10MM	100
45746	12MM	50



18-8 NYLON INSERT LOCKNUTS

- Resists: salt, water, corrosion and is non-magnetic.

COARSE THREAD			
J&B #	SIZE	PITCH	QTY
45727	4MM	.70	100
45749	5MM	.80	100
45741	6MM	1.00	100
45742	8MM	1.25	50
45743	10MM	1.50	50
45739	12MM	1.75	25



STAINLESS STEEL

RIVETS DOMED HEAD



- Open end blind rivets are made from genuine fine grade materials to insure consistent error free application from rivet to rivet.
- A special treatment applied to the rivet insures the mandrel will be encased by the rivet during application.
- Shear strength of 950. Tensile strength 1200.

18-8 STAINLESS DOME / STEEL TRIVALENT ZINC PLATED MANDREL				
RIVET DIA.	J&B #	LENGTH	GRIP RANGE	QTY
3/16	41845	.700	3/8 to 1/2	250

** SMOOTH STEEL PIN

** BULK QUANTITY 4500

18-8 STAINLESS DOME / 18-8 STAINLESS MANDREL				
RIVET DIA.	J&B #	LENGTH	GRIP RANGE	QTY
3/16	V41909	.700	3/8 to 1/2	250


** KNURLED STAINLESS PIN

** BULK QUANTITY 3500

BRASS

HEX HEAD CAP SCREWS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.
- Brass is normally softer than carbon steel and stainless steel.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
32310	1/4-20 x 1	50

5/16-18 DIAMETER		
J&B #	SIZE	QTY
32311	5/16-18 x 1	50
32312	5/16-18 x 1-1/2	50


3/8-16 DIAMETER		
J&B #	SIZE	QTY
32313	3/8-16 x 1	50
32314	3/8-16 x 1-1/2	50
32315	3/8-16 x 1-3/4	50
32316	3/8-16 x 2	50

1/2-13 DIAMETER		
J&B #	SIZE	QTY
32317	1/2-13 x 1	25
32318	1/2-13 x 1-1/2	25
32319	1/2-13 x 2	25
32320	1/2-13 x 3-1/2	25
32321	1/2-13 x 4-1/2	25
32322	1/2-13 x 5	25

BRASS

SLOTTED ROUND HEAD MACHINE SCREWS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.
- Deep twist-resistant slots; threads are feather-free.



6-32 DIAMETER		
J&B #	SIZE	QTY
32266	6-32 x 1/4	100
32267	6-32 x 3/8	100
32268	6-32 x 1/2	100
32269	6-32 x 3/4	100
32270	6-32 x 1	100

8-32 DIAMETER		
J&B #	SIZE	QTY
32271	8-32 x 1/2	100
32272	8-32 x 3/4	100
32273	8-32 x 1	100


1/4-20 DIAMETER		
J&B #	SIZE	QTY
32278	1/4-20 x 3/8	100
32279	1/4-20 x 1/2	100
32280	1/4-20 x 3/4	100
32281	1/4-20 x 1	100

10-24 DIAMETER		
J&B #	SIZE	QTY
25150	10-24 x 1/2	100
25151	10-24 x 3/4	100
25152	10-24 x 1	100

10-32 DIAMETER		
J&B #	SIZE	QTY
32323	10-32 x 1/4	100
32274	10-32 x 1/2	100
32275	10-32 x 3/4	100
32276	10-32 x 1	100
32277	10-32 x 1-1/4	100

SLOTTED FLAT HEAD MACHINE SCREWS


J&B #	SIZE	QTY
38456	10-24 x 3/4	100
38457	1/4-20 x 1	100
32282	5/16-18 x 3/4	100
32283	3/8-16 x 1-1/4	100
32284	3/8-16 x 1-1/2	100



BRASS

HEX NUTS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32285	6-32	100
32286	8-32	100
32287	10-24	100
32288	10-32	100
32289	1/4-20	100
32296	1/4-28	100
32290	5/16-18	100
32297	5/16-24	100
32291	3/8-16	50
32298	3/8-24	50
10801	7/16-14	25
10793	7/16-20	25
32292	1/2-13	50
10795	1/2-20	25
32293	5/8-11	25

HEAVY HEX NUTS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32294	3/8-16	50
32295	1/2-13	50



BRASS

FLAT WASHERS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32299	# 6	100
32300	# 8	100
32301	#10	100
32302	1/4	100
32303	5/16	100
32304	3/8	100
32305	1/2	50








HELICAL SPRING LOCK WASHERS

Silicone Bronze

- Non-magnetic; will not corrode and is harder than brass.
- Contains 96% to 98% copper and has high resistance to extreme temperature, atmospheric conditions, water, gas, and sewage. Non-magnetic.



J&B #	SIZE	QTY
32306	1/4	100
32307	5/16	100
32308	3/8	100
32309	1/2	100



























J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

STAINLESS STEEL ASSORTMENT

 24604 1 1/4-20 NUT 50	 24616 2 1/4 SAE F/W 50	 24677 3 1/4-20 X 3/4 20	 24678 4 1/4-20 X 1 20	 24679 5 1/4-20 X 1-1/4 20	 24680 6 1/4-20 X 1-1/2 20
 24605 7 5/16-18 NUT 25	 24617 8 5/16 SAE F/W 25	 24686 9 5/16-18 X 3/4 15	 24687 10 5/16-18 X 1 15	 24688 11 5/16-18 X 1-1/4 15	 24689 12 5/16-18 X 1-1/2 15
 24606 13 3/8-16 NUT 25	 24618 14 3/8 SAE F/W 25	 24694 15 3/8-16 X 3/4 10	 24695 16 3/8-16 X 1 10	 24696 17 3/8-16 X 1-1/4 10	 24697 18 3/8-16 X 1-1/2 10
 24628 19 1/4 LOCK WASHER 20	 24629 20 5/16 LOCK WASHER 20	 24630 21 3/8 LOCK WASHER 20			





























J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2166

STAINLESS STEEL BOLTS

 1 24604 50 1/4-20 NUT	 2 24628 50 1/4 LOCKS	 3 24616 50 1/4 FLATS	 4 24676 20 1/4-20 X 1/2	 5 24677 15 1/4-20 X 3/4	 6 24678 10 1/4-20 X 1
 7 24605 25 5/16-18 NUT	 8 24629 25 5/16 LOCKS	 9 24617 25 5/16 FLATS	 10 24686 15 5/16-18 X 3/4	 11 24687 10 5/16-18 X 1	 12 24689 5 5/16-18 X 1-1/2
 13 24606 20 3/8-16 NUT	 14 24630 20 3/8 LOCKS	 15 24618 20 3/8 FLATS	 16 24695 10 3/8-16 X 1	 17 24696 10 3/8-16 X 1-1/4	 18 24697 5 3/8-16 X 1-1/2
 19 24608 10 1/2-13 NUT	 20 24632 10 1/2 LOCKS	 21 24620 10 1/2 FLATS	 22 24703 5 1/2-13 X 1	 23 24704 5 1/2-13 X 1-1/4	 24 24705 4 1/2-13 X 1-1/2




STAINLESS STEEL

2164 18 - 8 STAINLESS USS							
24604 1/4 HEX NUT 100	24616 1/4 FLAT 100	24628 1/4 LOCK 100	24676 1/4 x 1/2 BOLT 50	24677 1/4 x 3/4 BOLT 50	24678 1/4 x 1 BOLT 25	24679 1/4 x 1-1/4 BOLT 20	24680 1/4 x 1-1/2 BOLT 18
24605 5/16 HEX NUT 100	24617 5/16 FLAT 100	24629 5/16 LOCK 100	24686 5/16 x 3/4 BOLT 50	24687 5/16 x 1 BOLT 25	24688 5/16 x 1-1/4 BOLT 20	24689 5/16 x 1-1/2 BOLT 18	24691 5/16 x 2 BOLT 16
24606 3/8 HEX NUT 100	24618 3/8 FLAT 100	24630 3/8 LOCK 100	24694 3/8 x 3/4 BOLT 25	24695 3/8 x 1 BOLT 25	24696 3/8 x 1-1/4 BOLT 20	24697 3/8 x 1-1/2 BOLT 15	24699 3/8 x 2 BOLT 10
24607 7/16 HEX NUT 50	24619 7/16 FLAT 50	24631 7/16 LOCK 50				32253 7/16 x 2 BOLT 10	
24608 1/2 HEX NUT 50	24620 1/2 FLAT 50	24632 1/2 LOCK 50	24703 1/2 x 1 BOLT 15	24705 1/2 x 1-1/2 BOLT 15	24707 1/2 x 2 BOLT 10	24709 1/2 x 2-1/2 BOLT 10	24710 1/2 x 3 BOLT 8



1645 PIECES






















J&B Fleet - Industrial Supply


www.jbfleet.com


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART# 2831

STAINLESS METRIC HEX HEAD CAP SCREWS

<p>45756 ¹</p>  <p>6MM-1.00 HEX NUT</p> <p>10</p>	<p>45768 ²</p>  <p>6-1.00 X 20</p> <p>10</p>	<p>45769 ³</p>  <p>6-1.00 X 25</p> <p>10</p>	<p>45770 ⁴</p>  <p>6-1.00 X 30</p> <p>10</p>	<p>45772 ⁵</p>  <p>6-1.00 X 40</p> <p>10</p>	<p>45774 ⁶</p>  <p>6-1.00 X 50</p> <p>10</p>
<p>45757 ⁷</p>  <p>8MM-1.25 HEX NUT</p> <p>10</p>	<p>45777 ⁸</p>  <p>8-1.25 X 20</p> <p>10</p>	<p>45778 ⁹</p>  <p>8-1.25 X 25</p> <p>10</p>	<p>45779 ¹⁰</p>  <p>8-1.25 X 30</p> <p>10</p>	<p>45781 ¹¹</p>  <p>8-1.25 X 40</p> <p>10</p>	<p>45783 ¹²</p>  <p>8-1.25 X 50</p> <p>5</p>
<p>45758 ¹³</p>  <p>10MM-1.50 HEX NUT</p> <p>10</p>	<p>45786 ¹⁴</p>  <p>10-1.50 X 20</p> <p>10</p>	<p>45787 ¹⁵</p>  <p>10-1.50 X 25</p> <p>10</p>	<p>45788 ¹⁶</p>  <p>10-1.50 X 30</p> <p>5</p>	<p>45790 ¹⁷</p>  <p>10-1.50 X 40</p> <p>5</p>	<p>45792 ¹⁸</p>  <p>10-1.50 X 50</p> <p>5</p>
<p>45760 ¹⁹</p>  <p>6MM FLAT WASHERS</p> <p>25</p>	<p>45761 ²⁰</p>  <p>8MM FLAT WASHERS</p> <p>25</p>	<p>45762 ²¹</p>  <p>10MM FLAT WASHERS</p> <p>25</p>	<p>45764 ²²</p>  <p>6MM LOCK WASHERS</p> <p>25</p>	<p>45765 ²³</p>  <p>8MM LOCK WASHERS</p> <p>25</p>	<p>45766 ²⁴</p>  <p>10MM LOCK WASHERS</p> <p>25</p>





















J&B Fleet - Industrial Supply


www.jbfleet.com


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART# 2272

STAINLESS CARRIAGE BOLTS

<p>4142 1</p>  <p>3/8-16 x 1-1/2</p> <p>5</p>	<p>4144 2</p>  <p>3/8-16 x 2</p> <p>5</p>	<p>4146 3</p>  <p>3/8-16 x 2-1/2</p> <p>5</p>	<p>4148 4</p>  <p>3/8-16 x 3</p> <p>5</p>
<p>4126 5</p>  <p>5/16-18 x 2-1/2</p> <p>5</p>	<p>4128 6</p>  <p>5/16-18 x 3</p> <p>5</p>	<p>4140 7</p>  <p>3/8-16 x 1</p> <p>5</p>	<p>4141 8</p>  <p>3/8-16 x 1-1/4</p> <p>5</p>
<p>4120 9</p>  <p>5/16-18 x 1</p> <p>10</p>	<p>4121 10</p>  <p>5/16-18 x 1-1/4</p> <p>10</p>	<p>4122 11</p>  <p>5/16-18 x 1-1/2</p> <p>10</p>	<p>4124 12</p>  <p>5/16-18 x 2</p> <p>5</p>
<p>4100 13</p>  <p>1/4-20 X 1</p> <p>10</p>	<p>4101 14</p>  <p>1/4-20 X 1-1/4</p> <p>10</p>	<p>4102 15</p>  <p>1/4-20 X 1-1/2</p> <p>10</p>	<p>4104 16</p>  <p>1/4-20 X 2</p> <p>10</p>
























J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com

PART # 2199

STAINLESS SOCKET CAPS

<p>1</p>  <p>38544</p> <p>8-32 X 1/2</p> <p>15</p>	<p>2</p>  <p>38546</p> <p>8-32 X 3/4</p> <p>15</p>	<p>3</p>  <p>38547</p> <p>8-32 X 1</p> <p>15</p>	<p>4</p>  <p>38551</p> <p>10-24 X 1/2</p> <p>15</p>	<p>5</p>  <p>38553</p> <p>10-24 X 3/4</p> <p>15</p>	<p>6</p>
<p>7</p>  <p>38554</p> <p>10-24 X 1</p> <p>15</p>	<p>8</p>	<p>9</p>  <p>38561</p> <p>10-32 X 1/2</p> <p>15</p>	<p>10</p>  <p>38563</p> <p>10-32 X 3/4</p> <p>15</p>	<p>11</p>  <p>38564</p> <p>10-32 X 1</p> <p>15</p>	<p>12</p>  <p>38570</p> <p>1/4-20 X 1/2</p> <p>15</p>
<p>13</p>  <p>38572</p> <p>1/4-20 X 3/4</p> <p>15</p>	<p>14</p>  <p>38573</p> <p>1/4-20 X 1</p> <p>10</p>	<p>15</p>  <p>38574</p> <p>1/4-20 X 1-1/4</p> <p>10</p>	<p>16</p>	<p>17</p>  <p>38582</p> <p>5/16-18 X 1/2</p> <p>15</p>	<p>18</p>  <p>38584</p> <p>5/16-18 X 3/4</p> <p>15</p>
<p>19</p>  <p>38585</p> <p>5/16-18 X 1</p> <p>10</p>	<p>20</p>	<p>21</p>  <p>38594</p> <p>3/8-16 X 3/4</p> <p>10</p>	<p>22</p>  <p>38595</p> <p>3/8-16 X 1</p> <p>10</p>	<p>23</p>  <p>38596</p> <p>3/8-16 X 1-1/4</p> <p>10</p>	<p>24</p>





























J&B Fleet - Industrial Supply

www.jbfleet.com








22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART # 2286

METRIC STAINLESS SOCKET CAPS

 4237 ¹ 5-.80 X 10 10	 4239 ² 5-.80 X 16 10	 4240 ³ 5-.80 X 20 10	 4241 ⁴ 5-.80 X 25 10	 4242 ⁵ 5-.80 X 30 10	 4244 ⁶ 5-.80 X 40 10
 4246 ⁷ 5-.80 X 50 10	 4150 ⁸ 6-1.00 X 10 10	 4151 ⁹ 6-1.00 X 16 10	 4152 ¹⁰ 6-1.00 X 20 10	 4153 ¹¹ 6-1.00 X 25 10	 4154 ¹² 6-1.00 X 30 10
 4156 ¹³ 6-1.00 X 40 10	 4157 ¹⁴ 6-1.00 X 50 10	 4160 ¹⁵ 8-1.25 X 20 10	 4161 ¹⁶ 8-1.25 X 25 10	 4162 ¹⁷ 8-1.25 X 30 10	 4164 ¹⁸ 8-1.25 X 40 5
 4166 ¹⁹ 8-1.25 X 50 5	 4170 ²⁰ 10-1.50 X 20 5	 4171 ²¹ 10-1.50 X 25 5	 4172 ²² 10-1.50 X 30 5	 4174 ²³ 10-1.50 X 40 5	 4176 ²⁴ 10-1.50 X 50 5





























J&B Fleet - Industrial Supply





22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com

PART # 2819

BUTTON HEAD SOCKET CAP STAINLESS

<p>86000 ¹</p>  <p>6-32 x 3/8</p> <p>25</p>	<p>86001 ²</p>  <p>6-32 x 1/2</p> <p>25</p>	<p>86003 ³</p>  <p>6-32 x 3/4</p> <p>25</p>	<p>86004 ⁴</p>  <p>8-32 x 3/8</p> <p>25</p>	<p>86005 ⁵</p>  <p>8-32 x 1/2</p> <p>25</p>	<p>86007 ⁶</p>  <p>8-32 x 3/4</p> <p>25</p>
<p>86009 ⁷</p>  <p>10-24 x 3/8</p> <p>15</p>	<p>86010 ⁸</p>  <p>10-24 x 1/2</p> <p>15</p>	<p>86011 ⁹</p>  <p>10-24 x 3/4</p> <p>15</p>	<p>86012 ¹⁰</p>  <p>10-24 x 1</p> <p>15</p>	<p>86013 ¹¹</p>  <p>10-24 x 1 1/4</p> <p>15</p>	<p>86014 ¹²</p>  <p>10-24 x 1 1/2</p> <p>15</p>
<p>86016 ¹³</p>  <p>10-32 x 3/8</p> <p>15</p>	<p>86017 ¹⁴</p>  <p>10-32 x 1/2</p> <p>15</p>	<p>86018 ¹⁵</p>  <p>10-32 x 3/4</p> <p>15</p>	<p>86019 ¹⁶</p>  <p>10-32 x 1</p> <p>15</p>	<p>86020 ¹⁷</p>  <p>10-32 x 1 1/4</p> <p>15</p>	<p>86023 ¹⁸</p>  <p>1/4-20 x 3/8</p> <p>10</p>
<p>86024 ¹⁹</p>  <p>1/4-20 x 1/2</p> <p>10</p>	<p>86025 ²⁰</p>  <p>1/4-20 x 3/4</p> <p>10</p>	<p>86026 ²¹</p>  <p>1/4-20 x 1</p> <p>10</p>	<p>86027 ²²</p>  <p>1/4-20 x 1-1/4</p> <p>5</p>	<p>86028 ²³</p>  <p>1/4-20 x 1-1/2</p> <p>5</p>	<p>86029 ²⁴</p>  <p>1/4-20 x 2</p> <p>5</p>





























J&B Fleet - Industrial Supply


www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART #2284

STAINLESS FLAT HEAD SOCKET CAPS

<p>21540¹</p>  <p>8-32 X 3/8"</p> <p>50</p>	<p>21541²</p>  <p>8-32 X 1/2"</p> <p>50</p>	<p>21542³</p>  <p>8-32 X 5/8"</p> <p>25</p>	<p>21543⁴</p>  <p>8-32 X 3/4"</p> <p>25</p>	<p>21544⁵</p>  <p>8-32 X 1"</p> <p>10</p>	<p>21546⁶</p>  <p>8-32 X 1 1/2"</p> <p>10</p>
<p>21550⁷</p>  <p>10-24 X 3/8"</p> <p>50</p>	<p>21551⁸</p>  <p>10-24 X 1/2"</p> <p>50</p>	<p>21553⁹</p>  <p>10-24 X 3/4"</p> <p>25</p>	<p>21554¹⁰</p>  <p>10-24 X 1"</p> <p>25</p>	<p>21555¹¹</p>  <p>10-24 X 1-1/4"</p> <p>10</p>	<p>21556¹²</p>  <p>10-24 X 1-1/2"</p> <p>10</p>
<p>21560¹³</p>  <p>10-32 X 3/8"</p> <p>50</p>	<p>21561¹⁴</p>  <p>10-32 X 1/2"</p> <p>50</p>	<p>21563¹⁵</p>  <p>10-32 X 3/4"</p> <p>25</p>	<p>21564¹⁶</p>  <p>10-32 X 1"</p> <p>25</p>	<p>21565¹⁷</p>  <p>10-32 X 1-1/4"</p> <p>10</p>	<p>21566¹⁸</p>  <p>10-32 X 1-1/2"</p> <p>10</p>
<p>21570¹⁹</p>  <p>1/4-20 X 3/8"</p> <p>25</p>	<p>21571²⁰</p>  <p>1/4-20 X 1/2"</p> <p>25</p>	<p>21573²¹</p>  <p>1/4-20 X 3/4"</p> <p>10</p>	<p>21574²²</p>  <p>1/4-20 X 1"</p> <p>10</p>	<p>21575²³</p>  <p>1/4-20 X 1-1/4"</p> <p>10</p>	<p>21576²⁴</p>  <p>1/4-20 X 1-1/2"</p> <p>10</p>























J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2206

STAINLESS SET SCREWS

<p>55840 ¹</p>  <p>6-32 X 1/4</p> <p>10</p>	<p>55841 ²</p>  <p>6-32 X 3/8</p> <p>10</p>	<p>³</p>	<p>55843 ⁴</p>  <p>8-32 X 1/4</p> <p>10</p>	<p>55844 ⁵</p>  <p>8-32 X 3/8</p> <p>10</p>	<p>55845 ⁶</p>  <p>8-32 X 1/2</p> <p>10</p>
<p>⁷</p>	<p>55847 ⁸</p>  <p>10-24 X 1/4</p> <p>10</p>	<p>55848 ⁹</p>  <p>10-24 X 3/8</p> <p>10</p>	<p>55849 ¹⁰</p>  <p>10-24 X 1/2</p> <p>10</p>	<p>¹¹</p>	<p>¹²</p>
<p>55865 ¹³</p>  <p>10-32 X 1/4</p> <p>10</p>	<p>55866 ¹⁴</p>  <p>10-32 X 3/8</p> <p>10</p>	<p>55867 ¹⁵</p>  <p>10-32 X 1/2</p> <p>10</p>	<p>¹⁶</p>	<p>55852 ¹⁷</p>  <p>1/4-20 X 1/4</p> <p>10</p>	<p>55853 ¹⁸</p>  <p>1/4-20 X 3/8</p> <p>10</p>
<p>55854 ¹⁹</p>  <p>1/4-20 X 1/2</p> <p>10</p>	<p>²⁰</p>	<p>55857 ²¹</p>  <p>5/16-18 X 3/8</p> <p>10</p>	<p>55858 ²²</p>  <p>5/16-18 X 1/2</p> <p>10</p>	<p>55862 ²³</p>  <p>3/8-16 X 3/8</p> <p>10</p>	<p>55863 ²⁴</p>  <p>3/8-16 X 1/2</p> <p>10</p>





J&B Fleet - Industrial Supply

































22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411



www.jbfleet.com




PART # 2170

STAINLESS STEEL PAN HEAD PHIL MACHINE SCREWS

 24723 ¹ 10-32 X 3/8 10	 24651 ² 10-32 X 1/2 10	 24652 ³ 10-32 X 3/4 10	 24653 ⁴ 10-32 X 1 10	 24657 ⁵ 1/4-20 X 3/4 10	 24658 ⁶ 1/4-20 X 1 10	 24659 ⁷ 1/4-20 X 1-1/2 10	 24649 ⁸ 10-24 X 1-1/2 10
 24721 ⁹ 8-32 X 3/8 10	 24641 ¹⁰ 8-32 X 1/2 10	 24642 ¹¹ 8-32 X 3/4 10	 24643 ¹² 8-32 X 1 10	 24722 ¹³ 10-24 X 3/8 10	 24646 ¹⁴ 10-24 X 1/2 10	 24647 ¹⁵ 10-24 X 3/4 10	 24648 ¹⁶ 10-24 X 1 10
 24600 ¹⁷ 6-32 100	 24601 ¹⁸ 8-32 100	 24602 ¹⁹ 10-24 100	 24603 ²⁰ 10-32 100	 24604 ²¹ 1/4-20 10	 24720 ²² 6-32 X 3/8 10	 24636 ²³ 6-32 X 1/2 10	 24637 ²⁴ 6-32 X 3/4 10
 24625 ²⁵ # 6 100	 24626 ²⁶ # 8 100	 24627 ²⁷ # 10 100	 24628 ²⁸ 1/4 100	 24613 ²⁹ # 6 100	 24614 ³⁰ # 8 100	 24615 ³¹ # 10 100	 24616 ³² 1/4 100





































PART # 2296


J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

METRIC STAINLESS MACHINE SCREWS

 57140 ¹ M3 - .50 X 6 25	 57142 ² M3 - .50 X 10 25	 57143 ³ M3 - .50 X 12 25	 57144 ⁴ M3 - .50 X 16 25	 57150 ⁵ M4 - .70 X 6 25	 57151 ⁶ M4 - .70 X 8 25	 57152 ⁷ M4 - .70 X 10 25	 57153 ⁸ M4 - .70 X 12 25
 57154 ⁹ M4 - .70 X 16 10	 57155 ¹⁰ M4 - .70 X 20 10	 57161 ¹¹ M5 - .80 X 10 10	 57163 ¹² M5 - .80 X 16 10	 57164 ¹³ M5 - .80 X 20 10	 57165 ¹⁴ M5 - .80 X 25 10	 57171 ¹⁵ M6 -1.00 X 10 10	 57172 ¹⁶ M6 -1.00 X 12 10
 57173 ¹⁷ M6 -1.00 X 16 10	 57174 ¹⁸ M6 -1.00 X 20 10	 57175 ¹⁹ M6 -1.00 X 25 10	 57176 ²⁰ M6 -1.00 X 30 10	 45715 ²¹ M3 X .50 HEX NUT 50	 45724 ²² M4 X .70 HEX NUT 50	 45751 ²³ M5 X .80 HEX NUT 50	 45756 ²⁴ M6 X 1.00 HEX NUT 50
 45717 ²⁵ 3M HELICAL SPRING LOCK WASHER 100	 45726 ²⁶ 4M HELICAL SPRING LOCK WASHER 100	 45745 ²⁷ 5M HELICAL SPRING LOCK WASHER 100	 45764 ²⁸ 6M HELICAL SPRING LOCK WASHER 50	 45716 ²⁹ 3M FLAT WASHERS 100	 45725 ³⁰ 4M FLAT WASHERS 100	 45747 ³¹ 5M FLAT WASHERS 100	 45760 ³² 6M FLAT WASHERS 50





































J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411








www.jbfleet.com

PART# 2809

STAINLESS PHILLIPS FLAT HEAD MACHINE SCREW

 57331 1 6-32 x 1/2 25	 57332 2 6-32 x 3/4 25	 57333 3 6-32 x 1 25	 57339 4 8-32 x 1/2 25	 57340 5 8-32 x 3/4 25	 57341 6 8-32 x 1 25	 57343 7 8-32 x 1-1/2 10	 57347 8 10-24 x 1/2 25
 57348 9 10-24 x 3/4 25	 57349 10 10-24 x 1 25	 57351 11 10-24 x 1-1/2 10	 57355 12 10-32 x 1/2 25	 57356 13 10-32 x 3/4 25	 57357 14 10-32 x 1 25	 57359 15 10-32 x 1-1/2 10	 57363 16 1/4-20 x 1/2 10
 57364 17 1/4-20 x 3/4 10	 57365 18 1/4-20 x 1 10	 57367 19 1/4-20 x 1-1/2 10	 24600 20 6-32 NUT 50	 24601 21 8-32 NUT 50	 24602 22 10-24 NUT 50	 24603 23 10-32 NUT 50	 24604 24 1/4-20 NUT 50
 #6 FLATWASHER 200	 #8 FLATWASHER 200	 #10 FLATWASHER 200	 #1/4 FLATWASHER 50	 #6 LOCKWASHER 200	 #8 LOCKWASHER 200	 #10 LOCKWASHER 200	 #1/4 LOCKWASHER 50





























J&B Fleet - Industrial Supply





22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART# 2808

STAINLESS PHILLIPS FLAT HEAD MACHINE SCREW

<p>57330 ¹</p>  <p>6-32 x 3/8</p> <p>50</p>	<p>57331 ²</p>  <p>6-32 x 1/2</p> <p>50</p>	<p>57332 ³</p>  <p>6-32 x 3/4</p> <p>25</p>	<p>57333 ⁴</p>  <p>6-32 x 1</p> <p>25</p>	<p>57338 ⁵</p>  <p>8-32 x 3/8</p> <p>50</p>	<p>57368 ⁶</p>  <p>1/4-20 x 2</p> <p>10</p>
<p>57339 ⁷</p>  <p>8-32 x 1/2</p> <p>50</p>	<p>57340 ⁸</p>  <p>8-32 x 3/4</p> <p>25</p>	<p>57341 ⁹</p>  <p>8-32 x 1</p> <p>25</p>	<p>57347 ¹⁰</p>  <p>10-24 x 1/2</p> <p>25</p>	<p>57348 ¹¹</p>  <p>10-24 x 3/4</p> <p>25</p>	<p>57367 ¹²</p>  <p>1/4-20 x 1-1/2</p> <p>10</p>
<p>57349 ¹³</p>  <p>10-24 x 1</p> <p>25</p>	<p>57350 ¹⁴</p>  <p>10-24 x 1-1/4</p> <p>10</p>	<p>57351 ¹⁵</p>  <p>10-24 x 1-1/2</p> <p>10</p>	<p>57355 ¹⁶</p>  <p>10-32 x 1/2</p> <p>25</p>	<p>57356 ¹⁷</p>  <p>10-32 x 3/4</p> <p>25</p>	<p>57366 ¹⁸</p>  <p>1/4-20 x 1-1/4</p> <p>10</p>
<p>57357 ¹⁹</p>  <p>10-32 x 1</p> <p>25</p>	<p>53758 ²⁰</p>  <p>10-32 x 1-1/4</p> <p>10</p>	<p>57359 ²¹</p>  <p>10-32 x 1-1/2</p> <p>10</p>	<p>57363 ²²</p>  <p>1/4-20 x 1/2</p> <p>10</p>	<p>57364 ²³</p>  <p>1/4-20 x 3/4</p> <p>10</p>	<p>57365 ²⁴</p>  <p>1/4-20 x 1</p> <p>10</p>






J&B Fleet - Industrial Supply






















22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com

PART # 2088

HEX WASHER HEAD SCREWS STAINLESS



1	2	3	4	5	6
	38773	38774	38776	38777	38778
					
	6 X 3/4	6 X 1	8 X 1/2	8 X 3/4	8 X 1
10	10	10	10	10	10
7	8	9	10	11	12
38779	38780	38782	38783	38784	38785
					
8 X 1-1/4	8 X 1-1/2	10 X 1/2	10 X 3/4	10 X 1	10 X 1-1/4
10	10	10	10	10	10
13	14	15	16	17	18
38786		38789	38790	38791	38792
					
10 X 1-1/2		12 X 3/4	12 X 1	12 X 1-1/4	12 X 1-1/2
10		10	10	10	10
19	20	21	22	23	24
38794	38795	38796	38797	38798	
					
14 X 1/2	14 X 3/4	14 X 1	14 X 1-1/4	14 X 1-1/2	
10	10	10	10	10	






















J&B Fleet - Industrial Supply


www.jbfleet.com


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART # 2897

STAINLESS PHILLIPS TEKS SCREWS

<p>86960 ¹</p>  <p>8-18 X 1/2</p> <p>25</p>	<p>86961 ²</p>  <p>8-18 X 3/4</p> <p>25</p>	<p>86962 ³</p>  <p>8-18 X 1</p> <p>25</p>	<p>86963 ⁴</p>  <p>8-18 X 1-1/4</p> <p>25</p>	<p>86964 ⁵</p>  <p>8-18 X 1-1/2</p> <p>25</p>	<p>6</p>
<p>86970 ⁷</p>  <p>10-16 X 1/2</p> <p>25</p>	<p>86971 ⁸</p>  <p>10-16 X 3/4</p> <p>25</p>	<p>86972 ⁹</p>  <p>10-16 X 1</p> <p>25</p>	<p>86973 ¹⁰</p>  <p>10-16 X 1-1/4</p> <p>10</p>	<p>86974 ¹¹</p>  <p>10-16 X 1-1/2</p> <p>10</p>	<p>12</p>
<p>60037 ¹³</p>  <p>12-14 X 3/4</p> <p>10</p>	<p>60038 ¹⁴</p>  <p>12-14 X 1</p> <p>10</p>	<p>60039 ¹⁵</p>  <p>12-1/4 X 1-1/4</p> <p>10</p>	<p>60040 ¹⁶</p>  <p>12-14 X 1-1/2</p> <p>10</p>	<p>17</p>	<p>18</p>
<p>60032 ¹⁹</p>  <p>1/4-14 X 3/4</p> <p>10</p>	<p>60033 ²⁰</p>  <p>1/4-14 X 1</p> <p>10</p>	<p>60034 ²¹</p>  <p>1/4-14 X 1-1/4</p> <p>10</p>	<p>60035 ²²</p>  <p>1/4-14 X 1-1/2</p> <p>10</p>	<p>23</p>	<p>60036 ²⁴</p>  <p>1/4-14 X 2</p> <p>10</p>





























J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com

PART # 2168

STAINLESS STEEL PHILLIPS SHEET METAL SCREWS

 24661 ¹ 6 X 1/2 25	 24662 ² 6 X 3/4 25	 24663 ³ 6 X 1 25	 24664 ⁵ 8 X 1/2 25	 24665 ⁶ 8 X 3/4 25	 24666 ⁷ 8 X 1 25	 32264 ⁸ 8 X 1-1/4 25
 32265 ⁹ 8 X 1-1/2 25	 86130 ¹⁰ 8 X 2 10	 24667 ¹² 10 X 1/2 25	 24668 ¹⁴ 10 X 3/4 25	 24669 ¹⁵ 10 X 1 25	 32256 ¹⁶ 10 X 1-1/4 25	 32257 ¹⁷ 10 X 1-1/2 25
 24670 ¹⁹ 12 X 1/2 10	 24671 ²⁰ 12 X 3/4 10	 24672 ²¹ 12 X 1 10	 24673 ²⁶ 14 X 1/2 10	 24674 ²⁷ 14 X 3/4 10	 24675 ²⁸ 14 X 1 10	 86132 ²⁹ 14 X 1-1/4 10
 32259 ²⁴ 12 X 1-1/2 10	 32261 ³¹ 14 X 1-1/2 10	 86133 ³² 14 X 2 10				





J&B Fleet - Industrial Supply


























www.jbfleet.com



22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411








STAINLESS PHILLIPS OVAL HEAD

PART # 2207



 60017 ¹ 8 x 1/2 25	 55755 ² 8 x 3/4 25	 55756 ³ 8 x 1 25	 55757 ⁴ 8 x 1-1/4 15	 55758 ⁵ 8 x 1-1/2 15	 55759 ⁶ 8 x 1-3/4 10	 55760 ⁷ 8 x 2 10	8
 60018 ⁹ 10 x 1/2 25	 55761 ¹⁰ 10 x 3/4 25	 55762 ¹¹ 10 x 1 25	 55763 ¹² 10 x 1-1/4 15	 55764 ¹³ 10 x 1-1/2 15	 55765 ¹⁴ 10 x 1-3/4 10	 55766 ¹⁵ 10 x 2 10	16
 60019 ¹⁷ 12 x 1/2 20	 60022 ¹⁸ 12 x 3/4 20	 60023 ¹⁹ 12 x 1 15	 60024 ²⁰ 12 x 1-1/4 15	 60025 ²¹ 12 x 1-1/2 10	22	 60026 ²³ 12 x 2 10	24
 60027 ²⁵ 14 x 3/4 15	 60028 ²⁶ 14 x 1 15	 60029 ²⁷ 14 x 1-1/4 15	28	 60030 ²⁹ 14 x 1-1/2 10	30	 60031 ³¹ 14 x 2 10	32




























PART# 2270


J&B Fleet - Industrial Supply
 22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

STAINLESS TEK TAPPING SCREWS

4030  8-18 X 1/2 25	4032  8-18 X 3/4 25	4033  8-18 X 1 25	4034  8-18 X 1-1/4 10	4035  8-18 X 1-1/2 10
4040  10-16 X 1/2 25	4042  10-16 X 3/4 25	4043  10-16 X 1 15	4044  10-16 X 1-1/4 10	4045  10-16 X 1-1/2 10
4046  12-14 X 3/4 15	4047  12-14 X 1 15	4048  12-14 X 1-1/4 10	4049  12-14 X 1-1/2 10	
4050  1/4-14 X 3/4 15	4051  1/4-14 X 1 10	4052  1/4-14 X 1-1/4 10	45575  1/4-14 X 1-1/2 10	4054  1/4-14 X 2 10















J&B Fleet - Industrial Supply

www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

STAINLESS FENDER WASHERS

PART # 2812

<p>50</p> <p>45525 1</p>  <p>3/16 X 1" O.D.</p>	<p>25</p> <p>45524 2</p>  <p>5/16 X 1" O.D.</p>	<p>10</p> <p>45518 3</p>  <p>3/8 X 2" O.D.</p>
<p>25</p> <p>45515 4</p>  <p>1/4 X 1" O.D.</p>	<p>25</p> <p>45530 5</p>  <p>5/16 X 1" O.D.</p>	<p>6</p>
<p>25</p> <p>45528 7</p>  <p>1/4 X 1-1/4" O.D.</p>	<p>25</p> <p>45531 8</p>  <p>5/16 X 1-1/2" O.D.</p>	<p>10</p> <p>45520 9</p>  <p>1/2 X 2" O.D.</p>
<p>25</p> <p>45529 10</p>  <p>1/4 X 1-1/2" O.D.</p>	<p>10</p> <p>45532 11</p>  <p>3/8 X 1-1/2" O.D.</p>	<p>12</p>

