

MSDS

Materia Safety Data Sheet

Fluted Polypropylene

Product and Company Identification

Product Name: CORRUGATED PLASTIC SHEET Supplier: Plastic Trading International Inc.

Contact: 863-688-1983

Pure Substance

Polypropylene (PP) - Case Numbers:

PP: EPS30R PP: Homo polymer 009003-07-0 PP Random Co-polymer: 009010-79-1 PP Impact Co-polymer: 106565-43-9

Hazardous Components: No

Mixture

Hazardous Components	Concentration/Concentration Range	Hazardous Byproduct
NO	NO	NO

Hazardous Identification

	Potential Health Effects: NO
	Environmental Influence: NO
Most Important hazards	Physical and Chemical Hazards: NO
	Special Hazards: NO
	Main Symptoms: NO
	Hazard Category: NO

First-Aid Measures

Various measures in terms of different conditions:

- 1)Inhalation: Substances are not absorbed, so there is no need to persist in vomiting. This substance is non-toxic.
- 2)Skin contact: If splashed by molten material, cool quickly with water and seek medical aid as soon as possible.
- 3)Eyes: If eyes contact occurs, rinse with water immediately and seek medical aid.
- 4)Ingestion: Substances are not absorbed, so there is no need to persist in vomiting. This substance is non-toxic.



The most important symptoms and hazard effects: Burns and Scalds Protection to emergency personnel: If splashed by molten material, cool quickly with water seek medical aid as soon as possible.

East Coast Location: 3608 Ventura Dr. East Lakeland, Fl. 33811

West Coast Location: 6645 Echo Ave. Reno, NV. 89506

Tel: 863-688-1983 Fax: 863-688-1034 www.plastictradingint.com



MSDS

Materia Safety Data Sheet

Fluted Polypropylene

Fire-Fighting Measures

Suitable Extinguishing Media:

Water

Extinguishing powder agent

· Carbon dioxide extinguishing agent

Potential hazards during fire suppression: NO

Special Procedure of fire control: Treated as conventional fires

Protective equipment required by fire-fighters: Respirator and fire resistant clothing

Accidental Release Measures

Personal Protection: NO Environment Protection: NO Cleaning Method: NO

Handling and Storage

<u>Handling</u>

Handle according to state and federal regulations

Storage

Keep away from any harsh chemicals that may produce dust. Keep sheets dust-free

Exposure Controls

Personal Protective Equipment

- Respiratory Protection as need
- Hand protection: wear gloves when material is hot
- Eye protection: wear protective glasses as needed
- · Skin and body protection: Only needed when material is hot
- Remove dust frequently from product to avoid accumulation that may require protective gear

Physical and Chemical Properties

Form: Solid	Shape: Granular
Color: White	Odor: Odorless
Ph:	Range of Explosion:
Melting Point: >125°C	Density:0.9/25°C (Water=1)



East Coast Location: 3608 Ventura Dr. East Lakeland, Fl. 33811

West Coast Location: 6645 Echo Ave. Reno, NV. 89506

Tel: 863-688-1983 Fax: 863-688-1034 www.plastictradingint.com



MSDS

Materia Safety Data Sheet

Fluted Polypropylene

Stability and Reactivity

Stability: Stable

Possible hazards in exceptional circumstances: None known

Condition to avoid: Avoid long-term storage of high temperature occasions (>160°C---240°C)

Materials to avoid: None Known

Toxicological information

Extreme toxicity	NO
Partial Effects	NO
Sensitivity	NO
Slow or long toxicity	NO
Special effects	Dissolved substances will produce upper warn current which burns

Disposal

Must be disposed of in accordance to national city and/or federal laws

Transport

Mode of transport by: sea, air, container
Use national and federal transportation laws, no special care or other regulations needed

Other Information

The information provided in this MSDS was believed by Plastic Trading International Inc., to be accurate at the time of preparation and was prepared from available and/or known sources, information, and data believed to be reliable. This MSDS will be updated when new information becomes available to our company and is to be used for general information only. The use of the information in this MSDS for any other or specific purposes is solely the responsibility of the user and we should immediately be informed. Plastic Trading Internal Inc. makes no warranty, expressed or implied, concerning this product or the merchantability or fitness thereof for any purpose or concerning the accuracy of any information provided by this company.



East Coast Location: 3608 Ventura Dr. East Lakeland, Fl. 33811

West Coast Location: 6645 Echo Ave. Reno, NV. 89506

Tel: 863-688-1983 Fax: 863-688-1034 www.plastictradingint.com