



SAFETY DATA SHEET

THE DOW CHEMICAL COMPANY

Product name: AQUICAR™ GA 15 Water Treatment Microbiocide

Issue Date: 03/18/2015

Print Date: 03/18/2015

THE DOW CHEMICAL COMPANY encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1. IDENTIFICATION

Product name: AQUICAR™ GA 15 Water Treatment Microbiocide

Recommended use of the chemical and restrictions on use

Identified uses: For biocidal applications. For industrial use only.

COMPANY IDENTIFICATION

THE DOW CHEMICAL COMPANY
2030 WILLARD H DOW CENTER
MIDLAND MI 48674-0000
UNITED STATES

Customer Information Number:

800-258-2436

SDSQuestion@dow.com

EMERGENCY TELEPHONE NUMBER

24-Hour Emergency Contact: 800-424-9300

Local Emergency Contact: 989-636-4400

2. HAZARDS IDENTIFICATION

Hazard classification

This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Acute toxicity - Category 4 - Oral

Acute toxicity - Category 3 - Inhalation

Skin corrosion - Category 1B

Serious eye damage - Category 1

Respiratory sensitisation - Category 1

Skin sensitisation - Category 1

Specific target organ toxicity - single exposure - Category 3

Label elements

Hazard pictograms



Signal word: **DANGER!**

Hazards

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Toxic if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

Precautionary statements

Prevention

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

In case of inadequate ventilation wear respiratory protection.

Response

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

If skin irritation or rash occurs: Get medical advice/ attention.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.

Wash contaminated clothing before reuse.

Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

no data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature: aldehyde

This product is a mixture.

Component	CASRN	Concentration
Glutaraldehyde	111-30-8	15.0%
Water	7732-18-5	<= 85.0 %

4. FIRST AID MEASURES

Description of first aid measures

General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice. If breathing is difficult, oxygen should be administered by qualified personnel.

Skin contact: Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly. Suitable emergency safety shower facility should be immediately available.

Eye contact: Wash immediately and continuously with flowing water for at least 30 minutes. Remove contact lenses after the first 5 minutes and continue washing. Obtain prompt medical consultation, preferably from an ophthalmologist. Suitable emergency eye wash facility should be immediately available.

Ingestion: If the person is fully alert and cooperative, have the person rinse mouth with plenty of water. In cases of ingestion have the person drink 4 to 10 ounces (120-300 mL) of water. Do not induce vomiting. Do not attempt mouth rinse if the person has respiratory distress, altered mental status, or nausea and vomiting. Call a physician and/or transport to emergency facility immediately.

Most important symptoms and effects, both acute and delayed: Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Notes to physician: Maintain adequate ventilation and oxygenation of the patient. May cause respiratory sensitization or asthma-like symptoms. Bronchodilators, expectorants and antitussives may be of help. Glutaraldehyde may transiently worsen reversible airways obstruction including asthma or reactive airways disease. Treat bronchospasm with inhaled beta2 agonist and oral or parenteral corticosteroids. Respiratory symptoms, including pulmonary edema, may be delayed. Persons receiving significant exposure should be observed 24-48 hours for signs of respiratory

distress. Inhalation of vapors may result in skin sensitization. In sensitized individuals, reexposure to very small amounts of vapor, mist, or liquid may cause a severe allergic skin reaction. Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist. If burn is present, treat as any thermal burn, after decontamination. Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done. Probable mucosal damage may contraindicate the use of gastric lavage. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).

5. FIREFIGHTING MEASURES

Suitable extinguishing media: To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam.

Unsuitable extinguishing media: None known.

Special hazards arising from the substance or mixture

Hazardous combustion products: Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Carbon monoxide. Carbon dioxide.

Unusual Fire and Explosion Hazards: This material will not burn until the water has evaporated. Residue can burn.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special protective equipment for firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Evacuate area. Keep upwind of spill. Ventilate area of leak or spill. Only trained and properly protected personnel must be involved in clean-up operations. Refer to section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

Methods and materials for containment and cleaning up: Avoid making contact with spilled material, glutaraldehyde will be absorbed by most shoes. Always wear the correct protective equipment, consisting of splashproof monogoggles, or both safety glasses with side shields and a wraparound full-face shield, appropriate gloves and protective clothing. A self-contained breathing apparatus or respirator and absorbents may be necessary, depending on the size of the spill and the adequacy of ventilation. Small spills: Wear the correct protective equipment and cover the liquid with absorbent material. Collect and seal the material and the dirt that has absorbed the spilled material in polyethylene bags and place in a drum for transit to an approved disposal site. Rinse away the remaining spilled material with water to reduce odor, and discharge the rinsate into a municipal or industrial sewer. Large spills: In case of nasal and respiratory irritation, vacate the room immediately. Personnel cleaning up should be trained and equipped with a self-contained breathing apparatus, or an officially approved or certified full-face respirator equipped with an organic vapor cartridge, gloves, and clothing impervious to glutaraldehyde, including rubber boots or shoe protection. Deactivate with sodium bisulfite (2-3 parts (by weight) per part of active substance glutaraldehyde), collect the neutralized liquid and place in a drum for transit to an approved disposal site.

7. HANDLING AND STORAGE

Precautions for safe handling: Do not spray or aerosolize the undiluted form of the product. Full personal protective equipment (including skin covering and full-face SCBA respirator) is required for dilutions or mixtures of the product used in a spray application.

Keep out of reach of children. Do not get in eyes, on skin, on clothing. Do not swallow. Avoid prolonged or repeated contact with skin. Avoid breathing vapor. Keep container closed. Use with adequate ventilation. Wear goggles, protective clothing and butyl or nitrile gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Conditions for safe storage: Do not store in: Aluminum. Carbon steel. Copper. Mild steel. Iron.

Storage stability

Shelf life: Use within 18 Month

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Glutaraldehyde	ACGIH	C	0.05 ppm
	ACGIH	C	DSEN, RSEN

Exposure controls

Engineering controls: Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

Individual protection measures

Eye/face protection: Use chemical goggles. If exposure causes eye discomfort, use a full-face respirator. Use a full-face respirator when material is heated or when aerosols/mists are generated. Eye wash fountain should be located in immediate work area.

Skin protection

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Examples of acceptable glove barrier materials include: Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Other protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Use chemical protective clothing resistant to this material, when there is any possibility of skin contact. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

Respiratory protection: Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required for certain operations, use an approved air-purifying respirator. This product is a respiratory irritant. If discomfort is experienced ventilation is not adequate and an approved full face air-purifying respirator is recommended. If vapors are strong enough to be irritating to the nose, or eyes, the OEL is probably being exceeded. Special ventilation or respiratory protection may be required. For operations such as spraying and other conditions such as emergencies where the exposure guideline may be greatly exceeded, use an approved positive-pressure self-contained breathing apparatus. For emergency response or for situations where the atmospheric level is unknown, use an approved positive-pressure self-contained breathing apparatus or positive-pressure air line with auxiliary self-contained air supply.

The following should be effective types of air-purifying respirators: Full-face Organic vapor cartridge with a particulate pre-filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state	Liquid.
Color	Clear
Odor	Fruity
Odor Threshold	< 1 ppb <i>Literature</i>
pH	3.1 - 4.5 <i>ASTM E70</i>
Melting point/range	Not applicable to liquids
Freezing point	-7 °C (19 °F) <i>OECD Test Guideline 102</i>
Boiling point (760 mmHg)	100.7 °C (213.3 °F) <i>OECD Test Guideline 103</i>
Flash point	closed cup <i>ASTM D 56</i> None
Evaporation Rate (Butyl Acetate = 1)	0.8 <i>Calculated.</i>

Flammability (solid, gas)	Not applicable to liquids
Lower explosion limit	No test data available
Upper explosion limit	No test data available
Vapor Pressure	0.3 mmHg at 20 °C (68 °F) <i>OECD Test Guideline 104</i> Active ingredient
Relative Vapor Density (air = 1)	0.7 <i>Calculated.</i>
Relative Density (water = 1)	1.042 at 20 °C (68 °F) <i>OECD 109</i>
Water solubility	100 % at 20 °C (68 °F) <i>Calculated.</i>
Partition coefficient: n-octanol/water	no data available
Auto-ignition temperature	No test data available
Decomposition temperature	No test data available
Kinematic Viscosity	No test data available
Explosive properties	Not explosive
Oxidizing properties	No
Molecular weight	No test data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

10. STABILITY AND REACTIVITY

Reactivity: no data available

Chemical stability: Thermally stable at typical use temperatures.

Possibility of hazardous reactions: Polymerization will not occur.

Conditions to avoid: Active ingredient decomposes at elevated temperatures.

Incompatible materials: Avoid contact with: Amines. Ammonia. Strong acids. Strong bases. Strong oxidizers. Avoid contact with metals such as: Aluminum. Carbon steel. Copper. Iron. Mild steel.

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials.

11. TOXICOLOGICAL INFORMATION

Toxicological information on this product or its components appear in this section when such data is available.

Acute toxicity
Acute oral toxicity

Low toxicity if swallowed. Swallowing may result in irritation or burns of the mouth, throat, and gastrointestinal tract. Swallowing may result in gastrointestinal irritation or ulceration. Excessive exposure may cause: Headache. Dizziness. Anesthetic effects. Drowsiness. Unconsciousness. Other central nervous system effects.

Single dose oral LD50 has not been determined. Typical for this family of materials.
LD50, Rat, > 900 mg/kg

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

The dermal LD50 has not been determined. Typical for this family of materials.
LD50, Rabbit, > 16,000 mg/kg

Acute inhalation toxicity

Vapor from heated material or mist may cause serious adverse effects, even death. Vapor may cause severe irritation of the upper respiratory tract (nose and throat). Case reports and medical surveys link asthma and respiratory irritation to glutaraldehyde exposure, primarily in medical personnel. Asthma-like symptoms may include coughing, difficult breathing and a feeling of tightness in the chest. Occasionally, breathing difficulties may be life threatening. Asthma-like symptoms may occur in people prone to respiratory disorders or other allergies. As product: The LC50 has not been determined.

Skin corrosion/irritation

Brief contact may cause skin burns. Symptoms may include pain, severe local redness and tissue damage.

Serious eye damage/eye irritation

May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.
Vapor may cause eye irritation experienced as mild discomfort and redness.

Sensitization

Skin contact may cause an allergic skin reaction in a small proportion of individuals.
Contains component(s) which have caused allergic skin sensitization in guinea pigs.
Contains component(s) which have demonstrated the potential for contact allergy in mice.

May cause allergic respiratory response in a small proportion of individuals.

Specific Target Organ Systemic Toxicity (Single Exposure)

May cause respiratory irritation.
Route of Exposure: Inhalation
Target Organs: Respiratory Tract

Specific Target Organ Systemic Toxicity (Repeated Exposure)

Repeated skin contact may result in absorption of amounts which could cause death.
May cause nausea and vomiting.

Carcinogenicity

In a NTP chronic 2-year inhalation study on glutaraldehyde, no carcinogenicity was seen in rats or in mice. An increase in large granular lymphocytes in Fischer rats dosed with glutaraldehyde for two years was random or a secondary carcinogenic effect due to a modifying influence on the occurrence of this common neoplasm in this rat strain.

Teratogenicity

For glutaraldehyde: Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals.

Reproductive toxicity

For glutaraldehyde: In animal studies, did not interfere with reproduction.

Mutagenicity

For glutaraldehyde: In vitro genetic toxicity studies were negative in some cases and positive in other cases. Animal genetic toxicity studies were predominantly negative.

Aspiration Hazard

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

COMPONENTS INFLUENCING TOXICOLOGY:

Glutaraldehyde

Acute inhalation toxicity

LC50, Rat, female, 4 Hour, dust/mist, 0.28 mg/l

LC50, Rat, male, 4 Hour, dust/mist, 0.35 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicological information on this product or its components appear in this section when such data is available.

Toxicity

Glutaraldehyde

Acute toxicity to fish

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50, Cyprinodon variegatus (sheepshead minnow), 96 Hour, 32 mg/l

Acute toxicity to aquatic invertebrates

LC50, copepod *Acartia tonsa*, semi-static test, 48 Hour, 3 mg/l

Acute toxicity to algae/aquatic plants

ErC50, *Desmodesmus subspicatus* (*Scenedesmus subspicatus*), 72 Hour, 0.6 mg/l

NOEC, *Desmodesmus subspicatus* (*Scenedesmus subspicatus*), 72 Hour, Growth rate inhibition, 0.025 mg/l

Toxicity to bacteria

EC50, activated sludge, > 50 mg/l, OECD 209 Test

Chronic toxicity to aquatic invertebrates

NOEC, water flea *Daphnia magna*, flow-through test, 21 d, number of offspring, 0.12 mg/l

Toxicity to Above Ground Organisms

Material is moderately toxic to birds on an acute basis (LD50 between 51 and 500 mg/kg).

Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).
 oral LD50, Anas platyrhynchos (Mallard duck), 408 - 466 mg/kg
 dietary LC50, Colinus virginianus (Bobwhite quail), > 5,000 ppm
 dietary LC50, Anas platyrhynchos (Mallard duck), > 5,000 ppm

Persistence and degradability

Glutaraldehyde

Biodegradability: 10-day Window: Pass
Biodegradation: 73 %
Exposure time: 9 d
Method: OECD Test Guideline 301A or Equivalent

Theoretical Oxygen Demand: 1.92 mg/mg

Biological oxygen demand (BOD)

Incubation Time	BOD
5 d	28 %
10 d	57 - 63 %

Photodegradation

Test Type: Half-life (indirect photolysis)
Sensitizer: OH radicals
Atmospheric half-life: 2.74 Hour
Method: Estimated.

Bioaccumulative potential

Glutaraldehyde

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).
Partition coefficient: n-octanol/water(log Pow): -0.333 Measured

Mobility in soil

Glutaraldehyde

Potential for mobility in soil is high (Koc between 50 and 150).
 Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.
Partition coefficient(Koc): 120 - 500 Estimated.

13. DISPOSAL CONSIDERATIONS

Disposal methods: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS

INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Incinerator or other thermal destruction device.

14. TRANSPORT INFORMATION

DOT

Proper shipping name	Corrosive liquid, acidic, organic, n.o.s.(Glutaraldehyde)
UN number	UN 3265
Class	8
Packing group	III

Classification for SEA transport (IMO-IMDG):

Proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.(Glutaraldehyde)
UN number	UN 3265
Class	8
Packing group	III
Marine pollutant	No
Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code	Consult IMO regulations before transporting ocean bulk

Classification for AIR transport (IATA/ICAO):

Proper shipping name	Corrosive liquid, acidic, organic, n.o.s.(Glutaraldehyde)
UN number	UN 3265
Class	8
Packing group	III

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. REGULATORY INFORMATION

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Acute Health Hazard

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Pennsylvania Worker and Community Right-To-Know Act:

The following chemicals are listed because of the additional requirements of Pennsylvania law:

Components	CASRN
Glutaraldehyde	111-30-8

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

United States TSCA Inventory (TSCA)

This product contains chemical substance(s) exempt from U.S. EPA TSCA Inventory requirements. It is regulated as a pesticide subject to Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number: 464-693

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

DANGER

Corrosive

Causes irreversible eye damage

Causes skin irritation

Harmful if inhaled

Harmful if swallowed

Harmful if absorbed through skin

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Causes asthmatic signs and symptoms in hyper-reactive individuals.

This pesticide is toxic to fish.

16. OTHER INFORMATION

Revision

Identification Number: 101225949 / A001 / Issue Date: 03/18/2015 / Version: 6.1

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

ACGIH	USA. ACGIH Threshold Limit Values (TLV)
C	Ceiling limit
DSEN, RSEN	Skin and respiratory sensitizer

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

THE DOW CHEMICAL COMPANY urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.