

UNLIMITED WINDOWS & DOORS


PROPOSAL NUMBER
676563
PROPOSAL NAME
Maycol Vindell

QUOTE ITEMS

Dealer Information: Unlimited Windows and Doors LLC. SCC131151135 2761 Vista Pkwy STE E5 West Palm Beach, FL. 33411 Main Office: 561.318.7105	Customer Information: Maycol Vindell - PM Village at Dadeland Ph:786-474-7737 E-mail:Maycol.VindellAfsresidential.com
Sales Person: Arnoldo(Arnie)Compean Jr Phone #: 561.201.1145 E-mail: Arnoldo@uwdinstalls.com	Job Information: Village at Dadeland Address: 7440 SW 82nd St Miami FL33143 Description: New Impact Windows & Doors
@uwdpalmbeach I unlimitedwindowsdoors.com	

LINE NUM	LINE NAME	ASSEMBLY SYSTEM	ASSEMBLY	TOTAL QUANTITY
-------------	-----------	-----------------	----------	----------------


1	BLDG 1 A	ES-MX1000 - SINGLE HUNG	OX	64
---	-------------	----------------------------	----	----



SIZE 37" X 38"
WEIGHT 42.86 LBS (19.48 KG)
AREA 9.76 FT²
FINISH AAMA 2604 WHITE
GLASS 1/8" GRAY HS + 0.09 PVB CLEAR
+ 1/8" CLEAR HS
SCREEN YES
MUNTINS NO
SILL TYPE STANDARD
FRAME TYPE FLANGE
PANEL TYPE EQUAL
MEETING RAIL STANDARD
PROTECTIVE FILM NO
LOCKING MECHANISM VENT LATCH
PRE-GLAZED? YES

NOA CERTIFICATION
INTERNAL PSF EXTERNAL PSF
90.00 70.00
CODE 23-0714.14
NFRC CERTIFICATION
U FACTOR SHGC VT
1.04 0.51 0.47

2	BLDG 1 B	ES-MX2000 - HORIZONTAL ROLLER	OX	96
---	-------------	-------------------------------------	----	----



SIZE 74" X 38"
WEIGHT 83.15 LBS (37.80 KG)
AREA 19.53 FT²
FINISH AAMA 2604 WHITE
GLASS 1/8" GRAY HS + 0.09 PVB CLEAR
+ 1/8" CLEAR HS
SCREEN YES
MUNTINS NO
SILL TYPE STANDARD
FRAME TYPE FLANGE
PANEL TYPE EQUAL
SILL RISER NO
MEETING RAIL STANDARD
PROTECTIVE FILM NO
LOCKING MECHANISM VENT LATCH
PRE-GLAZED? YES


NOA CERTIFICATION
INTERNAL PSF EXTERNAL PSF
90.00 53.30
CODE 23-0901.06
NFRC CERTIFICATION
U FACTOR SHGC VT
1.06 0.50 0.45

3 BLDG 1
C

ES-MX2000 -
HORIZONTAL
ROLLER

OX

32



SIZE	74" X 38"
WEIGHT	83.15 LBS (37.80 KG)
AREA	19.53 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	


NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

4 BLDG 1
D

ES-MX1000 -
SINGLE HUNG

OX

32



SIZE	37" X 26"
WEIGHT	30.69 LBS (13.95 KG)
AREA	6.68 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES


NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	

5 BLDG 1
E

ES-MX4000 -
SLIDING GLASS
DOOR

OX

32



SIZE	96" X 80"
WEIGHT	311.48 LBS (141.58 KG)
AREA	53.33 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	MEDIUM
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	23-0714.11


NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

6 BLDG 2
A

ES-MX1000 -
SINGLE HUNG

OX

80



SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES


NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47

7 BLDG 2
B

ES-MX2000 -
HORIZONTAL
ROLLER

XOX 48



SIZE	111" X 38"
WEIGHT	127.98 LBS (58.17 KG)
AREA	29.29 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	HIGH SILL
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	HEAVY DUTY
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES


NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	66.70	
CODE	23-0901.06	

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

8 BLDG 2
C

ES-MX1000 -
SINGLE HUNG

OX 16



SIZE	27" X 26"
WEIGHT	22.62 LBS (10.28 KG)
AREA	4.88 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES


NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	

9 BLDG 2
D

ES-MX4000 -
SLIDING GLASS
DOOR

OX-XO

16



SIZE	143" X 80"
WEIGHT	467.89 LBS (212.68 KG)
AREA	79.44 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	NO
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
80.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
80.00	63.00
CODE	23-0714.11


NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

10 BLDG 2
E

ES-MX4000 -
SLIDING GLASS
DOOR

OX

16



SIZE	96" X 80"
WEIGHT	311.48 LBS (141.58 KG)
AREA	53.33 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	MEDIUM
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	23-0714.11


NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

11 BLDG 2
F

ES-MX2000 -
HORIZONTAL
ROLLER

OX

16



SIZE	37" X 26"
WEIGHT	30.87 LBS (14.03 KG)
AREA	6.68 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES


NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	53.30
CODE	23-0901.06

12 BLDG 2 A -
A

ES-MX1000 -
SINGLE HUNG

OX

16



SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES


NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47

13 BLDG 2 A 1 1ST
FL

ES-MX1000 -
SINGLE HUNG

OX 8



SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES


NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47

14 BLDG 2A B

ES-MX1000 -
SINGLE HUNG


OX 32



SIZE	37" X 26"
WEIGHT	30.69 LBS (13.95 KG)
AREA	6.68 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	

ES-MX2000 -
HORIZONTAL
ROLLER




SIZE	74" X 38"
WEIGHT	83.15 LBS (37.80 KG)
AREA	19.53 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	53.30
CODE	23-0901.06

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

ES-MX4000 -
SLIDING GLASS
DOOR



SIZE	96" X 80"
WEIGHT	311.48 LBS (141.58 KG)
AREA	53.33 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	MEDIUM
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	23-0714.11


NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

17 BLDG 2 A -
E

ES-MX1000 -
SINGLE HUNG

OX

16



SIZE	25" X 26"
WEIGHT	21.00 LBS (9.55 KG)
AREA	4.51 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES


NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14

18 BLDG 2 A-
F

ES-MX4000 -
SLIDING GLASS
DOOR

OX-XO

16




SIZE	143" X 80"
WEIGHT	467.89 LBS (212.68 KG)
AREA	79.44 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	NO
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
80.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
80.00	63.00
CODE	23-0714.11

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

ES-MX1000 -
SINGLE HUNG




SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47

ES-MX1000 -
SINGLE HUNG




SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47


ES-MX1000 -
SINGLE HUNG



SIZE	37" X 26"
WEIGHT	30.69 LBS (13.95 KG)
AREA	6.68 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14


ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	74" X 38"
WEIGHT	83.15 LBS (37.80 KG)
AREA	19.53 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45


ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	111" X 38"
WEIGHT	127.98 LBS (58.17 KG)
AREA	29.29 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	HIGH SILL
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	HEAVY DUTY
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	66.70	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45


ES-MX1000 -
SINGLE HUNG



SIZE	25" X 26"
WEIGHT	21.00 LBS (9.55 KG)
AREA	4.51 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14

8




SIZE	143" X 80"
WEIGHT	467.89 LBS (212.68 KG)
AREA	79.44 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	NO
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
80.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
80.00	63.00
CODE	23-0714.11

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

16




SIZE	96" X 80"
WEIGHT	311.48 LBS (141.58 KG)
AREA	53.33 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	MEDIUM
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	23-0714.11

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

ES-MX1000 -
SINGLE HUNG




SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47

ES-MX2000 -
HORIZONTAL
ROLLER




SIZE	74" X 38"
WEIGHT	83.15 LBS (37.80 KG)
AREA	19.53 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45


ES-MX1000 -
SINGLE HUNG



SIZE	25" X 26"
WEIGHT	21.00 LBS (9.55 KG)
AREA	4.51 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14


ES-MX1000 -
SINGLE HUNG



SIZE	25" X 26"
WEIGHT	21.00 LBS (9.55 KG)
AREA	4.51 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14

ES-MX4000 -
SLIDING GLASS
DOOR




SIZE	96" X 80"
WEIGHT	311.48 LBS (141.58 KG)
AREA	53.33 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	MEDIUM
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	23-0714.11

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

ES-MX1000 -
SINGLE HUNG




SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47


ES-MX1000 -
SINGLE HUNG



SIZE	37" X 26"
WEIGHT	30.69 LBS (13.95 KG)
AREA	6.68 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14


ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	74" X 38"
WEIGHT	83.15 LBS (37.80 KG)
AREA	19.53 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45


ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	37" X 63"
WEIGHT	72.15 LBS (32.80 KG)
AREA	16.19 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

ES-MX4000 -
SLIDING GLASS
DOOR




SIZE	96" X 80"
WEIGHT	311.48 LBS (141.58 KG)
AREA	53.33 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	MEDIUM
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	FL 26343.1
NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	23-0714.11

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

ES-MX1000 -
SINGLE HUNG




SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47


ES-MX1000 -
SINGLE HUNG



SIZE	37" X 26"
WEIGHT	30.69 LBS (13.95 KG)
AREA	6.68 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	


ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	74" X 38"
WEIGHT	83.15 LBS (37.80 KG)
AREA	19.53 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	37" X 63"
WEIGHT	72.15 LBS (32.80 KG)
AREA	16.19 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES


NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

41 BLDG 6-G

ES-MX4000 -
SLIDING GLASS
DOOR

OX

16



SIZE	96" X 80"
WEIGHT	311.48 LBS (141.58 KG)
AREA	53.33 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	MEDIUM
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	23-0714.11


NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

42 BLDG 7-A

ES-MX1000 -
SINGLE HUNG

OX

100




SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47


ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	74" X 38"
WEIGHT	83.15 LBS (37.80 KG)
AREA	19.53 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

ES-MX1000 -
SINGLE HUNG



SIZE	19" X 26"
WEIGHT	16.16 LBS (7.35 KG)
AREA	3.43 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES


NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14

45 BLDG 7 C2 2ND FL
ONLY

ES-MX1000 -
SINGLE HUNG

OX

5



SIZE	19" X 26"
WEIGHT	16.16 LBS (7.35 KG)
AREA	3.43 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES


NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14

46 BLDG 7-D

ES-MX4000 -
SLIDING GLASS
DOOR

OX

60




SIZE	96" X 80"
WEIGHT	311.48 LBS (141.58 KG)
AREA	53.33 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	MEDIUM
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	23-0714.11

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

ES-MX1000 -
SINGLE HUNG




SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47

ES-MX1000 -
SINGLE HUNG




SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47


ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	74" X 38"
WEIGHT	83.15 LBS (37.80 KG)
AREA	19.53 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

ES-MX1000 -
SINGLE HUNG



SIZE	37" X 26"
WEIGHT	30.69 LBS (13.95 KG)
AREA	6.68 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES


NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14

51 BLDG 8-D

ES-MX2000 -
HORIZONTAL
ROLLER

XOX

40



SIZE	111" X 38"
WEIGHT	127.98 LBS (58.17 KG)
AREA	29.29 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	HIGH SILL
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	HEAVY DUTY
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	66.70
CODE	23-0901.06


NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

52 BLDG 8-E

ES-MX4000 -
SLIDING GLASS
DOOR

OX-XO

20




SIZE	143" X 80"
WEIGHT	467.89 LBS (212.68 KG)
AREA	79.44 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	NO
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
80.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
80.00	63.00
CODE	23-0714.11

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

ES-MX4000 -
SLIDING GLASS
DOOR




SIZE	96" X 80"
WEIGHT	311.48 LBS (141.58 KG)
AREA	53.33 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	MEDIUM
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	23-0714.11

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	74" X 38"
WEIGHT	83.15 LBS (37.80 KG)
AREA	19.53 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES


NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	53.30
CODE	23-0901.06

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

ES-MX2000 -
HORIZONTAL
ROLLER

XOX

8




SIZE	111" X 38"
WEIGHT	127.98 LBS (58.17 KG)
AREA	29.29 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	HIGH SILL
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	HEAVY DUTY
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	66.70	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

ES-MX2000 -
HORIZONTAL
ROLLER

OX


18



SIZE	36" X 25 1/2"
WEIGHT	29.59 LBS (13.45 KG)
AREA	6.38 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	


ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	36" X 37"
WEIGHT	42.12 LBS (19.14 KG)
AREA	9.25 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	74" X 25"
WEIGHT	56.12 LBS (25.51 KG)
AREA	12.85 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES


NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

59 BLDG 9-G

ES-MX4000 -
SLIDING GLASS
DOOR

OX

12



SIZE	96" X 80"
WEIGHT	311.48 LBS (141.58 KG)
AREA	53.33 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	MEDIUM
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	23-0714.11


NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.01	0.46	0.39

60 BLDG 9-H

ES-MX2000 -
HORIZONTAL
ROLLER

XOX

2



SIZE	111" X 26"
WEIGHT	89.65 LBS (40.75 KG)
AREA	20.04 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	HIGH SILL
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	HEAVY DUTY
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	66.70
CODE	23-0901.06


NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

61 BLDG 9A-B

ES-MX2000 -
HORIZONTAL
ROLLER

OX

66



SIZE	74" X 38"
WEIGHT	83.15 LBS (37.80 KG)
AREA	19.53 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	53.30
CODE	23-0901.06


NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

62 BLDG 9A-C

ES-MX2000 -
HORIZONTAL
ROLLER

XOX

24




SIZE	111" X 38"
WEIGHT	127.98 LBS (58.17 KG)
AREA	29.29 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	HIGH SILL
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	HEAVY DUTY
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	66.70
CODE	23-0901.06

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45


ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	36" X 25 1/2"
WEIGHT	29.59 LBS (13.45 KG)
AREA	6.38 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	

ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	36" X 37"
WEIGHT	42.12 LBS (19.14 KG)
AREA	9.25 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES


NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

65 BLDG 9A-F

ES-MX2000 - HORIZONTAL ROLLER

OX

12



SIZE	74" X 25"
WEIGHT	56.12 LBS (25.51 KG)
AREA	12.85 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES

NOA CERTIFICATION

INTERNAL PSF	EXTERNAL PSF
90.00	53.30
CODE	23-0901.06

NFRC CERTIFICATION


U FACTOR	SHGC	VT
1.06	0.50	0.45

66 BLDG 9A-G

ES-MX4000 -
SLIDING GLASS
DOOR

OX

36



SIZE	96" X 80"
WEIGHT	311.48 LBS (141.58 KG)
AREA	53.33 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	MEDIUM
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION

INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	FL 26343.1

NOA CERTIFICATION

INTERNAL PSF	EXTERNAL PSF
85.00	63.00
CODE	23-0714.11

NFRC CERTIFICATION


U FACTOR	SHGC	VT
1.01	0.46	0.39

67 BLDG 9A-H

ES-MX2000 -
HORIZONTAL
ROLLER

XOX

6



SIZE	111" X 26"
WEIGHT	89.65 LBS (40.75 KG)
AREA	20.04 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	HIGH SILL
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	HEAVY DUTY
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	66.70	
CODE	23-0901.06	


NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

68 BLDG 10-A

ES-MX1000 -
SINGLE HUNG

OX

22




SIZE	37" X 38"
WEIGHT	42.86 LBS (19.48 KG)
AREA	9.76 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION	
INTERNAL PSF	EXTERNAL PSF
90.00	70.00
CODE	23-0714.14

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.04	0.51	0.47

ES-MX2000 -
HORIZONTAL
ROLLER




SIZE	53" X 38"
WEIGHT	61.08 LBS (27.76 KG)
AREA	13.99 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	

NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45

ES-MX1000 -
SINGLE HUNG



SIZE	37" X 26"
WEIGHT	30.69 LBS (13.95 KG)
AREA	6.68 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB TRANSLUCENT WHITE + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE-GLAZED?	YES


NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	70.00	
CODE	23-0714.14	

71 BLDG 10-D

ES-MX2000 - HORIZONTAL ROLLER

XOX

10



SIZE	111" X 26"
WEIGHT	89.65 LBS (40.75 KG)
AREA	20.04 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	HIGH SILL
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	HEAVY DUTY
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES

NOA CERTIFICATION

INTERNAL PSF	EXTERNAL PSF
90.00	66.70
CODE	23-0901.06

NFRC CERTIFICATION


U FACTOR	SHGC	VT
1.06	0.50	0.45

72 BLDG10-E

ES-MX4000 -
SLIDING GLASS
DOOR

OX-XO

10



SIZE	143" X 80"
WEIGHT	467.89 LBS (212.68 KG)
AREA	79.44 FT ²
FINISH	AAMA 2604 WHITE
GLASS	3/16" GRAY HS + 0.09 PVB CLEAR + 3/16" CLEAR HS
MUNTIN	NO
SCREEN	YES
JAMB TYPE	STANDARD
SILL TYPE	STANDARD
SILL COLOR	CLEAR ANOD
SILL RISER	NO
HANDLE TYPE	INVOLUTE
HANDLE HEIGHT	STANDARD
REINFORCEMENT	NO
PROTECTIVE FILM	NO
PRE-GLAZED?	YES

FBC CERTIFICATION

INTERNAL PSF	EXTERNAL PSF
80.00	63.00
CODE	FL 26343.1


NOA CERTIFICATION

INTERNAL PSF	EXTERNAL PSF
80.00	63.00
CODE	23-0714.11

NFRC CERTIFICATION

U FACTOR	SHGC	VT
1.01	0.46	0.39

ES-MX2000 -
HORIZONTAL
ROLLER



SIZE	74" X 38"
WEIGHT	83.15 LBS (37.80 KG)
AREA	19.53 FT ²
FINISH	AAMA 2604 WHITE
GLASS	1/8" GRAY HS + 0.09 PVB CLEAR + 1/8" CLEAR HS
SCREEN	YES
MUNTINS	NO
SILL TYPE	STANDARD
FRAME TYPE	FLANGE
PANEL TYPE	EQUAL
SILL RISER	NO
MEETING RAIL	STANDARD
PROTECTIVE FILM	NO
LOCKING MECHANISM	VENT LATCH
PRE- GLAZED?	YES

NOA CERTIFICATION		
INTERNAL PSF	EXTERNAL PSF	
90.00	53.30	
CODE	23-0901.06	
NFRC CERTIFICATION		
U FACTOR	SHGC	VT
1.06	0.50	0.45



REV 7.17

Due to current pricing fluctuations material and installation cost can only be held for **60 days**. please let us know if the job will be awarded within the 60-day period to allow us to lock cost in with manufacturers

<i>Sub Total:</i>	\$1,551,812.22
<i>Installation:</i>	\$949,550.00
<u><i>Total:</i></u>	<u>\$2,501,362.22</u>

Estimated Lead Time:8-10 weeks from final measure.

Payment Terms:

- Payment #1: 50% deposit- Required prior to order/final measurement.
 - **NO RETURN/CANCELLATION** once materials are ordered.
- Payment #2: 40% Due on **DELIVERY**
- Payment #3: 10% Balance on/before final inspection.
-

All major credit cards accepted (CREDIT CARD FEE: 2%)

Included in contract amount:

- Job site delivery.
- Removal and disposal of existing window(s) and or door(s).
- Re-bucking of openings as needed – includes buck material (residential customers only).
- Professional installation of new window(s) and or door(s)
- Repair of stucco on exterior of unit(s).
- Repair of drywall/trim on interior of unit(s)
- Protection of interior and exterior of work areas from dust and debris.

Not included in contract amount:

- Shop Drawings - **available upon request.**
- Homeowner Association approval request/fees.
- Removal or installation of window treatments (shades/curtains/plantation shutters, etc.)- **available upon request.**
- Removal/re-installation/disposal of hurricane shutters- **available upon request.**
- Painting windows, doors, stucco, trim or drywall.
- Reconnection of security system.
- Final cleaning of glass.

Thank you for the opportunity to work with you. Please sign and return a copy of the proposal to confirm acceptance of job and conditions. Once the copy is received, we will schedule job commencement accordingly with window & door arrival.

Accepted by, print

Unlimited Windows & Doors Representative, print

Accepted by, signature

Date

Date

ADDITIONAL TERMS:



REV 7.17

1. **CONTRACTOR'S WORK:** All work shall be completed in a workman-like manner and in compliance with all building codes and applicable laws. UWD agrees to remove all debris and leave the premises in broom clear condition.
2. **CUSTOMER'S DUTY TO PREPARE:** The customer shall be responsible for removing and replacing all furniture, all window treatment (shades, curtains, plantation shutters, etc.), any attached alarms, home security systems, flowerpots, wall hangings and any other personal property which might be damaged during the installation. UWD is not responsible for re-installation of security system. Removal and reinstallation of window treatments may be available upon request for an additional fee not included in the approved contract amount. Hurricane shutter removal and disposal may also be available upon request for an additional fee not included in the approved contract amount.
3. **CUSTOMER'S DUTY TO ASSOCIATION:** UWD is not responsible for requesting approval from homeowner's associations or fees requested by association. The contractor will supply proper documentation to the customer including window and/or door specifications, contractor license and insurance, permit information, etc. It is the responsibility of the customer to submit documentation provided by UWD to the association for approval of work.
3. **CONTRACTOR'S LIMITATION OF LIABILITY:** UWD is not responsible for damage to Customer's personal property, including, without limitation, roofing, siding, flooring, plumbing, electric, landscaping, stone veneers, pavers, marble windowsills, furniture, security systems and or all forms of home protection, blinds and other window treatments which may occur during normal installation.
4. **CHANGE ORDERS:** The contract amount can be adjusted only by written change orders signed by both UWD and the customer. Unforeseen conditions such as rotten wood will require a change order.
5. **ESTIMATED INSTALLATION DATE:** The estimated installation date is approximate only. By agreeing to these terms, the parties acknowledge that any delay in installation of the product shall not be a legal defense to timely payment of progress payments and final payment or a legally valid reason for cancellation of the contract. There are many reasons beyond UWD's control which make it impossible for UWD to provide an exact installation date/completion date including, but not limited to, the weather, material shortages, governmental law and regulations, seasonal restrictions on construction activity, suppliers not meeting shipping schedules, etc. During the height of hurricane season (June 1 to November 30) the estimated installation date may be extended due to high demand. Storage of material may be available upon request. UWD may store material as a courtesy for a period of (10) days. After the courtesy period is up, an additional storage fee will be applied to final payment.
6. **PAYMENT:** Customer agrees to pay UWD payment #2 and payment #3 specified herein when requested by UWD. Failure to make payment #2 when due will entitle the contractor to cease work until paid. If payment #2 or payment #3 is not paid within fifteen (15) days of its due date, UWD has the right to consider the nonpayment a material breach of the contract. Payment #3 is due upon completion of UWD's work or when final inspections by building department passes.
7. **WARRANTY:** UWD warrants the labor to the original purchaser that the product is installed in a workman-like manner. The warranty shall be for a period of (18) months from the date of installation. Refer to manufacturer warranty for product warranties.
8. **CONTRACTOR'S RIGHTS:** UWD shall have the right to enforce "notice to owner" letter under the Florida Construction Lien Law
9. **CUSTOMER ACKNOWLEDGMENT:** Customer has read or had the opportunity to read the contract before signing it. The customer represents that he/she understands its terms and agrees to abide by these terms.

Customer's initials

Unlimited Windows & Doors Representative

Date

Date

THANK YOU FOR THE OPPORTUNITY TO WORK WITH YOU.