

# 2020 Canadian Price List

**GOODYEAR**  
*Racing*



**FAIRCHILD**  
RACE TIRES

**Still proudly serving Canada's racers**

info@fcracetires.com (905)641-8633 www.fcracetires.com

# GENERAL INFORMATION

## No Warranty

Due to the conditions under which they operate, Goodyear MAKES NO WARRANTY AND SPECIFICALLY DISCLAIMS ANY WARRANTY (INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), EITHER EXPRESSED OR IMPLIED, with respect to Goodyear racing tires, tubes, safety spares or air containers and shall not be liable for any damages whatsoever including, without limitation, consequential or special damages, arising out of their use. Goodyear racing tires are designed and compounded solely for racing purposes and are not tested or labeled to meet FMVSS/ECE Regulations. It is therefore not only dangerous, but also illegal to sell for use or use race tires on public streets or highways.

## Pressure Recommendations

Consult your Goodyear Racing Tire Distributor for specific recommendations for your local track.

Tire changing should be done by trained personnel using proper tools and procedures. NEVER attempt to install and inflate a tire of one diameter on a rim or wheel of another diameter. All Goodyear racing tires are designed to be used on wheels or rims that are manufactured to Tire and Rim Association (T&RA) specifications and tolerances. Use of Goodyear racing tires on damaged or improper rims can cause the assembly to explode with force sufficient to cause injury or death. When inflating, always lock wheel on mounting machine or place in safety cage and use extension gauge and hose with clip on air chuck.

**STAND BACK. NEVER EXCEED 35 PSI TO SEAT BEADS.**

## Tire Care

Goodyear racing tires should not be stored near high temperatures, in direct sunlight, around welding areas, in overhead garage areas or around high-voltage electric motors.

NEVER attempt to patch or repair a Goodyear racing tire.

NEVER attempt to chemically or physically treat or alter a Goodyear racing tire.

NEVER re-use a Goodyear racing tire involved in a vehicle fire under ANY circumstances.

## Tire Specifications

Size designations on Goodyear racing tires show nominal outside diameter, tread width and bead diameter (ie. 27.0x 9.0 -15). All dimensions are taken from an inflated tire under no load conditions.

Our comprehensive line of Goodyear racing tires brings versatility to the racing fraternity. Each type of racing activity is provided with a choice of tires affording the ultimate in performance during acceleration, cornering and braking.

The increasing successes of the Goodyear racing tires in worldwide competition give testimony to the effort in development, design and production of this extensive line.

A choice of compounds is available for some types of racing to best suit given track conditions. Consult your nearest Goodyear Racing Tire Distributor for specific recommendations for any particular vehicle or track in your area.

## Additional Information

Additional information can be found at [www.racegoodyear.com](http://www.racegoodyear.com) or by contacting Fairchild Race Tires at [www.fcracetires.com](http://www.fcracetires.com).

**\*Prices in this catalogue are subject to change without notice based on exchange rates.**

## Eagle Dragway Special

### Eagle Dragway Special



### TOP FUEL, FUNNY CAR

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2020 CDN Price
36.0x17.5-16	808-018-081	2747 231233	D-2H		16.0	36.6	115.0	21.8	17.3	48.0	\$1,150.00

### PRO STOCK

33.5x17.0-16	808-043-081	2433 233411	D-4A	SS, BL	16.0	33.4	105.0	21.5	17.7	43.0	\$840.00
--------------	-------------	----------------	------	--------	------	------	-------	------	------	------	----------

### PRO MOD, ALCOHOL

34.5x17.0-16	808-117-081	3122 229258	D-2G		16.0	34.8	109.0	21.3	17.0	43.0	\$675.00
36.0x17.0-16	808-276-081	1230 164841	D-2A	BL	16.0	36.3	114.0	21.4	17.0	49.1	\$750.00

### SUPER GAS, SUPER STREET

32.0x14.0-15	808-178-081	1984 23556	D-5	MS	14.0	32.4	101.0	17.0	14.4	39.3	\$460.00
32.0x14.5-15	808-163-081	1672 23540	D-5	MS	14.0	32.8	103.0	17.7	14.8	39.4	\$460.00
32.0x16.0-15	808-184-081	1408 23558	D-5	MS	15.0	32.5	102.0	18.4	16.0	39.6	\$475.00
33.0x15.0-15	808-260-081	2078 192212	D-5	MS	14.0	33.2	104.0	17.5	15.0	40.6	\$500.00
33.0x17.0-15	808-031-081	2053 191202	D-4A	SS	15.0	32.5	102.0	20.6	17.3	42.9	\$575.00

### STOCK, SUPER STOCK

28.0x9.0-15	808-735-081	2790 210598	D-5		8.0	28.0	88.0	10.7	9.0	21.3	\$270.00
28.0x10.0-15	808-736-081	2791 210599	D-5		10.0	28.0	88.0	12.0	10.0	23.1	\$275.00
29.0x11.0-15	808-174-081	2796 210596	D-5		10.0	29.0	91.0	12.8	10.9	25.1	\$325.00
29.0x12.0-15	808-188-081	2797 210597	D-5		11.0	29.0	91.0	13.9	11.8	25.1	\$342.00
31.0x13.0-15	808-096-081	2018 190161	D-5	MS	12.0	30.6	96.0	15.6	12.8	33.4	\$460.00
31.0x14.0-15	808-097-081	2019 190162	D-5	MS	12.0	31.0	97.0	16.2	14.0	35.8	\$465.00
32.0x14.0-15	808-178-081	1984 23556	D-5	MS	14.0	32.4	101.0	17.0	14.4	39.3	\$460.00
32.0x14.5-15	808-163-081	1672 23540	D-5	MS	14.0	32.8	103.0	17.7	14.8	39.4	\$460.00
33.0x14.5-15	808-164-081	2070 190163	D-6		14.0	32.8	104.0	18.9	14.9	34.1	\$490.00

## Eagle Dragway Special

### COMP, SUPER COMP

Size	Product Code	Tire Code Mati No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2020 CDN Price
31.0x12.0-15	808-095-081	2585 206637	D-3		12.0	30.8	96.5	15.2	12.0	22.6	\$470.00
32.0x14.5-15	808-163-081	1911 193992	D-1		14.0	32.2	101.0	17.7	15.0	34.1	\$490.00
33.0x12.0-15	808-921-081	1288 23654	D-7	HG	12.0	32.4	102.0	16.5	12.3	28.8	\$485.00
33.0x14.5-15	808-164-081	2070 190163	D-6		14.0	32.8	104.0	18.9	14.9	34.1	\$490.00
33.0x16.0-15	808-942-081	2533 215174	D-2A		15.0	32.4	106.0	19.9	16.3	39.6	\$465.00
33.0x16.0-15	808-942-081	2052 190167	D-6		15.0	32.8	102.0	19.6	16.1	38.0	\$475.00
33.0x17.0-15	808-031-081	2534 215232	D-2A		15.0	32.4	104.0	20.5	17.4	39.5	\$480.00
33.0x17.0-15	808-031-081	2051 190102	D-4A	LW,SS	15.0	32.5	100.0	20.8	17.2	41.1	\$575.00
33.5X17.0-16	808-391-081	2775 227639	D-2A	BL	16.0	33.5	105.0	21.1	16.8	40.3	\$535.00
33.5X17.0-16	808-393-081	2776 235137	D-2A	BL, SS	16.0	33.5	105.0	21.1	16.8	45.1	\$545.00

### EAGLE FRONTRUNNER

22.0x2.5-17	808-102-089	1445 177193	Hard	ET	2.5	22.2	69.9	2.5	1.5	4.5	\$225.00
22.0x4.0-17	808-130-089	2904 215560	Hard		2.5	22.9	72.0	3.4	3.1	5.2	\$340.00
23.0x5.0-15	808-243-089	1961 189891	Hard		4.0	23.0	72.7	6.8	5.0	12.2	\$265.00
24.0x5.0-15	808-730-089	1962 189955	Hard		4.0	24.0	75.8	6.8	5.0	11.3	\$240.00
25.0x4.5-15	808-028-089	2991 215499	Hard	LW	4.0	25.0	78.5	6.5	4.5	11.6	\$260.00
26.0x4.5-15	808-062-089	1964 190130	Hard		4.0	26.0	81.2	6.3	4.5	10.8	\$240.00
27.0x4.5-15	808-181-089	1965 197495	Hard		4.0	27.0	84.8	7.9	4.5	13.5	\$245.00
28.0x4.5-15	808-729-089	1966 189822	Hard		4.0	28.0	89.1	7.7	5.1	12.4	\$245.00

### DRAG RADIAL

30.0x9.0-15	388-717-097	4892 236033	D-1A	R, LW	9.0	29.5	92.5	11.8	9.1	21.1	\$385.00
30.0x9.0-15	388-717-097	4894 236035	D-1A	R, LW	9.0	30.0	94.0	12.0	9.1	21.4	\$385.00
30.0x10.5-15	388-361-097	4915 237694	D-8	NEW	10.0	29.6	93.0	13.3	10.5	23.5	\$385.00
31.0x13.5-15	388-250-097	4909 237692	D-8	NEW	14.0	31.7	99.5	16.9	13.8	33.0	\$450.00
31.0x16.0-15	388-387-097	4917 237741	D-8	NEW	15.0	31.0	101.0	19.4	16.3	37.3	\$520.00
32.0x14.0-15	388-178-097	4911 237490	D-8	NEW	14.0	32.1	101.0	17.2	13.8	32.4	\$490.00
33.0x14.5-15	388-164-097	4463 220522	D-8		#	#	#	#	#	#	\$505.00

## Eagle Dragway Special

### MOTORCYCLE DRAG

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2020 CDN Price
25.0x7.0-18	808-891-919	2980 103310	D-6	BL, LW	6.0	25.4	80.0	7.0	6.6	11.3	\$275.00

### EAGLE LANDSPEED

			Rim	Width	Overall	Diam.	Section Width	Tread Width	Weight (lbs)	Min. Inflation (psi)	Max Load (lbs)	Max Speed (MPH)	
21.0x5.0-15	808-975-090	2952 234517	4.5		21.3	5.4	4.1	10.0	50.0	1200	300		\$790.00
23.0x5.0-15	808-243-090	2953 234515	4.5		23.1	7.0	5.0	12.0	70.0	1700	300		\$820.00
25.0x4.5-15	808-028-090	2954 234514	4.5		24.8	6.7	4.0	12.0	70.0	1700	300		\$830.00
28.0x4.5-15	808-682-089	2956 234516	4.5		27.8	7.7	4.5	13.0	70.0	1700	300		\$860.00
30.0x9.0-18	808-425-090	2870 233188	6.5		30.0	8.5	3.0	16.5	70.0	2300	320		\$910.00

### LIFEGUARD SAFETY SPARE

PR-16	185-244-515	2912 230874	#	#	#	#	#	#	#	#	#	\$230.00
-------	-------------	----------------	---	---	---	---	---	---	---	---	---	----------

### DRAG TIRE COMPOUND DATA

**Listed in order from softest to hardest.**

Note that in some cases, a softer compound is not necessarily more tractive due to the nature of Goodyear's drag racing compounds.

- D-8** High grip compound for high horsepower radial tire applications
- D-2A** High grip compound used for TAD and some bracket applications
- D-2G** For Pro Mod and TAFC. High level of grip that can also sustain wheelspeed
- D-2H** For TF/FC and other high horsepower applications
- D-1** For use on Dragsters and other lightweight cars.
- D-4B** For Stock Eliminator. Slightly more tractive than D-4A.
- D-4A** Good for hot and/or slick track conditions.
- D-4** Excellent wear/longevity for heavy applications, +3,000 lbs.
- D-1A** For use on Stock and Super Stock Radials
- D-6** Works well on Dragsters and 1,500 - 2,500 lbs. cars.
- D-5** Works well on Dragsters and 2,000 - 3,200 lbs. cars.
- D-7** Limited application compound. Designed to eliminate shake.
- D-3** For heavy manual and automatic cars
- HARD** Frontrunners

#### COMMENT KEY

R - Radial, **HG** - High Growth, **LW** - Lightweight, **MS** - Medium Stiff Sidewall, **SS** - Stiff Sidewall,  
**ET** - Extended Tread Life, **BL** - Beadlock Wheel Required

## Eagle Sports Car Special



### GT AND PRODUCTION

Size	Product Code	R160	R250	R255	R430	R465	R475	Application/ Tread Design	Rim	Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2020 CDN Price
20.0x8.0-13	807-434-361		<b>2138</b>		<b>2140</b>			Cantilever	6.0	20.2	20.2	9.3	8.2	14.3	<b>\$315.00</b>
	807-434-374		237143		236865										
20.0x9.5-13	807-685-307				<b>2162</b>			Cantilever	7.0	20.1	20.1	10.5	9.5	16.0	<b>\$320.00</b>
23.0x9.0-15	807-409-308				<b>2185</b>	<b>2189</b>		Cantilever	7.0	23.0	23.0	10.4	9.3	18.0	<b>\$380.00</b>
	807-429-360				236599	237142									
23.5x10.5-16	807-220-308				<b>1651</b>				11.0	23.3	23.3	11.8	10.1	18.0	<b>\$545.00</b>
25.0x13.0-16	807-322-318		<b>1980</b>		<b>1570</b>				12.0	24.5	24.5	13.7	12.4	22.5	<b>\$570.00</b>
	807-322-308		221721		221561										
27.0x14.0-16	807-764-318		<b>1981</b>		<b>1571</b>				14.0	26.6	26.6	15.9	13.7	26.5	<b>\$605.00</b>
	807-764-308		221804		221562										

### FORMULA

		R160	R250	R255	R430	R465	R470								
20.0x7.0-13	807-299-366			<b>2756</b>					6.0-8.0	20.5	20.5	9.0	7.2	9.5	<b>\$305.00</b>
20.0x7.0-13	807-299-342						<b>2659</b>		6.0-8.0	20.5	20.5	9.0	7.2	9.5	<b>\$300.00</b>
							228938								
20.0x9.5-13	807-961-315		<b>2640</b>					Formula ATL	10.0	20.3	20.3	10.9	9.1	11.9	<b>\$330.00</b>
21.0x8.0-13	807-293-377			<b>2767</b>			<b>2769</b>		#	#	#	#	#	#	<b>\$370.00</b>
	807-293-068			237144			235086								
22.0x9.0-13	807-684-366			<b>2757</b>					8.0-10.0	22.5	22.5	11.3	9.2	11.9	<b>\$355.00</b>
22.0x9.0-13	807-684-340						<b>2660</b>		8.0-10.0	22.5	22.5	11.3	9.2	11.9	<b>\$350.00</b>
							228985								
22.0x11.0-13	807-136-377			<b>2768</b>			<b>2770</b>		#	#	#	#	#	#	<b>\$395.00</b>
	807-136-068			237145			235085								
23.0x13.0-13	807-915-315		<b>2453</b>					Formula ATL	14.0	23.0	23.0	16.1	12.3	19.3	<b>\$410.00</b>
			221813												

### FORMULA - RAIN

			R065 G-18	R085 F1											
20.0x6.5-13	807-089-341		<b>2661</b>					G-18 Rain	6.0-8.0	21.0	21.0	7.7	5.9	10.5	<b>\$310.00</b>
22.0x9.0-13	807-684-341		<b>2662</b>					G-18 Rain	8.0-10.0	22.4	22.4	11.1	8.8	13.0	<b>\$370.00</b>
				226343			226351								
20.5x7.5-13	807-743-325			<b>1079</b>				Cantilever Eagle F1 Rain	6.0-7.0	20.7	20.7	8.2	6.6	11.3	<b>\$340.00</b>
23.0x8.0-15	807-889-325			<b>1275</b>				Cantilever Eagle F1 Rain	7.0	22.7	22.7	10.0	8.3	14.9	<b>\$400.00</b>
					221803		221807								

## Eagle Sports Car Special



### VINTAGE EAGLE & BLUE STREAK SPECIAL

Size	Product Code	R250	R310	R655	Firm	Application	Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2020 CDN Price
5.00-15	807-973-309			1664 237033		NEW G-12A	5.0	24.5	7.6	5.6	16.0	\$420.00
6.00-15	807-052-309 807-052-310			1724 221563	1725 221565	Blue Streak G-7	8.0	25.5	10.6	8.4	17.0	\$430.00
26.5x8.0-15	807-073-309			2546 221811		Cobra G-15M	8.0	26.5	11.0	7.9	17.8	\$400.00
26.5x10.0-15	807-481-320			2547 221580		Cobra G-15M	10.0	27.0	12.9	10.2	22.3	\$410.00
7.00-15	807-118-309			1756 221564		Blue Streak G-7	9.0	26.8	12.0	8.7	18.7	\$435.00
8.00-15	807-289-309			1758 221581		Blue Streak G-7	10.0	26.8	13.1	10.1	19.7	\$440.00
23.5x10.5-15	807-410-318	2225 221728				Can Am G-19	10.0	23.4	11.8	10.4	16.9	\$545.00
27.0x14.0-15	807-048-318	2226 221730				Can Am G-19	17.0	27.0	18.5	14.8	25.8	\$605.00
25.5x12.0-18	387-313-301		4535 232432			Radial G-19	13.0	25.6	13.5	12.3	23.0	\$615.00
25.5x12.5-18	387-011-351		4575 234480			Radial G-19	13.5	25.6	14.3	12.8	24.0	\$675.00
28.5x14.5-18	387-349-301		4536 232433			Radial G-19	14.5	28.5	16.0	14.5	30.0	\$695.00

### SPORTS CAR RADIAL

		R250	R255G	R310	R430	R465							
25.5x14.0-16	387-160-348 387-160-308	4364 236109			4333 221577		GT1	12.0	25.4	15.2	14.0	24.5	\$655.00
28.5x14.5-16	387-132-349 387-132-308	4365 236110			4265 221574		GT1	13.0	28.5	15.4	14.8	28.5	\$700.00
21.5x8.0-13	387-063-377 387-063-343	4582 237146			4540 226363		WS	9.0	21.6	9.8	8.2	13.2	\$480.00
22.5x11.0-13	387-061-343 387-061-343	4583 237147			4541 226364		WS	11.0	22.6	12.2	10.6	16.4	\$505.00

### SPORTS CAR RADIAL RAIN

		R065	R085									
25.5x14.0-16	387-160-325		6672 221837	GT1 Eagle F1 Rain	12.0	25.5	14.1	14.0	30.0			\$700.00
28.5x14.5-16	387-132-325		6673 221838	GT1 Eagle F1 Rain	13.0	28.5	15.4	15.4	36.6			\$750.00
21.5x8.0-13	387-063-314	4286 221576		WS Eagle F1 Rain	9.0	21.6	9.8	8.2	13.1			\$520.00
22.5x11.0-13	387-061-314	4287 221575		WS Eagle F1 Rain	11.0	22.6	12.2	10.6	16.5			\$545.00

### FORMULA SAE

		DRY	WET									
22.0x7.0-13	807-299-317	2704 221573		FSAE G-19	7.0	20.4	7.9	6.9	#			\$305.00
22.0x7.0-13	807-299-321		2703 221594	FSAE Rain F-1 Carved	7.0	20.4	7.9	6.9	#			\$315.00