




2015 Residential Code Question Of The Week

Where a fire sprinkler system in accordance with Section P2904 is not provided, the common wall separating townhouses shall be not less than a ____ fire-resistance-rated wall assembly tested in accordance with ASTM E 119 or UL 263.

- A) 30-minute
- B) 45-minute
- C) 60-minute
- D) 120-minute



R302.2 Townhouses. Common walls separating *townhouses* shall be assigned a fire-resistance rating in accordance with Section R302.2, Item 1 or 2. The common wall shared by two *townhouses* shall be constructed without plumbing or mechanical equipment, ducts or vents in the cavity of the common wall. The wall shall be rated for fire exposure from both sides and shall extend to and be tight against exterior walls and the underside of the roof sheathing. Electrical installations shall be in accordance with Chapters 34 through 43. Penetrations of the membrane of common walls for electrical outlet boxes shall be in accordance with Section R302.4.

1. Where a fire sprinkler system in accordance with Section P2904 is provided, the common wall shall be not less than a 1-hour fire-resistance-rated wall assembly tested in accordance with ASTM E 119 or UL 263.
2. Where a fire sprinkler system in accordance with Section P2904 is not provided, the common wall shall be not less than a 2-hour fire-resistance-rated wall assembly tested in accordance with ASTM E 119 or UL 263.



Residential Building Inspector - B1

-

EXAM ID	CATEGORY	STATE	TYPE	CODE YEAR	
B1	Building, Residential Inspector	National/All	National Certification	2015 ▾	

INFO

OUTLINE

SCOPE

A Residential Building Inspector will be responsible for performing inspections of structures to determine compliance with the various Building Codes and Standards adopted by his / her jurisdiction. At this level of certification, the Inspector shall be able to inspect one-and-two family dwellings, townhomes not more than three stories in height, and accessory structures.

QUESTIONS 60

TIME LIMIT 2:00 Hours

OPEN BOOK? Open

AVAILABLE METHODS

Computer-Based Testing(CBT)

Paper & Pencil (P&P)

Proctored Online Testing

REFERENCES

 2015 International Residential Code® N/A

* any copyrighted, bound book may be used at a test site. Exam questions will only come from the listed approved references, and exam appeals may only be based on the listed approved references.

\$209.00

[Register](#)

<https://www.iccsafe.org/certification-exam-catalog/>

Allowed To Take Exam 6 Times In 6 Months



2015 Commercial Code Question Of The Week

Threads provided for fire department connections to standpipes shall be _____.

- A) compatible with the connections used by the local fire department
- B) of the coarse type
- C) of the fine type
- D) National Pipe Tapered (NPT)



[F] 912.3 Fire hose threads. Fire hose threads used in connection with standpipe systems shall be *approved* and shall be compatible with fire department hose threads.



EXAM ID	CATEGORY	STATE	TYPE	CODE YEAR	
B2	Building,Commercial Inspector	National/All	National Certification	2015 ▼	

INFO

OUTLINE

SCOPE

A Commercial Building Inspector will be responsible for performing inspections of structures to determine compliance with the various Building Codes and Standards adopted by his / her jurisdiction. At this level of certification, the Inspector shall be able to inspect commercial structures of any size or occupancy.

QUESTIONS	80
TIME LIMIT	3:30 Hours
OPEN BOOK?	Open

REFERENCES

- 2015 International Building Code®
- Building Code Requirements for Structural Concrete and Commentary
 - o ACI 318-14
 - o ACI 318-11
 - or o ACI 318-08

- OR ICC Concrete Manual®
 - o 2009
 - o 2012
 - OR o 2015

 AVAILABLE METHODS

- Computer-Based Testing(CBT)
- Paper & Pencil (P&P)
- Proctored Online Testing

\$209.00

[Register](#)

* any copyrighted, bound book may be used at a test site. Exam questions will only come from the listed approved references, and exam appeals may only be based on the listed approved references.

<https://www.iccsafe.org/certification-exam-catalog/>

Allowed To Take Exam 6 Times In 6 Months



2015 Zoning Inspector Question Of The Week

A two-way enter/exit driveway servicing a medical office shall be a minimum _____ feet wide.

- A) 12
- B) 16
- C) 20
- D) 24



801.4 Design of parking facilities. The design of parking facilities shall be in accordance with Sections 801.4.1 through 801.4.7.

801.4.1 Driveway width. Every parking facility shall be provided with one or more access driveways, the width of which shall be the following:

1. Private driveways not less than 9 feet (2743 mm).
2. Commercial driveways:
 - 2.1. Twelve feet (3658 mm) for one-way enter/exit.
 - 2.2. Twenty-four feet (7315 mm) for two-way enter/exit.



EXAM ID	CATEGORY	STATE	TYPE	CODE YEAR	
---------	----------	-------	------	-----------	---

75	Code Enforcement	National/All	National Certification	2015 ▾	
----	------------------	--------------	------------------------	--------	--

INFO



OUTLINE

SCOPE

A Zoning Inspector is responsible for enforcing the local zoning ordinances. This includes, but is not limited to, the permitting, development, erection, enlargement, alteration, repair, movement or removal of all buildings, structures and parcels of land in the jurisdiction. Other areas of responsibility may also include the conversion, occupancy, use, height, area, parking, and landscaping.

QUESTIONS	50
TIME LIMIT	2:00 Hours
OPEN BOOK?	Open


REFERENCES

-  Legal Aspects of Code Administration, 2002 Edition \$39.95
-  2015 International Zoning Code® (Soft Cover) \$39.95

2002 or 2017 Legal Aspects of Code Administration

\$209.00

* any copyrighted, bound book may be used at a test site. Exam questions will only come from the listed approved references, and exam appeals may only be based on the listed approved references.

-  AVAILABLE METHODS
- Computer-Based Testing(CBT)
 - Paper & Pencil (P&P)
 - Proctored Online Testing

[Register](#)