


SUBMITTAL DATA SHEET

4" Pump Ends
 5 - 70 GPM Stainless Steel Pumps
P Series - 18 GPM



All P Series Stainless Steel Pump Ends come with a 1 1/4" discharge and sizes range from 1/2 to 5 horse power (HP).



NO-LEAD: The weighted average of the wetted surface of this no-lead product contacted by consumable water contains less than one quarter of one percent (0.25%) lead.



A.Y. McDonald Mfg. Co.
 P.O. Box 508
 Dubuque, IA 52004-0508

Toll Free: 1-800-292-2737
 Fax: 1-800-832-9296
 Hours: 7:00 a.m. - 5:00 p.m., CST

sales@aymcdonald.com
 www.aymcdonald.com

A.Y. McDonald considers the information on this assembly drawing correct when published. Item and option availability, including specifications, are subject to change without notice.

Submitted by:

SUBMITTAL DATA SHEET


4" Pump Ends 5 - 70 GPM Stainless Steel Pumps **P Series - 18 GPM**



All P Series Stainless Steel Pump Ends come with a 1 1/4" discharge and sizes range from 1/2 to 5 horse power (HP).

Models Available

Model Number	HP	Stage	Disch. Size	Dimension in Inches				Weight		
				A	B	C	D	Pump	Motor	Total
26050P	1/2	5	1 1/4"	10.3	9.5	19.8	3.82	5.1	18	23.1
26075P	3/4	7	1 1/4"	11.7	10.7	22.4	3.82	6	21	27
26100P	1	9	1 1/4"	13.4	11.8	25.3	3.82	6.9	23	29.9
26150P	1 1/2	13	1 1/4"	16.9	13.6	30.5	3.82	8.6	27	35.6
26200P	2	17	1 1/4"	20.2	15.1	35.3	3.82	10.4	30	40.4
26300P	3	23	1 1/4"	25.1	23.5	48.6	3.82	13	54	67
26500P	5	36	1 1/4"	35.9	29.5	65.4	3.82	18.7	65	83.7



Output - in Gallons Per Minute (Depth to Water)

HP	PSI	20'	40'	60'	80'	100'	120'	140'	160'	180'	200'	220'	240'	260'	280'	300'	340'	380'	420'	460'	500'	540'	580'	620'	660'	700'	740'	780'	820'	860'	900'	940'	980'					
1/2 HP	0	24.0	22.1	20.0	17.0	13.0	7.0																															
	30	18.8	15.0	10.0	2.5																																	
	50	8.0	1.0																																			
3/4 HP	0	25.4	23.6	22.7	21.2	19.3	17.1	14.5	10.5																													
	30	22.1	20.4	18.3	16.0	12.9	8.1																															
	50	17.6	15.1	11.6	6.3																																	
1 HP	0	27.7	24.4	23.4	22.6	21.3	19.6	17.7	15.6	12.8	9.1																											
	30	23.8	23.1	22.1	20.6	18.8	16.8	14.4	11.2	7.0																												
	50	21.7	20.0	18.2	16.1	13.5	10.0																															
1 1/2 HP	0	27.7	24.9	23.7	22.8	22.3	21.5	20.5	19.4	18.3	17.1	15.8	14.2	9.8																								
	30	24.2	23.5	23.1	22.6	21.9	21.0	20.0	18.9	17.8	16.5	15.1	13.4	11.2	8.5																							
	50	22.9	22.4	21.7	20.7	19.7	18.6	17.4	16.1	14.6	12.7	10.4	7.5																									
2 HP	0	27.4	25.2	24.1	23.6	23.2	22.9	22.5	22.0	21.3	20.6	19.8	18.9	17.1	15.8	14.2	9.8																					
	30	26.2	24.6	23.8	23.4	23.1	22.7	22.3	21.7	21.0	20.2	19.4	18.5	17.6	16.7	15.6	13.0	9.3																				
	50	23.6	23.3	23.0	22.6	22.1	21.5	20.7	19.9	19.1	18.2	17.3	16.4	15.3	14.0	12.5	8.6																					
3 HP	0	28.3	26.2	24.9	24.2	23.7	23.4	23.2	23.0	22.7	22.3	21.9	20.9	19.7	18.5	17.1	15.6	13.8	11.4	8.3																		
	30	27.2	25.6	24.5	23.9	23.6	23.3	23.1	22.8	22.5	22.2	21.7	21.2	20.6	20.0	18.8	17.5	16.0	14.3	12.1	9.2																	
	50	25.2	24.3	23.8	23.5	23.2	23.0	22.8	22.4	22.0	21.6	21.0	20.5	19.9	19.2	18.6	17.3	15.8	14.0	11.7	8.7																	
5 HP	0	28.1	26.7	25.7	24.9	24.4	24.0	23.7	23.5	23.2	22.9	22.6	22.1	21.5	20.8	20.0	18.8	17.6	16.7	15.7	14.6	13.2	11.7	9.9	7.8													
	30	27.4	26.2	25.3	24.6	24.2	23.9	23.6	23.4	23.3	23.2	23.0	22.7	22.2	21.6	21.0	20.2	19.4	18.6	17.8	16.9	16.0	14.9	13.6	12.1	10.4	8.4	6.1										
	50	28.4	27.0	25.9	25.1	24.5	24.1	23.8	23.6	23.4	23.3	23.1	23.0	22.8	22.6	22.1	21.5	20.8	20.1	19.3	18.5	17.6	16.8	15.8	14.7	13.4	11.9	10.1	8.0									

FRICITION LOSSES IN RISER PIPE HAVE NOT BEEN CALCULATED

NO-LEAD: The weighted average of the wetted surface of this no-lead product contacted by consumable water contains less than one quarter of one percent (0.25%) lead.



A.Y. McDonald Mfg. Co.
P.O. Box 508
Dubuque, IA 52004-0508

Toll Free: 1-800-292-2737
Fax: 1-800-832-9296
Hours: 7:00 a.m. - 5:00 p.m., CST

sales@aymcdonald.com
www.aymcdonald.com

A.Y. McDonald considers the information on this assembly drawing correct when published. Item and option availability, including specifications, are subject to change without notice.

Submitted by: