PATIENT ASSESSMENT/MANAGEMENT – MEDICAL

Candidate:		I	Examiner:			
Date:		5	Signature:			
Actual Time Started:					Possible	Points
					Points	Awarded
Takes or verbalizes approp	riate PPE precautions				1	
SCENE SIZE-UP	·					
Determines the scene/situa	tion is safe				1	
Determines the mechanism	of injury/nature of illness				1	_
Determines the number of p	patients				1	_
Requests additional EMS as	ssistance if necessary				1	_
Considers stabilization of th					1	_
PRIMARY SURVEY/RESUS	SCITATION					
Verbalizes the general impr	ession of the patient				1	
Determines responsiveness	/level of consciousness (A	VPU)			1	_
Determines chief complaint	apparent life-threats				1	_
Assesses airway and breath	ning				-	
-Assessment (1 point)	-Assures adequate ven	tilation (1 point)	-Initiates a	ppropriate oxygen therapy (1 point)	3	
Assesses circulation	· · · · ·					
-Assesses/controls major bl	eeding (1 point)		-Checks p	ulse (1 point)	3	
-Assesses skin [either skin	color, temperature or condi	tion] (1 point)	-			
Identifies patient priority and	d makes treatment/transpor	t decision			1	
HISTORY TAKING						
History of the present illness	6					
-Onset (1 point)	-Quality (1 point)		-Severity (1			
-Provocation (1 point)	-Radiation (1 poir		-Time (1 pc		8	
-Clarifying questions of asso	ociated signs and symptom	s related to OPQ	RST (2 points)		
Past medical history						
-Allergies (1 point)	 Past pertinent hi 	story (1 point)	-Events lea	iding to present illness (1 point)	5	
-Medications (1 point)	-Last oral intake	(1 point)				
SECONDARY ASSESSME						
Assesses affected body par						
-Cardiovascular	-Neurological	-Integumen	itary	-Reproductive	5	
-Pulmonary	-Musculoskeletal	-GI/GU		-Psychological/Social		
VITAL SIGNS						
-Blood pressure (1 point)	-Pulse (1 point)		-Respirator	ry rate and quality (1 point each)	4	
States field impression of pa					1	
Interventions [verbalizes pro	oper interventions/treatment	:]			1	
REASSESSMENT						
Demonstrates how and whe		o determine chan	ges in conditio	วท	1	
Provides accurate verbal re	port to arriving EMS unit				1	
Actual Time Ended:				TOTAL	. 42	
						r

CRITICALCRITERIA

- Failure to initiate or call for transport of the patient within 15 minute time limit
- _____Failure to take or verbalize appropriate PPE precautions
- _____Failure to determine scene safety before approaching patient
- _____Failure to voice and ultimately provide appropriate oxygen therapy
- _____Failure to assess/provide adequate ventilation
- _____Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock
- _____Failure to differentiate patient's need for immediate transportation versus continued assessment or treatment at the scene.
- _____Performs secondary examination before assessing and treating threats to airway, breathing and circulation
- ____Orders a dangerous or inappropriate intervention
- _____Failure to provide accurate report to arriving EMS unit
- _____Failure to manage the patient as a competent EMR
- ____Exhibits unacceptable affect with patient or other personnel
- ____Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

Skill Sheet 1 TESTED

BLEEDING CONTROL/SHOCK MANAGEMENT

Candidate:	Examiner:		
Date:	Signature:		
		Possible	Points
Actual Time Started:		Points	Awarded
Takes or verbalizes appropriate PPE precautions		1	
Applies direct pressure to the wound		1	
NOTE: The examiner must now inform candidate that the wound continues to bleed.			
Applies tourniquet		1	
NOTE: The examiner must now inform candidate that the patient is exhibiting signs and symptoms of hypoperfusion.			
Properly positions the patient		1	
Administers high concentration oxygen		1	
Initiates steps to prevent heat loss from the patient		1	
Indicates the need for immediate transportation		1	
Actual Time Ended:	TOTAL	7	
CRITICAL CRITERIA			

- _____Failure to take or verbalize appropriate PPE precautions
- _____Failure to administer high concentration oxygen
- Failure to control hemorrhage using correct procedures in a timely manner
- _____Failure to indicate the need for immediate transportation
- _____Failure to manage the patient as a competent EMR
- Exhibits unacceptable affect with patient or other personnel
- _____Uses or orders a dangerous or inappropriate intervention

Skill Sheet 2 **TESTED**

PATIENT ASSESSMENT/MANAGEMENT - TRAUMA

Candidate:	Examiner:		
Date:	Signature:		
	by "**" may be integrated within sequence of Primary Survey/Resuscitation	Possible	Points
		Points	Awarded
Takes or verbalizes appropriate PPE precautions		1	
SCENE SIZE-UP			
Determines the scene/situation is safe		1	
Determines the mechanism of injury/nature of illness		1	
Determines the number of patients		1	
Requests additional EMS assistance if necessary		1	
Considers stabilization of the spine		1	
PRIMARY SURVEY/RESUSCITATION			
Verbalizes general impression of the patient		1	
Determines responsiveness/level of consciousness		1	
Determines chief complaint/apparent life-threats		1	
Airway			
-Opens and assesses airway (1 point)	-Inserts adjunct as indicated (1 point)	2	
Breathing			
-Assess breathing (1 point)	-Assures adequate ventilation (1 point)	4	
-Initiates appropriate oxygen therapy (1 point)	-Manages any injury which may compromise breathing/ventilation (1 point)		
Circulation			
-Checks pulse (1point)			
-Assess skin [either skin color, temperature or conditio		4	
-Assesses for and controls major bleeding if present (1			
-Initiates shock management [positions patient properl			
Identifies patient priority and makes treatment/transport	rt decision (based upon calculated GCS)	1	
HISTORY TAKING			
Obtains baseline vital signs [must include BP, P and R	t] (1 point)	1	
Attempts to obtain SAMPLE history		1	
SECONDARY ASSESSMENT			
Head			
-Inspects and palpates scalp and ears (1 point) ** -Inspects mouth**, nose** and assesses facial area (1	-Assesses eyes (1 point)	3	
Neck**	point		
-Checks position of trachea (1 point)	-Checks jugular veins (1 point) -Palpates cervical spine (1 point)	3	
Chest**			
-Inspects chest (1 point)	-Palpates chest (1 point) -Auscultates chest (1 point)	3	
Abdomen/pelvis**			
-Inspects and palpates abdomen (1 point)	-Assesses pelvis (1 point)	3	
-Verbalizes assessment of genitalia/perineum as need	led (1 point)		
Lower extremities**			
-Inspects, palpates and assesses motor, sensory and	distal circulatory functions (1 point/leg)	2	
Upper extremities		2	
-Inspects, palpates and assesses motor, sensory and	distal circulatory functions (1 point/arm)	-	
Posterior thorax, lumbar and buttocks** -Inspects and palpates posterior thorax (1 point)	-Inspects and palpates lumbar and buttocks areas (1 point)	2	
Manages secondary injuries and wounds appropriately		1	
REASSESSMENT		I I	
Demonstrates how and when to reassess the patient		1	
· · · · · · · · · · · · · · · · · · ·			
Actual Time Ended:	TOTAL	42	

CRITICAL CRITERIA

- Failure to initiate or call for transport of the patient within 10 minute time limit Failure to take or verbalize appropriate PPE precautions

- Failure to determine scene safety Failure to assess for and provide spinal protection when indicated
- Failure to voice and ultimately provide high concentration oxygen Failure to assess/provide adequate ventilation

- Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock Failure to differentiate patient's need for immediate transportation versus continued assessment/treatment at the scene Performs other assessment before assessing/treating threats to airway, breathing and circulation
- Failure to manage the patient as a competent EMR
- Exhibits unacceptable affect with patient or other personnel
- Uses or orders a dangerous or inappropriate intervention

OXYGEN ADMINISTRATION BY NON-REBREATHER MASK

Candidate:	Examiner:
Date:	Signature:

Examiner:_____

Actual Time Started:		Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions		1	
Gathers appropriate equipment		1	
Cracks valve on the oxygen tank		1	
Assembles the regulator to the oxygen tank		1	
Opens the oxygen tank valve		1	
Checks oxygen tank pressure		1	
Checks for leaks		1	
Attaches non-rebreather mask to correct port of regulator		1	
Turns on oxygen flow to prefill reservoir bag		1	
Adjusts regulator to assure oxygen flow rate of at least 10 L/minute		1	
Attaches mask to patient's face and adjusts to fit snugly		1	
Actual Time Ended:	TOTAL	11	

CRITICAL CRITERIA

- _____ Failure to take or verbalize appropriate PPE precautions
- Failure to assemble the oxygen tank and regulator without leaks
- _____Failure to prefill the reservoir bag
- _____ Failure to adjust the oxygen flow rate to the non-rebreather mask of at least 10 L/minute
- Failure to ensure a tight mask seal to patient's face
- _____ Failure to manage the patient as a competent EMR
- _____ Exhibits unacceptable affect with patient or other personnel
- _____ Uses or orders a dangerous or inappropriate intervention

Skill Sheet 4 TESTED

BVM VENTILATION OF AN APNEIC ADULT PATIENT

Candidate:	Examiner:
Date:	Signature:

Actual Time Started:	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Checks responsiveness	1	
Requests additional EMS assistance	1	
Checks breathing and pulse simultaneously	1	
NOTE: After checking responsiveness, then checking breathing and pulse for no more than 10 seconds, example the second se	niner inform	is
candidate, "The patient is unresponsive, apneic and has a weak pulse of 60."		
Opens airway properly	1	
NOTE: The examiner must now inform the candidate, "The mouth is full of secretions and vomitus."		
Prepares rigid suction catheter	1	
Turns on power to suction device or retrieves manual suction device	1	
Inserts rigid suction catheter without applying suction	1	
Suctions the mouth and oropharynx	1	
NOTE: The examiner must now inform the candidate, "The mouth and oropharynx are clear."		
Opens the airway manually	1	
Inserts oropharyngeal airway	1	
NOTE: The examiner must now inform the candidate, "No gag reflex is present and the patient accepts the air	way adjunc	t."
**Ventilates the patient immediately using a BVM device unattached to oxygen		
[**Award this point if candidate elects to ventilate initially with BVM attached to reservoir and oxygen so long as	1	
first ventilation is delivered within 30 seconds.]		
NOTE: The examiner must now inform the candidate that ventilation is being properly performed without diffi	culty.	
Re-checks pulse for no more than 10 seconds	1	
Attaches the BVM assembly [mask, bag, reservoir] to oxygen [15 L/minute]	1	
Ventilates the patient adequately		
-Proper volume to cause visible chest rise (1 point)	2	
-Proper rate [10 – 12/minute (1 ventilation every 5 – 6 seconds)] (1 point)		
Note: The examiner must now ask the candidate, "How would you know if you are delivering appropriate volu	mes with	
each ventilation?"		1
Actual Time Ended: TOTAL	16	
CRITICAL CRITERIA		
After suctioning the patient, failure to initiate ventilations within 30 seconds or interrupts ventilations for greater than	30 seconds	at any time
Failure to take or verbalize appropriate PPE precautions		,
Failure to suction airway before ventilating the patient		
Suctions the patient for an excessive and prolonged time		
Failure to check responsiveness, then check breathing and pulse simultaneously for no more than 10 seconds		
Failure to voice and ultimately provide high oxygen concentration [at least 85%]		
Failure to ventilate the patient at a rate of 10 – 12/minute (1 ventilation every 5 – 6 seconds)		
Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]		
Insertion or use of any adjunct in a manner dangerous to the patient		

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

Failure to manage the patient as a competent EMR

Exhibits unacceptable affect with patient or other personnel

____Uses or orders a dangerous or inappropriate intervention

CARDIAC ARREST MANAGEMENT / AED

Candidate:	Examiner:		
Date:	Signature:		
Actual Time Started:		Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions		1	
Determines the scene/situation is safe		1	
Attempts to question bystanders about arrest events		1	
Checks patient responsiveness		1	
Requests additional EMS assistance		1	
Checks breathing and pulse simultaneously		1	
NOTE: After checking responsiveness, then checking breathi examiner informs candidate, "The patient is unresponsive, ap		ıds,	
Immediately begins chest compressions [adequate depth and rate	; allows the chest to recoil completely]	1	
Performs 2 minutes of high-quality, 1-rescuer adult CPR -Adequate depth and rate (1 point) -Correct compression-to-ventilation ratio (1 point) -Allows the chest to recoil completely (1 point) -Adequate volumes for each breath (1 point) -Minimal interruptions of no more than 10 seconds throughout	1 point)	5	
NOTE: After 2 minutes (5 cycles), candidate assesses patient candidate operates AED.	and second rescuer resumes compress	sions while	
Turns on power to AED		1	
Follows prompts and correctly attaches AED to patient		1	
Stops CPR and ensures all individuals are clear of the patient during rhythm analysis		1	
Ensures that all individuals are clear of the patient and delivers she	ock from AED	1	
Immediately directs rescuer to resume chest compressions		1	
Actual Time Ended:	τοτ	AL 17	
Critical Criteria			

____Failure to take or verbalize appropriate PPE precautions

Failure to check responsiveness, then check breathing and pulse simultaneously for no more than 10 seconds

- _Failure to immediately begin chest compressions as soon as pulselessness is confirmed
- Failure to demonstrate acceptable high-quality, 1-rescuer adult CPR
- __Interrupts CPR for more than 10 seconds at any point
- __Failure to correctly attach the AED to the patient
- Failure to operate the AED properly
- Failure to deliver shock in a timely manner
- _Failure to ensure that all individuals are clear of patient during rhythm analysis and before delivering shock [verbalizes "All clear" and observes]
- Failure to immediately resume compressions after shock delivered
- Failure to manage the patient as a competent EMR
- Exhibits unacceptable affect with patient or other personnel
- Uses or orders a dangerous or inappropriate intervention

SPINAL IMMOBILIZATION (SEATED PATIENT)

Candidate:	Examiner:
Date:	Signature:

Actual Time Started: Possible Points Points Awarded Takes or verbalizes appropriate PPE precautions 1 1 Directs conjutant to place (maintain load in the position) 1 1

Directs assistant to place/maintain head in the neutral, in-line position	1	
Directs assistant to maintain manual stabilization of the head	1	
Reassesses motor, sensory and circulatory functions in each extremity	1	
Applies appropriately sized extrication collar	1	
Positions the immobilization device behind the patient	1	
Secures the device to the patient's torso	1	
Evaluates torso fixation and adjusts as necessary	1	
Evaluates and pads behind the patient's head as necessary	1	
Secures the patient's head to the device	1	
Verbalizes moving the patient to a long backboard	1	
Reassesses motor, sensory and circulatory function in each extremity	1	
Actual Time Ended: TOTAL	12	

CRITICAL CRITERIA

Failure to immediately direct or take manual stabilization of the head

Failure to properly apply appropriately sized cervical collar before ordering release of manual stabilization

_____ Released or ordered release of manual stabilization before it was maintained mechanically

_____ Manipulated or moved patient excessively causing potential spinal compromise

Head immobilized to the device **before** device sufficiently secured to the torso

Device moves excessively up, down, left or right on the patient's torso

_____ Head immobilization allows for excessive movement

_____ Torso fixation inhibits chest rise, resulting in respiratory compromise

_____ Upon completion of immobilization, head is not in a neutral, in-line position

_____Failure to reassess motor, sensory and circulatory functions in each extremity after voicing immobilization to the long backboard

_____Failure to manage the patient as a competent EMR

Exhibits unacceptable affect with patient or other personnel

_____Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

Skill Sheet 7 VERIFIED



SPINAL IMMOBILIZATION (SUPINE PATIENT)

Candidate:	Examiner:			
Date:	Signature:			
Actual Time Started:			Possible Point	Points Awarded
Takes or verbalizes appropriate PPE precautions			1	
Directs assistant to place/maintain head in the neutral, in-line position			1	
Directs assistant to maintain manual stabilization of the head			1	
Reassesses motor, sensory and circulatory function in each extremity			1	
Applies appropriately sized extrication collar			1	
Positions the immobilization device appropriately			1	
Directs movement of the patient onto the device without compromising the integrity of the spine			1	
Applies padding to void between the torso and the device as necessary			1	
Immobilizes the patient's torso to the device			1	
Evaluates and pads behind the patient's head as necessary			1	
Immobilizes the patient's head to the device			1	
Secures the patient's legs to the device			1	
Secures the patient's arms to the device			1	
Reassesses motor, sensory and circulatory function in each extremity			1	
Actual Time Ended:	I	OTAL	14	

CRITICAL CRITERIA

- Failure to immediately direct or take manual stabilization of the head
- _____Failure to properly apply appropriately sized cervical collar before ordering release of manual stabilization
- Released or ordered release of manual stabilization before it was maintained mechanically
- Manipulated or moved the patient excessively causing potential spinal compromise
- _____Head immobilized to the device before device sufficiently secured to the torso
- Patient moves excessively up, down, left or right on the device
- Head immobilization allows for excessive movement
- _____Upon completion of immobilization, head is not in a neutral, in-line position
- _____Failure to reassess motor, sensory and circulatory functions in each extremity after immobilizing patient to the device
- _____Failure to manage the patient as a competent EMR
- _____Exhibits unacceptable affect with patient or other personnel
- Uses or orders a dangerous or inappropriate intervention

Skill Sheet 9 VERIFIED

LONG BONE IMMOBILIZATION

Candidate:	Examiner:
Date:	Signature:

Actual Time Started:	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Directs application of manual stabilization of the injury	1	
Assesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."		
Measures the splint	1	
Applies the splint	1	
Immobilizes the joint above the injury site	1	
Immobilizes the joint below the injury site	1	
Secures the entire injured extremity	1	
Immobilizes the hand/foot in the position of function	1	
Reassesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."		
Actual Time Ended: TOTAL	10	

Critical Criteria

_____Failure to immediately stabilize the extremity manually

Grossly moves the injured extremity

Failure to immobilize the joint above and the joint below the injury site

- Failure to immobilize the hand or foot in a position of function
- Failure to reassess distal motor, sensory and circulatory functions in the injured extremity before and after splinting
- Failure to manage the patient as a competent EMR

Exhibits unacceptable affect with patient or other personnel

Uses or orders a dangerous or inappropriate intervention

Skill Sheet 10 VERIFIED

JOINT IMMOBILIZATION

Candidate:	Examiner:
Date:	Signature:

Actual Time Started:	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Directs application of manual stabilization of the injury	1	
Assesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."	,	
Selects the proper splinting material	1	
Immobilizes the site of the injury	1	
Immobilizes the bone above the injury site	1	
Immobilizes the bone below the injury site	1	
Secures the entire injured extremity	1	
Reassesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."	,	
Actual Time Ended: TOTAL	9	

Critical Criteria

_____Failure to immediately stabilize the extremity manually

____Grossly moves the injured extremity

Failure to immobilize the bone above and below the injury site

Failure to reassess distal motor, sensory and circulatory functions in the injured extremity before and after splinting

_____Failure to manage the patient as a competent EMR

Exhibits unacceptable affect with patient or other personnel

Uses or orders a dangerous or inappropriate intervention



NALOXONE ADMINISTRATION

Candidate:		
Date:		

Examiner:

Signature:

Actual Time Started: _____

Possible Points Point Awarded

Takes or verbalizes appropriate PPE precautions	1	
Identify the need for administration of Naloxone based on PPMH, vital, signs and symptoms, and presentation	1	
Support respirations as needed	1	
Assess blood glucose level	1	
Verbalize signs of opioid use	1	
Select the proper medication and check concentration, color, and clarity	1	
Selects the appropriate syringe and draw up medication if not prefilled	1	
Confirm expiration date of medication	1	
Confirm the rights of drug administration: Right Patient Right Route Right Drug Right Dose Right Time	1 point each	
Place a nebulizer on the end of the syringe	1	
Place atomizer against nostril and administer 1mg (0.5 dose) of medication	1	
Repeat the procedure delivering the remainder of the medication in the opposite nostril	1	
Reassess patient	1	
If no improvement, contact medical command and request ALS back up	1	
Document the procedure	1	
Actual Time Ended: TOTAL	19	

CRITICAL CRITERIA

- _____Failure to take or verbalize appropriate PPE precautions
- Failure to confirm at least three of the "Rights" of medication administration
- Failure to select appropriate medication or concentration of medication
- Failure to support respirations as needed
- _____Failure to manage the patient as a competent EMR
- Exhibits unacceptable affect with patient or other personnel
- Uses or orders a dangerous or inappropriate intervention



ВА	SELINE VITAL SIGNS	VEF	RIFIED
Candidate:	Examiner:		
Date:			
Actual Time Started:		Possible Point	Points Awarded
Takes or verbalizes appropriate PPE precautions		1	
Blood Pressure (Palpation)			
Apply BP cuff approximately 1" above the antecubital sp Not over clothing Snug fit Center bladder over artery	ace	1	
Palpate radial and brachial artery		1	
Inflate cuff to a minimum of 20 mmHg above the point th	at the palpable pulse was lost	1	
Slowly deflate the cuff		1	
Record/report the palpable systolic blood pressure wher	n the pulse returns (margin +/- 4mmHg)	1	
Blood Pressure (Auscultation)		·	
Apply BP cuff approximately 1" above the antecubital sp Not over clothing Snug fit Center bladder over artery	ace	1	
Palpate brachial artery		1	
Place diaphragm of stethoscope over brachial artery		1	
Inflate cuff to a minimum of 20 mmHg above the point th	at the palpable pulse was lost	1	
Slowly deflate the cuff		1	

Record/report the palpable blood pressure (margin +/- 4mmHg)	1	
Pulse		
Palpate with two (2) fingers (index and middle) over the radial artery	1	
Count the palpated pulse for 30 seconds and multiply X 2	1	
Assess the following:		
Rate	1 point each	
Rhythm (Regular/Irregular)	i point each	
Quality (Strong/Weak)		
Record/Report pulse findings (margin +/- 4 bpm)	1	
Respirations		
Observe rise and fall of the chest or abdomen	1	
Count respirations for 30 seconds and X 2	1	
Assess the following:		
Rate	1 point cook	
Rhythm (Regular/Irregular)	1 point each	
Quality (Strong/Weak)		
Record/Report pulse findings (margin +/- 4 bpm)	1	
Skin		
Skin Color: Normal, Cyanotic, Jaundice, Ashen, Pale, Flushed	1	
Skin Temperature: Normal, warm, cool, hot		
Skin Condition: Normal, moist, diaphoretic		
Actual Time Ended: TOTAL	27	

CRITICAL CRITERIA

- Failure to take or verbalize appropriate PPE precautions
- _____Failure to manage the patient as a competent EMR
- Exhibits unacceptable affect with patient or other personnel
- Uses or orders a dangerous or inappropriate intervention