

SAFETY DATA SHEET

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Aquamate Granular Chlorinator for Swimming Pools, Private Brand Cal Hypo Granular. **Product ID**: 4500 Synonyms: Calcium Hypochlorite Granular Chemical Family: Hypochlorite Revised Date: 06-09-2015 Type of Product and Use: Sanitizer and Oxidizer swimming pool water treatment chemical Supplier: Arch Chemicals, Inc 1200 Bluegrass Parkway Alpharetta, GA 30004 800-654-6911 Emergency Telephone: CHEMTREC 800-424-9300 Packaged By: Baleco Int'l Inc. PO Box 11331 Cincinnati, OH 45211 513-353-3000

SECTION 2

HAZARDS IDENTIFICATION

2

1

GHS Classification Oxidizing Solids: Acute Toxicity (Oral): Skin corrosion: Serious eye damage: Specific target organ toxicity Single exposure:	Category 2 Category 4 Category 1B Category 1 r: Category 3	
GHS Label element Hazard Pictograms		212

Signal Word:	Danger		
Hazard statemen	H302 Harmful if swallo	wed. kin burns and eye damage.	
Precautionary Sta	P210 Keep away from Ignition sources. No s P220 Keep/Store away	heat, hot surfaces, sparks, open flame moking. / from clothing/ combustible materials. tion to avoid mixing with combustibles.	
Baleco Int'l Inc.	Calcium Hypochlorite SDS # 4500	Date of Revision: 06/09/2015	Page 1 of 11

	P260 Do not breathe va	apours.		
	P264 Wash hands thor		ing.	
	P270 Do not eat, drink			
	P271 Use only outdoor			
		gloves/ protective of	clothing/ eye protection/ face protection	1.
	Response:		NON CENTED or destor/ physician if	
	You feel unwell.	LOWED: Call a PC	DISON CENTER or doctor/ physician if	
			Rinse mouth. Do NOT induce vomiting.	
			ir): Remove/ Take off immediately all	
	Contaminated clothing.			
			m to fresh air and keep at rest in a	
	Position comfortable fo	r breathing.		
			e cautiously with water for several minu	tes
			asy to do. Continue rinsing.	
			ER or doctor/ physician.	
	P363 Wash contaminat		preuse. pray, alcohol-resistant foam, dry chemic	cal
	Or carbon dioxide to ex		Jay, alconol-resistant toarn, dry chernic	Jai
	Storage:			
		well-ventilated pla	ace. Keep container tightly closed.	
	P405 Store locked up.			
	Disposal:			
	P501 Dispose of conter	nts/ container in ac	ccordance with local regulation.	
Other hazards:	None known.			
	None known.			
SECTION 3	COMPOSITION/INF	ORMATION O	N INGREDIENTS	3
				-
CAS OR CHEMICAL NAM	E CAS NO.		%RANGE	
CALCIUM HYPOCHLORIT	E 7778-54-3	3	60 - 80	
SODIUM CHLORIDE	7647-14-5		10 – 20	
CALCIUM CHLORATE	10137-74		0 – 5	
	10043-52		0 - 5	
	1305-62-0)	0-4	
CALCIUM CARBONATE Water	471-34-1 7732-18-5		0 – 5 5.5 – 10	
water	7732-10-0)	5.5 – 10	
SECTION 4	FIRST AID	MEASURES		4
0	U			
			nt advice. For 24-hour emergency	
			3300. Have the product container or	
			er or doctor, or going for treatment.	
			ably by mouth-to-mouth if possible.	
	Ill a poison control center or o			
			ted clothing. Rinse skin immediately	
			oison control center or doctor for	
	eatment advice.			
Eye Contact: IF	IN EYES: Hold eye open an	d rinse slowly and	gently with water for 15 – 20 minutes.	
Re	move contact lenses if pres	ent after the first 5	minutes then continue rinsing eve C	all

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call A poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice.

Ingestion:

Page 2 of 11 Baleco Int'l Inc. Calcium Hypochlorite SDS #4500 Date of Revision: 06/09/2015

Notes to Physician:	Do so by a Unconsciou	ucosal damage may contraindicate the use of gastric lavage.	l to
SECTION 5		FIRE-FIGHTING MEASURES	5
Flammability Summary	(OSHA):	This product is chemically reactive with many substances. Any contamination of the product with other substances by spill or otherwise may result in a chemical reaction and fire. This product is a strong oxidizer which is capable of intensifying a fire once started., Product is not known to be flammable, combustible or pyrophoric.	
Flammable Properties		······································	
Flash Point:		Not applicable	
Auto ignition Temperat	ure:	Not applicable Extinguishing Media: Water only. Do not use dry extinguishers containing ammonium compounds.	
Fire Fighting Instruction	IS:	Use water to cool containers exposed to fire. See Section 6 for protective equipment for fire fighting.	
Upper Flammable / Exp % in air: Lower Flammable / Exp % in air:		Not applicable	
/0 111 a ll.			

SECTION 6	ACCIDENTAL RELEASE MEASURES	6

Personal Protection for	
Emergency Situations:	Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air respirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment.
Spill Mitigation Procedures	F
Air Release:	Vapors may be suppressed by the use of water fog. All water utilized to assist in fume suppression, decontamination or fire suppression may be contaminated and must be contained before disposal and/or treatment.
Water Release:	This product is heavier than water. This material is soluble in water. Monitor all exit water for available chlorine and pH. Advise local authorities of any contaminated water release.
Land Release:	Contact 1-800-654-6911 immediately. DANGER: All spills of this product should be treated as contaminated. Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present, resulting in a fire of great intensity. In case of a spill, separate all spilled product from packaging, debris and other material. Using a clean broom or shovel, place all spilled product into plastic bags, and place those bags into a clean, dry disposal container, properly marked and labeled. Disposal containers made of plastic or metal are recommended. Do not seal disposal containers tightly. Immediately remove all product in disposal containers to an isolated area outdoors. Place all damaged packaging material in a disposal. Place all undamaged packaging in a clean, dry capter procedures.
Additional Spill Information:	dry container properly marked and labeled. Call for disposal procedures. Hazardous concentrations in air may be found in local spill area and immediately downwind. Remove all sources of ignition. Stop source of spill as soon as possible and notify appropriate personnel. Dispose of spill residues

Baleco Int'I Inc. Calcium Hypochlorite SDS #4500 Date of Revision: 06/09/2015 Page 3 of 11

per guidelines under Section 13, Disposal Consideration. This material may be neutralized for disposal; you are requested to contact Arch Chemicals at 1-800-654-6911 before beginning any such procedure. FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC: 1-800-424-9300 REPORTABLE QUANTITY: 10 lbs. (as calcium hypochlorite) per 40 CFR 302.4.

SECTION 7	HANDLING AND STORAGE _ 7	7
Handling:	Avoid inhalation of dust and fumes. Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water.	
Storage:	Remove contaminated clothing and wash before reuse. Keep product tightly sealed in original containers. Store product in a cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all	
Shelf Life Limitations:	corrosive liquids, flammable or combustible materials, etc. Do not store product where the average daily temperature exceeds 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. Shelf life (that is, the period of time before the product goes below stated label strength) is determined by storage time and temperatures. Store in a cool, dry and well ventilated area. Prolonged storage at elevated temperatures will significantly shorten the shelf life. Storage in a climate controlled storage area or building is recommended in those areas where extremes of high temperature occur.	
Incompatible Materials for Storage:	Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire of great intensity.	
Do Not Store At temperatures Above:	Average daily temperature of 35° C / 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products.	
SECTION 8	EXPOSURE CONTROLS / PERSONAL PROTECTION8	3

Ventilation:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.
Protective Equipment for Routin	ne Use of Product
Respiratory Protection:	Wear a NIOSH approved respirator if levels above the exposure limits are possible.
Respirator Type:	A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
Skin Protection:	Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body. A safety

shower should be provided in the immediate work area.

Page 4 of 11 Baleco Int'l Inc. Calcium Hypochlorite SDS #4500 Date of Revision: 06/09/2015

Eye Protection:	Use chemical goggles. Emergency eyewash should be provided in the immediate
Protective Clothing Type:	work area. Neoprene, Nitrile, Natural rubber (This includes: gloves, boots, apron, protective suit)

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Updated)
CALCIUM HYPOCHLORITE (7778-54-3)	TWA	1 mg/m3	ARCH OEL*
CALCIUM HYPOCHLORITE (7778-54-3)	Conc	37-48 mg/m3	NIOSH/GUIDE IDLH
CALCIUM HYPOCHLORITE (1305-62-0)	TWA	5 mg/m3	ACGIH (02 2014)

ARCH OEL: Arch Recommended Occupational Exposure Guideline.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

9

Physical State: solid Form: Free flowing, granular Color: white Odor: Chlorine-like Molecular Weight: (Active ingredient)143.00 g/mol pH: 10.4 - 10.8 (1% solution in neutral, distilled water) (@ 25 Deg. C) Not applicable Melting point/freezing point Not applicable Boiling Point: Density: 0.8g/cc Vapor Pressure: (@ 25 Deg. C) Not applicable Vapor Density: Not applicable Viscosity: Not applicable Fat Solubility: No data Solubility in Water: 18 % (@ 25 Deg. C) Product also contains calcium hydroxide and calcium carbonate which will leave a residue. Partition coefficient n-octanol/water: No data Evaporation Rate: Not applicable Oxidizing: Oxidizer Volatiles, % by vol.: Not applicable VOC Content: This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450. HAP Content: Not applicable

SECTION 10	STABILITY AND REACTIVITY	10
Stability and Reactivity Summary:	Product is not sensitive to mechanical shock or impact. Pr sensitive to electrical static discharge. Product will not underg polymerization. Product is an NFPA Class 3 oxidizer which severe increase in fire intensity. Not pyrophoric. Not an organic subjected to excessive temperatures, the product may ur decomposition, evolution of chlorine gas, and heat sufficient combustible substances. If product is exposed to small amoun	o hazardous can cause a c peroxide. If idergo rapid ent to ignite

Baleco Int'l Inc.Calcium Hypochlorite SDS #4500Date of Revision: 06/09/2015Page 5 of 11

	can react violently to produce heat and toxic gases and spatter. Use copious amounts of water for fires involving this product.
Conditions to Avoid:	Do not store next to heat source, in direct sunlight, or elevated storage temperature. Do not store where the daily average temperature exceeds 95
	°F. Prevent ingress of humidity and moisture into container or package. Always close the lid.
Chemical Incompatibility:	This product is chemically reactive with many substances, including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, corrosive ,flammable or combustible materials. Do not allow product to contact any foreign matter, including other water treatment products. Contamination or improper use may cause a fire of great intensity, explosion or the release of toxic gases. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter.
Hazardous Decomposition Products: Decomposition Temperature:	Chlorine 170 - 180 °C - , 338 - 356 °F-

SECTION 11	TOXICOLOGICAL INFORMATION	11

Component Animal Toxicology Oral LD50 value: CALCIUM HYPOCHLORITE SODIUM CHLORIDE CALCIUM CHLORIDE CALCIUM HYDROXIDE	LD50 (65% calcium hy LD50 = 3,000 mg/kg LD50 = 1,000 mg/kg LD50 = 7,340 mg/kg	pochlorite) Rat Rat Rat	850 mg/kg	RAT
Component Animal Toxicology Dermal LD50 value: CALCIUM HYPOCHLORITE SODIUM CHLORIDE CALCIUM CHLORIDE CALCIUM HYDROXIDE	LD50 (65% calcium hy LD50 > 10,000 mg/kg LD50 = 2,630 mg/kg No data	pochlorite) > 2,0 Rabbit Rat	00 mg/kg Rabbit	
Component Animal Toxicology Inhalation LD50 value: CALCIUM HYPOCHLORITE	Inhalation LC50 1 h (65 Inhalation LC50 4 h (65			
SODIUM CHLORIDE CALCIUM CHLORIDE CALCIUM HYDROXIDE	Inhalation LC50 1 h > 4 No data No data	l2 mg/l Rat		
<u>Product Animal Toxicology</u> <u>Oral LD50 value:</u> <u>Dermal LD50 value:</u> Inhalation LC50 value:	LD50 Approximately LD50 >2,000 mb/kg Inhalation LC50 1.00 h Inhalation LC50 4 h (Ne		2.04 mg/l Rat	
Baleco Int'l Inc. Calcium H	ypochlorite SDS #4500	Date of Revi	sion: 06/09/2015	Page 6 of 11

	Inhalation LC50 1 h (Nose Only) > 2.04 mg/l Rat Inhalation LC50 4 h (Nose Only) > 0.51 mg/l Rat
Skin Irritation:	DRY MATERIAL CAUSES MODERATE SKIN IRRITATION. WET MATERIAL
Eye Irritation: Skin Sensitization: Acute Toxicity:	CAUSES SKIN BURNS. Corrosive to eyes. This material is not known or reported to be a skin or respiratory sensitizer. This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. The dry material is irritating to the skin. However when wet it will produce huma to the skin.
Subchronic / Chronic Toxicity:	the skin. However when wet, it will produce burns to the skin. There are no known or reported effects from repeated exposure except those s secondary to burns.
Reproductive and	
Developmental Toxicity:	Calcium hypochlorite has been tested for teratogenicity in laboratory animals. Results of this study have shown that calcium hypochlorite is not a teratogen.
CALCIUM CHLORIDE	Not known or reported to cause reproductive or developmental toxicity.
Mutagenicty:	Calcium hypochlorite has been tested in the Dominant lethal assay in male mice, and it did not induce a dominant lethal response. Calcium hypochlorite has been reported to produce mutagenic activity in two in vitro assays. It has, however, been shown to lack the capability to produce mutations in animals based on results from the micronucleus assay. In vitro assays frequently are inappropriate to judge the mutagenic potential of bactericidal chemicals due to a high degree of cellular toxicity. The concentration which produces mutations in these in vitro assays is significantly greater than the concentrations used for disinfection. Based on high cellular toxicity in in vitro assays and the lack of mutagenicity in animals, the risk of genetic damage to humans is judged not significant.
CALCIUM CHLORIDE	This product was determined to be non-mutagenic in the Ames assay. It was also
Carcinogenicity:	shown to be non-clastogenic in the chromosomal aberration test. This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. One hundred mice were exposed dermally 3 times a week for 18 months to a solution of calcium hypochlorite. Histopathological examination failed to show an increased incidence of tumors. IARC (International Agency for Research on Cancer) reviewed studies conducted with several hypochlorite salts. IARC has classified hypochlorite salts as having inadequate evidence for carcinogenicity to humans and animals. IARC therefore considers hypochlorite salts to be not classifiable as to their carcinogenicity to humans (Group 3 Substance).
CALCIUM CHLORIDE	This chemical is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.
SECTION 12	ECOLOGICAL INFORMATION 12
Overview:	Highly toxic to fish and other aquatic organisms.
Ecological Toxicity Values for: CALCIUM HYPOCHLORITE Bluegill Rainbow trout (Salmo gairdneri) Daphnia magna,	 (nominal, static). 96 h LC50 0.088 mg/l (nominal, static). 96 h LC50 0.16 mg/l (nominal, static). 48 h LC50 0.11 mg/l
Baleco Int'l Inc. Calcium Hy	pochlorite SDS #4500 Date of Revision: 06/09/2015 Page 7 of 11

Bobwhite quail Mallard ducklings Bobwhite quail	-	Dietary LC50 > 5,000 ppm Dietary LC50 > 5,000 ppm Oral LD50 3,474 mg/kg
<u>Ecological Toxicity Values for</u> : CALCIUM CHLORIDE Bluegill	_	(nominal, static). 96 h LC50 = 10,650 mg/l
5	-	(nominal, static). 96 h $LC50 = 10,050 \text{ mg/r}$ (nominal, static). 96 h $LC50 = 13,400 \text{ mg/r}$
Mosquito fish	-	(1011111a), static). So $11 LC50 = 15,400 Hig/I$

Mosquito fish	-	(nominal, static). 96 h LC50 = 13,400 mg/l
Pimephales promelas (fathead minnow)	-	(nominal, static). 96 h LC50 = 4,630 mg/l
Daphnia magna,	-	(nominal, static). 48 h LC50= 2,770 mg/l
Ceriodaphnia dubia	-	(nominal, static). 48 h LC50= 1,830 mg/l
Nitzschia linearis (diatom)	-	(nominal, static). 5 day LC50 = 3,130 mg/l

SECTION 13

DISPOSAL CONSIDERATIONS

13

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES

Waste Disposal Summary:	If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001.If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal restrictions under 40 CFR 268 and must be managed accordingly.
Disposal Methods:	As a hazardous solid waste it should be disposed of in accordance with local, state and federal regulations.
Potential US EPA Waste Codes:	D001

TRANSPORT INFORMATION SECTION 14 14

DOT I INI r

UN number	:	2880
Description of the goods	:	Calcium hypochlorite, hydrated mixtures
Class	:	5.1
Packing group	:	II
Labels	:	5.1
Emergency Response	:	140
Guidebook Number		
TDG		
UN number	:	2880
Description of the goods	:	Calcium hypochlorite, hydrated mixtures
Class	:	5.1
Packing group	:	II
Labels		F 1
		5.1

ΙΑΤΑ

Baleco Int'l Inc.	Calcium Hypochlorite SDS #4500	Date of Revision: 06/09/2015	Page 8 of 11
-------------------	--------------------------------	------------------------------	--------------

UN number Description of the goods Class Packing group Labels Packing instruction (passenger aircraft)		2880 Calcium hypochlorite, hydrated mixtures 5.1 II 5.1 558	
Packing instruction (passenger aircraft)	:	Y544	
IMDG-CODE IATA			
UN number	:	2880	
Description of the goods		Calcium hypochlorite, hydrated mixtures	
Class		5.1	
Packing group	:		
Labels	:	5.1	
EmS Number 1	:	F-H	
EmS Number 2	:	S-Q	
Marine pollutant	:	yes	
SECTION 15	R	EGULATORY INFORMATION	15

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word:DANGER!Hazard statements:Causes substantial but temporary eye injury. Corrosive. Causes skin burns.
Corrosive. Causes irreversible eye damage. This pesticide is toxic to fish.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Calcium hypochlorite	7778-54-3	10	

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

CLEAN AIR ACT

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F)

Baleco Int'l Inc. Calcium Hypochlorite SDS #4500 Date of Revision: 06/09/2015 Page 9 of 11

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489)

Clean Water Act

The following Hazardous Substances are listed under the U.S. Clean Water Act, Section 311, Table 116.4a: Calcium hypochlorite 7778-54-3

The following Hazardous Substances are listed under the U.S. Clean Water Act, Section 311, Table 117.3: Calcium hypochlorite 7778-54-3

This product does not contain any toxic pollutants listed under the U.S. Clean Air Act Section 307

US State Regulations Massachusetts Right To Know

massachasetts right	
Calcium hypochlorite	7778-54-3
Calcium carbonate	471-34-1
Calcium chlorate	10137-74-3
Calcium dihydroxide	1305-62-0

Pennsylvania Right To Know

Calcium	hypochlorite	7778-54-3
Calcium	chloride	7647-14-5
Calcium	carbonate	471-34-1
Calcium	chlorate	10137-74-3
Calcium	chloride	10043-52-4
Calcium	dihydroxide	1305-62-0

Ney Jersey Right To Know

97778-54-3
7647-14-5
471-34-1
10137-74-3
10043-52-4
1305-62-0

California Prop 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16

OTHER INFORMATION

16

Disclaimer: We recommend that you use this product in a manner consistent with the listed use. If your intended use is not consistent with the stated use in Section 1 of this SDS, please contact your sales or technical service representative.

Reason for Revision: Conversion to SDS format. Changes in all sections.

All Sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910-1200(GHS). The information in this safety data sheet should be provided to all who will use, handles, store, transport, or otherwise be exposed to this product. This Information has been prepared for the guidance of plant engineering, operations and management and for persons working with or handling this product. Baleco believes this information to be reliable and up to date as of the date of publication, but makes no warranty that it is. Additionally, if this material safety data sheet is more than three years old, you should contact Baleco at The phone number listed in section 1 to make certain that this sheet is current.

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, Baleco Int'l Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Baleco Int'l Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information.

No representations or warranties, either expressed or implied, of merchant ability, fitness for a particular purpose or of any other nature, are made hereunder with respect to information or the product to which the information refers.

Prepared By: MSDS/SDS Department with information from the Supplier and Clearon Corp SDS for cyanuric acid. Baleco Int'l Inc. PO Box 11331 Cincinnati, OH 45211 (513)353-3000

End of Safety Data Sheet