



























POPULAR PRODUCT LIST







LED Bulb																
Image	Description	Price	Item	Base	Fixture Size (mm)	Wattage(±10%)	Fixture Output	CRI	CCT(K)	Input Voltage	fixture lifetime	Warranty	IP Class	Quality	MOQ (pcs)	Glass Color
	E12 Filament Bullet Tip Clear Glass	US\$4.61	BU071-1.3"-2W-E12	E12	ø35*98	2W	200lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$4.61	BU071-1.3"-2W-E12	E12	ø35*98	2W	180lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
	E12 Filament Bullet Tip Amber Glass	US\$5.65	BU071-1.3"-2W-E12	E12	ø35*98	2W	160lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
		US\$7.61	BU071-1.3"-3.5W-E12	E12	ø35*98	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$7.61	BU071-1.3"-3.5W-E12	E12	ø35*98	3.5W	325lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$8.28	BU071-1.3"-3.5W-E12	E12	ø35*98	3.5W	300lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
 	E12 Filament Flame Tip Clear Glass	US\$4.61	BU072-1.3"-2W-E12	E12	ø35*112	2W	200lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$4.61	BU072-1.3"-2W-E12	E12	ø35*112	2W	180lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
	E12 Filament Flame Tip Amber Glass	US\$5.65	BU072-1.3"-2W-E12	E12	ø35*112	2W	160lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
		US\$7.61	BU072-1.3"-3.5W-E12	E12	ø35*112	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$7.61	BU072-1.3"-3.5W-E12	E12	ø35*112	3.5W	325lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$8.28	BU072-1.3"-3.5W-E12	E12	ø35*112	3.5W	300lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
 	E26 Filament Bullet Tip Clear Glass	US\$4.61	BU073-1.3"-2W-E26	E26	ø35*95	2W	200lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$4.61	BU073-1.3"-2W-E26	E26	ø35*95	2W	180lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
	E26 Filament Bullet Tip Amber Glass	US\$5.65	BU073-1.3"-2W-E26	E26	ø35*95	2W	160lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
		US\$7.61	BU073-1.3"-3.5W-E26	E26	ø35*95	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$7.61	BU073-1.3"-3.5W-E26	E26	ø35*95	3.5W	325lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$8.28	BU073-1.3"-3.5W-E26	E26	ø35*95	3.5W	300lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
 	E26 Filament Clear Glass 2W	US\$4.75	BU074-2.4"-2W-E26	E26	ø60 *103	2W	220lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$4.75	BU074-2.4"-2W-E26	E26	ø60 *103	2W	200lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
	E26 Filament Amber Glass 2W	US\$6.09	BU074-2.4"-2W-E26	E26	ø60 *103	2W	180lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber






	E26 Filament Clear Glass 3.5W-6.5W	US\$7.61	BU075-2.4"-3.5W-E26	E26	ø60 *103	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$7.61	BU075-2.4"-3.5W-E26	E26	ø60 *103	3.5W	325lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$10.85	BU075-2.4"-6W-E26	E26	ø60*103	6W	700lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$11.11	BU075-2.4"-6.5W-E26	E26	ø60*103	6.5W	800lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
	E26 Filament Silver-tip 3.5W	US\$8.80	BU076-2.4"-3.5W-E26	E26	ø60 *103	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	silver-tip
		US\$8.80	BU076-2.4"-3.5W-E26	E26	ø60 *103	3.5W	325lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	silver-tip
	E26 Filament 3.1" Globe Frosted Glass	US\$6.61	BU077-3.1"-2W-E26	E26	ø80 *115	2W	220lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$6.61	BU077-3.1"-2W-E26	E26	ø80 *115	2W	200lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$7.61	BU077-3.1"-2W-E26	E26	ø80 *115	2W	180lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
	E26 Filament 3.1" Globe Amber Glass	US\$6.72	BU077-3.1"-2W-E26	E26	ø80 *115	2W	150lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	frosted
		US\$8.32	BU078-3.1"-3.5W-E26	E26	ø80 *115	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$8.32	BU078-3.1"-3.5W-E26	E26	ø80 *115	3.5W	325lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$9.36	BU078-3.1"-3.5W-E26	E26	ø80 *115	3.5W	300lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
		US\$10.40	BU078-3.1"-3.5W-E26	GU24	ø80 *115	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$8.51	BU078-3.1"-3.5W-E26	E26	ø80 *115	3.5W	300lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	frosted
	E26 Filament 3.1" Globe silver-tip	US\$10.03	BU079-3.1"-3.5W-E26	E26	ø80 *115	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	silver-tip
		US\$10.03	BU079-3.1"-3.5W-E26	E26	ø80 *115	3.5W	325lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	silver-tip
	E26 Filament 3.7" Globe Frosted Glass	US\$7.04	BU080-3.7"-2W-E26	E26	ø95* 130	2W	220lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$7.04	BU080-3.7"-2W-E26	E26	ø95* 130	2W	200lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$8.19	BU080-3.7"-2W-E26	E26	ø95* 130	2W	180lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
	E26 Filament 3.7" Globe Amber Glass	US\$7.25	BU080-3.7"-2W-E26	E26	ø95* 130	2W	150lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	frosted
		US\$8.72	BU081-3.7"-3.5W-E26	E26	ø95* 130	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$8.72	BU081-3.7"-3.5W-E26	E26	ø95* 130	3.5W	325lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$9.91	BU081-3.7"-3.5W-E26	E26	ø95* 130	3.5W	300lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
		US\$9.05	BU081-3.7"-3.5W-E26	E26	ø95* 130	3.5W	300lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	frosted

	E26 Filament 4.9" Globe Clear Glass	US\$9.21	BU082-4.9"-3.5W-E26	E26	ø125 *175	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
	E26 Filament 4.9" Globe Amber Glass	US\$9.21	BU082-4.9"-3.5W-E26	E26	ø125 *175	3.5W	325lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$10.59	BU082-4.9"-3.5W-E26	E26	ø125 *175	3.5W	300lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
	E26 2.4" Edison Amber Glass 2W	US\$5.53	BU083-2.4"-2W-E26	E26	ø60 *126	2W	220lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$5.53	BU083-2.4"-2W-E26	E26	ø60 *126	2W	200lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$7.06	BU083-2.4"-2W-E26	E26	ø60 *126	2W	180lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
	E26 2.4" Edison Amber Glass 3.5W	US\$7.47	BU084-2.4"-3.5W-E26	E26	ø60 *126	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$7.47	BU084-2.4"-3.5W-E26	E26	ø60 *126	3.5W	325lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$8.88	BU084-2.4"-3.5W-E26	E26	ø60 *126	3.5W	300lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
		US\$6.13	BU085-2.6"-2W-E26	E26	ø66 *136	2W	220lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$6.13	BU085-2.6"-2W-E26	E26	ø66 *136	2W	200lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$7.50	BU085-2.6"-2W-E26	E26	ø66 *136	2W	180lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
		US\$7.76	BU085-2.6"-3.5W-E26	E26	ø66 *136	3.5W	350lm	≥80	2700K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$7.76	BU085-2.6"-3.5W-E26	E26	ø66 *136	3.5W	325lm	≥80	2400K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	clear
		US\$9.21	BU085-2.6"-3.5W-E26	E26	ø66 *136	3.5W	300lm	≥80	2200K	AC120V	≥15000	2 years warranty	IP44	UL standard	5000	amber
	Par30 Can Down 9W (replaces 75W)	US\$43.20	LSP008-9W	Par 30	9W	65LM/W	Ra>80	3000K- 6000K	110V-240V	Par30	≥50000	2 years warranty	IP44	UL standard	1000	
	Par30 Can Down 12W (replaces 90W)	US\$46.32	LSP009-12W	Par 30	12W	65LM/W	Ra>80	3000K- 6000K	110V-240V	Par30	≥50000	2 years warranty	IP44	UL standard	1000	
	12W LED 7" Round Panel (replaces 75-90W Par 30 can)	US\$31.80		N/A	12W	75Lm/W	Ra>80	5000K	100V-240V	N/A	≥50000	2 years warranty	IP44	UL standard	1000	













LED FLOOD LIGHT

Image	Description	Price	Item	Base	Fixture Size (mm)	Wattage(±10%)	Fixture Output	CRI	CCT(K)	Input Voltage	fixture lifetime	Warranty	IP Class	Quality	MOQ (pcs)	Glass Color
	LED Flood light-10W	US\$48.08	FL091-10W(with 0.6m UL wire)	x	160x130x55 mm	10W	90lm/w	Ra>80	3000K-6000K	120V-277V	50000hrs	2 years warranty	IP65	UL standard	100	clear
	LED Flood light-20W	US\$70.42	FL092-20W(with 0.6m UL wire)	x	200x180x65 mm	20W	90lm/w	Ra>80	3000K-6000K	120V-277V	50000hrs	2 years warranty	IP65	UL standard	100	clear
	LED Flood light-30W	US\$85.97	FL093-30W(with 0.6m UL wire)	x	8.5 x 7.5 x 2.5 inches	30W	90lm/w	Ra>80	3000K-6000K	120V-277V	50000hrs	2 years warranty	IP65	UL standard	100	clear
	LED Flood light-50W	US\$189.15	FL094-50W(with 0.6m UL wire)	x	11 x 9 x 4.5 inches	50W	90lm/w	Ra>80	3000K-6000K	120V-277V	50000hrs	2 years warranty	IP65	UL standard	100	clear
	LED Flood light-100W	US\$354.51	FL095-100W(with 0.6m UL wire)	x	12.6 x 10.6 x 7 inches	100W	90lm/w	Ra>80	3000K-6000K	120V-277V	50000hrs	2 years warranty	IP65	UL standard	100	clear
	LED Flood light-150W	US\$515.19	FL096-150W(with 0.6m UL wire)	x	380x290x190 mm	150W	90lm/w	Ra>80	3000K-6000K	120V-277V	50000hrs	2 years warranty	IP65	UL standard	100	clear
	LED Flood light-200W	US\$644.89	FL097-200W(with 0.6m UL wire)	x	470x290x200 mm	200W	90lm/w	Ra>80	3000K-6000K	120V-277V	50000hrs	2 years warranty	IP65	UL standard	100	clear
	LED Wall Pack-150W	US\$583.97	FL-M150-N0807		396x291.5x92.5 mm	150W	110LM/W	Ra>70	5000K	100V-240V, 277V	50000hrs	3 years warranty	IP65	UL standard	clear	

 	<p>Parking Lot Pole Top</p>	<p>US\$658.25</p>	<p>FL-M200-N0807</p>	<p>475.5x331.5x92.5 mm</p>	<p>200W</p>	<p>110LM/W</p>	<p>Ra>70</p>	<p>5000K</p>	<p>100V-240V, 277V</p>	<p>50000hrs</p>	<p>3 years warranty</p>	<p>IP65</p>	<p>UL standard</p>	<p>clear</p>	
 	<p>NEW Mixed-Metal Composite Thin 150W Flood/Wall Pack</p>	<p>US\$338.75</p>	<p>MMC FL150W</p>	<p>283x270x130 mm</p>	<p>150W</p>	<p>100LM/W</p>	<p>Ra>80</p>	<p>5000K</p>	<p>100V-240V</p>	<p>3 years warranty</p>	<p>53</p>	<p>IP65</p>	<p>UL standard</p>		
 	<p>NEW Mixed-Metal Composite Thin 200W Flood/Wall Pack</p>	<p>US\$397.20</p>	<p>MMC FL200W</p>	<p>283x360x130 mm</p>	<p>200W</p>	<p>100LM/W</p>	<p>Ra>80</p>	<p>5000K</p>	<p>100V-240V</p>	<p>3 years warranty</p>	<p>72</p>	<p>IP65</p>	<p>UL standard</p>		

	LED Flood light-280W	US\$826.50	FL078-280W	550x560x225 mm		280W	100Lm/W	Ra>90	3000K-6000K	120V-277V	50000hrs	5 years warranty	IP65	UL standard	100	clear
	LED Flood light-300W	US\$1,100.89	FL079-300W	18.75 x 10.4 x 20 inches	22.25 x 22.25 x 18.75 inches	300W	100Lm/W	Ra>80	3000K-6000K	120V-277V	50000hrs	5 years warranty	IP65	UL standard	100	clear
	LED Flood light-400W	US\$1,397.88	FL098-400W		436x416x300 mm	400W	90LM/W	Ra>70	5000K	100V-240V	50000hrs	5 years warranty	IP65	UL standard	100	clear
	LED Flood light-400W	US\$1,448.03	FL098-400W		436x416x300 mm	400W	90LM/W	Ra>80	5000K	100V-240V	50000hrs	5 years warranty	IP65	UL standard	100	clear
	LED Flood light-500W	US\$1,981.60	FL081-500W	550x520x490 mm	32.2kg	500W	100Lm/W	Ra>80	90°	3000K-6000K	120V-277V	50000hrs	3 years warranty	UL standard	100	clear

LED T8 Tube with lighting fixture

Image	Description	Price	Item	Base	Fixture Size (mm)	Wattage (±10%)	Fixture Output	CRI	CCT(K)	Input Voltage	fixture lifetime	Warranty	IP Class	Quality	MOQ (pcs)	Glass Color
	LED TUBE T8 10W 2 FOOT	\$ 20.06	.6M (2 feet)	x	L600mm	10W	100LM/W	Ra>80	5000K	120V-277V	50000hrs	2 years warranty	IP44	UL standard	5000	x
	LED TUBE T8 18W 4 FOOT	\$ 22.08	1.2M(4 feet)	x	L1200mm	18W	100LM/W	Ra>80	5000K	120V-277V	50000hrs	2 years warranty	IP44	UL standard	5000	x
	LED TUBE T5 10W 2 FOOT	\$ 20.26	.6M (4 feet)	x	L600mm	10W	100LM/W	Ra>80	5000K	120V-277V	50000hrs	2 years warranty	IP44	UL standard	5000	x
	LED TUBE T5 10W 4 FOOT	\$ 22.08	1.2M(4 feet)	x	L1200mm	18W	100LM/W	Ra>80	5000K	120V-277V	50000hrs	2 years warranty	IP44	UL standard	5000	x
	LED T8 TUBE-18W w/ fixture	\$ 37.06	1.2M(4 feet)	x	x	18W	110Lm/W	Ra>80	5000K	120V-277V	50000hrs	3 years warranty	IP44	UL standard	5000	x
	LED T8 TUBE-20W w/ fixture	\$ 40.51	1.2M(4 feet)	x	x	20W	110Lm/W	Ra>80	5000K	120V-277V	50000hrs	3 years warranty	IP44	UL standard	5000	x
	LED T8 TUBE-24W w/ fixture	\$ 40.51	1.2M(4 feet)	x	x	24W	110Lm/W	Ra>80	5000K	120V-277V	50000hrs	3 years warranty	IP44	UL standard	5000	x
	Office Troffer(2 tubes type)	\$ 93.56	1215*303*85MM	x	x	x	x	x	x	x	x	x	x	UL standard	5000	x
	Office Troffer(3 tubes type)	\$ 137.97	1215*606*75MM	x	x	x	x	x	x	x	x	x	x	UL standard	5000	x
	Office Troffer(4 tubes type)	\$ 137.97	1215*606*75MM	x	x	x	x	x	x	x	x	x	x	UL standard	5000	x
	Office Troffer(6 tubes type)	\$ 142.90	1215x606x75MM 48x24x3 inches	x	x	x	x	x	x	x	x	x	x	UL standard	5000	x
	T8 20Wx8 High Bay Lighting(8 tubes type)	\$ 166.32	1270x505x98MM 50x20x3.85 inches	x	x	x	x	x	x	x	x	x	x	UL standard	5000	x

