



Prices effective April 6, 2026

Published April 2026

New Aeron® Chairs

HermanMiller list prices shown are in USD.

For HermanMiller Canadian prices, multiply the USD list price by a factor of 1.20---effective April 2026.

Introduction	page 2
New Aeron® Chairs	3
Work Chairs	5
Stools	15
Accessories	21
Indices	27
By Name	27
By Number	29
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Casters and Glides	
Size/Fit Reference	
Customer's Own Material/Customer's Own Leather Order Information-Seating	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective April 6, 2026, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.


Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $\frac{1}{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Work Chairs

Stools

Accessories



Work Chair

AER1A
AER1B
AER1C



Product Information

Description

While its iconic form has remained largely unchanged, the Aeron® chair has been remastered from the casters up to meet the needs of today's work and workers. With the help of original co-designer, Don Chadwick, we thoughtfully updated the chair based on the latest research around the science of sitting, and advancements in materials, manufacturing, and technology.

The new Aeron chair comes in 3 sizes and has a new 8Z Pellicle® material that delivers increased comfort and ergonomic support. Across the seat and back, 8 latitudinal zones of varying tension envelope the sitter, tightest at the edges and more forgiving where the body makes contact. The chair has pneumatic height adjustment and a balanced recline that lets the body naturally pivot at the ankles, knees, and hips.

Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include adjustable PostureFit® SL, an adjustable lumbar support, and PostureFit. The adjustable PostureFit SL support provides a custom fit in sacral and lumbar regions of the spine that helps achieve healthier posture and improved lower back comfort. The user can fine tune the level of support with an adjustable knob on the PostureFit SL. Arm choices include a fixed, nonadjustable option; a height-adjustable option that moves the arms 4" vertically; a height-adjustable plus pivot option that moves the arms 4" vertically and pivots the armpads 15° outward and 17½° inward; and a fully adjustable option that also allows the armpads to move forward and back.

Aeron is now offered in a range of 4 tightly curated, holistic material expressions: onyx, graphite, carbon, and mineral. Onyx is a unified expression of luxury and strength. Graphite refines Aeron's original color scheme for a crisp, sculptural appearance. Carbon blurs light and dark, and warm and cool, to harmonize with a variety of environments. Mineral illuminates Aeron's finer points to offer a lightness that borders on translucence.

Notes

To help determine chair size, see Aeron Chair Size/Fit Reference in Appendices.

For information on casters and glides, see Casters and Glides in Appendices.


Customer's Own Leather (COL) can be applied to armpads; requires 4 square feet. See Order Information in Appendices.

As with any material or textile, dye transfer may occur on seating surfaces, being more noticeable on lighter color expressions (for example: mineral on Aeron, fog on Mirra® 2). If this is a concern, we recommend selecting a darker color expression on which dye transfer will be less noticeable. As a reminder, dye transfer is not covered under the Herman Miller warranty. MicrobeCare™ is an antimicrobial coating that can be applied to a wide variety of Herman Miller Group surfaces to protect products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.


MicrobeCare™ is a US Environmental Protection Agency (EPA) registered nonpublic health antimicrobial.

MicrobeCare™ is applied to the major touchpoints, including the seat, backrest, arms, armrests, frame and adjustment controls.


Dimensions



Low Height Range



Standard Height Range



High Height Range

Specification Information

Step 1.

AER1

Step 2. Size

A	a size	+\$1726
B	b size	+\$1726
C	c size	+\$1726

Step 3. Height Adjustment

For a size (A)

1	low-height range	+\$0
---	------------------	------

For b size (B)

1	low-height range	+\$0
2	standard-height range	+\$0
3	high-height range	+\$0

For c size (C)

2	standard-height range	+\$0
3	high-height range	+\$0

Step 4. Tilt

1	standard tilt	+\$0
2	tilt limiter	+\$100
3	tilt limiter and seat angle	+\$207

Step 5. Arms

N	no arms	+\$0
P	fixed arms	+\$223
H	height-adjustable arms	+\$321
A	height-adjustable plus pivot arms	+\$473
D	fully adjustable arms	+\$473

Step 6. Armpad Upholstery

For no arms (N)

N	no arms	+\$0
---	---------	------

For fixed arms (P), height-adjustable arms (H), height-adjustable plus pivot arms (A), or fully adjustable arms (D)

W	nonupholstered armpads	+\$0
F	leather armpads	+\$168

Step 7. Back Support Option		
SZS	basic back support	+\$0
ZSS	PostureFit®	+\$45
AJ	adjustable lumbar support	+\$65
ALP	adjustable posturefit SL	+\$95

Step 8. Frame Finish

For a size (A) or b size (B)		
G1	graphite (CP)	+\$0
CRB	carbon (CP)	+\$85
VPR	mineral	+\$175
BK	black	+\$175
MG1	graphite with MicrobeCare™ A	+\$70
MCR	carbon with MicrobeCare™ A	+\$155
MVR	mineral with MicrobeCare™ A	+\$245
MBL	black with MicrobeCare™ A	+\$200

For c size (C)		
G1	graphite (CP)	+\$0
CRB	carbon (CP)	+\$85
VPR	mineral	+\$175
BK	black	+\$175
MG1	graphite with MicrobeCare™ A	+\$70
MCR	carbon with MicrobeCare™ A	+\$155
MVR	mineral with MicrobeCare™ A	+\$245
MBL	black with MicrobeCare™ A	+\$200

Step 9. Chassis Finish

For a size (A), b size (B), or c size (C) with graphite (CP) (G1), or graphite with MicrobeCare™ (MG1)		
G1	graphite (CP)	+\$0
CD	polished aluminum A	+\$85

For a size (A), b size (B), or c size (C)		
G1	graphite (CP)	+\$0

For a size (A), b size (B), or c size (C) with carbon (CP) (CRB), or carbon with MicrobeCare™ (MCR)		
SNC	satin carbon	+\$0
CD	polished aluminum A	+\$85

For a size (A), b size (B), or c size (C) with mineral (VPR), or mineral with MicrobeCare™ (MVR)		
SNA	satin aluminum	+\$0
CD	polished aluminum A	+\$85

For a size (A), b size (B), or c size (C) with black (BK), or black with MicrobeCare™ (MBL)		
BLX	onyx ultra matte	+\$0
CD	polished aluminum	+\$85

Step 10. Base Finish

For a size (A), b size (B), or c size (C) with graphite (CP) (G1)		
G1	graphite (CP)	+\$0
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with graphite (CP) (G1)		
G1	graphite (CP)	+\$0
CD	polished aluminum	+\$250

For a size (A), b size (B), or c size (C) with polished aluminum (CD)		
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with satin carbon (SNC)		
DCR	dark carbon	+\$0
SNC	satin carbon	+\$80
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with polished aluminum (CD)		
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with satin aluminum (SNA)		
DVP	dark mineral	+\$0
SNA	satin aluminum	+\$150
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with polished aluminum (CD)		
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with onyx ultra matte (BLX)		
BK	black	+\$0
BLX	onyx ultra matte	+\$150
CD	polished aluminum	+\$250

For a size (A), b size (B), or c size (C) with polished aluminum (CD)		
CD	polished aluminum A	+\$250

Step 11. Casters/Glides

For black (BK), onyx ultra matte (BLX), polished aluminum (CD), dark carbon (DCR), dark mineral (DVP), graphite (CP) (G1), satin aluminum (SNA), or satin carbon (SNC)

BB	2 1/2" hard caster, black yoke, carpet only	+\$0
GF	2 1/2" glide, hard floors or carpet	+\$25
C7	2 1/2" caster, black yoke, hard floors or carpet	+\$50
DC1	2 1/2" braking caster, black yoke, hard floors or carpet with quiet roll technology	+\$75

Step 12. Armpad Finish

For a size (A), b size (B), or c size (C) with nonupholstered armpads (W) with graphite (CP) (G1), or black (BK), or graphite with MicrobeCare™ (MG1), or black with MicrobeCare™ (MBL)

BK	black	+\$0
-----------	-------	------

For a size (A), b size (B), or c size (C) with nonupholstered armpads (W) with mineral (VPR), or mineral with MicrobeCare™ (MVR)

DVP	dark mineral	+\$0
------------	--------------	------

For a size (A), b size (B), or c size (C) with nonupholstered armpads (W) with carbon (CP) (CRB), or carbon with MicrobeCare™ (MCR)

DCR	dark carbon	+\$0
------------	-------------	------

Step 13. 8Z Pellicle

For a size (A), b size (B), or c size (C) with graphite (CP) (G1), or graphite with MicrobeCare™ (MG1)

Price Category 1	+\$0
------------------	------

For a size (A), b size (B), or c size (C) with mineral (VPR), or mineral with MicrobeCare™ (MVR)

Price Category 1	+\$0
------------------	------

For a size (A), b size (B), or c size (C) with carbon (CP) (CRB), or carbon with MicrobeCare™ (MCR)

Price Category 1	+\$0
------------------	------

For a size (A), b size (B), or c size (C) with black (BK), or black with MicrobeCare™ (MBL)

Price Category 1	+\$0
------------------	------

Step 14. Armpad Leather

For leather armpads (F)

Price Category 7 <input type="checkbox"/> A	+\$0
Price Category 9	+\$90

Work Chair, Ready to Assemble

AER2A
AER2B
AER2C



Product Information

Description

While its iconic form has remained largely unchanged, the Aeron® chair has been remastered from the casters up to meet the needs of today's work and workers. With the help of original co-designer, Don Chadwick, we thoughtfully updated the chair based on the latest research around the science of sitting, and advancements in materials, manufacturing, and technology.

The new Aeron chair comes in 3 sizes and has a new 8Z Pellicle® material that delivers increased comfort and ergonomic support. Across the seat and back, 8 latitudinal zones of varying tension envelope the sitter, tightest at the edges and more forgiving where the body makes contact. The chair has pneumatic height adjustment and a balanced recline that lets the body naturally pivot at the ankles, knees, and hips. Chair components are packaged and shipped ready to assemble.

Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include adjustable PostureFit® SL, an adjustable lumbar support, and PostureFit. The adjustable PostureFit SL support provides a custom fit in sacral and lumbar regions of the spine that helps achieve healthier posture and improved lower back comfort. The user can fine tune the level of support with an adjustable knob on the PostureFit SL. Arm choices include a fixed, nonadjustable option; a height-adjustable option that moves the arms 4" vertically; a height-adjustable plus pivot option that moves the arms 4" vertically and pivots the armpads 15° outward and 17½° inward; and a fully adjustable option that also allows the armpads to move forward and back.

Aeron is now offered in a range of 4 tightly curated, holistic material expressions: onyx, graphite, carbon, and mineral. Onyx is a unified expression of luxury and strength. Graphite refines Aeron's original color scheme for a crisp, sculptural appearance. Carbon blurs light and dark, and warm and cool, to harmonize with a variety of environments. Mineral illuminates Aeron's finer points to offer a lightness that borders on translucence.

Notes

To help determine chair size, see Aeron Chair Size/Fit Reference in Appendices.

For information on casters and glides, see Casters and Glides in Appendices.

Customer's Own Leather (COL) can be applied to armpads; requires 4 square feet. See Order Information in Appendices.

Note: As with any material or textile, dye transfer may occur on seating surfaces, being more noticeable on lighter color expressions (for example: mineral on Aeron, fog on Mirra® 2). If this is a concern, we recommend selecting a darker color expression on which dye transfer will be less noticeable. As a reminder, dye transfer is not covered under the Herman Miller warranty.

MicrobeCare™ is an antimicrobial coating that can be applied to a wide variety of Herman Miller Group surfaces to protect products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is a US Environmental Protection Agency (EPA) registered nonpublic health antimicrobial.


MicrobeCare™ is applied to the major touchpoints, including the seat, backrest, arms, armrests, frame and adjustment controls.

Work Chair, Ready to Assemble


continued

New Aeron® Work Chairs


Dimensions



Low Height Range



Standard Height Range



High Height Range

Specification Information

Step 1.

AER2

Step 2. Size

A	a size	+\$1726
B	b size	+\$1726
C	c size	+\$1726

Step 3. Height Adjustment

For a size (A)

1	low-height range	+\$0
----------	------------------	------

For b size (B)

1	low-height range	+\$0
2	standard-height range	+\$0
3	high-height range	+\$0

For c size (C)

2	standard-height range	+\$0
3	high-height range	+\$0

Step 4. Tilt

1	standard tilt	+\$0
2	tilt limiter	+\$100
3	tilt limiter and seat angle	+\$207

Step 5. Arms

N	no arms	+\$0
P	fixed arms	+\$223
H	height-adjustable arms	+\$321
A	height-adjustable plus pivot arms	+\$473
D	fully adjustable arms	+\$473

Step 6. Armpad Upholstery

For no arms (N)

N	no arms	+\$0
----------	---------	------

For fixed arms (P), height-adjustable arms (H), height-adjustable plus pivot arms (A), or fully adjustable arms (D)

W	nonupholstered armpads	+\$0
F	leather armpads	+\$168

Work Chair, Ready to Assemble

continued

Step 7. Back Support Option		
SZS	basic back support	+\$0
ZSS	PostureFit®	+\$45
AJ	adjustable lumbar support	+\$65
ALP	adjustable posturefit SL	+\$95

Step 8. Frame Finish		
G1	graphite (CP)	+\$0
CRB	carbon (CP)	+\$85
VPR	mineral	+\$175
BK	black	+\$175

Step 9. Chassis Finish

For a size (A), b size (B), or c size (C) with graphite (CP) (G1)		
G1	graphite (CP)	+\$0
CD	polished aluminum A	+\$85

For a size (A), b size (B), or c size (C)		
G1	graphite (CP)	+\$0

For a size (A), b size (B), or c size (C) with carbon (CP) (CRB)		
SNC	satin carbon	+\$0
CD	polished aluminum A	+\$85

For a size (A), b size (B), or c size (C) with mineral (VPR)		
SNA	satin aluminum	+\$0
CD	polished aluminum A	+\$85

For a size (A), b size (B), or c size (C) with black (BK)		
BLX	onyx ultra matte	+\$0
CD	polished aluminum	+\$85

Step 10. Base Finish

For a size (A), b size (B), or c size (C) with graphite (CP) (G1)		
G1	graphite (CP)	+\$0
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with graphite (CP) (G1)		
G1	graphite (CP)	+\$0
CD	polished aluminum	+\$250

For a size (A), b size (B), or c size (C) with polished aluminum (CD)		
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with satin carbon (SNC)		
DCR	dark carbon	+\$0
SNC	satin carbon	+\$80
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with polished aluminum (CD)		
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with satin aluminum (SNA)		
DVP	dark mineral	+\$0
SNA	satin aluminum	+\$150
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with polished aluminum (CD)		
CD	polished aluminum A	+\$250

For a size (A), b size (B), or c size (C) with onyx ultra matte (BLX)		
BK	black	+\$0
BLX	onyx ultra matte	+\$150
CD	polished aluminum	+\$250

For a size (A), b size (B), or c size (C) with polished aluminum (CD)		
CD	polished aluminum A	+\$250

Step 11. Casters/Glides

For black (BK), onyx ultra matte (BLX), polished aluminum (CD), dark carbon (DCR), dark mineral (DVP), graphite (CP) (G1), satin aluminum (SNA), or satin carbon (SNC)

BB	2½" hard caster, black yoke, carpet only	+\$0
GF	2½" glide, hard floors or carpet	+\$25
C7	2½" caster, black yoke, hard floors or carpet	+\$50
DC1	2½" braking caster, black yoke, hard floors or carpet with quiet roll technology	+\$75

Step 12. Armpad Finish

For a size (A), b size (B), or c size (C) with nonupholstered armpads (W) with graphite (CP) (G1), or black (BK)		
BK	black	+\$0

For a size (A), b size (B), or c size (C) with nonupholstered armpads (W) with mineral (VPR)		
DVP	dark mineral	+\$0

For a size (A), b size (B), or c size (C) with nonupholstered armpads (W) with carbon (CP) (CRB)		
DCR	dark carbon	+\$0

Work Chair, Ready to Assemble

continued

New Aeron® Work Chairs

Step 13. 8Z Pellicle

For a size (A), b size (B), or c size (C) with graphite (CP) (G1)
Price Category 1 +\$0

For a size (A), b size (B), or c size (C) with mineral (VPR)
Price Category 1 +\$0

For a size (A), b size (B), or c size (C) with carbon (CP) (CRB)
Price Category 1 +\$0

For a size (A), b size (B), or c size (C) with black (BK)
Price Category 1 +\$0

Step 14. Armpad Leather

For leather armpads (F)
Price Category 7 A +\$0

Price Category 9 +\$90



Product Information

Description

While its iconic form has remained largely unchanged, the Aeron® chair has been remastered from the casters up to meet the needs of today's work and workers. With the help of original co-designer, Don Chadwick, we thoughtfully updated the chair based on the latest research around the science of sitting, and advancements in materials, manufacturing, and technology.

The Aeron ESD work chair comes in 2 sizes and has a new 8Z Pellicle® anti-static material that delivers increased comfort and ergonomic support. Across the seat and back, 8 latitudinal zones of varying tension envelope the sitter, tightest at the edges and more forgiving where the body makes contact. The chair has pneumatic height adjustment and a balanced recline that lets the body naturally pivot at the ankles, knees, and hips.

Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include adjustable PostureFit® SL, an adjustable lumbar support, and PostureFit. The adjustable PostureFit SL support provides a custom fit in sacral and lumbar regions of the spine that helps achieve healthier posture and improved lower back comfort. The user can fine tune the level of support with an adjustable knob on the PostureFit SL. Arm choices include a fixed, nonadjustable option, and a height-adjustable option that moves the arms 4" vertically.

Armrests are upholstered with a static-dissipating material.

Casters have ESD functionality.


Notes

To help determine chair size, see Aeron Chair Size/Fit Reference in Appendices.


For information on casters and glides, see Casters and Glides in Appendices.

As with any material or textile, dye transfer may occur on seating surfaces, being more noticeable on lighter color expressions (for example: mineral on Aeron, fog on Mirra® 2). If this is a concern, we recommend selecting a darker color expression on which dye transfer will be less noticeable. As a reminder, dye transfer is not covered under the Herman Miller warranty.

Dimensions



Standard Height Range




High Height Range

Specification Information		
Step 1.		
AERE1		
Step 2. Size		
B	b size	+\$2117
C	c size	+\$2117
Step 3. Height Adjustment		
<i>For b size (B)</i>		
2	standard-height range	+\$0
3	high-height range	+\$0
<i>For c size (C)</i>		
3	high-height range	+\$0
Step 4. Tilt		
1	standard tilt	+\$0
2	tilt limiter	+\$100
3	tilt limiter and seat angle	+\$207
Step 5. Arms		
N	no arms	+\$0
P	fixed arms	+\$223
H	height-adjustable arms	+\$321
Step 6. Armpad Upholstery		
<i>For no arms (N)</i>		
N	no arms	+\$0
<i>For fixed arms (P) or height-adjustable arms (H)</i>		
F	leather armpads	+\$181
Step 7. Back Support Option		
SZS	basic back support	+\$0
AJ	adjustable lumbar support	+\$65
ALP	adjustable posturefit SL	+\$95
Step 8. Frame Finish		
G1	graphite (CP)	+\$0
Step 9. Chassis Finish		
G1	graphite (CP)	+\$0

Step 10. Base Finish		
CD	polished aluminum	+\$250
Step 11. Casters/Glides		
ESD	2½" caster, 65mm ESD	+\$0
Step 12. 8Z Pellicle		
Price Category 1		+\$0
Step 13. Armpad Leather		
<i>For fixed arms (P) or height-adjustable arms (H) with leather armpads (F)</i>		
Price Category 9		+\$90

Work Stool

AER71
AER72



Product Information

Description

While its iconic form has remained largely unchanged, the Aeron® chair and work stool has been remastered from the casters up to meet the needs of today's work and workers. With the help of original co-designer, Don Chadwick, we thoughtfully updated the chair and work stool based on the latest research around the science of sitting, and advancements in materials, manufacturing, and technology.

The new Aeron stool has a new 8Z Pellicle® material that delivers increased comfort and ergonomic support. Across the seat and back, 8 latitudinal zones of varying tension envelope the sitter, tightest at the edges and more forgiving where the body makes contact. The work stool has a 2½"-wide footrest platform that provides three times more surface area than a typical footring to reduce pressure and increase comfort. Non-slip treads offer added stability. When adjusting stool height, the footrest moves with the seat.

The stool has a 5-star base, pneumatic seat-height adjustment, and 2 height options to allow stool use with counter or bar height surfaces. The low stool has a seat-height range of 24¾" to 29¼" with a footrest that adjusts 2½" (from 15" to 17½" below the seat) and is optimal for work surfaces between 34" and 38" high. The high stool has a seat-height range of 28" to 34¼" with a footrest that adjusts 5¾" (from 15" to 20¾" below the seat) and is optimal for work surfaces between 37" and 43" high. Stool is available in size B.

Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include adjustable PostureFit® SL, an adjustable lumbar support, and PostureFit. The adjustable PostureFit SL support provides a custom fit in sacral and lumbar regions of the spine that helps achieve healthier posture and improved lower back comfort. The user can fine tune the level of support with an adjustable knob on the PostureFit SL. Arm choices include a fixed, nonadjustable option; a height-adjustable option that moves the arms 4" vertically; a height-adjustable plus pivot option that moves the arms 4" vertically and pivots the armpads 15° outward and 17½° inward; and a fully adjustable option that also allows the armpads to move forward and back.

Aeron is now offered in a range of 4 tightly curated, holistic material expressions: onyx, graphite, carbon, and mineral. Onyx is a unified expression of luxury and strength. Graphite refines Aeron's original color scheme for a crisp, sculptural appearance. Carbon blurs light and dark, and warm and cool, to harmonize with a variety of environments. Mineral illuminates Aeron's finer points to offer a lightness that borders on translucence.

Notes

For information on casters and glides, see Casters and Glides in Appendices.


Customer's Own Leather (COL) can be applied to armpads; requires 4 square feet. See Order Information in Appendices.

As with any material or textile, dye transfer may occur on seating surfaces, being more noticeable on lighter color expressions (for example: mineral on Aeron, fog on Mirra® 2). If this is a concern, we recommend selecting a darker color expression on which dye transfer will be less noticeable. As a reminder, dye transfer is not covered under the Herman Miller warranty. MicrobeCare™ is an antimicrobial coating that can be applied to a wide variety of Herman Miller Group surfaces to protect products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.


MicrobeCare™ is a US Environmental Protection Agency (EPA) registered nonpublic health antimicrobial.

MicrobeCare™ is applied to the major touchpoints, including the seat, backrest, arms, armrests, frame and adjustment controls.

Dimensions



Low Stool



High Stool

Specification Information

Step 1.

AER7

Step 2. Height

1	low	+\$2212
2	high	+\$2212

Step 3. Tilt

1	standard tilt	+\$0
2	tilt limiter	+\$100
3	tilt limiter and seat angle	+\$207

Step 4. Arms

N	no arms	+\$0
P	fixed arms	+\$223
H	height-adjustable arms	+\$321
A	height-adjustable plus pivot arms	+\$473
D	fully adjustable arms	+\$473

Step 5. Armpad Upholstery

For no arms (N)

N	no arms	+\$0
---	---------	------

For fixed arms (P), height-adjustable arms (H), height-adjustable plus pivot arms (A), or fully adjustable arms (D)

W	nonupholstered armpads	+\$0
F	leather armpads	+\$181

Step 6. Back Support Option

SZS	basic back support	+\$0
ZSS	PostureFit®	+\$45
AJ	adjustable lumbar support	+\$65
ALP	adjustable posturefit SL	+\$95

Step 7. Frame/Foot Ring Tread

BK	black	+\$175
MBL	black with MicrobeCare™	+\$200
G1	graphite (CP)	+\$0
CRB	carbon (CP)	+\$85
VPR	mineral	+\$175
MG1	graphite with MicrobeCare™ <input type="checkbox"/> A	+\$70
MCR	carbon with MicrobeCare™ <input type="checkbox"/> A	+\$155
MVR	mineral with MicrobeCare™ <input type="checkbox"/> A	+\$245

Work Stool *continued*

Step 8. Chassis & Foot Ring

For low (1) or high (2) with graphite (CP) (G1), or graphite with MicrobeCare™ (MG1)

G1	graphite (CP)	+\$0
CD	polished aluminum	+\$85

For low (1) or high (2)

G1	graphite (CP)	+\$0
-----------	---------------	------

For low (1) or high (2) with carbon (CP) (CRB), or carbon with MicrobeCare™ (MCR)

SNC	satın carbon	+\$0
CD	polished aluminum	+\$85

For low (1) or high (2) with mineral (VPR), or mineral with MicrobeCare™ (MVR)

SNA	satın aluminum	+\$0
CD	polished aluminum	+\$85

For low (1) or high (2) with black (BK), or black with MicrobeCare™ (MBL)

BLX	onyx ultra matte	+\$0
CD	polished aluminum	+\$85

Step 9. Base Finish

For graphite (CP) (G1)

G1	graphite (CP)	+\$0
CD	polished aluminum	+\$250

For polished aluminum (CD)

CD	polished aluminum A	+\$250
-----------	---	--------

For satin carbon (SNC)

DCR	dark carbon	+\$0
SNC	satın carbon	+\$80
CD	polished aluminum	+\$250

For satin aluminum (SNA)

DVP	dark mineral	+\$0
SNA	satın aluminum	+\$150
CD	polished aluminum	+\$250

For onyx ultra matte (BLX)

BK	black	+\$0
BLX	onyx ultra matte	+\$150
CD	polished aluminum	+\$250

For polished aluminum (CD)

CD	polished aluminum A	+\$250
-----------	---	--------

Step 10. Casters/Glides

For black (BK), onyx ultra matte (BLX), polished aluminum (CD), dark carbon (DCR), dark mineral (DVP), graphite (CP) (G1), satin aluminum (SNA), or satin carbon (SNC)

BB	2½" hard caster, black yoke, carpet only	+\$0
GF	2½" glide, hard floors or carpet	+\$25
C7	2½" caster, black yoke, hard floors or carpet	+\$50
DC1	2½" braking caster, black yoke, hard floors or carpet with quiet roll technology	+\$75

Step 11. Armpad Finish

For low (1) or high (2) with nonupholstered armpads (W) with black (BK), or black with MicrobeCare™ (MBL), or graphite (CP) (G1), or graphite with MicrobeCare™ (MG1)

BK	black	+\$0
-----------	-------	------

For low (1) or high (2) with nonupholstered armpads (W) with mineral (VPR), or mineral with MicrobeCare™ (MVR)

DVP	dark mineral	+\$0
------------	--------------	------

For low (1) or high (2) with nonupholstered armpads (W) with carbon (CP) (CRB), or carbon with MicrobeCare™ (MCR)

DCR	dark carbon	+\$0
------------	-------------	------

Step 12. 8Z Pellicle

For low (1) or high (2) with graphite (CP) (G1), or graphite with MicrobeCare™ (MG1)

Price Category 1	+\$0
------------------	------

For low (1) or high (2) with mineral (VPR), or mineral with MicrobeCare™ (MVR)

Price Category 1	+\$0
------------------	------

For low (1) or high (2) with carbon (CP) (CRB), or carbon with MicrobeCare™ (MCR)

Price Category 1	+\$0
------------------	------

For low (1) or high (2) with black (BK), or black with MicrobeCare™ (MBL)

Price Category 1	+\$0
------------------	------

Step 13. Armpad Leather

For fixed arms (P), height-adjustable arms (H), height-adjustable plus pivot arms (A), or fully adjustable arms (D) with leather armpads (F)

Price Category 7 <input type="checkbox"/> A	+\$0
Price Category 9	+\$90



Product Information

Description

While its iconic form has remained largely unchanged, the Aeron® chair and work stool has been remastered from the casters up to meet the needs of today's work and workers. With the help of original co-designer, Don Chadwick, we thoughtfully updated the chair and work stool based on the latest research around the science of sitting, and advancements in materials, manufacturing, and technology.

The Aeron ESD work stool has a new 8Z Pellicle® anti-static material that delivers increased comfort and ergonomic support. Across the seat and back, 8 latitudinal zones of varying tension envelope the sitter, tightest at the edges and more forgiving where the body makes contact.

The stool has a 5-star base and a pneumatic seat-height adjustment range of 22⁵/₈" to 34⁷/₈".

Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include adjustable PostureFit® SL, an adjustable lumbar support, and PostureFit. The adjustable PostureFit SL support provides a custom fit in sacral and lumbar regions of the spine that helps achieve healthier posture and improved lower back comfort. The user can fine tune the level of support with an adjustable knob on the PostureFit SL. Arm choices include a fixed, nonadjustable option, and a height-adjustable option that moves the arms 4" vertically.

Armrests are upholstered with a static-dissipating material.


Casters have ESD functionality.

Notes

For information on casters and glides, see Casters and Glides in Appendices.

As with any material or textile, dye transfer may occur on seating surfaces, being more noticeable on lighter color expressions (for example: mineral on Aeron, fog on Mirra® 2). If this is a concern, we recommend selecting a darker color expression on which dye transfer will be less noticeable. As a reminder, dye transfer is not covered under the Herman Miller warranty.

Dimensions



New Aeron® Stools

Aeron ESD Work Stool *continued*

New Aeron® Stools

Specification Information		
Step 1.		
AERE7		
Step 2. Size		
B	b size	+\$2590
Step 3. Height Adjustment		
3	high-height range	+\$0
Step 4. Tilt		
1	standard tilt	+\$0
2	tilt limiter	+\$100
3	tilt limiter and seat angle	+\$207
Step 5. Arms		
N	no arms	+\$0
P	fixed arms	+\$223
H	height-adjustable arms	+\$321
Step 6. Armpad Upholstery		
<i>For no arms (N)</i>		
N	no arms	+\$0
<i>For fixed arms (P) or height-adjustable arms (H)</i>		
F	leather armpads	+\$181
Step 7. Back Support Option		
SZS	basic back support	+\$0
AJ	adjustable lumbar support	+\$65
ALP	adjustable posturefit SL	+\$95
Step 8. Frame Finish		
G1	graphite (CP)	+\$0
Step 9. Chassis Finish		
G1	graphite (CP)	+\$0
Step 10. Base Finish		
CD	polished aluminum	+\$250
Step 11. Casters/Glides		
ESD	2½" caster, 65mm ESD	+\$0
Step 12. 8Z Pellicle		
	Price Category 1	+\$0

Step 13. Armpad Leather	
<i>For fixed arms (P) or height-adjustable arms (H) with leather armpads (F)</i>	
Price Category 9	+\$90



Product Information

Description

These arms can be retrofitted to a new Aeron® work chair. Arm choices include a height adjustable option that moves the arms 4" vertically, a height adjustable plus pivot option that moves the arms 4" vertically and pivots the armpads 16° outward and 16° inward, and a fully adjustable option that moves the armpads forward and back 2½". Arm components are preassembled.


Graphite (G1) finish is recommended for use with graphite (G1) frame finish.

Carbon (CRB) finish is recommended for use with carbon (CRB) frame finish.


Mineral (VPR) finish is recommended for use with mineral (VPR) frame finish.

Onyx Ultra Matte (BLX) finish is recommended for use with black (BK) frame finish.

Dimensions



Height adjustable and fully adjustable arms



Fixed arms

Specification Information

Step 1.

AER900 [A]

Step 2. Arms

P	fixed arms	+\$264
H	height-adjustable arms	+\$409
A	height-adjustable plus pivot arms	+\$539
D	fully adjustable arms	+\$577

Step 3. Armpad Upholstery

W0	nonupholstered armpads	+\$0
F0	leather armpads	+\$124

Step 4. Frame Finish

G1	graphite (CP) [A]	+\$0
CRB	carbon (CP) [A]	+\$12
BK	black [A]	+\$28
VPR	mineral [A]	+\$44

Step 5. Chassis Finish

For graphite (CP) (G1)

G1	graphite (CP) [A]	+\$0
CD	polished aluminum [A]	+\$21

For carbon (CP) (CRB)

SNC	satin carbon [A]	+\$0
CD	polished aluminum [A]	+\$21

For mineral (VPR)

SNA	satin aluminum [A]	+\$0
CD	polished aluminum [A]	+\$21

For black (BK)

BLX	onyx ultra matte	+\$0
CD	polished aluminum	+\$21

Step 6. Armpad Finish

For nonupholstered armpads (W0) with carbon (CP) (CRB)

DCR	dark carbon [A]	+\$0
------------	-----------------	------

For nonupholstered armpads (W0) with mineral (VPR)

DVP	dark mineral [A]	+\$0
------------	------------------	------

For nonupholstered arm pads (W0) with graphite (CP) (G1), or black (BK)

BK	black	<input type="checkbox"/> A	+\$0
-----------	-------	----------------------------	------


Step 7. Armpad Leather

For leather arm pads (F0)

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 7	<input type="checkbox"/> A	+\$0
Price Category 9		+\$90

New Aeron® Accessories



Product Information

Description

This lumbar support fits into the back of a new Aeron® work chair to further support the back. The support can be adjusted up and down while providing support to the lumbar region of the spine.

Graphite (G1) finish is recommended for use with the following frame finishes:


- Graphite (G1)
- Graphite with graphite applique (ZB)

Carbon (CRB) finish is recommended for use with carbon (CRB) frame finish.

Mineral (VPR) finish is recommended for use with mineral (VPR) frame finish.

Black (BK) finish is recommended for use with black (BK) frame finish.

Dimensions



Specification Information

Step 1.


AER900NN [A]

Step 2. Size

A	a size	+\$144
B	b size	+\$144
C	c size	+\$144

Step 3. Finish

G1	graphite (CP) [A]	+\$0
CRB	carbon (CP) [A]	+\$9
BK	black [A]	+\$18
VPR	mineral [A]	+\$26



New Aeron® Accessories

Product Information

Description

These Aeron® arm pads are I-skin covered urethane foam molded over a nylon insert. They come in a choice of 3 colors. Arm pads can be retrofitted to a new Aeron work chair. Sold in pairs.

Notes




Black arm pads are recommended for Aeron chairs with a graphite (G1) or black (BK) frame.

Dark carbon arm pads are recommended for Aeron chairs with a carbon (CRB) frame.

Dark mineral arm pads are recommended for Aeron chairs with a mineral (VPR) frame.

Customer's Own Leather (COL) requires 4 square feet. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

AER901 A

Step 2. Armpad Upholstery

W0	nonupholstered arm pads	+\$85
F0	leather arm pads	+\$206

Step 3. Armpad Finish

For nonupholstered arm pads (W0)

BK	black	+\$0
DCR	dark carbon	+\$10
DVP	dark mineral	+\$15

Step 4. Armpad Leather

For leather arm pads (F0)

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 7	A	+\$0
Price Category 9		+\$90



Product Information

Description

This PostureFit® support fits on the back of an A, B, or C size new Aeron® work chair. It provides support in the lower back area, or sacrum, that helps achieve healthier posture and improves lower back comfort.

Graphite (G1) finish is recommended for use with the following frame finishes:


- Graphite (G1)
- Graphite with graphite applique (ZB)

Carbon (CRB) finish is recommended for use with carbon (CRB) frame finish.

Mineral (VPR) finish is recommended for use with mineral (VPR) frame finish.

Black (BK) finish is recommended for use with black (BK) frame finish.

Dimensions



Specification Information

Step 1.

AER905 [A]

Step 2. Size

A	a size	+\$103
B	b size	+\$103
C	c size	+\$103

Step 3. Finish

G1	graphite (CP) [A]	+\$0
CRB	carbon (CP) [A]	+\$10
BK	black [A]	+\$18
VPR	mineral [A]	+\$26



New Aeron® Accessories

Product Information

Description

This adjustable PostureFit® SL support fits on the back of an A, B, or C size new Aeron® work chair. It provides custom, adjustable support in the lower back area, or sacrum, that helps achieve healthier posture and improves lower back comfort. Adjustable PostureFit SL also provides support in the lumbar region of the spine. User can adjust the level of support by dialing the support in or out. Adjustable PostureFit SL ships with the support and includes a new backrest. This requires an installer to modify the existing chair.


Graphite (G1) finish is recommended for use with graphite (G1) frame finish.

Carbon (CRB) finish is recommended for use with carbon (CRB) frame finish.

Mineral (VPR) finish is recommended for use with mineral (VPR) frame finish.

Black (BK) finish is recommended for use with black (BK) frame finish.

Dimensions



Specification Information

Step 1.

AER906 [A]

Step 2. Size

A	a size	+\$448
B	b size	+\$448
C	c size	+\$448

Step 3. Frame Finish

For a size (A) or b size (B)

G1	graphite (CP) [A]	+\$0
CRB	carbon (CP) [A]	+\$16
BK	black [A]	+\$30
VPR	mineral [A]	+\$44
ZB	graphite with graphite applique [A]	+\$80

For c size (C)

G1	graphite (CP) [A]	+\$0
CRB	carbon (CP) [A]	+\$16
BK	black [A]	+\$30
VPR	mineral [A]	+\$44
ZB	graphite with graphite applique [A]	+\$80

Step 4. 8Z Pellicle

For graphite (CP) (G1) or graphite with graphite applique (ZB)

Price Category 1 +\$0

For mineral (VPR)

Price Category 1 +\$0

For carbon (CP) (CRB)

Price Category 1 +\$0

For black (BK)

Price Category 1 +\$0

Index by Product Name

New Aeron® Chairs	
Aeron ESD Work Chair	page(s) 13
Aeron ESD Work Stool	19
Arm Kit	21
Arm Pad Set	24
Lumbar Kit	23
PostureFit® SL	26
PostureFit® Support	25
Work Chair	5
Work Chair, Ready to Assemble	9
Work Stool	15



Index by Product Number



AER1A	Work Chair	page(s) 5
AER1B		
AER1C		
AER2A	Work Chair, Ready to Assemble	9
AER2B		
AER2C		
AER71	Work Stool	15
AER72		
AER900	Arm Kit	21
AER900	Lumbar Kit	23
AER901	Arm Pad Set	24
AER905	PostureFit® Support	25
AER906	PostureFit® SL	26
AERE1	Aeron ESD Work Chair	13
AERE7	Aeron ESD Work Stool	19



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian®

Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation


Per Herman Miller Terms and Conditions.



Size/Fit Reference — New Aeron® Chair

This reference helps people select A-, B-, or C-size chairs when the three sizes are not available for actual test sitting. Height and weight are key indicators of suitable chair-size choice. Since the B-size chair is designed to fit a broad range of people, Herman Miller recommends it for users who fall in the A/B or B/C category. This chart applies to Aeron chairs with the extended-height-range pneumatic height-adjustment cylinder.

To determine which chair size is best, find the point of intersection for your height and weight. Aeron A-size chairs are tested and warranted for use by persons weighing up to 300 pounds. B-size chairs are tested and warranted for use by persons up to 350 pounds. C-size chairs are tested and warranted to support up to 400 pounds.






Casters and Glides

▲	WARNING	▲
Depending on the floor surface, chair may unexpectedly roll away from user when entering or exiting the chair, possibly leading to unexpected injury. Please refer to descriptions of floor types when selecting casters.		


32 Caster



1 7/8-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only

Applicable on:
Sayl® Chairs


BB Caster



2 1/2-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only

Applicable on:
Asari Chair by Herman Miller™
New Aeron® Chairs
Caper® Chairs
Embody® Chairs
Fuld Nesting Chairs
Lino™ Chairs
Sayl Chairs
Mirra® 2 Chairs, Verus™ Chairs


BSC Caster



2-inch-diameter double-wheel caster; black nylon wheels and hood; soft polyurethane tread; for use on hard floors or carpet

Applicable on:
Eames® Aluminum Group
Eames Executive Chairs
Eames Soft Pad Group
Eames Task Chairs


C9 Caster



2 1/2-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; internal brake; for use on hard floors or carpet

Applicable on:
Caper Chairs
Embody Chairs
Lino Chairs
Mirra 2 Chairs
Sayl Chairs
Setu® Chairs
Verus Chairs


49 Caster



1 7/8-inch-diameter soft double-wheel caster; black nylon wheels and yoke; for use on hard floors or carpet

Applicable on:
Sayl Chairs


BKS Caster



2 1/2-inch-diameter hard double-wheel caster; black yoke; quiet roll technology; for use on carpet only

Applicable on:
Cosm™ Chairs


C7 Caster



2 1/2-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; for use on hard floors or carpet

Applicable on:
Asari Chair by Herman Miller™
New Aeron Chairs
Caper Chairs
Embody Chairs
Fuld Nesting Chairs
Lino Chairs Sayl Chairs
Mirra 2 Chairs Verus Chairs

CSQ Caster




2 1/2-inch-diameter double-wheel caster; color-matched nylon wheels and yoke; soft polyurethane tread; for use on hard floors or carpet

Applicable on:
Zeph® Chairs

Casters and Glides

continued

DC1 Caster




2 1/2-inch-diameter double-wheel braking caster; black nylon wheels and yoke; for use on hard floors or carpet; quiet roll technology

Applicable on:

New Aeron Chairs

H9 Caster




2 1/2-inch-diameter double-wheel caster; clear polycarbonate wheels; nylon yoke; soft polyurethane tread; for use on carpet only

Applicable on:

Embody Chairs

MD Caster




2-inch-diameter double-wheel caster; black nylon wheels with integral chrome hood; soft polyurethane tread; for use on hard floors or carpet

Applicable on:

Eames® Aluminum Group
Eames Executive Chairs
Eames Soft Pad Group
Eames Task Chairs

OC Caster




2 1/2-inch-diameter double-wheel medium roll-resistant caster; black nylon wheels and yoke; soft polyurethane tread; for use on hard floors or carpet; quiet roll technology

Applicable on:

Cosm Chairs
Fuld Nesting Chairs
Setu Chairs

DS Caster




2-inch-diameter soft double-wheel braking caster; black nylon wheels and hood; for use on hard floors only

Applicable on:

Aside® Chairs
Caper Chairs

HCC Caster




2 1/2-inch-diameter double-wheel low roll resistance caster; black nylon yoke; for use on hard floors or carpet

Applicable on:

Setu Chairs

O2 Caster




2 1/2-inch-diameter double-wheel caster; nylon wheels and yoke; soft polyurethane tread; quiet roll technology; for use on hard floors or carpet

Applicable on:

Cosm Chairs

SC8 Caster



2 1/2-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; quiet roll technology; for use on hard floors or carpet


Applicable on:

Cosm Chairs
Fuld Nesting Chairs
Lino Chairs
Mirra 2 Chairs
Verus Chairs

Casters and Glides

continued


U4 Caster



1⁷/₈-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only

Applicable on:
Aside Chairs
Verus Chairs


UD Caster



2-inch-diameter hard double-wheel caster; black nylon wheels with painted hood; for use on carpet only

Applicable on:
Eames® Aluminum Group
Eames Executive Chairs
Eames Soft Pad Group
Eames Task Chairs


16 Glide



(Front glide shown)
2¹/₈-inch-high glide; black or fog acetal; for use on carpet only

Applicable on:
Sayl Chairs


FGG Glide



1/2-inch-high ganging glide; black ABS plastic with black felt bottom; for use on resilient flooring

Applicable on:
Pronta Stacking Chairs


U5 Caster



1⁷/₈-inch-diameter soft double-wheel caster; black nylon wheels and yoke; for use on hard floors or carpet

Applicable on:
Aside Chairs
Caper Chairs
Verus Chairs


VD Caster



2-inch-diameter hard double-wheel caster; black nylon wheels with integral chrome hood; for use on carpet only

Applicable on:
Eames Aluminum Group
Eames Executive Chairs
Eames Soft Pad Group
Eames Task Chairs


69 Glide



(Front glide shown)
2¹/₈-inch-high glide; black glass-filled nylon stem; steel-plated swivel foot with Floor Saver Glide™ insert; for use on hard floors only

Applicable on:
Sayl Chairs

FTG Glide



1/2-inch-high glide; black ABS plastic with black felt bottom; for use on resilient flooring

Applicable on:
Pronta Stacking Chairs

Casters and Glides

continued

G4 Glide



1⁷/₈-inch-high glide; black acetal; for use on carpet only

Applicable on:

Verus Chairs

GF Glide



2¹/₂-inch-high glide; black nylon; for use on hard floors or carpet

Applicable on:

New Aeron Chairs
Caper Chairs
Cosm Chairs
Lino Chairs
Mirra 2 Chairs
Sayl Chairs
Verus Chairs

GG Glide




1¹/₂-inch-high ganging glide; clear polycarbonate; for use on hard floors or carpet

Applicable on:

Pronta Stacking Chairs

GLN Glide



Acetal glide; for use on carpet only

Applicable on:

Fuld Nesting Chairs

GD Glide



1¹/₂-inch-diameter glide; 1¹/₂ inch in height; black nylon; for use on hard floors or carpet

Applicable on:

Eames Aluminum Group
Eames Executive Chairs
Eames Soft Pad Group
Eames Task Chairs

GFG Glide



Floor Saver Glide™ insert; for use on hard floors only

Applicable on:

Zeph Chairs

GL Glide



1⁷/₈-inch-high glide; black nylon stem; steel-plated swivel foot with Floor Saver Glide™ insert; for use on hard floors only

Applicable on:

Verus chairs

GNB Glide




Swivel glide; nylon base; for use on carpet only

Applicable on:


Zeph Chairs

Casters and Glides

continued




HG Glide
1/2-inch-high glide; black nylon glide with stainless-steel insert; for use on hard floors or carpet
Applicable on:
Aside Chairs



SG Glide (for Pronta)
1/2-inch-high glide; clear polycarbonate; for use on hard floors or carpet
Applicable on:
Pronta Stacking Chairs




XS Glide
1/8-inch-high glide; polycarbonate in black, fog, clear, and studio white finishes; for use on hard floors or carpet
Applicable on:
Sayl Chairs




YX Glide
1 7/8-inch-high glide; black nylon stem; steel-plated swivel foot with Floor Saver Glide™ insert; for use on hard floors only
Applicable on:
Caper Chairs



SG Glide (for Aside)
1/2-inch-high glide; black nylon; for use on carpet only
Applicable on:
Aside Chairs



X8 Glide
Glide; low profile; for use on hard floors or carpet
Applicable on:
Setu Chairs



Y7 Glide
1 7/8-inch-high glide; black acetal; for use on carpet only
Applicable on:
Caper Chairs



Customer's Own Material/ Customer's Own Leather Order Information — Seating

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

Customer's Own Material/Customer's Own Leather

Program Overview

The Customer's Own Material (COM) and Customer's Own Leather (COL) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM/COL textiles only. COM/COL are assigned lead-time textiles.

Omni lists an overview of fabrics and leathers that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM/COL is listed below. Questions about the COM/COL program and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 ext 6543400

Customer's Own Material/Customer's Own Leather Warranty

Herman Miller does not warrant COM/COL textiles. COM/COL textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM/COL textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material/Customer's Own Leather Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics. COL is a Category 7 textile; refer to prices on specific products to determine the application charge.

Ordering and payment for COM/COL textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from Maharam, Camira, C.F. Stinson, Guilford of Maine, Luna Textiles, Momentum Textiles and Ultrafabrics to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile does not show as tested in Omni, submit a request. You will be required to select a specific color of the textile and feature of the product to test, i.e., seat, back, etc.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with COM/COL

1. Refer to the specific products to determine the yardage required for COM/COL textiles.
Note: Additional yardage may be needed due to the unique characteristics of a textile.
2. Obtain the COM ID# in Omni. If the color you are ordering does not have a COM ID# assigned, click "Create ID".
3. Enter your order on Order Manager in Omni.
4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the seating products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 ext 6543400.

Products will be scheduled for production when COM/COL textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

Customer's Own Material/ Customer's Own Leather Order Information — Seating

continued

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from Maharam, Camira, C.F. Stinson, Guilford of Maine, Luna Textiles, Momentum Textiles and Ultrafabrics. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:
(616) 654 3400
(866) 854 3048 ext 6543400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at a total product cost based on the supplier's price published at the time of the order.

Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile does not show as tested in Omni, submit a request. You will be required to select a specific color of the textile and feature of the product to test, i.e., seat, back, etc.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with Supplier Connection COM

1. Identify and include the following information on your purchase order:
 - Product number and option
 - Herman Miller's COM identification number
2. Enter your order on Order Manager in Omni.
3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2026 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© **HermanMiller**, ●, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.