AIR CALEIRIF TACIBILE DAF ID HISTERIO (D)

FOREWARD

As each year goes by our experience becomes greater and this fact is reflected—in the form of improvements and greater refinements—in the equipment we produce or stock. We are searching and experimenting constantly to bring about better quality for our customer's greater shooting pleasure. A service for which there is no charge. We feel that listed in the pages of this catalog are concrete examples of this increased quality covering a full price range of equipment in each catagory—bows, arrows, accessories, raw materials, etc. A finer grouping of superb equipment cannot be found anywhere. And - - - it's reasonably priced.

TERMS

All prices are f.o.b. St. Louis, Mo. Please include sufficient postage. All goods are sold subject to approval and are returnable within 5 days after receipt, providing goods has not been marred or broken. Prices and specifications are subject to change without notice.

ORDERING

When ordering bow be sure to specify bow weight, length of draw, whether right or left handed and any other pertinent information.

When ordering arrows state length (measured from bottom of nock to taper of pile on target arrows and from bottom of nock to base of blade on broadhead arrows) and weight of bow.

CATALOG No. 6



ARCHERY COMPANY

10500 NATURAL BRIDGE . ST. LOUIS 21, MISSOURI

Bour and arrams of proven merit

Phone WInfield 1814

LINE-O-SITE


"Moves the Target from Behind the Bow"

The LINE-O-SITE is unique in design and simplicity and incorporates all the features most desired in a bow sight: light weight, easy but positive friction adjustment, no rattle, easily attached, fits snugly to back of any bow, available in plain lens, prism lens or post type sights.

The most revolutionary feature of the LINE-O-SITE is the use of a one, two or three degree prism mounted in such a manner as to project the target image horizontally, thereby compensating for lack of perpendicularity between sight and arrow due to width of bow limb, or to compensate for an anchor position which is not vertically beneath the aiming eye. These conditions are manifest when the regular sight is set as close as possible to the side of the bow and the resulting shot hits to the right of the mark, in the case of a right hander, or vice versa for the left hander. The use of the specially mounted prism (a one degree prism usually is sufficient) corrects this condition and therein lies the derivative of the name LINE-O-SITE. When no problem of alignment is experienced, the plain lens or post type sight should be used according to preference. Four, eight and twelve degree prisms are also available for vertical projection when needed for the longer ranges.

The LINE-O-SITE was used by top ranking archers in winning titles in the National, Midwestern and many state and club tournaments. Proving beyond doubt the true merits of this effectively designed bow sight.

LS-1 LINE-O-SIGHT, Complete Kit______



DEFLECTION TABLE FOR PRISM SELECTION

PRISM	DEFLECTION	PRISM	DEFLECTION
10	16" at 40 yds.	4°	12' at 100 yds.
2°	27" at 40 yds.	8°	21' at 100 yds.
3°	39" at 40 yds.	12°	33' at 100 yds.
NOTE: 1, 2, 3 degr lenses verti	ree lenses are mounted to proj cally.	ect the target image	horizontally, 4, 8, 12 degree

Includes: One Prism (any degree), one Plain lens and one Post Sight.

Bows

PROFESSIONALS

THREE HOYT CHAMPIONS —THE CHOICE OF THE EXPERTS


The most superb line of composite bows yet developed — the results of over three years of intensive research, experimentation and know how. HOYT PROFESSIONALS have become the popular choice of the experts in whose hands many championships, records and events were won or established in club, state, regional and national tournaments. The records speak for themselves — a tribute to PROFESSIONALS in achieving the ultimate in bow design and performance.

HOYT PROFESSIONALS are the fastest bows built today — pound for pound, length for length their performance is without equal. The scientific combining of super strength materials plus precision machining has resulted in a bow characterized by smooth, even draw — no "stack up" — soft crisp action, constancy of cast under varying climatic conditions and rugged durability. Supplementing this is their beautiful flowing lines that blend in pleasing transition, from shapely handle to trim bow tips.

SPECIFICATIONS: Toxhorn plastic facing, multi-ply fiberglass backing and hardwood laminated core. Pistol grip handle contoured to fit the hand. Built-in-arrow rest designed for smooth arrow passage and greater accuracy. PLY-O-STRING bow string. Beautiful plastic finish. Each PROFESSIONAL has a registered serial number stamped beneath the handle. Name, date and full specifications are recorded in our files. Specify draw length, draw weight and whether right or left handed. Choice of leather or plastic grip.

GUARANTEE: Each PROFESSIONAL is guaranteed for one year from date of purchase against faulty workmanship and materials. Unless bow shows evidence of misuse, free replacement will be made should failure occur during the first sixty days after purchase. Thereafter, replacement will be made on an exchange basis wherein the customer pays 10% of the purchase price for each month of service received from the bow.


WORKING RECURVE MODEL




HANDLE DESIGN

and soft action. Lengths 63", 66" and 69". Weights to 70 pounds.
BC-200WR—PROFESSIONAL \$48.00
NOTE: For special, patented take down handle fitted to PROFESSIONAL bows\$10.00
ABEL RUBBER BRUSH NOCKS for hunting, demountable\$1.00 pair
The LINE-O-SITE bowsight and our DRAW CHECK were designed especially for the
PROFESSIONALS. See listings under ACCESSORIES.

MODIFIED STRAIGHT LIMB MODEL



STRAIGHT LIMB MODEL



A fine utility bow similar to the PROFESSIONAL line of bows but with a more conventional handle design. Limbs reflexed. Lengths 60", 63", 66" and 69". Weights to 70 pounds.

BC-200SL—SEMI-PROFESSIONAL \$28.50

LEMONWOOD BOWS For Schools, Colleges, Camps and Clubs

Built of choice Lemonwood in the efficient flat design, bows of this group have graceful lines, deep narrow leather handle, two toned handle riser, reinforced string and flexible varnish finish. State draw length and bow weight.

BLS-66 —5'6", 15-40 lbs., for arrows 26" to28"	¢ 0 E0
BLS-668—5'6", Fiber backed, 18-45 lbs	11.00
513-03 53, 15-30 lbs., for arrows 23" to 25"	8.00
DL3-030-33 . Fiber backed 15-35 lbs	10 50
BL -66 —5'6", 20-32 lbs., for arrows 26" to 27"	6.50
BL -63 —5'3", 17-30 lbs., for arrows 23" to 25"	6.00
BL -60 —5'0", 15-25 lbs., for arrows 23" and less	5.00
and less	4.00

The finest line of metal bows yet to be engineered, made by Englands leading manufacturer of tubular sporting equipment.

We have departed from precedence in offering our customers, for the first time, a bow of custom quality other than one of our own manufacture. However, we feel the merits of this bow warrant our placing it at the disposal of our customers. We have carefully studied the whole field of metal bow development and with considered judgement have chosen the APOLLO as a fitting supplementary line of bows to our PROFESSIONALS.

APOLLO bows are smooth and comfortable to shoot and have extremely flat trajectory.


APOLLO bows are unaffected by the weather.

APOLLO bows have been used by champion archers of the United States, England and

APOLLO bows are available in four great models.

SWALLOW

A new light APOLLO bow made specially for the American market at a keen price for those using short arrows. Based on the elliptical design, is 54" long and gives a draw weight of 21 lbs. at 22" and 24 lbs. at 24" draw. Has the same graceful lines as the more expensive models and is fast and sweet shooting. Weight in the hand is less than 12 ozs. Its point-of-aim is below the target at ranges up to 70 yds, and it is eminently suitable for all womens rounds. Price \$25.00



APOLLO BOWS ARE EASY TO TAKE APART - HAVE COMFORTABLE CORK GRIPS

KESTREL

A 60" bow made in 2 draw weight groups: 32-38 lbs. at 26" draw and 36-42 lbs. at 28" draw. The former is modeled on the 36 lb. Merlin and has all its advantages. The latter has an amazingly flat trajectory. is well below the target at 100 yds. and is eminently suitable for field archery. A fast bow, suitable for men, with a drawlength of 27" or 28".

Price \$37.50 YEW AND OSAGE ORANGE BOWS

Available on special order. Prices range from \$40.00 to \$60.00. Only choice materials and glass backing are used.

MERLIN

A 58" bow made in draw-weight groups 18-24 lbs. at 24" and 22-36 lbs. at a 26" draw. The 30 lb. bow will give the average archer a point-of-aim below the target at 80 yds, and the 36 lb. gives the average man a point-of-aim below the target at 100 yds. Light in the hand, fast Price \$37.50



ANN WEBER (USEING MERLIN)

FALCON

A 66" bow available in draw weights from 35-43 lbs, at 26" draw and 39-47 lbs. at 28" draw. Unparalleled as a target bow being steady and sweet shooting. Bows 40 lb. and over have a point-of-aim below the target at 100 yds, and the 45 lb, model is ideal for the 180 yds. clout. Price \$37.50

Construction Kits=

COMP-BO-KIT

Completely tillered - ready to shoot - requires only shaping the handle (cut to outline if desired) and adjusting the limbs for final balance. Precision made of glass, plastics and wood. Nothing more to buy. Saves up to \$25.00 on the cost of a new bow. Money back guarantee against faulty materials or workmanship. Your choice of two superb models corresponding in design and quality to our BC-200ML and BC-200SL PROFESSIONALS.



BCK-200ML—Modified	Limb,	63",	66"	and	69",	weigh	its to 7	0 ро	ound	s\$22.50
BCK-200SI —Straight	Limb.	60".	63".	66"	and	69".	weights	s to	70	pounds 17.50

LEMONWOOD BOW KIT

Precision processed by the same methods used in the construction of our PROFESSIONAL bow line and the COMP-BO-KITS. Select lemonwood, machined and contoured for correct tiller of limbs. Handles roughed out. Furnished with plastic handle material and linen for string. CKB-2-60", 66", 69". Weights to 50 lbs._____\$4.75 For fiber backing applied, add_______ 2.00

ARROW KITS

Includes 12 tapered cedar shafts milled for points and nocks, 12 plastic nocks, 12 steel points, 12 sets ground base feathers and I tube fletching and nock cement. State arrow length. CKA-I—Target Kit, 9/32" or 5/16" sizes._____\$2.75 CKA-2—Blunt Roving Kit, 11/32" and 3/8" 2.95 CKA-3—Broadhead Kit, 11/32" and 3/8" 6.25

Mystik DURA-SERV and Mystik PRO-CAM


We have developed two highly specialized uses for this fine pressure senitive tape. One as a superb serving material for bow strings, the other as a protective covering and camouflage for hunting bows. Both usages have been tried and proven in their respective fields and found far, far superior to any other materials yet tried.

We are so enthusiastic about Mystik DURA-SERV as a trouble free serving that will add considerable life to the bow string, that we predict this serving will be universally adopted for this specific purpose. Mystik DURA-SERV is so easily and quickly applied that those using it accept it with acclaim.

Mystik PRO-CAM provides a protective, waterproof bow covering of olive drab that creates an effective camouflage. Easily applied and easily removed without injury to finely finished surfaces. Mystik PRO-CAM is a MUST with the big game hunter.

Mystik DURA-SERV and Mystik PRO-CAM are packaged by us with complete instructions for application. For prices see listings under BOW MATERIALS and ACCESSORIES. Dealers write for quantity prices.

TARGET ARROWS



Arrow Sets

Are Attractively

Boxed.

SUPER-X METAL ARROWS

SUPER-X metal arrows are made of Easton 24SRT-X aluminum shafting, the finest obtainable. SUPER-X arrows have won many championships and set many records during the past two years. Precisely matched in weight, spine and balancing point. Available in a combination of 16 diameters and wall thicknesses, making possible correct matching to bows of all weights. Precision fletched with our special SPIR-O-FLETCHED 3½" vanes. Hardened steel points. Highly polished shafts. Choice of Mid-Nox, Speed Nock or Sure Nock. Numbered. Crested and fletched to your specifications if desired.

Four feather 21/2" SPIR-O-FLETCHING \$1.00 per dozen extra

CHAMPION AND EXPERT CEDAR ARROWS

CHAMPIONS are the elite of the wooden arrow line. Precision made of highly select Port Orford Cedar. Tolerances are: 5 grains weight, .03" spine, 3/16" balancing point. Sizes 5/16" and 9/32", tapered shafts spined to fit your bow. 3 1/2" SPIRO-FLETCHING. Numbered. Choice of Mid-Nox, Speed Nock or Sure Nock. Crested to your order.

TC-100—CHAMPION, Port Orford Cedar Arrow______Dozen \$12.00 TC-102—EXPERT, similar to CHAMPION except stock crested and matched to .05"

spine only______Dozen 7.50

only_____Dozen 7.50

Four feather 21/2" SPIR-O-FLETCHING \$1.00 per dozen extra.
White or dyed fletching \$1.00 per dozen extra.

ARROWS FOR SCHOOLS, COLLEGES AND CAMPS


Sturdy, well-made arrows of Port Orford Cedar. Extremely accurate and SPIR-O-FLETCHED. Steel piles and Speed Nock, stock crested. Sizes 5/16" and 9/32", tapered shafts.

PLEASE NOTE

When Ordering State Arrow Length — Measured From Bottom Of Nock To Taper Of Pile — And Bow Weight.

FIELD AND HUNTING ARROWS

Unless Specified
Field Arrows
Are Equipped
With Oversize
Points For
Greater Strength



SUPER-X METAL FIELD ARROWS

FA-100B—SUPER-X, Broadhead Arrow (Diamond Blade, 2 or 4 edge) Dozen 30.00
Four feather 31/2" SPIR-O-FLETCHING \$1.00 per dozen extra.

White or dyed white fletching \$1.00 per dozen extra.

RANGER AND SCOUTER FIELD ARROWS

The RANGER line is the ultimate in field arrow design. Highest quality Port Orford cedar shafts, tapered. Sizes 5/16", 11/32" and 3/8", matched to 10 grains weight and .05" spine. 5" SPIR-O-FLETCHING insures accurate, non-planing flight, even should broadheads become misaligned in service. Shafts may be had in clear, white, orange, yellow or olive drab finish. Numbered and brightly crested as desired. Fitted with Speed Nock or Sure Nock and choice of broadhead, blunt, field, roving or target points as listed under Arrow Material. Specify type of head. FC-100—RANGER, Field Arrow (target, blunt or field point - add 50c for rover point).

point)

FC-100B—RANGER, Broadhead Arrow (add cost of broadhead selected) Base price Dozen 9.00

FC-102 —SCOUTER, Field Arrow (similar to RANGER except stock crested and matched .05" spine only)

7.25

Four feather 31/2" SPIR-O-FLETCHING \$1.00 per dozen extra. White or dyed white fletching \$1.00 per dozen extra. Color dipped shafts, \$.50 per dozen extra; no charge when crest is omitted.

ROVER AND ROVETEER FIELD AROWS

For truely low cost, expendable cedar arrows of great accuracy for use in practice, roving or hunting, better values have never been offered. SPIR-O-FLETCHED and fitted with Speed Nock and choice of blunt, target or broadhead point. Neatly crested. Sizes 5/16", 11/32" and 3/8". Specify type of point.

FC-108B—ROYETEER, Broadhead Arrow (same at FC-108) (add cost of broadhead selected) Base price ________Dozen 4.75

FISH ARROWS

Available in either 5/16" aluminum shaft or 3/8" cedar shaft, 30" long. Choice of Zwichey flexible barbed fish point or barbed broadhead point. Either plain or fletched. Fletching is unnecessary when line is used.

FC-110 —Cedar Fish Arrow	Each	\$1.10
FC-110F—Cedar Fish Arrow, Fletched	Each	1.35
FA-110 —Aluminum Fish Arrow	Each	2.75
FA-110F—Aluminum Fish Arrow, Fletched	Each	2 25

FLU-FLU AERIAL ARROW

ARCHERY GOLF ARROW SETS

Set includes flight arrow with small feathers, one approach arrow with non-skid point and one putting arrow with blunt point, the latter two arrows being matched to each other. Attractively crested. Speed Nock.

GA-100—SUPER-X, Metal Arrows, set of three	7	\$6.50
Flight, approach or putting arrow		,
GC-200—Cedar footed arrow, set of three		3.75
Flight, approach or putting arrow	Each	1.25
See ACCESSORIES for archery golf Ball and Stand		

FLIGHT ARROW

Port Orford ceda	r, barrelled construction, plastic vanes. Mid-Nox.	
FC-150—Self Flight	ArrowEach \$1.5	0

Please Note

When Ordering State Arrow Length — Measured From Bottom Of Nock To Taper Of Pile Or to Base of Blade of Broadhead Arrows — and weight of Bow.

ARROW RECONDITIONING SERVICE Wood or Metal Arrows

For a complete overhaul job send us your arrows. Includes—REFLETCHING and RECREST-ING to your specifications. STRAIGHTENED, POLISHED, RENOCKED and NUMBERED.

\$6.00 PER DOZEN

SPIR-O-FLETCHING

What is it? What are its merits? Technically these questions should be answered at length, employing a bit of descriptive geometry and the theory of aerodynamics. But briefly, we may say this: SPIR-O-FLETCHING stands for true spiral fletching and is not to be confused with diagonal fletching, erroneously referred to as spiral fletching. The merits of SPIR-O-FLETCHING are these: arrows absolutely cannot "plane" in flight due to warp or broadhead misalignment; smaller and lower cropped feathers for the same guiding effect as other types of fletching; lower cropping means less fraying of feathers; uniform rotation of all arrows in flight; does not create greater "drag" than straight fletching.



RYE STRAW TARGETS

Hand made of full length rye straw. Tightly stitched with tarred sisal. Six inches thick. Will outlast any other target.

TRS-48-48"	 14.00
TRS-36-36"	 10.00
TRS-24-24"	 6.00

MARSH GRASS TARGETS

Machine made, vermin proof target that will render long, dependable service.

TMG-48—48" _____\$13.00

TMG-48-48"	\$1	3.00
TMG-36-36"	*****	8.50
TMG-24-24"		5.50
TMG-16-16"		3.25

TARGET FACES Printed in full colors


		PAPER	PAPER	CLOTH	CLOTH
	The transfer of the second of	PLAIN	SKIRTED	PLAIN	SKIRTED
48"	Face	\$.80	\$2.25	\$3.50	\$4.30
36"	Face	.50	1.70	2.50	3.30
24"	Face	.35	1.20		
16"	Face	.15			

FIELD ARCHERY FACES

et consists of 4 - 24", 8	3 - 18", 8 - 12" and 12 - 6"	black and white faces, Set of 32\$2.00	
Animal faces (14 target	set)	3.75	

TARGET STANDS

6' tripod of soft wood. Sturdy construction. Each______\$4.00



TARGET QUIVERS

QT-1-CHAMPION-mens, elk-grain	ned br	OWN COW-
hide, perforated cuff, belt hook, 2'	"x17"	\$4.00
QT-2—CHAMPION—ladies, as abo	ve but	with belt
assembly.		\$4.40
QT-3—SCHOLAR—similar to QT-1	but	of fabri-
coid		\$1.00
QP-HIP POCKET QUIVER-leathe	r fits	snugly in
hip pocket		\$1.90

HUNTING QUIVERS

WOLFELD
QH-2—KING 420—shoulder style, holds 2 dozen arrows, 3 compartments, zipper pocket, has knife, file and pencil sheaths, chrome elk leather\$17.50 Ladies size\$16.50
QH-3—WESTERN—shoulder quiver, holds 2 dozen arrows, roomy zipper pocket, chrome elk
leather \$12.75
leather \$12.75 With fringed, laced top cuff \$15.75
QH-4-STEVENSON - shoulder quiver holds 18
arrows, chrome elk leather
QH-5-MOHICAN-shoulder or side quiver, holds
10 arrows, chrome elk leather, cuff \$6.50
QH-6—ROYER — similar to QH5 but of fabricoid \$2.75
QB—BOW QUIVER—easily and quickly removed or attached to bow handle by one screw. Holds 3 arrows fitted with any style head. Leather covered, weight 6 ozs. State whether for left or right hand
QBB—To use Bow Quiver on more than one bow, order extra sets of bushing and screw. Per set
QBR — Replacement rubbers for either end. Each

GROUND QUIVERS

QG-1—Duralum bow stand and folding quiver. Crested to match your arrows if desired......\$3.50 QG-2—Suede finished ground quiver. Protects the finish of your bow. Easily dismantled to fit inside tackle box \$2.00

BOW CASES

CB-1—Single Case, backed Canton flannel leather reinforced\$1.65
CB-2—Double Case, as above \$3.00
CB-3—Single Case, "Arrabuk," fleece-lined rub- berized suede cloth in sepia brown. Full zipper opening across top, 4" wide
CB-4—Double Case, as above but with handle, 71/2" wide \$4.75
CB-5—"Arrubuk", available in short lengths, for Apollo and take down bows\$2.75
NOTE: State OVERALL bow length when ordering bow cases.

ARCHERY GOLF BALL & STAND


GBS—Ball (4" latex) and stand with rubber cup......set \$2.00

BOW FISHING REEL

BR-Bear Bow Reel and line\$3.75

CAMOUFLAGE FOR BOWS

PC—Mystik PRO-CAM—a special protective camouflage tape of olive drab for hunting bows. Fully waterproof. A fine protection for Fortisan and Sinew backings, etc. Holds fast to bow. Does not harm finish. Instructions for application. 3"x78", per roll \$.90
BS—BOW SOCK—Flexible, knitted tube in olive drab. Water repellent treated. Fits snugly over bow and serves as camouflage and sound deadener \$1.00



SHOOTING GLOVES

GS-1—EZI-FIT—elastic back band, cordovan finger fips, Sizes: small, medium, large and extra large. GS-2—EZI-FIT—as above but with cowhide fips \$1.65

SHOOTING TABS

TS-1—MARSHALL—cordovan front, calfskin back, hinged flap to prevent blister. Right or left hand, small, medium and large. \$.60
TS-2—CORDOVAN finger tab, small or large, right or left hand. \$.40
TS-3—Cowhold finger tab, otherwise similar to above. \$.30

ARMGUARDS

AG-1—The HUNTER model, cordovan, steel stays, 3 straps and buckles. \$2.70
AG-2—The KOOL guard, cordovan, steel stays, 2 elastic straps. \$2.00
AG-3—The STANDARD guard, lace type felt lined.
Small and large. \$1.25
AG-4—The PLASTIC, flexible molded plastic, in colors. \$1.00
AG-5—The JUNIOR, elastic lace, single hook. \$.65

BOW SIGHTS

LINE-O-SIGHT—the unique sight that "moves the target from behind the bow". See special listing page 1.

LS-1—Complete kit, Prism and Plain Lens and Post Sight

LS-2—Prism Lens only
LS-3—Plain Lens only
LS-3—Plain Lens only
LS-4—Post Sight only
SJ_JEWEL—prism and plain class adjustable metal sight. Available in 8, 10, 12, 14 and 16 degree prisms.

SG—GEM—all steel, two sights in one, peep and point. Adjustable for windage and elevation. \$1.00

THE ABEL BRUSH NOCK

BN-Rubber anti-snag brush nock for straight or recurred bows. Slides on in a jiffy. Quiets string noise. Ideally suited for working recurves. To order, measure circumference at point 1/2" in from where string leaves bow. Per pair \$1.00

RANGE STICK

RS—McQUITTY AIM INDICATOR—scientifically designed range stick. Adjustable for automatic compensation at all standard ranges for changes in arrow velocity. When ordering specify bow weight or preferably mail pattern of your range stick, sighted in at arrow length, showing relative marks for 40, 50, 60 and gold. Also specify diameter or arrow point. Instruction sheet furnished..........\$2.00

TACKLE CASES


DRAW CHECK

DC—Leather and rubber, easily applied. No interference \$.10

TOE MARKERS

TM—Aluminum foot position markers. Thin, flat tops with beveled edges. Initialed. Pair...........\$.50

BOW STRINGS



TOXHORN **FACINGS AND BACKINGS**

TOXWOOD - All-Purpose Grade, .08"x35", \$2.55 pair 11/2" width, \$2.80 pair 13/4"

TOXWOOD FACING-3/32"x36", \$2.50 pair 11/2" width, \$2.75 pair 13/4" width. TOXHORN FACING-3/32"x36", \$2.00 pair 11/2" width, \$2.25 pair 13/4" width. TOXHORN FLIGHT FACING-5/64"x36", \$.50 per pair per 1/4" width.

TOXGLASS - Single ply, length 72", \$.20 per 1/4" width
TOXGLASS—Two ply, length 72", \$.40

per 1/4" width. TOXGLASS-Three ply, length 72", \$.60

per 1/4" width. TOXGLASS — Four plv. length 72", \$.80

per 1/4" width. Instruction sheets included with each pur-

CONOLON BACKINGS

CONOLON-Three ply glass, plastic sub back, 36", \$.90 per pair per 1/4" width. ULTRABAC-Five ply glass, no sub back, 36", \$.90 per pair per 1/4" width.
MAPLE CORE LAMINATIONS

Clear, hard maple, 5/16"x11/2" or 13/4"x35" Pair _____\$.75 Maple core sanded to any desired thickness, from .04" to .20". Pair_____\$2.00

WALNUT HANDLE RISER BLOCKS

Accurately machined with end tapered and feathered for insertion beneath facing. 1/2" or 13/4" wide, 13/8" deep, 14" long. \$2.25 **SPLICE TEMPLATE**

Double fish tail splice pattern for joining billets. Printed on gummed paper 2 pair_____\$.20

YEW BILLETS

No. I quality,	seasonedpair	\$8.50
No. 2 quality,	seasonedpair	6.00
No. 3 quality,		4.00
For splicing,	add	1.75
OSAGE	ORANGE BILLET	rs

No. I quality, seasoned____pair \$8.25 No. 2 quality, seasoned____pair 5.50 No. 3 quality, seasoned_____pair 3.50 For splicing, add 1.75

LEMONWOOD STAVES Select stave, 3/4"x13/2"x69"____\$1.75 With hardwood riser glued on....


BACKING MATERIALS Rawhide backing, 13/4"x36"____pair \$2.00 Fiber backing, 11/2"x36",

white, black_____pair
TAKE DOWN HANDLE NEW MOON BOW latch_____\$7.50 The Cochran "Safety Gap" bow handle,

patent applied for. The finest take apart handle ever developed **MANDLE MATERIALS**

Leather, wrap type, 3/4"x32", skived all edges, black or brown, with trim_\$.50 Leather, skived all edges, 4"x5"_____ .35 Plastic, 3/16" wide, brown or black Per Handle_____

BOW STRING MATERIALS FORTISAN, white 4 oz. spool____\$2.00 FORTISAN, black, 4 oz. spool_____ 2.25 Mystik DURA-SERV The sensational new trouble free serving that gives longer string life. Special 1/4" tape with powerful adhesive. Easily and quickly applied to loops and nocking point. Packaged with instructions. Ample for 3 or 4 bow strings25 60 yd. roll_____ 1.75 Wax, special preparation __per cake .25



ARROW SHAFTS

24SRT-X aluminum shafts. Fitted with hardened steel points and swedged for nocks. State length and bow weight. Dozen _____\$18.00 Select Port Orford cedar shafts, tapered. Sixes, 9/32", 5/16", 11/32", 3/8"

Dozen \$1.25, Per 100 _______ 6.75

As above but matched to .05" in spine. Dozen _____ 1.95 As above but matched 5 grs. in wt. and .04" in spine. Dozen_____ 2.75

ARROW POINTS

Steel Piles, standard. Sizes 1/4", 9/32" 11/32", 3/8" Doz. \$..45, Per 100 \$2.50 Steel Blunts, standard. Sizes: 5/16", 11/32", Dozen .45, Per 100 2.50 Steel Target Points, special to match broadheads. Sizes: 5/16"x75 grs., 11/32"x100, 125 grs., 3/8"x100, 125, 150 grs., 13/32"x 125, 150 grs., Doz. .60, Per 100 4.00 Blunts in same sizes and weights as target points Doz. .60, Per 100 4.00 Field Point (non skid) in same sizes and weights Doz. .80, Per 100...... 5.50
Zwickey Roving Point, tapered hole to
match Diamond broadheads, nickel plated. Sizes: 11/32"x115 grs., 3/8"x130 grs. Zwickey Fish Point, nickel plated steel with spring barb Each .65 As above but double barb____Each **BROADHEADS**

BLACK DIAMOND (2 EDGE) (4 EDGE) 5/16" I.D.xl 1/16" W.xl15 grs. Dox. \$3.60 11/12" I.D.x11/8" W.x130 grs. Dox. 3.60 \$4.60 4.60 3/8" I.D.x1 7/32" W.x150 grs. 4.60

BODKIN (3 BLADE) ACE (2 EDGE) 11/32" I.D.x1 1/8" W.x175 grs.__Doz. 3.75 AMERICAN (2 EDGE) 11/32"x11/8" W.x130 grs.____Doz. 3.00 PLASTIC NOCKS

SPEED NOCK, indexed. 1/4", 9/32", 5/16", 11/32". Colors: Red, white, blue, yellow, black, green Doz. \$.45 Per 100 \$3.60 MID-NOX, 3/16", 7/32", 1/4", 9/32", 5/16". Assorted colors .

Doz. .60 Per 100 4.00 SURE NOCK, a new ingenious nock so designed as to prevent a nocked arrow from becoming disengaged from the string before shooting - a bow cannot be shot empty with this nock. Also, slender neck eliminates arrow pinch and flat sdies of nock (parallel to string) make it the fastest nocking of all nocks. Wide bottom of string slot increases string life. Standard tapered hole. Sizes: 7/32", 1/4", 9/32", 5/16". Colors red, white when available.

Doz. \$.60, Per 100 \$4.00

2.75

TURKEY FEATHERS SELECT—FULL LENGTH—GROUND BASE Per Doz. Per 100 Natural Barred\$.50 Natural White_____ 3.50

Dyed feathers: red, yellow, orange, blue, ARROW NUMBER DECALS

long. Sets of 3 ______.50

Check your arrows for grouping by having them numbered. 1/4" diameter, 1 thru 24. 2 sets _____\$.15



CEMENTS
FLETCH-TITE — for bonding feathers and nocks to aluminum or woodTube \$.25
FERR-L-TITE — super heat-welding arrowhead cement for wood or metal shaftsTube .50
TUFF BOND — excellent, easy to apply, cold bonding arrowhead cementTube .25
DUCO HOUSEHOLD CEMENT for feathers and nocksLarge Tube \$.25, Small Tube .15
CASCO FLEXIBLE CEMENT, ideal for leather handles, etcTube .25
PLIOBOND — rubber cement, ideal for bow strings. Bonds anything to anything.
3 oz. bottle \$.50; 1 pint 1.25
GLUE
URAC-185—the perfect glue for strong, everlasting joints. Especially suited for glueing lamina-
tions, backings, handle risers, splices, etc. Waterproof — Stainproof1 pint \$2.00
Don't sacrifice accuracy with wet feathers — keep 'em dry with easy to apply DRYFLETCH
per bottle \$1.00
N. F. A. A. HANDBOOK
Informative, interesting articles on hunting, forming a club, field round rules, layout of a field
course, etc\$.75
N. F. A. A. EMBLEMS
4" leather emblem\$1.00
4" feit emblem
3" silk embroidered emblem50
31/2" and 23/4" decal emblem
I" decal emblem
N. A. A. PAMPHLETS
Instructions and Rules for Out door Archery Tournaments\$.10
N. A. A. Constitution and By-Laws
SPORT SEAT
The perfect companion for the deer hunter and Sportsman — compact — only 12 oz. — 360°
pivot — belt hook — O D. or polished aluminum finish each \$4.95
With sponge rubber seat pad
FLETCHERS
FLEETWOOD — 3 feather target\$1.00
FLEETWOOD — 3 feather hunting 1.25
FEATHER BURNERS
"YOUNG" FEATHER TRIMMER — a well designed, self contained transformer unit that accurately
burns the feathers to shape. Complete with resistance ribbon and instructions\$8.95
FLEETWOOD — assembled 3.95
FLEETWOOD — kit
PLEET WOOD — KII