

CHEMICAL INDEX

Adhesive Spray.....366,369-370
Air Duster..... 331
Air-Tool Oil..... 357
Air Tool Oil Conditioner..... 357
Aluminum Brightener.....327A
Aluminum & S/S Cleaner.....327C
Anti-Spatter..... 319
Anti-Seize (Copper & Nickel).....363,413
Anti-Seize Compound.....360,413
Anti-Seize Lubricant.....360
Anti-Seize Marine Grade.....365
Anti-Seize (No-Mess)..... 364
Anti-Seize Spray..... 364
Assortments..... 451
Aviation Gasket Sealant..... 387

Barrel Pump..... 450
Battery Cleaner & Acid Detector..... 318
Battery Preventive Spray..... 318
Belt Dressing..... 315
Berry Hand Cleaner..... 421
Bio-Penetrating Lubricant.....336A
Blaster Air Tool Oil Cond..... 357
Blaster Spray..... 335
Boron Buster..... 359
Brake & Caliper Grease..... 352
Brake & Parts Cleaner.....320-322
Brake Lube Silicone..... 352
Brake Silencer..... 309
Bug Spray..... 416

Carb & Choke Cleaner..... 327
Car Truck Wash.....327B
Caulking Guns..... 449
Cement, PVC..... 400
Ceramic Extreme Brake Parts Lube..... 353
Chain & Cable Lube..... 334-337
Choke & Carb. Cleaner..... 327
Circuit Board Cleaner..... 324
Citrus Degreaser..... 328
Clear Pen-Lube..... 346
Cold Galv. Compound.....315
Contact Cleaner.....322,324
Cool-Cut..... 359
Cool Gel..... 356
Cop-Graf (Anti-Seize)..... 363
Copper Spray-A-Gasket..... 366
Corrosion Prev. Compound..... 316
CRC Brakleen.....320, 321
CRC Lectra-Motive..... 324
CRC Powerlube..... 354
Cutting Fluid..... 333

De-Icer (Lock).....329A
Di-Electric Grease.....316, 346A, 347
Disc Brake Caliper Lube..... 353
Disc Brake Quiet..... 309
Dry Lubricant..... 337
Dry Moly Lube..... 342
Duster, Electronics..... 331
Dykem Steel Blue Layout Fluid..... 308

E-6000..... 394
Electronics Duster..... 331
Electronic Parts Cleaner..... 324

Engine egreaser..... 327
Engine Starting Fluid..... 310
Epoxy Mixer Cups..... 396
Epoxy Syringe..... 394
Epoxy Tubes..... 399
Equipment Cleaner..... 329
Extreme Brake Parts Lube..... 353
E-Z Strip..... 370

Faststeel Epoxy..... 399
Fault Check NDT Systems.....318A
5-Min. Epoxy Syringe..... 394
Flange Sealant Gasket..... 382
Flex Seal..... 312
Floor & Equipment Cleaner..... 329
Fluid Film..... 317
Foamfresh..... 419
Foaming Cleaner W/Ammonia..... 331
Foam Sealant..... 319
Form-A-Gasket #2..... 384
Form-A-Thread..... 411
Four-in-one spray..... 334
Free All.....335A
Freeze Release..... 332

Galvanizing Compound..... 315
Gasket Products
Adhesive Spray.....366,369
Aviation Gasket Sealant..... 387
Copper Spray..... 366
Eliminator Flange.....382, 415
Form-A-Gasket..... 384
High Tack Sealant.....387,415
High Tack Spray..... 366
Perfecta Seal..... 382
Remover..... 370
Silicone Aerosols.....347,378
Silicone Cart..... 381
Silicone Tubes.....372-376
Gasket Remover..... 370
Gear Lube..... 336
Glass Cleaner.....329-330
Glue.....402-403
Gorilla Glue..... 403
Grease Guns..... 450
Graffiti Remover..... 370
Greases
Brake..... 352
Di-electric.....316, 346A, 347
Lubriplate.....347,348
Red (Cartridge)..... 351
Red (Spray)..... 339
Super Impact..... 351
Super Lube..... 345
White Lithium.....336-336A
Great Stuff..... 319

Hand Cleaners.....417-424
Hand Wipes..... 423
High Tack Sealant.....387,415
High Tack Spray-A-Gasket..... 366
Hydraulic Fluid.....357A

CHEMICAL INDEX

Inter-Mix 5..... 395
Inter-Mix 60..... 395
Invisible Glass Cleaner.....329A

J-B Weld.....393A

K-Guard..... 420
KL 73 Rust Inhibitor..... 331B
Krown Products..... ..331B-331C

Laquer Thinner..... 310
Layout Fluid, Steel Blue..... 308
Lectra-Motive..... 324
Lithium Grease.....336-336A
Lock De-Icer.....329A
Loctite Adhesives.....405-414
Lubriplate Cartridge No. 930-AA..... 348
Lubriplate Mag-1 Polymer..... 347
Lubriplate Penetrating Oil..... 334
Lubriplate Tube No. 105..... 348

MR 35 Salt Eliminator.....331B
Marine Grade Antiseize..... 365
Metal Parts Protector..... 316

Next Generation Vehicle Dressing.....327E
Nickel-Graf..... 363
No-Mess Antiseize..... 364
No-Flash Electro LPS..... 322
No More Leaks..... 393
NYK Corrosion Preventitive Compound..... 316

Open Gear Lube..... 336

Paints

Fas-Mark.....301A
Fresh-N-Quick..... 308
Inverted Tip.....301A
MRO High Solids.....300-301
Traffic Marker striping..... 305
Various Paints.....301A-305

Paint Remover..... 370
PB Blaster..... 335
Parts Protector..... 316
Penetrating Oil.....331C,332-335B,353
Pen-Lube..... 346
Perfecta Seal..... 382
Pipe Joint Compound..... 391
Pipe Thread Sealant..... 390
Power Lube..... 354
Power Wash.....327C
Pow'rkleen..... 417
Primer (Loctite)..... 404
Primer (PVC)..... 400
Pump Barrel..... 450
PVC Adhesives..... 400
Quickie 5000.....331A

Red Grease (Cartridge)..... 351
Red Grease 339
Renewable Lubricant..... 336A
Repairitquik Epoxy..... 399
Right Stuff..... 383

Rubberized Undercoat..... 312
Rust Bust..... 333
Rust Buster..... 335B

Safety Solvent..... 330
Salt Eliminator.....331B
Sanitizers.....419-419A
Scrubs In-A-Bucket..... 423
Showtime Truck Shine.....327D
Silicone Lubricating Compound.....346A
Silicones

Aerosols.....347,378,384
Brakelube..... 352
Cartridges..... 381
Spray.....342-343
Tubes.....372-376

S'mooth Thread Sealant.....390A

Soaps417-424

Solvent Degreaser.....327A

Spray Paints.....300-308

Spray Paint Can Holder..... 449

Squeaky Clean.....327C

Starting Fluid..... 310

Strike Hold..... 317

Strip-Calk.....396A

Striping Machines..... 306

Stripped Thread Repair..... 411

Sunshine Hand Cleaner..... 418

Super Cleaning Solvent.....331A

Super Glue..... 402

Super Impact Grease..... 351

Super Lube..... 345

Super Reprosolve..... 328

Super 77 Adhesive Spray..... 369

Super Suds Hand Cleaner..... 418

Super Weatherstrip Adhesive..... 379

Tap Magic..... 358

Teflon Dry Lube..... 337

T-Force..... 332

Thread Repair..... 411

Thread Sealant (Teflon).....390-392,414

Threadlockers.....405-414

3-36 Multi-purpose Lubricant.....335A

Tire Dressing.....327D

Transfer Pump..... 450

Truck Wash.....327D

Tub-O-Towels..... 423

Tune-up Grease.....346A

Ultra Black Gasket Maker..... 384

Ultra Disc Brake Caliper Lube..... 353

Undercoat..... 312

Urethane Sealant..... 379

Wash & Wax.....327B

Wasp & Hornet Spray..... 416

W-D 40..... 335

Weather-strip Adhesive..... 379

Weed Killer..... 416

Weld Kleen..... 319

Wheel Coil & Finn Cleaner.....327B

White Lithium Grease.....336-336A

Wire Pulling Lubricant..... 346

PAINT

SEYMOUR MRO HIGH SOLIDS (ALKYD)

- High solids formulation delivers single-coat hiding power.
- Protects against weather, rust, oil, gasoline, corrosive chemicals and rough service.
- Long-life color retention. (Compared to a standard industrial enamel, it is more resistant to ultraviolet sun rays.)
- For indoor and outdoor use; does not contain lead, CFC's, chromates or chlorinated solvents.



J&B #	COLOR	COLOR MATCHES	QTY
9000	Aluminum	ALUMINUM	EA
9002	Safety Blue	OSHA SAFETY BLUE GRADALL SAFETY BLUE	EA
9084	Light Blue		EA
9004	Deep Blue	NATIONAL BLUE UP RIGHT DEEP BLUE	EA
9006	Safety Green	OSHA SAFETY GREEN	EA
9008	Cascade Green		EA
9010	Dark Green	EMSCO GREEN GUMBO BUSTER GREEN OILFIELD DARK GREEN	EA
9012	Safety Yellow	OSHA SAFETY YELLOW JOHN DEERE SAFETY YELLOW	EA
9016	Equipment Yellow	CATERPILLAR YELLOW (new) INDUSTRIAL YELLOW	EA
9018	Ryder Yellow		EA
9020	Safety Orange	OSHA SAFETY ORANGE ALLIS-CHALMERS ORANGE THOMAS-JOY MFG. ORANGE	EA
9022	Omaha Orange	OILFIELD ORANGE WAUKESHA ORANGE DATAGEN EQUIPMENT ORANGE	EA
9023	JLG Orange		EA



20 OZ.
(Net Wt. 16 oz.)

6 in a case

* MRO IS ALSO AVAILABLE IN GALLONS SPECIAL ORDER.


PAINT

SEYMOUR MRO HIGH SOLIDS (ALKYD)

- High solids formulation delivers single-coat hiding power.
- Protects against weather, rust, oil, gasoline, corrosive chemicals and rough service.
- Long-life color retention. (Compared to a standard industrial enamel, it is more resistant to ultraviolet sun rays.)
- For indoor and outdoor use; does not contain lead, CFC's, chromates or chlorinated solvents.



J&B #	COLOR	COLOR MATCHES	QTY
9024	Safety Red	OSHA SAFETY RED MASSEY FERGUSON RED OLATHA MANUFACTURING	EA
9028	Tan	TAN	EA
9027	Stainless Steel	STAINLESS STEEL	EA
9270	Cummins Beige	CUMMINS BEIGE	EA
9034	Flat Black	FLAT BLACK	EA
9036	Gloss Black	GLOSS BLACK	EA
45579	Cast Black		EA
9038	Light Machinery Gray	ANS 170	EA
9086	Gray	ANS 161	EA
9040	Dark Machinery Gray	ANS 149	EA
9042	Flat White	FLAT WHITE	EA
9044	Gloss White	FLEET WHITE	EA
9050	Red Iron Oxide Primer		EA
9052	Light Gray Primer		EA



20 OZ.
(Net Wt. 16 oz.)

6 in a case

* MRO IS ALSO AVAILABLE IN GALLONS SPECIAL ORDER.

PAINT

INVERTED TIP MARKER

- Original water base.
- Environmentally formulated. VOC compliant.

J&B #	COLOR	QTY
45590	White	EA
45591	Fluorescent Orange	EA
45594	Fluorescent Green	EA
45595	Fluorescent Blue	EA
45596	Fluorescent Pink	EA

12 in a case



Net Wt. 13 oz.

FAS-MARK Cap & Cover Paint

- Ideally suited to meet the demands of the retail petroleum market.
- Special acrylic modified formula resists gasoline, diesel & ethanol.
- Clean spray pattern means little or no over spray, so no need to lift the covers, just spray them in place.
- High solid, fast drying formula in Fas-Mark can be used to mark & identify manhole and tank valve covers.

J&B #	COLOR	QTY
V46045	Mid-Grade Blue	EA
V46048	Black	EA
V46049	E85 Bronze	EA

12 in a case



Inverted spray Tecnology

Net Wt. 15 oz.

PAINT

SPRAY-GLO

- Provides 300% greater visibility than regular spray paint.
- VOC compliant.

J&B #	COLOR	QTY
9056	Fluorescent Yellow	EA
9058	Fluorescent Orange	EA

6 in a case



Net Wt. 12 oz.

BIG RIG PROFFESIONAL COATING

- Ideal for use on wheels, fuel tanks, bumpers, mirrors and tires.
- Resists fading, chipping, peeling, cracking and corrosion.

J&B #	COLOR	QTY
9014	School Bus Yellow	EA

6 in a case



Net Wt. 16 oz.

CEILING TILE PAINT

- Effective for eliminating water and smoke stains or discoloring near heat and air conditioning vents.
- Eliminate costly tile replacement.

J&B #	COLOR	QTY
45554	New White	EA

6 in a case



Net Wt. 16 oz.

PAINT

FARM & INDUSTRY ENAMELS

- Heat resistant spray enamel.
- Lead free VOC compliant.

J&B #	COLOR	QTY
45550	Old Cat Yellow	EA

6 in a case



Net Wt. 12 oz.

HI TECH ENAMELS

- Quick dry; excellent durability.
- For metal and wood; gas and chemical resistant.

J&B #	COLOR	QTY
45558	Hunter Green	EA
45559	Gloss Brown	EA

6 in a case



Net Wt. 12 oz.

HI TECH ENGINE COATING

- Non-sag; heat resistant.
- Hard gloss finish; resists gas and solvents.

J&B #	COLOR	QTY
45556	Chevy Orange	EA

6 in a case



Net Wt. 12 oz.

PAINT

EUROPEAN BLACK TRIM PAINT

- Matches OEM European bumper and trim parts.
- Can be used on rigid and flexible surfaces.
- Polyurethane enamel. Excellent UV resistance.
- Fast drying. Superior adhesion.

J&B #	COLOR	QTY
IES4519	European Black	EA

12 in a case



Net Wt. 12 oz.

HI TECH LACQUER Metallic Coating

- Fast-drying general purpose coating that provides a durable finish both indoors and outdoors on most surfaces.
- Resistant to the effects of weather and many chemicals.
- Sag free with excellent hiding qualities.
- Resistant to temperatures up to 250 degree fahrenheit.

J&B #	COLOR	QTY
45567	Semi-Gloss Black	EA

6 in a case




Net Wt. 12 oz.

COLD GALVANIZED PRIMER

- Excellent adherence to galvanized surfaces exposed to the severest corrosive conditions.
- Meets or exceeds performance requirements of MIL-P-26915C, MIL-P-46105, DOD-P-21035a.

J&B #	COLOR	QTY
9029	Cold Galv. Primer	EA

6 in a case



Net Wt. 15 oz.

PAINT

TRAFFIC MARKER STRIPING PAINT

- Highly pigmented paints that produce sharp, durable stripes everytime.
- Ideal for traffic control markings on concrete, asphalt, gravel or dirt.

J&B #	COLOR	QTY
9090	Traffic White	EA
9092	Traffic Yellow	EA
9094	Traffic Red	EA
9096	Handicap Blue	EA

12 in a case



Net Wt. 18 oz.

HOT SPOT

- Ideal for light to heavy-duty painting projects both indoors and outdoors.
- High temperature paint up to 1200 F.
- VOC compliant.

J&B #	COLOR	QTY
9080	Aluminum	EA

6 in a case



Net Wt. 12 oz.

STRIPING MACHINES

TRAFFIC STRIPING MACHINE

- Has 7" wheels that provide a smooth ride on hard surfaces such as concrete, blacktop and metal.
- 18-gauge all-steel construction.
- Stripes crisp, even lines of 2" to 4".
- Excellent for use in parking lots, warehouses, plants and factories, etc.



J&B #	QTY
41430	EA

STRIPING WAND

- Perfect for easy stenciling or touch ups on striped surfaces.
- Durable plastic construction; 34" long with snap-out removable wheel.

J&B #	QTY
41425	EA



PAINT

FRESH-N-QUICK PAINT

- Fresh-n-Quick is an economical general purpose paint.
- For interior and exterior use.
- Quick-dry, resists cracking, peeling & chipping.

J&B #	DESCRIPTION	QTY
9032	SEMI-GLOSS BLACK	EA
9062	ALUMINUM METALLIC	EA
9064	NAVY GRAY	EA
9066	FLAT WHITE	EA
9068	GLOSS WHITE	EA
9070	GLOSS BLACK	EA
9072	GRAY PRIMER	EA
9074	GLOSS ALMOND	EA
9082	GLOSS CLEAR	EA
41855	FLAT BLACK	EA
41856	GLOSS BLUE	EA
41857	GLOSS GREEN	EA
41858	GLOSS YELLOW	EA
41859	GLOSS RED	EA

6 in a case



Net Wt. 10 Oz.

STEEL BLUE LAYOUT Dykem

- Prevents glare with a uniform, deep color.
- Dries in minutes.
- Lets you scribe sharp, clear precise lines.
- Reduces eyestrain.

J&B #	COLOR	FIX CURE TIME @ TEMP	QTY
9097	BLUE	4 minutes @ 77 F	EA

12 in a case



Net Wt. 12 OZ.

Resistance = Oil, gasoline, chlorinated solvents, kerosene, toluene, and synthetic coolants.

Specifications = Translucent.

Flexible, non-cracking and non-chipping.

When applied, provides a thin coating of uniform deep color.

PROTECTANTS & COATINGS


DISC BRAKE QUIET CRC

FEATURES AND BENEFITS:

- CRC Disc Brake Quiet is specially formulated to dampen the vibrations that cause disc brake noise.
- It forms a water-resistant, high temperature film that will absorb noise and quiet disc brake squeal.
- Just spray back of disc pad and reassemble.

APPLICATIONS:

Autos * Trucks * Tractors * Motorcycles *
Marine and Construction Equipment Engines



Net Wt. 9 Oz.

J&B #	QTY
9158	EA

12 in a case

DISC BRAKE QUIET CRC

FEATURES AND BENEFITS:

- Specially formulated to dampen the vibrations that cause disc brake noise.
- Forms a water-resistant, high temperature film that will absorb noise and quiet disc braking.

APPLICATIONS:

Autos * Trucks * Tractors * Motorcycles * Marine
and Construction Equipment * Engines



Net 4 Fl. Oz.

J&B #	QTY
9159	EA

12 in a case

BRAKE SILENCER

FEATURES AND BENEFITS:

- Specially formulated to help prevent brake squeal on disc brake systems.
- Soaks into pad surfaces to fill voids and pits.
- Reduces comebacks and improves customer satisfaction.



8 Fl. Oz.

J&B #	QTY
IES1450	EA

12 in a case

PROTECTANTS & COATINGS

ENGINE STARTING FLUID Premium

FEATURES AND BENEFITS:

- CONTAINS 50% ETHER.
- For all gasoline and diesel engines.
- Complies with federal low sulfur content requirements for use in diesel motor vehicles and nonroad engines.
- Starts engines fast in all temperature and humidity conditions, even down to -65 F.
- Special formulation contains upper cylinder lubricant and an anti-corrosive agent to protect engine components and reduce engine wear.

APPLICATIONS:

Autos * Trucks * Tractors * Motorcycles * Marine
and Construction Equipment Engines



Net Wt. 11 Oz.

J&B #	QTY
*38768	EA


12 in a case

LACQUER THINNER

FEATURES AND BENEFITS:

- Specially formulated for Nitrocellulose lacquer coatings.
- Acts as a reducer for brush sprayings.
- Cleans tools and equipment; Thins laquers and epoxies.
- Not intended for use with automotive lacquers.
- Professional strength; medium fast drying.

**** CANNOT SHIP UPS ****



1 Gallon

J&B #	QTY
9390	EA

6 in a case

PROTECTANTS & COATINGS

RUBBERIZED UNDERCOAT BLACK

Heavy Duty
Loctite

FEATURES AND BENEFITS:

- Seals and protects against moisture, rust and corrosion.
- Quiets squeaks, insulates and deadens noise.
- Is elastic and flexible.

APPLICATIONS:

Auto Fenders * Fire Walls * Frames * Inside Door
Panels * Rocker Panels * Gas Tanks * Farm Implements *
Roofs * Gutters * Wheel wells * Drain Systems * Tree Pruning



Net Wt. 16 Oz.

J&B #	QTY
9228	EA

12 in a case

FLEX SEAL

Liquid Rubber Sealant Coating

FEATURES AND BENEFITS:

- Easy way to coat, seal and protect.
- Rubberized leak sealer that seeps into cracks and holes to seal out air and moisture.
- Long-lasting, watertight, paintable, flexible rubber coating that won't sag, drip, crack or peel.
- One can treats 2 to 12 square feet.

APPLICATIONS:

Roofs * Skylights * A/C drip pans *
Hoses * Window Seals * PVC Pipes *
Flashings * Basements * Chimneys * Downspouts *
Vent Pipes * RV's & Campers * Trailers * Duct Work *
Foundations... Much more.



14 Oz.

J&B #	QTY
59124	EA

6 in a case

PROTECTANTS & COATINGS

COLD GALVANIZING COMPOUND

Loctite

FEATURES AND BENEFITS:

- Electrochemically fuses zinc to metal surfaces to provide galvanic rust protection with 92% pure zinc.
- Protects even when scratched or abraded.
- Dries to a tough, permanent coating in 15 minutes.
- May be painted or left as final protective coating.
- Contains no CFC's harmful to the environment.

APPLICATIONS:

All vehicle bodies * Boats * Agricultural * Mining and Construction Equipment * Bridges * Storage Tanks * Underground Pipe Lines * Touch-up for marred or scratched hot dip galvanized surfaces



Net Wt. 15 Oz.

J&B #	QTY
9256	EA

12 in a case

BELT DRESSING & CONDITIONER

Loctite

FEATURES AND BENEFITS:

- Quiets squeaking belts.
- Specialty formulated and high quality conditioner that eliminates squeaks, aids in power transfer and increases belt life.
- Ideally suited for V belts, flats, canvas, rubber and round belts.
- Prevents rotting and deterioration even under severe outdoor conditions.

APPLICATIONS:

Industrial belt drives * Auto fan belts * Compressors * Pumps * Generators * Fans * Textile Equipment * Farm * Marine * Leather * Fabric Washers * Dryers * Garden Tractors * Refrigerators.



Net Wt. 12 Oz.

J&B #	QTY
9218	EA

12 in a case

PROTECTANTS & COATINGS

METAL PARTS PROTECTOR Heavy Coat

FEATURES AND BENEFITS:

- Long term rust & corrosion protectant.
- Protection up to two years.
- Non-greasy flex film protects atmospheric or salt spray rust & corrosion.
- Easily removed with safety solvent degreaser.
- Coating is flexible. Will expand and contract with all metal surfaces uniformly. Will NOT flake, peel or crack.

APPLICATIONS:

Tools * Dies * Drill Pipe * Bearings * Precision Machined
Surfaces * Cables * Chains * Stampings * Housings *
Jigs * All exposed metal parts



Net Wt. 13 Oz.

J&B #	QTY
9125	EA

12 in a case

NYK CORROSION PREVENTIVE COMPOUND

FEATURES AND BENEFITS:

- NYK-77compound is a specially formulated non conductive sealant and corrosion preventive for all types of electrical contacts & switches.
- It's grease-like consistency provides sealing against intrusion of dirt & moisture.



2 Fluid OZ.

J&B #	QTY
38705	EA

PROTECTANTS & COATINGS

STRIKE HOLD Cleaner Dry Lube Protectant

FEATURES AND BENEFITS:

- Cleans rust, corrosion & carbon for all metals.
- Lubricates metal parts.
- Reduces friction.
- Very high dielectric strength.

APPLICATIONS:

Tools * Firearms * Landscaping equipment * Farm equipment * Motors
* Lighting & electrical * Generators * Motorcycles * Machinery
* Boat electronics * Knives * And thousands more



Net Wt. 12 Oz.

J&B #	QTY
V46062	EA

12 in a case

FLUID FILM Rust & Corrosion Protection

FEATURES AND BENEFITS:

- Penetrant & lubricant also used for corrosion prevention.
- Non-toxic, long lasting.
- Lanolin based rust/corrosion preventative for all metal surfaces.
- Locks and displaces moisture while lubricating moving parts for extended periods of time.

APPLICATIONS:

Automobiles * Aircraft * Municipalities * Gas companies * Salt plants
* Agriculture * Power plants * Commercial fishing * Machinery
* Government facilities * Home use * And thousands more



Net Wt. 11.75 Oz.

J&B #	QTY
59128	EA

12 in a case

PROTECTANTS & COATINGS

NOCO REMOVE Battery & Acid Detector

FEATURES AND BENEFITS:

- Works instantly to neutralize, dissolve, and remove power robbing corrosion.
- New acid detector formula assures a clean battery.
- Foaming yellow cleaner turns pink upon contact with battery acid.

APPLICATIONS:

Battery Terminals * Cables * Hold-downs * Boxes * Clamps
Ideal for all batteries: automotive, marine, aircraft, industrial.



Net Wt. 14 Oz.

J&B #	QTY
9208	EA

6 in a case

NOCO NCP2 Battery Corrosion Preventative

FEATURES AND BENEFITS:

- Prevents corrosion of all auto, truck and marine batteries.
- Will not dry, evaporate or crack due to temperature changes.
- New improved NCP 2 formula; Environmentally safe.
- Use after Noco Battery Cleaner.

APPLICATIONS:

All Batteries * Battery Carriers * Terminal Cables * Battery Posts * Clamps * Garages * Gas stations * Fleets * Car dealers.



Net Wt. 12.25 Oz.

J&B #	QTY
9362	EA

6 in a case

FAULT CHECK NDT SYSTEMS

- Standard and nuclear liquid dye penetrant systems for nondestructive testing.
- Nuclear grade is halogen and sulfur free.
- Meets NACSHIP-250-1500, MIL-I-25135, and MIL-STD-271.
- Contains no chlorinated solvents.



J&B #	PRODUCT	TYPE	NET WT.	QTY	
59106	DEVELOPER	NUCLEAR	9 Ozs.	EA	12 in a case
59108	PENETRANT	STANDARD/NUCLEAR	9.5 Ozs.	EA	12 in a case

PROTECTANTS & COATINGS

WELD-KLEEN Heavy Duty Anti-Spatter

FEATURES AND BENEFITS:

- Base metal and fixture applications become easier to clean and remove unwanted weld spatter.
- Regular use reduces need for grinding and other clean-up tasks.
- A convenient solvent based, quick-drying aerosol that allows for pre-heat, higher duty cycles and higher and higher temperature applications.
- Paintable, non-flammable, no fluorocarbons.
- Excellent for fixture and tooling protection.

APPLICATIONS:

Battery Terminals * Cables * Hold-downs * Boxes * Clamps
Ideal for all batteries: automotive, marine, aircraft, industrial.



Net Wt. 20 Oz.

J&B #	QTY
9184	EA

6 in a case

GREAT STUFF Foam Sealant

FEATURES AND BENEFITS:

- Fills, seals and insulates gaps and cracks or holes less than 1/2"
- Stops drafts and energy loss.
- Weather-tight, paintable, sandable and stainable.
- Cures rigid, waterproof, interior/exterior.

APPLICATIONS:

Wood * Metal * Masonry * Glass * Most plastics



Net Wt. 12 Oz.

J&B #	QTY
9186	EA

12 in a case

CLEANERS

C R C BRAKLEEN Brake Parts Cleaner (Non-Flammable)

FEATURES AND BENEFITS:

- Removes Brake Fluid, Grease and Oil.
- Degreases instantly.
- Leaves no residue.
- NON-FLAMMABLE.

APPLICATIONS:

Auto Parts * Brake Linings * Cylinders * Springs * Disc Brake Pads,
etc. Industry machines * molds, etc.



Net Wt. 1lb 3 Oz.

J&B #	QTY
9508	EA

12 in a case

JOHNSEN'S Brake Parts Cleaner

FEATURES AND BENEFITS:

- Removes Brake Fluid, Grease and Oil.
- Degreases instantly.
- VOC compliant.
- NON-Chlorinated.

APPLICATIONS:

Auto Parts * Brake Linings * Cylinders * Springs * Disc Brake Pads,
etc. Industry machines * molds, etc.



Net Wt. 14 Oz.

J&B #	QTY
V9152	EA

12 in a case

CLEANERS

C R C BRAKLEEN Brake Parts Cleaner (Non-Chlorinated)

FEATURES AND BENEFITS:

- Removes Brake Fluid, Grease and Oil.
- Degreases instantly.
- Leaves no residue.
- Contains no Chlorinated Solvents.

APPLICATIONS:

Auto Parts * Brake Linings * Cylinders * Springs * Disc
Brake Pads, etc. Industry machines * molds, etc.



Net Wt. 14 Oz.

J&B #	QTY
9160	EA

12 in a case

BRAKE & PARTS CLEANER II (Non-Chlorinated)

FEATURES AND BENEFITS:

- Powerful spray removes grease and oil instantly.
- Effective blend of heavy duty solvents and other degreasers: fast acting and thorough.
- Easily removes brake fluid, grease, oil and other contaminants without disassembling the unit.
- Contains no chlorinated or fluorinated solvents, no lead, phosphorous or silicone.

APPLICATIONS:

Machine shops, Automotive shops or any place where the removal of dirt and greasy soils from metal surfaces is important.



Net Wt. 14 Oz.

J&B #	QTY
9374	EA

12 in a case

CLEANERS


PDP BRAKETHRU (VOC Compliant)

FEATURES AND BENEFITS:

- Fast potent cleaning.
- Evaporates quickly.
- Low odor.
- For use in a sprayer.

APPLICATIONS:

Machine shops, Automotive shops or any place where the removal of dirt and greasy soils from metal surfaces is important.



Net contents. 5 Gallons

SHIP VIA OUR TRUCK ONLY

J&B #	QTY
9385	EA

CONTACT CLEANER NoFlash Electro LPS Platinum Grade

FEATURES AND BENEFITS:

- Nonflammable. Nonconductive. Fast evaporating.
- No rinsing and no residue. Quick penetration.
- Superior wetting action.
- Meets or exceeds Boeing D6-17487 rev. P specifications.
- Learjet LES 1239. McDonnell Douglas CSD #1.
- NSF Registered K2 - #131303.

APPLICATIONS:

Removes... Dirt * Oil * Grease * Soil



Net Wt. 12 OZ.

J&B #	QTY
V9226	EA

12 in a case

CLEANERS

CONTACT & CIRCUIT BOARD CLEANER IV

FEATURES AND BENEFITS:

- Premium Chemistry, Will not "Freeze Out". Removes dirt, dust and light oils.
- Compatible with plastics when used as directed. Dries with no residue.
- Nonconductive to over 18 KV per ASTM D-877. residue free.
- Not categorized as flammable per CPSC flame projection Test.

APPLICATIONS:

Circuit boards * Precision instruments * Controls * Switches * Motors * Oxygen Equipment * Film * Computers * Generators



Net Wt. 10 Oz.

J&B #	QTY
9366	EA

12 in a case

C R C LECTRA-MOTIVE Electric Parts Cleaner

FEATURES AND BENEFITS:

- Swiftly and effectively degreases and cleans electrical systems and equipment.
- Removes oil, dirt, wax and other foreign matter that may cause electrical failure.
- Saves dismantling.
- Non-flammable, non-staining, non-conductive cleaner.

APPLICATIONS:

Air Conditioners * Alternators * Batteries * Cables * Cams * Chargers * Coils * Distributors * Fuse Holders * Generators * Light Assemblies * Motors * Portable Tools * Regulators * Starters * Testers * Welders



Net Wt. 19 Oz.

J&B #	QTY
9163	EA

12 in a case

CLEANERS

CHOKE & CARBURETOR CLEANER

FEATURES AND BENEFITS:

- Removes dirt, gum and varnish deposits.
- Eliminates stalling and rough idling.
- Can be used on running engines .
- Will not harm oxygen sensors, catalytic converters or fuel injection systems.
- Periodic use keeps choke and carburetor clean, fuel efficient and trouble free.
- No chlorinated or fluorinated solvents.

APPLICATIONS:

Engine Carburetors * Heat Valves * Automatic Chokes & Linkages * Throttle Plates * Cars * Trucks * Airplanes * Boats * Lawnmowers, etc.



Net Wt 14.75 Oz.

J&B #	QTY
9210	EA

12 in a case

HEAVY-DUTY FOAMING DEGREASER

FEATURES AND BENEFITS:

- Powerful Foaming Spray.
- Quickly eliminates heavy soils.
- Exceptional dwell time; clings upon contact.
- Unique water-based formula.
- Fresh citrus aroma.
- Non-Chlorinated.

APPLICATIONS:

Engines * Power Equipment * Machinery * Garage Floors * Grills * Stove Burners * Kitchen Exhaust Fans * Tools * Lathes * Drill Presses * Furnace Filters * Walls * Coils * Concrete



Net Wt. 16 Oz.

J&B #	QTY
9214	EA


12 in a case

CLEANERS

ALUMINUM BRIGHTENER Heavy Duty

FEATURES AND BENEFITS:

- A blend of detergents, wetting agents and acids that clean and brighten in one easy operation.
- Fast acting material that foams away even the heaviest diesel smoke trails without hand-brushing.
- Usually used in pressure spray operation, followed by a pressure rinse.
- The aluminum surfaces should be flooded with sufficient material to form a heavy foam blanket, which begins to build immediately upon contact.
- Spray from bottom up; rinse from top down.



5 Gallon

*****CANNOT SHIP UPS*****

J&B #	QTY
41875	EA

CLEANERS

WHEEL COIL & FINN CLEANER

FEATURES AND BENEFITS:

- Cleans & restores shine to wire, chrome & mag wheels, wheel covers and auto grills.
- Also cleans coils and fins on air conditioning units.
- Just spray on and rinse off! Fast acting, concentrated.

**** CANNOT SHIP UPS ****



1 Gallon

J&B #	QTY
V59220	EA

4 in a case

NO STREAK WASH & WAX

FEATURES AND BENEFITS:

- A perfect blend of liquid detergents & fine waxes, designed for efficient no streak cleaning.
- Produces rich, sudsy solution that emulsifies dirt & road film rapidly.
- Free rinsing to eliminate streaking. Leaves vehicle with a gloss shine.
- When applied onto truck beds & equipment using a foaming applicator, this product prevents asphalt from adhering to surfaces, without affecting new roadbed or winter patching compounds.



1 Gallon

J&B #	QTY
V59221	EA

4 in a case

LIQUID CAR & TRUCK WASH

FEATURES AND BENEFITS:

- A perfected blend of liquid detergents, designed for efficient "No-streak" cleaning.
- Produces rich sudsy solution that eliminates dirt & road film rapidly.
- Free rinsing to eliminate streaking.



1 Gallon

J&B #	QTY
V59222	EA

4 in a case

CLEANERS

SQUEEKY KLEEN

FEATURES AND BENEFITS:

- A powerful multi-use automotive/industrial citrus degreaser.
- Great for cleaning black streaks from trailers, campers, gutters and siding, along with engines, chassis, plastic, vinyl, metal, unpainted machinery, concrete floors, grout, grills, lawn furniture, upholstery.
- Rinses freely and is biodegradable.
- **CLEANS ALMOST ANYTHING!**

**** CANNOT SHIP UPS ****



1 Gallon

J&B #	QTY
V60000	EA

4 in a case

POWER WASH

FEATURES AND BENEFITS:

- A professional truck, bus, vehicle wash developed over decades to meet the needs of professional and serious truck washers.
- This extraordinary product is formulated to clean and quickly rinse easily while removing road film, exhaust deposits and bug residues.
- Works fast * rinses easily * leaves a great shine * biodegradable.

**** CANNOT SHIP UPS ****



1 Gallon

J&B #	QTY
V60001	EA

4 in a case

POLISHED ALUMINUM & STAINLESS STEEL CLEANER

FEATURES AND BENEFITS:

- A concentrated acid cleaner containing wetting agents and emulsifiers to provide maximal cleaning and brightening of polished aluminum and stainless steel.
- No dulling/chalking/whitening * removes oxidation & corrosion * biodegradable.

**** CANNOT SHIP UPS ****



1 Gallon

J&B #	QTY
V60002	EA

4 in a case

CLEANERS

ULTIMATE TRUCK WASH

FEATURES AND BENEFITS:

- Formulated for hand truck washing, utilizing advanced surfactant technology.
- This product meets the demands of truckers who care about their trucks and want to preserve the quality of their finishes.
- Just a few ounces in a bucket of water and a soft brush are all you need to produce a super clean vehicle with a brilliant shine.



1 Gallon

J&B #	QTY
V60004	EA

4 in a case

TIRE DRESSING

FEATURES AND BENEFITS:

- A premium solvent based surface dressing for tires, trim, bumpers, molding, vinyl and plastic.
- Produces a long lasting, high gloss, water resistant finish.
- Recommended primarily for exterior use.



1 Gallon

J&B #	QTY
V60003	EA

4 in a case

SHOW TIME TRUCK SHINE

FEATURES AND BENEFITS:

- An instant detailer that is unique in that it incorporates a cleaner along with a shiner, leaving a protected high gloss non-streak finish.
- Will clean and shine a vehicle in just minutes.
- Just mist and wipe off. Use on wet or dry surfaces.
- Great on trucks, cars, boats, motorcycles and air planes.



1 Gallon

J&B #	QTY
V60005	EA

4 in a case

CLEANERS

NEXT GENERATION VEHICLE DRESSING

FEATURES AND BENEFITS:

- A revolutionary water-based product made from REAL SILICONE formulated to perform like a solvent-based dressing.
- This is not your typical water-based silicone emulsion product.
- Will hold up to the top solvent-based dressings yet can be safely used on just about any non-porous surface on your vehicle and beyond!
- Cleans * Shines * Protects Interiors, Tires, Trim...



1 Gallon

J&B #	QTY
V60006	EA

4 in a case

CLEANERS


CITRUS DEGREASER

FEATURES AND BENEFITS:

- A very effective, safe, heavy duty cleaner/solvent.
- Contains a citrus base that will remove contaminants such as adhesives, grease, oil, tar, waxes and inks from most surfaces.
- Environmentally safe. Non-chlorinated.
- Contains no CFC's and is bio-degradable.
- Deodorizes as it cleans.
- Non-caustic and quick acting.

APPLICATIONS:

All metal surfaces * Concrete * Painted surfaces * Formica *
Porcelain * Upholstery *



Net Wt 15 Oz.

J&B #	QTY
9124	EA

12 in a case

CLEANERS

GLASS AND MIRROR CLEANER WITH AMMONIA Misty

FEATURES AND BENEFITS:

- Readily lifts soil and grease from windows, glass counters, windshields, mirrors and more.
- Dries quickly without streaking or hazing.
- Mint fragrance.

J&B #	VENDOR #	QTY
9421	LAG # = AMR R121-4	EA

4 per case



1 GALLON


HEAVY DUTY FLOOR & EQUIPMENT CLEANER Troy

FEATURES AND BENEFITS:

- A cleaner & degreaser that contains alkaline builders, water conditioners and an organic solvent.
- HMIS hazard rating: Health = 2(moderate) Flammability = 0(minimal) Reactivity = 0(minimal) Special = ALKALI

J&B #	VENDOR #	QTY
9165	1121	EA

CANNOT SHIP UPS



5 GALLON

CLEANERS

INVISIBLE GLASS Premium Glass Cleaner

FEATURES AND BENEFITS:

- No streaky soaps, foams, scents or dyes.
- Engineered with a multi-component formula that is more powerful than other glass cleaners.
- Quickly removes oily, dirt, dust, fingerprints, sap, bugs, droppings, grease, adhesives, smudges, smoke haze, plasticizer film, pollutants, and other difficult grime.
- Evaporates quickly and completely, leaving glass clean and clear with no streaks, haze or residue.

APPLICATIONS:

Windows * Mirrors * Windshields *

Any glass surface at home, work or play



Net Wt 19 Oz.

J&B #	QTY
9126	EA

12 in a case

DE-ICER Gunk

FEATURES AND BENEFITS:

- Auto & Truck windshield de-icer.
- Melts ice instantly on locks, windshield wipers & windows.
- Neutralizes acid.



12 Oz.


J&B #	QTY
9458	EA

12 in a case

LOCK DE-ICER

.5 Oz.

- Thaws frozen locks quickly & keeps working.
- Lubricates internal lock mechanism to prevent freezing & protects against rust.
- Not harmful to automotive paint finishes.
- For auto & home door locks, gas cap locks, bike rack locks, ski box locks & luggage box locks.



J&B #	QTY
47001	EA

CLEANERS

SAFETY SOLVENT 2000

FEATURES AND BENEFITS:

- This product is the next generation solvent degreaser for industrial and electronics maintenance.
- High solvency, fast drying, leaves no residue.
- Non-ozone depleting, nonchlorinated, low odor.
- Safe on many plastics.
- Non-flammable and non-conductive to 18,000 volts.
- Dual action spray – mist/blast.

APPLICATIONS:

Compatible with most types of steel, galvanized steel, brass, copper, magnesium, nickel, tinplate, titanium, and zinc. Safe on a wide variety of plastics.



Net Wt. 15 Oz..

J&B #	QTY
9130	EA

12 in a case

GLASS BLASTER

FEATURES AND BENEFITS:

- Easy to use, foaming action, dissolves dirt, grease, oil, lipstick, bugs and more.
- Anti-haze and anti-streak additives provide maximum clarity and shine.
- Foam spray clings to surfaces to eliminate dripping and allow maximum coverage.

APPLICATIONS:

Glass * Plexiglass * Mirrors * Chrome * Windshields * Porcelain * Tile



Net. Wt. 19 Oz.

J&B #	QTY
9212	EA

12 in a case



CLEANERS

ALL PURPOSE FOAMING CLEANER

FEATURES AND BENEFITS:

- All-purpose foaming cleaner with ammonia.
- Nonabrasive, fast-acting foam cleans dirt, grime and fingerprints from nonporous surfaces.
- Will not damage protective surfaces.

J&B #	VENDOR #	QTY
9415	LAG # = SYS 2050	EA

12 in a case



Net Wt. 19 Oz.

ADVANCED ELECTRONICS DUSTER

FEATURES AND BENEFITS:

- Pinpoint blasting spray.
- Completely plastics safe.
- High Purity * No residue.
- Use on electronics, optics & more.
- Nonflammable & non Ozone depleting.
- Invert and use as a freeze spray.
- Inverted freezing can be used for spot cooling of electrical components or easy removal of gum, wax & more.



7 Oz.

J&B #	QTY
9546	EA

12 in a case

CLEANERS

SUPER CLEANING SOLVENT

FEATURES AND BENEFITS:

- Quick, safe, multi-purpose solvent.
- Excellent for removing wax, adhesives, tar, undercoating, sealers, paint overspray and bugs.
- Safe on most cured paints, fabric, vinyl, glass & most plastics.
- Non-staining. Film free.
- Contains no chlorinated solvents or CFC's.

J&B #	STYLE	SIZE	QTY
IES4700	Aerosol can	24 OZ.	EA
IES1700	Quart	32 OZ.	EA

12 in a case

12 in a case



QUICKIE 5000

FEATURES AND BENEFITS:

- Contains no chlorinated solvents or CFC's.
- An extra strength, fast acting solvent for removing dried rubber cement, sealers, overspray, undercoating, tar, silicone & wax.
- Non-staining. Film free.

J&B #	STYLE	SIZE	QTY
IES1750	Quart	32 OZ.	EA

12 in a case



CLEANERS / LUBRICANTS

KL 73 RUST INHIBITOR LUBRICANT

Krown

FEATURES AND BENEFITS:

- Solvent free rust inhibitor and lubricant.
- Formulated to extend life of moving parts.
- This product is approved for incidental contact with food.
- Non-flammable, environmentally safe. 59kv dielectric strength.
- Eco friendly

APPLICATIONS:

Chains * Rollers * Sliders * Wiring * Raw or manufactured steel * Machinery * Steel tubing * Piping * Metal to Metal * etc.



Net Wt 400g



5 Gallon

J&B #	CONTAINER	QTY
9174	5 GAL	EA
9175	AEROSOL	EA

12 in a case

MR35 SALT ELIMINATOR

Krown

FEATURES AND BENEFITS:

- Can be used on almost any surface. Hot water not necessary.
- Prevents salt from reforming on the surface after washing is complete.
- High rinsability. Excellent hard water tolerance – no water spots.
- In addition to salt, removes many other surface contaminants such as sulphates, nitrates and soils which can also cause corrosion.
- Environmentally friendly. Contains no NPE's, petroleum solvents or phosphates. Non-flammable.

APPLICATIONS:

Cars * Trucks * Interior Carpet * Boats * PWCs & ATVs * Tractors * Clothing & Footware * Trailers * Heavy Machinery * Snow Blowers



Net Wt 400g.



5 Gallon

J&B #	CONTAINER	QTY
9172	5 GAL	EA
9173	AEROSOL	EA

12 in a case

LUBRICANTS

KP 53 PENETRANT

Krown

FEATURES AND BENEFITS:

- Solvent free, fast acting penetrating fluid.
- Will bond with any metal, creating a fast moving, moisture displacing barrier.
- This product is approved for incidental contact with food.
- Non-flammable, environmentally safe. 50kv dielectric strength.
- Any rusted, seized, or frozen parts will be freed quickly and safely.

APPLICATIONS:

Industrial * Heavy Duty Fleet * Marine * Electronics



Net Wt 400g

J&B #	QTY
V9146	EA

12 in a case

LUBRICANTS

T-FORCE Foaming Penetrant

FEATURES AND BENEFITS:

- Loosens the toughest rust.
- Penetrates Rust and Corrosion.
- Long lasting penetration.
- Resists Temperature Breakdown.
- Extreme Pressure, Creeping Formula.
- Foaming action inimizes run off and keeps more product working on the rusted part.

APPLICATIONS:

Valves * Battery terminals * Mufflers * Tailpipes * Shocks *
Manifolds * Heat Control Valves * Throttle Linkages * Nuts * Bolts *
Locks * Studs * Cleans mowers, marine and farm machinery



Net Wt 15.75 Ozs.

J&B #	QTY
9530	EA

12 in a case

FREEZE RELEASE Freezing Penetrant Lubricant

FEATURES AND BENEFITS:

- Shock Freezing Releases Seized Parts.
- 360 degree spray anyway valve.
- Release parts reamian lubricated & protected from corrosion.
- Non-chlorinated and low VOC.

APPLICATIONS:

Valves * Battery terminals * Mufflers * Tailpipes * Shocks *
Manifolds * Heat Control Valves * Throttle Linkages * Nuts * Bolts
Locks * Studs * Cleans mowers, marine and farm machinery



Net Wt 9 Ozs.

J&B #	QTY
9506	EA

12 in a case

LUBRICANTS

RUST BUST 4-IN-1 Penetrating Oil

FEATURES AND BENEFITS:

- Quickly penetrates and loosens rusted and frozen parts.
- Special additives enable this formula to clean and lubricate; driving out moisture.
- Loosens grime, grease and carbon from engine heads; reducing friction, wear and tear.
- All organic; biodegradable, non-ozone depleting; nonflammable.

APPLICATIONS:

Valves * Battery terminals * Mufflers * Tailpipes * Shocks *
Manifolds * Heat Control Valves * Throttle Linkages * Nuts *
Bolts * Locks * Studs * Cleans mowers, marine and farm
machinery



Net Wt. 17 Oz.

J&B #	QTY
9111	EA

12 in a case

CUTTING FLUID

FEATURES AND BENEFITS:

- Heavy-duty concentrated cutting oil fortified with active sulfur and an extreme pressure additive.
- High performance coolant/lubricant increases production, protects cutting tools, helps provide quality machine parts.
- Gives excellent cooling of workpiece and provides exceptional rust protection; easing machine operations.
- Rapid heat removal promoting longer tool life.
- Contains no nitrites which cause freezing of chucks and collets.

APPLICATIONS:

Formulated for all types of machine shop uses.



Net Wt. 16 Oz.

J&B #	QTY
9260	EA

12 in a case

LUBRICANTS

LUBRIPLATE Penetrating Oil

FEATURES AND BENEFITS:

- Prevents wear and corrosion.
- Cleans, penetrates and lubricates all types of chains and cables.
- A superior, non-gumming penetrating oil.

APPLICATIONS:

Excellent for loosening locks, latches, nuts, cables, chains, etc. Excellent drilling, sawing and thread-cutting oil.



Net Wt. 11 Oz.

J&B #	QTY
9350	EA

12 in a case

LUBRICANTS

PB BLASTER Penetrating Magnetic Lubricant

FEATURES AND BENEFITS:

- Dissolving cleaner that lubricates while it works.
- Stops rust and squeaks.
- An exclusive feature of PB Blaster is that a complete lubricating oil-like catalytical change takes place after thorough penetration and saturation.
- Penetrates icy frost, rust corrosion and frees parts without dismantling.

APPLICATIONS:

Can be used on farm equipment * Industrial * Marine *
Aircraft * Business machines * Trucks * Mobile homes *
Guns * Fishing reels * Head studs * Shock absorbers *
U-bolts * Automatic chokes * Scientific projects, etc.



Net Wt. 11 Oz.

J&B #	QTY
9198	EA

12 in a case

WD-40 Multi-Purpose Lube

FEATURES AND BENEFITS:

- Stops Squeaks.
- Protects Metal.
- Loosens Rusted Parts.
- Frees Sticky Mechanisms.

APPLICATIONS:

Chairs * Rollers * Hinges * Cars * Wheels *
Moving Parts * Tools * Equipment * Bolts
Valves * Locks, etc.



1 Gallon

Net Wt. 8 Oz.

	J&B #	QTY
12 in a case	9236	EA
4 in a case	9244	EA

LUBRICANTS

3-36

Multi-purpose Lubricant & Corrosion Inhibitor

FEATURES AND BENEFITS:

- Versatile, petroleum-based lubricant, penetrant & corrosion inhibitor.
- Unique viscosity allows it to cover more surface area & penetrate deep into the surface of all metals including steel, copper, brass and aluminum.
- Displaces moisture and leaves a thin, long-lasting film to protect against corrosion and wear.
- Product can be sprayed from any position – even upside down.
- Meets 1998 guidelines for use in meat and poultry plants.

APPLICATIONS:

Tubing * Castings * Gears * Weld rod * Wire * Fixtures *
Dies * Jigs * Shim stock * Chucks * Drill Rod * Heat
treated parts * Machined surfaces * Finished welds * Aluminum extrusions
* Air actuated tools * Conveyors * Frozen joints * Locks * Hoists



Net Wt. 11 Oz.

J&B #	QTY
V41846	EA

12 in a case

FREE ALL Penetrating Oil

FEATURES AND BENEFITS:

- Ideal for automotive, marine & general industrial applications or where ever you need to loosen rusty parts.
- Spreads deep into rusted or frozen parts, freeing them in seconds with ease.
- Free all is more than a lubricant because it has special ingredients that actually eat rust.



Net Wt. 11 Oz.

J&B #	QTY
38918	EA

12 in a case

LUBRICANTS

RUST BUSTER Penetrant / Lubricant

FEATURES AND BENEFITS:

- Penetrates deep and fast to release rusty bolts, nuts & fittings almost instantly.
- A long lasting lubricant that protects against further rusting.
- Fast capillary action. Excellent penetration.
- High graphite content for additional lubrication.
- Contains no silicone. No chlorinated solvents.

APPLICATIONS:

Tubing * Castings * Gears * Weld rod * Wire * Fixtures *
Dies * Jigs * Shim stock * Chucks * Drill Rod * Heat
treated parts * Machined surfaces * Finished welds *
Aluminum extrusions * Air actuated tools * Conveyors
*Frozen Joints *Locks *Hoists



Net Wt. 15.25 Oz.

J&B #	QTY
V9176	EA

12 in a case

LUBRICANTS

WHITE LITHIUM GREASE

FEATURES AND BENEFITS:

- Lubricates and reduces friction.
- Fortified with PTFE.
- Prevents rust and corrosion.
- Effective from +0 F to +200 F.
- Nonchlorinated and no ozone depleters.

APPLICATIONS:

Bearings * Slides * Rollers * Chain * Small Gears * Hinges *
Cranks * Linkages * Overhead Tracks * Sprockets * Tools



Net Wt. 12 Oz.

J&B #	QTY
9382	EA

12 in a case

OPEN GEAR LUBE

FEATURES AND BENEFITS:

- Quiets noisy gears.
- The tacky adhesiveness continuously recoats and lubricates all gear surfaces.
- Extremely effective when used under water.
- Forms a film that resists rust and corrosion.
- Operating range +0 F to +250 F.

APPLICATIONS:

Chains * Cables * Cranes * Hoists * Drag lines * Gears *
Snow removal equipment * Elevators * Fifth wheels Marine
and dockside equipment



Net Wt. 14 Oz.

J&B #	QTY
9234	EA

12 in a case

LUBRICANTS

WHITE LITHIUM GREASE CRC

FEATURES AND BENEFITS:

- Provides long lasting lubrication.
- Excellent water & heat resistance & film strength in any weather or temperature.
- Clings to provide long lasting lubrication.
- A break in lubrication for bearings.

APPLICATIONS:

Bearings * Slides * Rollers * Chain * Small Gears *
Hinges * Cranks * Linkages * Overhead Tracks *
Sprockets * Tools



Net Wt. 10 Oz.

J&B #	QTY
9153	EA

12 in a case


BIO-PENETRATING LUBRICANT Renewable Lubricant

FEATURES AND BENEFITS:

- Formulated with biodegradable vegetable oil grown in America.
- Non-volatile long lasting film. Penetrates into tight tolerances.
- Dissolves rust. Prevents corrosion. Compatible with seals.
- No VOC's. ISO 14,000 compliant. OSHA compliant.

APPLICATIONS:

Jacks * Wire Ropes * Hand Tools * Bearings * Chains *
Firearms * Bolts * Shafts * Air Tools * Linkage Cables * Etc.



Net Wt 11 Ozs.

J&B #	QTY
9128	EA

12 in a case



12 Ozs.

J&B #	QTY
9360	EA

12 in a case

LUBRICANTS


CHAIN & CABLE LUBE

FEATURES AND BENEFITS:

- Lubricates and reduces friction.
- Multiple applications.
- Fortified with Moly and PTFE.
- Nonchlorinated.
- No ozone depleters.

APPLICATIONS:

Chains * Cables * Sprockets * Link and Roller Assemblies * Hoists
Power Drives * Chain Saws * Material Handling Equipment
Road and Construction Machinery * Wire Rope



Net Wt. 13 Oz.

J&B #	QTY
9232	EA

12 in a case


THE DRY LUBE

FEATURES AND BENEFITS:

- Superior antifriction properties provided by TEFLON makes Blaster's Teflon Dry Lube an excellent lubricant on virtually any surface.
- Does not contain silicone or chlorinated solvents.
- Non-oily. Will not attract dust.
- It's anti-stick properties make it a suitable release agent in many applications.

APPLICATIONS:

Wood Furniture * Chutes * Box Conveyors * Leather * Rubber *
Hinges * Locks & Catches * Cables * Window Tracks & Glass *
Rope * Door Tracks * Drawers * Household Appliances



Net Wt. 9.3 Oz.

J&B #	QTY
9504	EA

12 in a case

LUBRICANTS

PENETRATING RED GREASE

FEATURES & BENEFITS:

- Multi-purpose, Red Grease Lubricant; water & acid resistant; prevents rust and oxidation.
- Additives provide superior adhesive, cohesive, extreme pressure and cushioning properties.
- Penetrates - then quickly sets up.
- Withstands heat to 500 F.
- Resists "Throw Off"; clings to vertical surfaces.
- No Chlorinated or Fluorinated Solvents.



Net Wt. 11 Oz.

J&B #	QTY
9364	EA

APPLICATIONS:

12 in a case

Window Slides * Open Gears * Wheel Studs * Printing Presses * Couplings * Door Jams * All Exposed Metal Surfaces * Conveyors * Tools * Roller Chain * Cables * Garage Door Tracks * Manifolds

LUBRICANTS

DRY MOLY LUBRICANT

FEATURES AND BENEFITS:

- Moly-Spray Dry Film Lubricant is an air-drying, solid film lubricant that can be conveniently applied by spray and is ready to use in minutes.
- It forms a thin dry film of molybdenum disulfide which has a low coefficient of friction, and effective corrosion resistance.
- It is non-oily, non-sticky, and will not cold flow, run or drip.
- Performs under extreme pressures (100,000 PSI) and temperatures -100 F to + 600 F (-73 C to + 315 C) Meets MIL-L-23398C specifications.
- Long lasting lubrication. Quick drying. Tight adhesion.

APPLICATIONS:

Conveyors * Couplings * Belts * Pulleys * Chains *
Furnaces * Kilns * Ovens * Gasket Coatings * Muffler
Clamps. * Anti-seize * Mold Release



Net Wt. 14.0 Oz.

J&B #	QTY
9240	EA

12 in a case

ALL PURPOSE SILICONE

FEATURES AND BENEFITS:

- Thick viscosity, heavy duty silicone, specially formulated to provide superior all purpose lubrication and protection.
- Stops squeaks and waterproofs; does not cause gumming.
- Safe for use on virtually any surface.
- No chlorinated or fluorinated solvents.
- VOC compliant.

APPLICATIONS:

Doors * Windows * Locks * Assemblies * Fan Belts *
Ignition Systems * Garden Equipment * Moving Parts
*Water and Weather Barrier * Electrical Insulator



Net Wt. 13 Ozs.

J&B #	QTY
9202	EA

12 in a case

LUBRICANTS

3M SILICONE LUBRICANT

FEATURES AND BENEFITS:

- Fast drying: allows immediate use.
- Contains no petroleum oils: safe on most painted surfaces, leather, plastics, rubber, wood and fabrics.
- Helps prevent rust and corrosion: deposits a thin, uniform film that helps seal out moisture and prevent corrosion.
- 350 F temperature resistance: excellent for heated molds, dies, and cutting tools.
- Resists freezing: maintains lubricating qualities at outdoor temperatures (-28 F / -33C).
- Non-staining: on fabrics or injection molds.

APPLICATIONS:

Conveyors * Couplings * Belts * Pulleys * Chains * Furnaces
* Kilns * Ovens * Gasket Coatings * Muffler
Clamps. * Anti-seize * Mold Release



Net Wt. 13.25 OZ.

J&B #	QTY
V40999	EA

12 a case

HEAVY-DUTY SILICONE LPS

FEATURES AND BENEFITS:

- Colorless & odorless. Dries nonstaining.
- Eliminates sticking, binding and squeaking.
- Excellent lubricity. Silicone-rich formula.
- Safe on most surfaces. Water-based formula.
- Meets or exceeds FDA regulation CFR 21-178.3570 for incidental food contact.

APPLICATIONS:

Plastic * Rubber * Most metals



Net Wt. 13 OZ.

J&B #	QTY
V41847	EA

12 a case

LUBRICANTS

SUPER LUBE

FEATURES AND BENEFITS:

- Superior to petroleum based lubricants; synthetic formula with Teflon in suspension reduces friction and wear.
- Lasts longer; won't dry out, wash away, run, drip or separate.
- Has a temperature range of -65 F to 500 F continuous and 650 F intermittent.
- Non-toxic, non-flammable, biodegradable. (Aerosol formula is flammable)
- U.S.D.A. H-1 listing (food grade).
- Prevents rust and corrosion.
- Safe on metal, rubber, plastic, wood, leather, fabric and painted surfaces.

APPLICATIONS:

Bearings * Pulleys * Conveyors * Valves * Pumps * Chains *
Gears * Cables * Lead Screws * Hinges * Locks *
Bushings * Linkages



Net Wt. 11Oz.



14.5 Oz. Cartridge



3 Oz. Tube



.25 Oz. Oiler



16 Oz. Jar

J&B #	SIZE	QTY
38844	16 oz. Jar	EA
38845	3 oz. Tube	EA
38846	.25 oz. Oiler	EA
38847	11 oz. Aero	EA
38848	14.5 oz. Cartridge	EA

LUBRICANTS

WIRE PULLING LUBRICANT

3M

- A water-soluble, translucent white gel that is easy to handle, and apply to wire and cable without runs or drips.
- The consistent gel does not liquefy, or separate with hot or cold aging. It stays thick, smooth and ready to apply.
- The lubricant produces a low coefficient of friction that lessens the chance of wire damage from high pulling forces.
- Able to withstand high and sub-freezing temperatures.

APPLICATIONS:

- Recommended for use with all types of cable. Compatible with Thermoplastic, Thermosetting, Rubber or equivalent wire and cable jackets. To use, apply liberally to the cable jacket during pulling. For long, difficult pulls, place some 3M
- Lubricant directly into the conduit and spread in front of the cable during the pull.



1 Quart

J&B #	QTY
42110	EA

12 in a case

CLEAR PEN-LUBE

- A multi-purpose clear lubricant.
- Penetrates instantly and prevents rust.
- Sprays thin – changes to grease.
- No silicone – Body shop safe.
- Tenacious adhesion and safe on paint.
- Will not wash off.

APPLICATIONS:

Bearings * Heavy chains * Cables * Winches * Pulleys
Construction & Industrial equipment * any metal contact points



Net Wt. 13 oz.

J&B #	QTY
41852	EA

12 in a case

LUBRICANTS


DIELECTRIC TUNE-UP GREASE Permatex

FEATURES AND BENEFITS:

- Protects electrical connections & wiring from salt, dirt & corrosion.
- Extends the life of bulb sockets.
- Prevents voltage leakage around any electrical connection.
- Prevents spark plugs from fusing to boots.
- Required for modern high energy ignition systems.

APPLICATIONS:

Marine and automotive electrical connections, spark plug boots, trailer hitches, battery terminals



Net Wt. 3 Oz.

J&B #	QTY
V20500	EA

6 in a case

SILICONE LUBRICATING COMPOUND

FEATURES AND BENEFITS:

- A transparent, heavy consistency silicone grease.
- Reconditions rubber and vinyl.
- Can be used on: electrical connections as a dielectric grease, fan belts, rubber brake parts, o-rings, etc.



8 Fl. Oz.

J&B #	QTY
IES1412	EA

12 in a case

LUBRICANTS

LUBRIPLATE MAG-1 POLYMER Extreme Pressure Grease Cartridge

FEATURES AND BENEFITS:

- A multi-purpose, non-corrosive, extreme pressure, water resistant grease.
- Prevents wear and corrosion for general lubrication of equipment operating in temperature extremes.
- Temperature range = -60F(-51C) to +300F(+149C).

APPLICATIONS:

Industrial * Automotive *
Construction * Marine and Farm
Equipment



Net Wt. 14-1/2 Oz.

J&B #	QTY
40918	CS/10
Cannot break case	

DIELECTRIC SILICONE GREASE

FEATURES AND BENEFITS:

- Insulates, lubricates and protects electrical systems.
- Silicone bases grease protects electrical connections against moisture and corrosion.
- Lubricates electrical connections for easy assembly & disassembly.
- Lubricates and helps preserve wires and o-rings made of rubber, vinyl and plastics.

APPLICATIONS:

Ignition systems * Electrical assemblies & terminals * disconnect junctions *
cable connectors * battery terminals * head lamps * tail lamps * backup lights



Net Wt. 8 Oz.

J&B #	QTY
9444	EA

6 per case

LUBRICANTS

LUBRIPLATE NO. 105 Motor Assembly Grease

FEATURES AND BENEFITS:

- White, waterproof, grease-type lubricant, possessing exceptional anti-seize properties.
- Provides instant lubrication before motor oil has separated.
- Will not rip, ravel, run down, wash off, dry out or freeze.
- Temperature range -30 F to 170 F.
- N.L.G.I. # 0 Density.

APPLICATIONS:

Press fittings * Shackle pin and spring assemblies * Wheel and nut assemblies * Door hinges * Striker points * Distributor Cams * Battery Terminals * Anti-seize applications * General rust proofing of parts and tools * Engine Bearings * Cylinder Walls



Net Wt. 10 Oz.

J&B #	QTY
38910	EA

12 in a case

LUBRIPLATE NO. 930 - AA Grease Cartridges

FEATURES AND BENEFITS:

- Ideal multi-purpose, high temperature, extreme pressure, water repellent, protective lubricant.
- Temperature range of 0 F to 500 F.
- N.L.G.I. # 1 Density.

APPLICATIONS:

Industrial * Automotive * Construction * Marine and Farm Equipment



Net Wt. 14-1/2 Oz.

J&B #	QTY
39180	CS/10

LUBRICANTS

RED GREASE

FEATURES AND BENEFITS:

- All-purpose non-melt grease specially formulated with extreme pressure and anti-wear additives to provide heavy duty service.
- Exceptional adhesive-cohesive properties.
- Resists most acids, salt-spray, weather, dirt, dust, steam and oxidation.
- Performs at a wide variety of temperatures up to 550 F.
- N.L.G.I. #2.

APPLICATIONS:

Automotive * Trucking * Farms * Bottling Plants *
Dairies * Industrial * Marine * Construction * Aircraft *
Food Plants * Lumber Mills * Mining * Air Conditioning *
Steel Mills



14.5 Oz. Cartridge

J&B #	QTY
9368	EA

24 in a case

SUPER IMPACT GREASE

FEATURES AND BENEFITS:

- Multi-purpose non-melt grease fortified with special additives enabling it to withstand heavy impact and pounding pressures common to heavy equipment.
- Anti-spatter capability; grease will stay in place and not spatter or pound out of the bearing or fitting.
- Superior water resistance; resists most acids, salt spray, steam, dirt, dust and weather.
- Special rust and corrosion inhibitors.
- Performs at a wide variety of temperatures up to 550 F.

APPLICATIONS:

Automotive * Trucking * Industrial * Marine *
Construction * Aircraft * Food Plants * Dairies



14.5 Oz. Cartridge

J&B #	QTY
38912	EA

24 in a case

PROTECTANTS & COATINGS

SILICONE BRAKE LUBE

FEATURES AND BENEFITS:

- Reduces brake noise.
- High temperature stability.
- Won't swell or age rubber bushings.
- Prevents brake hardware failure.
- Used by OEMs.

APPLICATIONS:

Disc brakes * Caliper slides/sleeves * Pad/caliper contact points * Rubber bushings * Pins & o-rings * Metal side of brake pads *
* Drum brakes * Anchor pins * Self adjuster * Shoe contact points * Backing plate



Net Wt. 8 Oz.

J&B #	QTY
9443	EA

12 in a case

BRAKE & CALIPER GREASE CRC

FEATURES AND BENEFITS:

- Unlike silicone based brake greases, CRC's Synthetic Brake & Caliper Grease will not damage rubber or plastic components, freeze, melt or wash-out.
- Temperature range = - 30 F to 600 F
- Properly lubricating your brake system will ensure optimum braking efficiency, even pad wear and extended brake life.
- Formulated from proprietary bases, extreme pressure additives, molybdenum disulfide, graphite and PTFE.

APPLICATIONS:

All disc, drum and ABS brake systems

Disc Brakes

Shimmed disc brake pads
Rotor hats (underside)
Caliper slides, bolts & pins
All metal-to-metal contact points

Drum Brakes

shoe landings (Bosses)
Brake hardware
Parking brake hardware & cables
Drum brake adjusters



Net Wt. 12 Oz.

J&B #	QTY
9155	EA

12 in a case

LUBRICANTS

ULTRA Disc Brake Caliper Lube Permatex

FEATURES AND BENEFITS:

- Environmentally friendly, green, nonmelting, synthetic lubricant.
- Formulated to lubricate under the most adverse brake conditions.
- Remains lubricated throughout pad life.

APPLICATIONS:

Caliper pins * Sleeves * Bushings * Pistons



Net 8 Fl. Oz.

J&B #	QTY
V20609	EA

12 in a case

CERAMIC EXTREME BRAKE PARTS LUBRICANT Permatex

FEATURES AND BENEFITS:

- Resists extreme temperatures from -50 F to 3,000 F.
- Silences brake noise for the life of the pads and shoes.
- Resists corrosion, dirt, salt and water.
- Will not wash away.

APPLICATIONS:

Brake pads and shoes



Net 8 Fl. Oz.

J&B #	QTY
45707	EA

6 in a case

LUBRICANTS

C R C POWER LUBE

FEATURES AND BENEFITS:

- **STOPS SQUEAKS:** lubricates and silences annoying squeaks and squeals, reduces friction.
- **PROTECTS METALS:** seals out rust and corrosion.
- **FREES RUSTED PARTS:** penetrates quickly into threads, cracks and crevices.
- **STARTS WET ENGINES:** drives moisture out of wet electrical systems and keeps it out.
- **NON-CHLORINATED FORMULA**

APPLICATIONS:

Nuts & Bolts * Manifolds * Control Cables * Brake Adjusters * Locks & Latches * Engine Head Bolts * Electric Motors * Alternators * Carburetors * Generators * Seat tracks * Tools



J&B #	QTY	SIZE
9161	EA	9 Oz.
9162	EA	1 Gal.

12 in a case
4 in a case

PENETRATING OIL Super Strength

FEATURES AND BENEFITS:

- Frees corroded or rusted parts.
- Fast acting.
- Sprays in any position.
- Clings to frozen parts until loosened.
- Leaves anti-rust film.
- Reduces pounding, tugging and breakage.

APPLICATIONS:

Fasteners * Nuts * Bolts * Studs * Pins * Valves
Pipe couplings * Machine parts * Metals * Alloys
Rubber * Most painted surfaces * Effective for all
rusted and corroded parts



Net Wt. 15 Oz.

J&B #	QTY
9272	EA

6 in a case

LUBRICANTS

COOL GEL Heat barrier spray

FEATURES AND BENEFITS:

- Prevents heat damage to components during soldering, brazing or welding.
- The unique gelled formula sticks to the surface without drips and runs.
- No drip formula and non-corrosive.
- Non-toxic, no cleanup and non-staining.



32 Fluid Oz.

J&B #	QTY
39068	EA

12 in a case

LUBRICANTS

AIR-TOOL OIL Marvel

FEATURES AND BENEFITS:

- Provides positive lubrication for longer tool life and smoother starting.
- Prevents rust formation.
- Insures maximum output and top performance by dissolving the gums and sludge's that rob tools of speed and power.
- Contains special anti-oxidants and rust inhibitors.

APPLICATIONS:

Especially engineered for the care of all piston-type and rotary air tools.



32 Fluid Oz.

J&B #	QTY
38833	EA

6 in a case

AIR TOOL CONDITIONER Blaster

FEATURES AND BENEFITS:

- Restores, prolongs tool life.
- Prevents rust formation.
- Provide a coating and lubrication for the tools while in use.
- Increase RPM's.

APPLICATIONS:

Air Operated Rolls * Chippers * Deburring Tools * Polishers * All types of Pneumatic Tools * Impact * Wrenches * Sanders * Buffers * Drills * Tampers * Jackhammers * Air Motors * Chisels * Grinders



Net Wt. 4 Oz.

J&B #	QTY
42040	EA

12 in a case

LUBRICANTS

HYDRAULIC FLUID AW-46

FEATURES AND BENEFITS:

- 46 weight hydraulic oil.
- Economy hydraulic oil containing anti-wear and anti-foam additives.
- Contains rust oxidation and corrosion inhibitors.



5 GALLONS

J&B #	QTY
9132	EA

LUBRICANTS

TAP MAGIC CUTTING FLUID

FEATURES AND BENEFITS:

- Improves machinability; superior lubrication to prevent high heat generation.
- Improves tool life; lubricates and prevent corrosion.
- Improves surface finish; forms metallic chlorides for cutting purposes.
- Requires less tapping torque.
- Highly effective on all metals (including aluminum).
- Contains new EP-XTRA and DOES NOT contain 1,1,1 Trichloroethane.



16 Fluid Oz.

APPLICATIONS:

Drilling * Milling * Threading * Boring * Turning * Tapping *
Engraving * Reaming * Facing * Dryseals * Sawing * Broaching

J&B #	QTY
39060	EA

12 in a case

TAP MAGIC CUTTING FLUID Aluminum

FEATURES AND BENEFITS:

- Engineered for aluminum machining.
- Improves machinability; superior lubrication to prevent high heat generation.
- Improves tool life; lubricates and prevent corrosion.
- Improves surface finish; forms metallic chlorides for cutting purposes.
- Requires less tapping torque.



16 Fluid Oz.

APPLICATIONS:

Drilling * Milling * Threading * Boring * Turning * Tapping *
Engraving * Reaming * Facing * Dryseals * Sawing * Broaching

J&B #	QTY
40904	EA

12 in a case

LUBRICANTS

BORON BUSTER

FEATURES AND BENEFITS:

- Extends life of drill bits and saw blades.
- Use when drilling or cutting BORON & hi-strength steel.
- Reduces friction and heat on cutting edge for longer life and better finish.



30 GRAMS

J&B #	QTY
IES12020	EA

LUBRICANTS

ANTI-SEIZE COMPOUND High Performance

FEATURES AND BENEFITS:

- A lubricating compound composed of very fine metallic particles in a special high heat petroleum carrier that protects against rust and corrosion.
- Compatible with all types of metals; most plastics.
- Lowers friction and reduces torque; speeds assembly.
- Non-hardening and Non-dripping.
- Temperature Range of -30 F to 2000 F.
- Waterproof and non-melting.



J&B #	QTY	SIZE
38827	EA	1 PINT
38840	EA	1 GAL

12 in a case
4 in a case

APPLICATIONS:

Nuts & Bolts * Bushings * Cam Rollers * Bearings *
Compressors * Conveyors * Couplings * Dies * Drills *
Fittings * Gears * Generators * Motors * Pumps * Sleeves * Slides * Taps * Turbines * Valves

ALUMINUM ANTI-SEIZE LUBRICANT Permatex

FEATURES AND BENEFITS:

- Use to lubricate parts in extreme heat applications.
- Prevents rusting, seizing, galling and corrosion of metal parts in temperatures of -65 F to 2000 F.
- Assures easier disassembly of parts even after exposure to extreme temperatures and corrosive conditions.
- Resists gases, chemicals, heat and salt spray.



Net Wt. 8 Oz..

J&B #	QTY
32062	EA

12 in a case

APPLICATIONS:

Brake Lube Assembly * Anchor Pins * Engine Head
Bolts * Spark Plugs * Oxygen Sensor Threads * Exhaust Manifold Studs *
U-Bolts * Lug Nuts * Spring Bolts * Starter and Alternator Bolts

LUBRICANTS

COP-GRAF Anti-Seize Compound

FEATURES AND BENEFITS:

- Composed of fine copper powder and graphite.
- Protects against rust and corrosion.
- Prevents thread damage, seizure, galling and heat-freeze up to 1800 F.
- Lowers friction and reduces torque.
- Improves assembly and disassembly; allows reuse of damaged threaded parts.
- Will not harden or drip to separate.
- Withstands pressure conditions over 3000 PSI.
- Compatible with all metals and most plastics.



Net Wt. 16 Oz.



Net Wt. 5 Oz.

APPLICATIONS:

Nuts & Bolts * Bushings * Cam Rollers * Chains * Bearings *
Compressors * Conveyors * Couplings * Drills * Gaskets *
Gears * Generators * Motors * Plugs * Pumps * Spark plugs *
Taps * Valve Stems * Press Fits * Unions, etc.

J&B #	QTY
38830	EA/ 16 OZ
38964	EA/ 5 OZ

12 in a case for both #'s

NICKEL-GRAF High Temperature Anti-Seize Compound

- A premium quality anti-seize lubricant designed especially for maximum resistance to the most corrosive and extreme temperature environments.
- Eliminates galling and cold welding.
- Performs to temperatures of 2600 F (1426 C).
- Reduces friction and lowers torque.
- Protects against corrosion and oxidation.
- Provides nickel plating as a barrier.



Net Wt. 16 Oz.

APPLICATIONS:

Nuts & Bolts * Bushings * Cam Rollers * Chains * Bearings *
Compressors * Conveyors * Couplings * Drills * Gaskets *
Gears * Generators * Motors * Plugs * Pumps * Spark plugs *
Taps * Valve Stems * Press Fits * Unions, etc.

J&B #	QTY
20614	EA

12 in a case

LUBRICANTS

ALUMINUM PLATE

Anti-Seize & Lubricating Compound

FEATURES AND BENEFITS:

- Pressure applicator eliminates waste.
- Just depress nozzle and wipe on threads.
- Protects against galling and seizing.
- Waterproof/Lubrication to 2100°F.
- Provides protection against rust and corrosion on any kind of metal.

APPLICATIONS:

Nuts & Bolts * Bushings * Chains * Bearings * Conveyors * Couplings * Drills * Gaskets * Exhaust manifold studs * Starter and alternator bolts * Springbolts * Lugnuts * Gears * Generators * Motors * Plugs * Pumps * Spark plugs * Threaded fittings * etc.



Net Wt. 6 Oz.

J&B #	QTY
9463	EA

6 in a case

HEAVY DUTY ANTI-SEIZE

FEATURES AND BENEFITS:

- Helps to reduce friction of metal surfaces and seizure of stainless steel parts.
- A metallic lubricating compound designed to protect metal parts under the most demanding conditions of heat, cold pressure, steam and salt water exposure.
- Improves torque.
- Prevents seizure, galling, fusion and corrosion.
- Has a temperature range of 1000 F.

APPLICATIONS:

Nuts * Bolts * Studs * Bearings * Slides
Terminals * Gaskets * Engine header bolts * etc.



Net Wt. 15 Oz.

J&B #	QTY
9379	EA

6 in a case

LUBRICANTS

MARINE GRADE NON-METALLIC Anti-Seize & Anti-Corrosion Compound

FEATURES AND BENEFITS:

Designed to give optimal performance in harsh Marine environments. It has been specifically engineered to withstand wet, humid conditions in both fresh and saltwater.

Will protect parts under extreme pressure and heat conditions. Contains grease designed with advanced rust and corrosion inhibitors which have been selected for their ability to function in wet environments and withstand salt water exposure for long periods of time.

Contains hybrid grease along with a high non-metallic solid content that will act as an electrical insulator between dissimilar metals inhibiting galvanic corrosion.

- Protects assemblies in wet humid conditions
- Versatile, works on small and large assemblies
- Reduces friction
- Speeds disassembly
- Inhibits galvanic corrosion between dissimilar metals
- High resistance to seizing, galling, and cold welding
- High resistance to salt water corrosion
- Compatible with all types of metals and most plastics
- Non-hardening and non-dripping



Net Wt. 6 Oz.

J&B #	QTY
59120	EA

12 in a case

ADHESIVES

HIGH-TACK GASKET SEALANT

Loctite

FEATURES AND BENEFITS:

- Holds and seals all cut gaskets; Also a multi-purpose adhesive sealant; Dries fast to a highly tacky film.
- Seals studs and bolts, prevents thread corrosion.
- Resists gasoline, oil, kerosene, propane and butane.
- Easily removed with lacquer thinner.
- Temperature Range: -65 F to 450 F.
- Pressure Rating: 0 to 5000 psi.
- Contains no CFC's harmful to the environment.

APPLICATIONS:

Rubber, cork, paper, metal, felt, and asbestos gaskets *
Bolts * Sealing threaded and hose connections * water-proofing electrical terminals and wiring.



Net Wt. 9 Oz.

J&B #	QTY
38832	EA

12 a case

COPPER GASKET ADHESIVE

Loctite

FEATURES AND BENEFITS:

- Metallic copper particles help dissipate heat, prevent gasket burnout and improve heat transfer.
- Resists most shop fluids.
- Acts as an anti-seize on base connections and threaded fittings.
- Especially effective in sealing non-absorbent surfaces.
- Fills minor surface irregularities; seals instantly; Remains tacky to allow gasket repositioning.
- Temperature Range: -50 F to 500 F.

APPLICATIONS:

Cylinder heads * Gaskets * Carburetor Gaskets * Exhaust
Manifold Gaskets * Turbocharger Flanges * other high
temperature applications.



Net Wt. 9 Oz.

J&B #	QTY
9219	EA

12 in a case

ADHESIVES

MULTI-PURPOSE ADHESIVE 3M Super 77

FEATURES AND BENEFITS:

- An extremely versatile, fast-drying adhesive that bonds a wide range of lightweight materials.
- It forms strong bonds with everything from paper, cardboard, fabric and cushion foam to plastic, metal, wood and much more.
- It's fast aggressive tack and low soak-in make it ideal for projects all around your home or business.

APPLICATIONS:

Paper * Leather * Plastics * Polyethylene Sheets
* Cloth * Cardboard * Foam Rubber * Mylar *
Foil * Acetate Sheets * Glass

SHIP VIA OUR TRUCK ONLY



Net Wt. 16.75 Oz.

J&B #	QTY
9224	EA

12 in a case

ADHESIVES

HEAVY DUTY SPRAY ADHESIVE Misty

FEATURES AND BENEFITS:

- Industrial Strength adhesive has a quick tack and high adhesion for both temporary or permanent bonding.
- Waterproof, flexible, dries clear and is non-staining.
- Wide web spray pattern allows for quick coverage on large surfaces.
- Suitable for the toughest applications such as leather, cardboard, most plastics, poly-sheeting, cloth and other uneven or porous surfaces.



12 Oz.

J&B #	QTY
V9140	EA

12 in a case

ADHESIVES

SILICONES

GENERAL FEATURES AND BENEFITS:

(For all silicones listed)

- Applies easily; Forms gaskets of all sizes and shapes.
- Dries tough and flexible for general sealing and bonding applications.
- Resists auto and shop fluids and vibration.
- Fills holes, stops leaks, repairs worn rubber parts; also seals joints, caulk and weather-stripping; Insulates electrical wiring.
- Dries in 1 hour; fully cured in 24 hours.

GENERAL APPLICATIONS:

(For all silicones listed)

Adheres to wood * glass * metal * plastics (including polystyrene and rigid PVC * tile * ceramics * leather * fabric * vinyl * rubber * concrete * & masonry.

Gasket applications include: exhaust manifolds * water pumps * timing chains * oil pans * thermostat housings * valve covers * axle covers * body seam seals * weather-stripping seals * repairs frayed wire * & hose leaks.

Waterproofs porous materials.

ULTRA BLUE RTV Silicone Gasket Maker

- Outstanding oil resistance and joint movement values.
- Sensor safe, low odor and non-corrosive.
- Guaranteed not to leak; bonds to oil contaminated surfaces.
- Temperature range: - 75 F to 500 F intermittent.



Net Wt 3.35 Oz.

J&B #	QTY
39424	EA

HIGH TEMP RED RTV Silicone

- Formulated for hi-temp applications, or heavy duty use.
- Coats pre-cut gaskets to increase reliability.
- Safe for use on all sensor equipped vehicles.
- Temperature range: - 75 F to 650 F intermittent.



Net Wt 3 Oz.

J&B #	QTY
39422	EA

LO-VOLATILE HIGH TEMP RED RTV Silicone (PERMATEX)

- Formulated for GM applications for oxygen sensor equipped engines.
- Withstands shock and high pressure.
- Use where superior temperature resistance is required.
- Temperature range: - 75 F to 650 F intermittent.



Net Wt 3 Oz.

J&B #	QTY
39426	EA

ADHESIVES

ULTRA COPPER (LOCTITE) High Temp RTV Silicone

- The most advanced high temperature RTV silicone for 4-cylinder, turbocharged or high-performance engines.
- Sensor safe, low odor, non corrosive, superior adhesion.
- Oil resistant; guaranteed not to leak.
- Temperature range: - 75 F to 700 F intermittent.



Net Wt 2.7 Oz.

J&B #	QTY
39425	EA

ADHESIVE SEALANT Clear RTV Silicone

- Provides permanent, waterproof bonds for sealing & insulating.
- Withstands heat, chemicals and vibration.
- Dries to a clear sealant; remains flexible.
- Temperature range: - 80 F to 600 F intermittent.



Net Wt 3 Oz.

J&B #	QTY
39427	EA

SUPERFLEX BLUE RTV (LOCTITE) Silicone Adhesive Sealant

- Original blue formula that applies to all general silicone applications.
- Coats pre-cut gaskets to improve reliability.
- Temperature range: - 65 F to 500 F intermittent.



Net Wt 2.7 Oz.

J&B #	QTY
9167	EA

ADHESIVES

BLUE RTV SENSOR SAFE Silicone Gasket Maker

- Original blue formula that applies to all general silicone applications.
- Safe for use on all sensor equipped vehicles.
- Supplied in 3 Oz and 12 Oz (shop size) & 11 Oz. cartridges.
- Temperature range: - 80 F to 600 F intermittent.



Net Wt. 3 Oz.

J&B #	QTY
39428	EA

ULTRA BLACK RTV Silicone Gasket Maker

- Retains high flexibility and oil resistance for longer gasket life.
- Low odor, non-corrosive, low volatility.
- Resistant to most chemicals and solvents.
- Temperature range -75 F to 500 F.
- Tack free in 30 min. Full strength in 24 hrs.



Net Wt. 3.35 Oz.

J&B #	QTY
42190	EA

ULTRA GREY High Performance RTV Silicone Gasket Maker

- Low odor, non-corrosive, low volatility.
- Designed for high torque applications.
- Temperature range -75 F to 625 F.
- Three times more oil resistant than generic silicones.



Net Wt. 3.50 Oz.

J&B #	QTY
45710	EA

ADHESIVES

LOW VOLATILITY AEROSOL SILICONES



EXTENSION TIP	
38829	EA

*Not included with silicone



Net Wt. 8 Oz.

FEATURES AND BENEFITS OF AEROSOLS:

- Includes all general features, benefits and applications of tubular silicones.
- Forms gaskets that are uniform and even in shape for a proper seal - which cannot be done with squeeze tubes or gun-type cartridges.
- Reusable over long periods of time makes it the most economical type of dispensing system.
- Easy to use; works well in hard to reach and overhead areas.
- No voids, gaps or air bubbles, no waste, no mess, no lumps and no more dried up tubes or cartridges.

SPECIFICATIONS CHART

J&B #	DESCRIPTION	QTY	TEMPERATURE RANGE	
38815	RTV WHITE	EA	-85 F to 550 F	12 in a case
38819	RTV YELLOW	EA	-85 F to 550 F	12 in a case
38821	RTV CLEAR	EA	-85 F to 550 F	12 in a case
* 38823	RTV BLACK LOW VOLATILE	EA	-85 F to 550 F	12 in a case
38824	HI TEMP RTV RED	EA	-75 F to 650 F	12 in a case
38825	RTV BLUE	EA	-85 F to 550 F	12 in a case

* Exceeds GM specification #9985443 which covers low volatility requirements for oxygen sensor equipped engines and hot oil and hot glycol resistance.

ADHESIVES

URETHANE SEALANT

Loctite



Net Wt. 10.2 Fl.Oz.

J&B #	COLOR	QTY
39066	Gray	EA

FEATURES AND BENEFITS:

12 in a case

- Urethane Sealant is a single-component, gun-grade polyurethane with outstanding flexibility, weatherability and adhesion properties.
- It is recommended for sealing and caulking applications, particularly in movable joints and exterior environments. Max temperature resistance 180 F.
- The cure of Urethane Sealant varies with temperature and humidity. Under normal circumstances (75 F/23C, and 50% relative humidity), it will have a heavy skin overnight or within 24 hours. In a typical joint of 1/2" width by 1/4" depth, it is functional in 3 days, and approx. full cure in 1 week.

APPLICATIONS:

Truck trailer * Automotive body joints * Expansion wall joints * Curtainwall panels * Fascia parapets * Galvanized metal * Glass * Automotive repair * HVAC duct sealing * General construction use * Filling concrete cracks * Installing skylights etc.

SUPER WEATHERSTRIP ADHESIVE

FEATURES AND BENEFITS:

- Bonds all types of gaskets to painted or unpainted metal surfaces.
- Adhesive stays permanently flexible & rubbery, never dries out or becomes hard.
- Easy to brush and spread.
- Extremely fast drying. Exceptional bonding strength.
- Waterproof, flexible (rubbery), resists oil, grease and solvents.



Net Wt. 5 Fl. Oz.

J&B #	COLOR	QTY
9242	Yellow	EA
20498	Black	EA

APPLICATIONS:

Bonds rubber and vinyl to metal * Weatherstripping * Dozens of automotive and shop uses.

ADHESIVES

RTV SILICONE GASKET MAKER

Loctite 5920



10.15 Fluid Oz.

J&B #	COLOR	QTY
40902	Copper	EA

10 in a case

FEATURES AND BENEFITS:

- The most advanced high performance, high temperature RTV silicone gasket available.
- High temperature resistance = 600 F continuous 700 F intermittent.
- Won't leak, crack or shrink. Non-corrosive. Safe on aluminum, iron and steel.
- Low Volatile – meets G.M. volatility specifications.
- Low odor and non-conductive.

ADHESIVES

SILICONE CARTRIDGES



10.3 Fluid Oz

- Includes all general features, benefits and applications of tubular silicones.
- Cartridges can be used for automotive, industrial and home uses.
- Requires no mixing & applies easily from conventional caulking gun.

	J&B #	DESCRIPTION	QTY	TEMPERATURE RANGE	SENSOR SAFE
12 in a case	38822	BLUE RTV SEALANT	EA	- 76 F to 500 F intermittent	NO
12 in a case	41850	RED RTV HI-TEMP	EA	- 76 F to 600 F intermittent	YES
12 in a case	38838	CLEAR RTV SEALANT	EA	- 76 F to 500 F intermittent	NO
12 in a case	V59129	ALUMINUM RTV SEALANT	EA	- 76 F to 500 F intermittent	NO
12 in a case	40398	BLACK RTV SEALANT	EA	- 76 F to 500 F intermittent	NO
12 in a case	41002	WHITE RTV SEALANT	EA	- 76 F to 500 F intermittent	NO

ADHESIVES

PERFECTA SEAL

FEATURES AND BENEFITS:

- A rapid cure Low-Volatile “Heavy Bodied” Oxime RTV gasket maker.
- Tack free in 5 minutes and fully cured in 2-6 hrs.
- Temperature range = - 40 F to + 600 F (intermittent to 650 F).
- Adheres to glass, plastic & most metals.

APPLICATIONS:

Industrial * Automotive and marine gaskets * Valve covers *
Gearbox covers * Pumps * Compressors * Oil pans * Mining &
Construction * Trucking & Transportation * Fleet Repair



Net Wt. 10 Oz.

J&B #	QTY
41865	EA

6 in a case

GASKET ELIMINATOR FLANGE SEALANT Loctite 518

FEATURES AND BENEFITS:

- Ideal for on-the-spot and emergency repairs, or when a conventional gasket is out of stock.
- Seals to 300 F (149 C) and fills gaps to 0.050” (1.27mm).
- Forms a flexible, solvent – resistant seal that will not tear or decay.
- Parts disassemble easily even after extended service.
- Recommended primer = 7649 (J&B# 41180).



Net 1.69 FL Oz..

J&B #	QTY
38934	EA

APPLICATIONS:

Can be used on a variety of metal surfaces, including aluminum.

ADHESIVES

RIGHT STUFF Caulking Style

FEATURES AND BENEFITS:

- Seals instantly. Forms reliable, long-lasting elastomeric rubber gaskets.
- Makes reliable gaskets in 1 minute. Oil, coolant & ATF resistant.
- Operates in environments to 450 F continuous; 500 F intermittent.
- Out-performs pre-cut gaskets. No leaks in over a million miles of fleet testing.

APPLICATIONS:

Industrial * Automotive and marine gaskets * Valve covers *
Gearbox covers * Pumps * Compressors * Oil pans * Mining &
Construction * Trucking & Transportation * Fleet Repair



Net 5 Fl. Oz.

J&B #	QTY
V9465	EA

6 in a case

ADHESIVES

GASKET SEALANT NO. 2

Loctite

FEATURES AND BENEFITS:

- Slow drying, non-hardening sealant for use on semi-permanent or flexible assemblies.
- Allows for easy disassembly if required.
- Use where sealing is more important than adhesion.
- Resists common shop fluids and fuels such as gasoline, kerosene, fuel oils, engine lubricants, anti-freeze, grease, mild acids and alkalis, etc.
- Withstands pressures to 5000 psi.
- Temperature Range: -65 F to 400 F.

APPLICATIONS:

Valve Cover Gaskets * Oil Pan Gaskets * Steam Lines *
Hose Connections * Threaded Assemblies * Flanges *
Ideal for metal-to-metal assemblies



Net Wt. 1-1/2 Oz. Net Wt. 3 Oz.

J&B #	SIZE	QTY
9149	1-1/2 Oz.	EA
9150	3 Oz.	EA

ULTRA BLACK GASKET MAKER

Permatex

FEATURES AND BENEFITS:

- Fast-curing formula is sensor safe, low odor and non-corrosive.
- Retains high flexibility, oil resistance properties through use of a patented adhesion system.
- Ensures extended drivetrain warranty compliance.
- Temperature Range: -65 F to 550 F intermittent.
- Ideal for maximum gap coverage.
- For heavy duty oil applications. MAXIMUM OIL RESISTANCE.

APPLICATIONS:

Valve Covers * Oil Pans * Intake manifold *
End seals * Timing covers * Transmission pans



Net wt. 9.5 oz

J&B #	QTY
45597	EA

ADHESIVES

AVIATION GASKET SEALANT

Loctite / Permatex

FEATURES AND BENEFITS:

- Improves reliability of seal on close fitting parts.
- Applied as a liquid; changes to a paste in a few seconds.
- Pressure resistant and leak-proof to high octane gasoline, grease and lubricating oils.
- Resists hot and cold water, anti-freeze, glycerin, fuel oil, kerosene, butane and other fluids.
- Pressure rating 0 to 5000 psi.
- Temperature range -65 F to +400 F.



APPLICATIONS:

Gaskets * Machined Surfaces * Screw Thread Connections in Industrial, Automotive, Aircraft and Marine Engines.

12 in a case

12 in a case

J&B #	QTY
9223	EA/.25 PT.
9144	EA/1 PT.

HIGH TACK GASKET SEALANT

Permatex

FEATURES AND BENEFITS:

- Holds the heaviest gasket in place during assembly; assures correct gasket position on alignment.
- Firm setting, non-brittle and fast drying; never becomes hard, prevents seizing and permits easy disassembly.
- Waterproofs and protects electrical terminals and wiring.
- Will not be dissolved by gasoline, oil, kerosene, glycol, transmission fluid, brake fluid, anti-freeze, grease propane.
- Pressure rating 0 to 5000 psi.
- Temperature range of -65 F to +500 F.



APPLICATIONS:

Threaded fittings * Hose connections * Oil seals * Gaskets
* Intake manifolds * Weather-stripping * Terminal protectors

12 in a case

J&B #	QTY
38834	EA/.25 PT.

ADHESIVES

THREAD SEALANT WITH PTFE

Loctite

FEATURES AND BENEFITS:

- Lubricates threads, prevents galling and corrosion and seals instantly.
- Remains pliable to prevent leaks caused by vibration.
- Adjustments may be made after application without damage to seal; non-hardening for easy disassembly.
- Resists temperatures of -65°F to +300°F and pressure to 5,000 psi.
- Not affected by water, steam, salt water, bleach, mild acids and alkalis.
- Will not contaminate potable systems; won't shred.



16 Fluid Oz.

APPLICATIONS:

Threaded Metal * Plastic Pipes * Flanges for Steam Systems * Plumbing * Heating * Air Conditioning * Irrigation * Appliances * Swimming Pools, etc.

12 in a case

J&B #	QTY
38804	EA/1 PT.

TFE PIPE THREAD SEALANT WITH PTFE

Anti-Seize

FEATURES AND BENEFITS:

- TFE is a superior grade, non-hardening, easy to apply, heavy duty pipe thread sealant.
- Non-corrosive and contains no solvents.
- Withstands temperatures to +500°F and pressures to 10,000 psi.
- Non-hazardous and non-toxic.
- TFE is recommended for pipe threads carrying water, steam, LP and natural gas, refrigerants, solvents, caustics, dilute acids, oils and diesel fuel.



16 Fluid Oz.

APPLICATIONS:

All pipe and threaded connections * Cast iron * Maleable * Brass * Copper * Stainless steel * PVC * CPVC * ABS * Polypropylene

12 in a case

J&B #	QTY
20612	EA 1 PT.


ADHESIVES

S'MOOTH THREAD SEALANT WITH PTFE

Antiseize Technologies

FEATURES AND BENEFITS:

- Smooth white past with no grit and fast drying.
- Remains pliable to prevent leaks caused by vibration.
- Adjustments may be made after application without damage to seal; non-hardening for easy disassembly.
- Resists temperatures of -40°F to +300°F and pressure to 5,000 psi.
- Not affected by water, steam, salt water, bleach, mild acids and alkalis.
- Will not contaminate potable systems; food grade compliant; won't shred.



4 Fluid Oz.

APPLICATIONS:

Threaded Metal * Plastic Pipes * Flanges for Steam Systems * Plumbing * Heating * Air Conditioning * Irrigation * Appliances * Swimming Pools, etc.

12 in a case

J&B #	QTY
38805	EA/.25 PT.

ADHESIVES

PIPE JOINT COMPOUND WITH TEFLON

Loctite

FEATURES AND BENEFITS:

- Economical, general purpose pipe thread sealant that won't shred like teflon tape and allows easy disassembly.
- Resists common shop fluids.
- Resists temperatures of -65°F to +400°F and pressure to 5,000 psi.

APPLICATIONS:

Sealing metal pipe fittings * Seals water * Steam * Propane * Butane * Natural gas * Lubricating oils * Fuel oils * Gasoline * Kerosene * Ethylene glycol * and other liquids and gases.



16 Fluid Oz.

J&B #	QTY
41853	EA/1 PT

12 in a case

THREAD SEALANT 577

Loctite

FEATURES AND BENEFITS:

- Medium strength, general-purpose sealant for use on coarse, threaded components.
- Color is yellow.
- Resists temperatures of -65°F to +180°F and pressure to 10,000 psi.



1.69 Fluid Oz.

J&B #	QTY
40395	EA

ADHESIVES

THREAD SEALANT 565

Loctite

FEATURES AND BENEFITS:

- Lubricates to prevent galling and thread corrosion.
- Seals instantly and resists most industrial solvents.
- Seals operating pressures to 10,000 psi.
- Sets to a pliable film that prevents loosening and leakage.
- Will not shred to contaminate systems and allows easy disassembly.
- Temperature range -65°F to 300°F.

APPLICATIONS:

Threaded Connections * Fittings * Pipes * Hydraulic
and Pneumatic Fittings * Steam and Water Lines



1.69 Fluid Oz.

J&B #	QTY
38802	EA

AST-SEAL STD

Anaerobic pipe sealant

FEATURES AND BENEFITS:

- Seals metal threads instantly.
- Prevents vibration loosening; does not plug up filters, valves or gauges.
- Resists water, chemical and oils.
- Low locking strength provides for disassembly.
- Temperature range -65°F to 375°F.
- Seals to 1000 psi immediately after application and up to burst rating of typical pipe after curing.

APPLICATIONS:

Threaded Connections * Fittings * Pipes * Hydraulic
and Pneumatic Fittings * Steam and Water Lines



1.69 Fluid Oz.

J&B #	QTY
20608	EA

ADHESIVES

NO MORE LEAKS Loctite Pipe Sealant

FEATURES AND BENEFITS:

- Non-hardening white sealant; improves appearance and cleanliness of connections.
- Remains pliable under the most extreme environmental conditions.
- Contains no plastic attacking oil or solvents.
- Temperature range -65 F to 400 F.
- Seals threaded fittings to 5,000 psi.
- Out performs traditional Teflon tape and other pipe dopes.

APPLICATIONS:

Plastic pipe * Seals and repairs gaskets on flanges *
cover plates * Steam Lines * Hose Connections *
Threaded Assemblies.



Net Wt. 16 Fl Oz.

J&B #	QTY
38806	EA

ADHESIVES

J-B KWIK WELD Cold Weld Compound

FEATURES AND BENEFITS:

- Cures in 4 minutes.
- Life long bond.
- 300 F max.
- Fills or bonds any surface, iron, steel, aluminum, bronze, Brass, wood and glass.

APPLICATIONS:

Auto * Marine * Plumbing * Hobby * Etc.



Net Wt. 1 Oz. each tube

J&B #	QTY
R8025751	EA

J-B WELD Cold Weld Compound

FEATURES AND BENEFITS

- Easy to use; Two parts (Hardener & Steel) mixed thoroughly together to form strong bond.
- Able to drill it, grind it and machine it.
- Has 10,000 uses: automotive, industrial, farm machinery, households and hobbies.

APPLICATIONS

Iron * Steel * Aluminum * Brass * Bronze * Copper *
Pewter * Wood * Porcelain * Ceramic * Plastic



Net Wt. 1 Oz. each tube

J&B #	QTY
40870	EA

ADHESIVES

E-6000

Adhesive/Sealant
(Industrial Grade Self-Leveling Formula)

FEATURES AND BENEFITS:

- Tough, flexible clear adhesive stretches up to 600%; resists abrasion and vibration, even under water.
- No mixing, no mess; industrial grade, self-leveling, styrene based formula.
- Use on porous and non-porous materials; paintable.
- Dielectric, tack free in 10 minutes and dries to full cure in 24 hours.

APPLICATIONS:

Woods * Metals * Fiberglass * Glass * Reinforced Plastics



Net Wt. 3.7 Fluid Oz.

J&B #	QTY
41300	EA

5 MINUTE EPOXY SYRINGE

FEATURES AND BENEFITS:

- Super-fast, clear liquid epoxy for high speed bonding - even in thin films and at low temperatures.
- 2 in 1 dispenser that measures and dispenses precise amount automatically.
- Non-shrinking; good tensile and impact strength; full strength - 1 hour.
- Resistant to oil and most chemicals.

APPLICATIONS:

Iron * Steel * Aluminum * Bronze * Glass * Ceramic *
Copper * Lead * Wood * Carbide * Concrete * Many
Thermoset Plastics (Phenolics, Epoxies)



Net 25 ml

J&B #	QTY
41302	EA

ADHESIVES

INTER-MIX 60 Hybrid Panel Bonding Adhesive

FEATURES AND BENEFITS:

- A heavy-bodied two-part high strength epoxy/urethane adhesive that will bond to: Cold rolled steel, E-coated steel, epoxy primed steel, aluminum, SMC, FRP (traditional fiberglass) & a wide variety of other plastics and metals.
- When used according to specific directions, it may be used in the replacement of: quarter panels, door skins, roof panels, truck box sides and other outer body sheet metal.
- Automatic mixing system eliminates errors common in manual mixing.
- Working time: 60 – 90 Min. Sandable & Painting time: 120 Min.

(Comes with 2 static mixers)



Net Wt. 10 Fluid Oz.

J&B #	QTY
IES8422	EA

STATIC MIXER NOZZLE



- For use with screw-on style cartridges (compatible with zip-tips).
- 3/8" ID x 18 elements.

J&B #	QTY
IES8260	EA

ADHESIVES

EPOXY MIXER CUPS Permatex

FEATURES AND BENEFITS:

- Handy two-part package contains both epoxy resin and Hardener and forms its own mixing cup.
- Provides strong bonding for most porous and nonporous materials; Tensile Strength = 4,000 psi.
- Temperature range is -50 F to 180 F.
- Fast-cure; sets in 5 minutes, with full cure in 12 hours.
- Two components are color coded to insure complete mixing; no mess, no guess, no waste.



10 Cups (.12 FL. OZ. EA)

APPLICATIONS:

Bonds Wood * Ceramic * Glass * Marble * Metal * Plastic *
Concrete * Stone * Brick * etc.

J&B #	QTY
39418	EA

INTER-POUCH 5 FAST SET EPOXY IES

FEATURES AND BENEFITS:

- Great 2 part high-strength epoxy adhesive-filler-surfacer in a single shot squeeze package.
- Convenient premeasured foil epoxy pouch contains 7 grams of resin & hardener in one no guess, no waste package.
- Can be used to rebuild worn parts.
- Can be machined, drilled, tapped and sanded after cure.
- Working Time: 5 minutes approx.
Handling Time: 10 minutes approx.
Sandable: 15 to 30 minutes.
Paintable: 10 minutes.
Full Cure: 6 to 8 hours.



10 Pouches .247 OZ. EA)

APPLICATIONS:

Bonds Most Plastic * Metal * Glass * Wood * Ceramic * Marble *
Brick * Stone * Concrete * and much more.

J&B #	QTY
V38836	EA

ADHESIVES


STRIP - CALK

- For sealing cracks, seams, fittings, holes and joints.
- Box contains 60 strips 1 foot long.
- **Waterproof**, non-hardening and will not shrink.
- Can be painted.
- **No** special tools needed.



J&B #	COLOR	QTY
39088	BLACK	EA

IDEAL FOR AUTO BODY SEALING



ADHESIVES

REPAIRITQUIK EPOXY PUTTY

FEATURES AND BENEFITS:

- After **10 MINUTES** the epoxy will harden and form a tenacious bond. After **1 HOUR** of hardening, it may be machined, ground, filed, drilled, tapped, threaded, and/or painted.
- Replaces lead as a machining aid; transfers masters shapes of dies.
- Will plug or seal practically anything that leaks; mend almost anything that is broken (safe for lines carrying potable water).
- Excellent for rebuilding parts and as an all purpose adhesive for metals, wood, glass, masonry & plastics.
- Will not shrink or pull away. Contains no solvents. Will not rust.
- Resists temperatures up to 300°F intermittent.

APPLICATIONS:

Plumbing repairs * electrical * auto repair * underwater repair *
custom formed gaskets * refabricate small parts * many dieshop uses



4 Oz. Tube

J&B #	QTY
40247	EA

FASTSTEEL EPOXY

FEATURES AND BENEFITS:

- Faststeel is a hand-kneadable, non-rusting, steel reinforced epoxy putty that repairs or rebuilds anything made of metal in minutes.
- This industrial strength product cures steel hard and bonds to metals.
- After **1 hour** of hardening, Faststeel may be machined, ground, filed, drilled, tapped, threaded, and/or painted.

APPLICATIONS:

Ferrous and Aluminum metals * molds, patterns and casting *
down spouts, gutters and ductwork * metal tools * pipes *
stripped threads * fills cracks and seals leaks.



4 Oz. Tube

J&B #	QTY
41038	EA

ADHESIVES

ALL PURPOSE SOLVENT CEMENT

FEATURES AND BENEFITS:

- Clear, heavy bodied.
- For use on ABS, PVC or CPVC pipe and fittings up to 6" diameter.
- Exceeds ASTM D-2564, D-2846, D2235 and F493.



J&B #	SIZE	QTY
9342	8 OZ.	EA

ALL PURPOSE PIPE CLEANER

FEATURES AND BENEFITS:

- Clear, all purpose pipe cleaner.
- For ABS, PVC and CPVC pipe and fittings for all diameters and schedules.



J&B #	SIZE	QTY
9344	8 OZ.	EA

PURPLE PRIMER

FEATURES AND BENEFITS:

- For use on PVC and CPVC pipe and fittings.
- For use where code calls for primer verification.
- Exceeds ASTM F-656, NSF certified.



J&B #	SIZE	QTY
9346	8 OZ.	EA

ADHESIVES

SUPER GLUE 495

Loctite

FEATURES AND BENEFITS:

- Cure speed fixture 20 seconds, full 24 hours.
- Temperature range -65 F to 180 F. Strength 2,750 psi.
- Instant adhesive is designed to bond rubber, metal and plastic parts with gaps to 0.004 inch.



3 gram tube

APPLICATIONS:

Rubber Belts * Bumpers * O-rings * Metal Handles *
Parts * Wires * Plastic Nameplates * Signs * Trim * etc.

J&B #	QTY
9170	EA

SUPER GLUE 409

Loctite

FEATURES AND BENEFITS:

- Cure speed fixture 75 seconds, full 24 hours.
- Temperature range -65 F to 180 F. Strength 3,200 psi.
- Instant adhesive is a general purpose cyanoacrylate adhesive gel. The gel consistency prevents adhesive flow even on vertical surfaces.



3 gram tube

APPLICATIONS:

Rubber Belts * Bumpers * O-rings * Metal Handles *
Parts * Wires * Plastic Nameplates * Signs * Trim * etc.

J&B #	QTY
45706	EA

SUPER GLUE GEL

FEATURES AND BENEFITS:

- Will not run or drip overhead or on vertical surfaces.
- Will not soak into substrates. Quick Gel sits on the surface to provide bonds on a broader range of substrates.
- Fills larger gaps than ordinary adhesives. Close tolerances are not as critical for a successful bond.
- Extra strength - bonds in seconds - will not string.

APPLICATIONS:

Wood * Metal * Rubber * Leather * Plastics * Textiles *
Vinyl * Ceramics * Paper * Fabric * Brick * Cork * China



J&B #	QTY
38820	EA

ADHESIVES

GORILLA GLUE

FEATURES AND BENEFITS:

- Tough, expanding, sticks to everything glue.
- Incredibly strong & ideal for indoor & outdoor applications.
- Industrial holding power & versatility, regardless of the surface.

APPLICATIONS:

Wood * Foam * Metal * Ceramic *
Stone * Glass * and more.



2 fl oz.

J&B #	QTY
9428	EA

ADHESIVES

PRIMER 7649 N

Loctite

FEATURES AND BENEFITS:

- Cleans and activates metal...You need lack of oxygen and an active metal to use threadlockers.
- Speeds cure of all loctite anearobic products and ensure proper cure on active metals.
- Recommend using primer on plated fasteners.
- Ideal for cure conditions below room temperature.
- Solvent-based primer that features very long on-part life.



Net Wt. 4.5 Oz.

J&B #	QTY
41180	EA

10 in a case

ADHESIVES

LOCKS NUTS REMOVABLE THREADLOCKER

Loctite 242 Medium Strength

FEATURES AND BENEFITS:

- Fast-curing adhesive/sealant that locks and seals all types of fasteners.
- Prevents vibration loosening and thread corrosion.
- Seals against air, oil, fuel and hydraulic leaks.
- Applies easily; works without priming.



J&B #	SIZE	QTY
38810	.34 FL OZ	EA
38812	1.69 FL OZ	EA

LOCKS STUDS PERMANENT THREADLOCKER

Loctite 262 High Strength

FEATURES AND BENEFITS:

- Locks and seals bolts, studs and other heavy-duty fasteners.
- Resists solvents, oils and water immersion; prevents thread corrosion and vibration loosening.
- Effectively reduces the need for high driving torque, to eliminate broken studs and cracked castings.
- Applies easily; allows manual stud assembly.



J&B #	SIZE	QTY
38814	.34 FL OZ	EA
38816	1.69 FL OZ	EA

RETAINING COMPOUND

Loctite 609 "Secures Gears"

FEATURES AND BENEFITS:

- Increases the strength of cylindrical assemblies, press fits and mechanical assemblies.
- Prevents fretting and corrosion.
- Bonds non-threaded metal-to-metal assemblies.
- Prevents wear on newly installed parts.
- Restores fit to worn parts.



J&B #	SIZE	QTY
38808	1.69 FL OZ	EA

ADHESIVES

AFTER LOCK PENETRATING THREADLOCKER

Loctite 290

FEATURES AND BENEFITS:

- Locks assembled parts; no disassembly required.
- Finds its own way between threads by capillary action.
- For post application thread locking.
- To lock adjustment screws and seal weld and casting porosity's.
- Prevents vibration loosening.



J&B #	SIZE	QTY
38817	.34 FL OZ	EA

HYDRAULIC / PNEUMATIC SEALANT

Loctite 545

FEATURES AND BENEFITS:

- Hydraulic / Pneumatic sealant seals hydraulic and pneumatic fittings without danger of contamination
- It contains no fillers or particles and disassembles with hand tools
- Can be used on hydraulic line threaded fittings, servo mechanisms, o-ring fittings, pneumatic fittings.



J&B #	SIZE	QTY
38929	1.69 FL OZ	EA

ADHESIVES

LOCTITE THREADLOCKER PROPERTIES CHART

J&B #	PRODUCT	APPEARANCE	TEMPERATURE RANGE	CURE SPEED	FASTENER SIZE	TORQUE BREAK/ PREVAIL
38812	LOCKS NUTS	BLUE LIQUID	-65 F to 300 F	Fixture: 20 min. unprimed 5 min. primed Full cure: 24 hrs.	¼" to ¾" (6 to 20mm)	115/53 in. lbs.
38816	LOCKS STUDS	RED LIQUID	-65 F to 300 F	Fixture: 20 min. unprimed 5 min. primed Full cure: 24 hrs	3/8" to 1" (9.5 to 25mm)	190/275 in. lbs.
38817	AFTER LOCK	GREEN LIQUID	-65 F to 300 F	Fixture: 10 min. unprimed 3 min. primed Full cure: 24 hrs	#2 to ½" (2.2 to 12mm)	85/250 in. lbs.

LOCTITE THREAD SEALING PROPERTIES CHART

J&B #	PRODUCT	APPEARANCE	TEMPERATURE RANGE	SEAL TO OPERATING PRESSURE	PRESSURE RESISTANCE	VISCOSITY
38929	HYDRAULIC/ PNEUMATIC SEALANT	PURPLE LIQUID	-65 F to 300 F	4 HOURS	10,000 PSI	14,000 cP
38802	PIPE SEALANT WITH TEFLON	WHITE PASTE	-65 F to 450 F	4 HOURS	10,000 PSI	350,000 cP

LOCTITE RETAINING COMPOUND PROPERTIES CHART

J&B #	PRODUCT	APPEARANCE	TEMPERATURE RANGE	CURE SPEED	SHEAR STRENGTH	GAP FILL
38808	SECURES GEARS	GREEN LIQUID	-65 F to 300 F	Fixture: 10 min. Full cure: 24 hrs.	3,000 PSI	.005"



ADHESIVES

THREADLOCKING REMOVABLE ADHESIVE/SEALANT

Anti-Seize AST-LOCK 42MS

Medium Strength

FEATURES AND BENEFITS:

- Excellent general-purpose for nuts, bolts and screws up to 3/4".
- Prevents fasteners from vibrating loose yet removable with hand tools.
- Applications include drive shaft fasteners, hydraulic bolts and gearbox bolts.
- Single component, fast curing and solvent-free.
- Temperature range -65 F to 350 F.



J&B #	SIZE	QTY
20600	1.69 FL OZ	EA

NUT/BOLT LOCKING ADHESIVE/SEALANT

Anti-Seize AST-LOCK

62HS High Strength

FEATURES AND BENEFITS:

- Designed primarily for use on Grade 5 and 8.
- It is very strong for permanent fasteners up to 3/4".
- It resists harsh environments and impact and is intended to seal fasteners with poor tolerances.
- Single component, fast curing and solvent-free.
- Temperature range -65 F to 350 F.



J&B #	SIZE	QTY
20602	1.69 FL OZ	EA

ADHESIVES


STRIPPED THREAD REPAIR Form-A-Thread

FEATURES AND BENEFITS:


- Permanently repairs stripped threads and fasteners in five minutes; No inserts or special tools required.
- Adheres to most metals (aluminum, iron, steel, brass, magnesium, copper) and woods.
- Shop fluid resistant; most solvents and oil such as motor oil, glycol, diesel fuel, gasoline.
- High temp formula; -65 F to 300 F (350 F intermittent).
- High strength; allows up to 128 ft. lb. torque.

APPLICATIONS:

Carburetor to manifold studs * distributor clamp bolts *
oil drain plugs * intake manifold bracket fasteners, etc.




Step 1) Clean area.



Step 2) Apply release agent.




Step 3) For through holes, seal one end with tape.



Step 4) Mix equal amount of compound.



Step 5) Fill damage with FORM-A-THREAD™ compound.



Step 6) Twist bolt into compound.

J&B #	QTY
40245	EA


ADHESIVES

248 MEDIUM STRENGTH THREADLOCKER STICK

Loctite

FEATURES AND BENEFITS:

- Eliminates loosening from vibration, shock and thermal expansion.
- More reliable and cost effective than conventional mechanical fasteners.
- Removable with hand tools.
- Prevents rust & corrosion while sealing and protecting threads.
- Temperature resistance = 300 F (150 C).



J&B #	SIZE	QTY
45740	9 Grams	EA
38841	19 Grams	EA

APPLICATIONS:

Machine tools * Pumps & compressors * Mounting bolts * Gear boxes

268 HIGH STRENGTH THREADLOCKER STICK

Loctite

FEATURES AND BENEFITS:

- Eliminates loosening from vibration, shock and thermal expansion.
- More reliable and cost effective than conventional mechanical fasteners.
- Removable with hand tools.
- Requires localized heat and hand tools for removal.
- Temperature resistance = 300 F (150 C).



J&B #	SIZE	QTY
45744	9 Grams	EA
38842	19 Grams	EA

APPLICATIONS:

Heavy equipment * Suspension bolts * Motor, transmission and pump mounts *
Bearing cap bolts & studs * Formulated for heavy-duty applications

* Anti-seize sticks available on page 359

* Thread sealant sticks available on page 389

ADHESIVES

C5-A COPPER ANTI-SEIZE STICK

Loctite

FEATURES AND BENEFITS:

- Prevents rust, corrosion, seizing and eases disassembly.
- Reduces friction and wear to critical parts.
- Buttery texture ideal for both coarse and fine threads.
- Exceptional lubrication properties.
- Temperature resistance = 1800 F (982 C).



20 Grams

APPLICATIONS:

Copper * Brass * Cast iron * Alloys * Stainless steel * plastics *
Non-metallic gasket materials * Bolts * Bushings * Pipes * Fittings *
Flanges * Gaskets * Headers * Manifolds * Nuts * Studs *
High heat ovens * Crane assemblies * Turbine studs * Coal crushers *
Casting and molding equipment * Heat exchangers

J&B #	QTY
45750	EA

SILVER GRADE ANTI-SEIZE STICK

Loctite

FEATURES AND BENEFITS:

- Prevents rust, corrosion, seizing and eases disassembly.
- Reduces friction and wear to critical parts.
- Buttery texture ideal for both coarse and fine threads.
- Exceptional lubrication properties.
- Temperature resistance = 1600 F (982 C).



20 Grams

APPLICATIONS:

Copper * Brass * Cast iron * Alloys * Stainless steel * plastics *
Non-metallic gasket materials * Bolts * Bushings * Pipes * Fittings *
Flanges * Gaskets * Headers * Manifolds * Nuts * Studs *
High heat ovens * Crane assemblies * Turbine studs * Coal crushers *
Casting and molding equipment * Heat exchangers

J&B #	QTY
45752	EA

ADHESIVES

PST 561 THREAD SEALANT STICK WITH TEFLON

Loctite

FEATURES AND BENEFITS:

- Immediate low pressure sealing to 100psi.
- Controlled lubricity prevents galling.
- Protects threaded areas from rust and corrosion.
- Provides exceptional fluid compatibility and chemical resistance.
- Will not contaminate or clog lines.
- Eases disassembly.
- Temperature resistance = 300 F (150 C).



APPLICATIONS:

Seals all types of metal tapered threads and fittings to NPT specs. *
Ideal for use in a broad range of industries including Chemical processing, Waste water treatment and Automotive.

19 Grams

J&B #	QTY
45748	EA

QUICKSTIK 668 RETAINING COMPOUND HIGH TEMP

Loctite

FEATURES AND BENEFITS:

- Bonds non-threaded, cylindrical metal assemblies with gaps up to 0.005" diameter.
- Provides typical shear strength of 1,870 psi after 24 hours.
- Prevents fretting and corrosion of metal assemblies up to 400 F (204 C).
- Set-up time / full strength: 30 minutes / 24 hours.



APPLICATIONS:

- * Fills the inner voids in close-fitting press fits, keyways and splines.
- * Mounts bearings and bushings * Makes press fits even stronger

19 Grams

J&B #	QTY
45753	EA

ADHESIVES

QUIKSTIK 548 GASKET ELIMINATOR FLANGE SEALANT

Loctite

FEATURES AND BENEFITS:

- Designed for rigid flange assemblies.
- Forms a flexible, solvent resistant seal.
- Offers excellent oil resistance on rigid flange sealing.
- Seals up to 300 F (149C).
- Fills gaps to 0.010".
- Sealing time > 3 hours with or without primer.



APPLICATIONS:

- * Formulated with excellent oil resistance for rigid sealing, for example on transmissions and cast metal housings. * Ideal for on-the-spot repairs or when a conventional gasket is not available.
- * For use on a variety of metal surfaces, including aluminum.

19 Grams

J&B #	QTY
45754	EA

QUIKSTIK 534 HI-TACK GASKET DRESSING

Loctite

FEATURES AND BENEFITS:

- Allows a precut gasket to be positioned holding it in place for assembly
- Holds aggressively yet still allows for responding of the cut gasket.
- Seals up to 300 F (149 C).
- Offers added control and ease of use.
- Sealing time: 5 minutes to set.



APPLICATIONS:

- * Seals and bonds rubber, cork, paper, felt and metal gaskets.
- * Ideal for use in applications requiring oil resistance.

19 Grams

J&B #	QTY
45755	EA

INSECTICIDE / HERBICIDE

WASP & HORNET KILLER Spectracide Pro

FEATURES AND BENEFITS:

- Instant kill; up to 20 foot jet spray.
- Non-conductive dielectric breakdown voltage of 47,300 volts.
- Kills the entire nest.
- Kills returning wasps and hornets for up to 4 weeks.

APPLICATIONS:

Hotels * Motels * Homes * Greenhouses * Food
Packaging and Processing Plants * Dairy Plants *
Institutional or Office Buildings * Industrial * Automotive



Net. Wt. 18 Ozs.

J&B #	QTY
9376	EA

12 in a case

ROUND ONE Non-Selective Weed Killer

FEATURES AND BENEFITS:

- This product is a nonselective herbicide that is diluted & applied to the foliage of actively growing weeds as a spot or broadcast application.
- It is absorbed by the leaves & moves throughout the stem & roots to control the entire plant. Visible symptoms may require a week or more to appear, with burndown usually occurring in 2 to 4 weeks.
- Symptoms are a gradual wilting & yellowing of the sprayed plant followed by deterioration of both shoots & roots.
- This product has no herbicidal activity in the soil & will not wash or leach to affect nearby vegetation.
- THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY DRIFT CONTACT WITH DESIRABLE LAWN GRASSES, FLOWERS, VEGETABLES, SHRUBS OR TREES. DO NOT CONTACT GREEN BARK OF TREES OR SHRUBS. IF DESIRABLE VEGETATION IS CONTACTED, WASH IMMEDIATELY WITH WATER.



1 Gallon

J&B #	QTY
9510	EA

4 in a case

HAND CLEANERS / POW'RKLEEN

THE BEST HAND CLEANER *HANDS DOWN!!!!*

- **CONTAINS NO KEROSENE:** Compounded from chemically pure ingredients. Pow'rkleen contains no kerosene, ammonia, detergents, alkali, or abrasives.
- **SKIN CONDITIONER:** Pow'rkleen contains soothing lanolin and acts as a conditioner.
- **PREVENTATIVE AID FOR SKIN INFECTIONS:** Pow'rkleen is a mildly medicated neutral cream that aids in preventing industrial dermatitis. Occupational skin infection, cracking, chapping and similar surface inflammations show less tendency to occur with constant use of Pow'rkleen.
- **NON-FLAMMABLE:** It is non-flammable, and can be used in industry, and in places where fire is a hazard.
- **WORKS ON DIFFICULT SUBSTANCES:** Although gentle, Pow'rkleen will act quickly on the hardest to remove substances such as Grease, Oil, Paint, Grime, Glue, Adhesives, Epoxies, Resins, Enamel, Dirt, Putty, Stubborn Stains, Most Inks, Rubber Cement, Tar, Gum, Carbon Black, etc. **Use with or without water.**
- All cans are 4-1/2 lbs.



Part # 9182



Part # 9166



Part # 9190



Part # 9188

Pow'rkleen Cream and Pumice type waterless hand cleaners are formulated to remove the most stubborn dirt and stains while the antiseptic and conditioning properties protect the skin.

PUMICE	CREAM
9182 EA	9166 EA

4 in a case

4 in a case

Pow'rkleen **Orange** Scent combines cleaning, conditioning and antiseptic protection with a fresh orange scent to quickly clean dirt and grime from hands. Available with and without pumice.

PUMICE	CREAM
9190 EA	9188 EA

4 in a case

4 in a case



HAND CLEANERS

J & B SUNSHINE

- **J & B SUNSHINE** hand cleaner is the most effective liquid hand cleaner available.
- **TOUGH ACTING:** Advanced cleaning formula, with fine pumice, to remove the toughest dirt and stains.
- **SKIN CONDITIONER:** Contains humectants, emollients and antiseptic ingredients to condition and protect your skin.
- **NON-FLAMMABLE:** Contains no D-limonene, ammonia, alkali or harmful solvents and is non-toxic and non-flammable.
- **ENVIRONMENTALLY SAFE:** J & B SUNSHINE is biodegradable with recyclable packaging.



2500 (84 oz.) ML BOTTLE

**J&B# 9185
BLITZ PAK**
Consists of..
1 dispenser
2 Sunshine bottles with pumice

4 in a case

4 in a case

J & B #	DESCRIPTION	QTY
9194	WITH PUMICE	EA
9118	SMOOTH	EA

Not just a hand cleaner, **J & B SUNSHINE** is **TOTAL** skin protection.

J & B SUPER SUDS

- **J & B SUPER SUDS** contains an antiseptic to protect the skin with every wash.
- **NATURE'S PRODUCT:** Soy bean oil based. Excellent cleaner and emollient.
- **100% BIODEGRADABLE:** Biodegradable scrubber-fibrill... crushed shells and bark.
- **NATURE-SAFE:** No solvents. Reduces solvent waste water discharge. Micro-emulsion detergents. Concentrated means using less(up to 1/3) and less waste.



2500 (84 oz.) ML BOTTLE

**J&B# 9191
BLITZ PAK**
Consists of..
1 dispenser
2 Super Suds bottles with pumice

4 in a case

J & B #	DESCRIPTION	QTY
9192	WITH PUMICE	EA

HAND CLEANERS

HAND SANITIZER Purell

- Kills 99.99% of most common germs in as little as 15 seconds with no water or towels.
- Specialty formulated moisturizers leave hands feeling soft and refreshed even after repeated use.
- Dermatologist tested.
- Shown with 1000 ML dispenser sold separately.
part # GOJ 2120-06.



1000 ML

J & B #	VENDOR #	QTY
9197	LAG# = GOJ 2156-08	EA

8 per case

HAND SANITIZER Nivana

- 500 ML, bottle with pump.
- Kills 99.99% of viruses & bacteria.
- FDA certified product. 75% alcohol content.



24 per case

J & B #	QTY
99900	EA

HAND SANITIZER Purell

- 8 Oz, bottle with pump.
- Kills 99.99% of viruses & bacteria.
- Enhanced with a nourishing blend of 4 different skin conditioners that are clinically proven to help maintain skin health.



12 per case

J & B #	QTY
48700	EA

HAND CLEANERS

ALCO-GEL HAND SANITIZER

- Evaporates quickly. It kills 99.99% of common germs that cause illness, leaving hands smooth & refreshed..
- Active ingredient: 70% ethyl alcohol.
- Light citrus scent.



Manual Dispenser

J & B #	QTY
60100	EA



1000 ML

J & B #	QTY
45598	EA

6 per case

FOAMFRESH Antibacterial Foam Handwash

- A general purpose foaming hand wash enriched with humetants, emulsifiers and moisturizers to gently wash away impurities.
- Has a fresh floral fragrance without drying your skin.



Manual Dispenser

J & B #	QTY
60100	EA



1000 ML

J & B #	QTY
9216	EA

6 per case


HAND CLEANERS

DISPENSERS

HEAVY DUTY CAST ALUMINUM DISPENSER

- Precision engineered - made from **durable cast aluminum**.
- Can be used with both the Regular and Orange scent Pow'rkleen's.
- Easily mounted and can be used to accurately measure the precise amount needed, thus eliminating waste.
- Guaranteed for 5 years.


METAL FOLLOW PLATE	
41053	EA



J & B #	QTY
20112	EA

PLASTIC GALLON PUMP DISPENSER

- Made for Double Duty and K-Guard gallon hand cleaners.
- The new improved heavy-duty pump action will give years of trouble-free service.



J&B #	QTY
21994	EA

K- GARD HEAVY DUTY HAND CLEANER

- Cleans, protects and conditions hands.
- Contains **super-lanolin concentrated** and can be used with or without water.
- Can be wall mounted with bracket.
- *K-GARD takes tar off floors.*

4 in a case

J&B #	SIZE	QTY
9179	1 GAL.	EA
21995	Bracket for Gallon K-Guard	EA



HAND CLEANERS

J & B BERRY HAND CLEANER

- Antimicrobial ingredient, chloroxylenol and conditioners for maximum skin protection.
- All natural, concentrated, solvent free cleansing formula
- Soybean oil based. Berry fragrance.
- 100 % biodegradable and exfoliates naturally.

J&B# 9183 BLITZ PAK Consists of.. <i>1 dispenser and 1 Berry bottle with pumice</i>

**NO BROKEN BOXES
MUST BUY FULL CASE**

2 in a case



136 Oz.

J & B #	DESCRIPTION	QTY
9180	WITH PUMICE	EA

PINK ANTIBACTERIAL Lotion Soap

- Rich lathering lotion soap that is gentle enough for everyday use.
- Contains an antiseptic ingredient that helps Protect skin from minor infections & irritation.
- Ideal for institutional use. Biodegradable.

J&B# V41947 BLITZ PAK Consists of.. <i>1 dispenser and 2 pink antibacterial bottles</i>



84 Oz.

4 per case

J & B #	QTY
V41949	EA

LAVA SOAP

- Heavy duty hand cleaner.
- Key ingredients - Pumice.
- Removes grease, grime, oil, tar, ink, paint, glue, resins, adhesives, caulk.



5.75 Oz.

J & B #	QTY
9258	EA

24 per case

HAND CLEANERS

SCRUBS IN - A - BUCKET

- Pre-moistened, heavy duty towels with pumice scrubbing power.
- Contains 72: 10-1/2 x 12-1/4 pre-moistened disposable deep cleaning multi-purpose towels.
- Contains germ fighting triclosan
- Conditions and softens hands.
- Quickly removes tough to clean substances including: adhesives, lubricants, oils, ink, tar, wax, caulk, sealants, paint, heavy grease.
- After cleaning your hands, use scrubs to degrease: Tools, equipment, vinyl, plastics, metal and painted surfaces.



J & B #	QTY
39564	EA

6 per case

TUB-O-TOWELS

- Formulated to remove tough soils found in industrial and heavy-duty applications.
- Citrus-based chemistry is non-toxic and fortified with glycerin, jojoba, vitamin E and aloe vera skin protectors.
- Towels measure 10 x 12 in. and come in a 90-towel resealable canister.



J & B #	QTY
41849	EA

6 per case

J&B HANDY TOWELS

- Two sided: Abrasive side cuts through the toughest soils, while the smooth side allows for wiping the most delicate surfaces.
- Fortified with new generation cleaning agents and unmatched skin conditioners. This wipe does it all!
- Contains 70: 9" x 12" heavy duty two-sided wipes.



J & B #	QTY
49000	EA

6 per case

HAND CLEANERS

CHERRY SCRUB PLUS

- Industrial strength pumice hand cleaner designed to remove tough soils without irritation.
- Enhanced with mild, low odor solvents to produce clean, fresh smelling hands.
- Enriched with emollients so your hands feel great, even with repeated washing.

J & B #	SIZE	QTY
9277	GALLON	EA

4 per case



HOMERUN

- Heavy duty solvent free hand cleaner.
- Will not dry, crack, whiten, or harm sensitive skin.
- Contains scrubbers to remove the toughest soils.


J & B #	SIZE	QTY
9275	GALLON	EA

4 per case



PLASTIC GALLON PUMP DISPENSER

- The new improved heavy-duty pump action will give years of trouble-free service.
- Use with 9277 and 9275.



J&B #	QTY
21994	EA

WALL MOUNTING DISPENSER

- Use with 9277 and 9275.

J&B #	QTY
9306	EA



EQUIPMENT

CAULKING GUN

Enclosed Rotating Barrel

- 18 to 1 thrust ratio.
- Features a rotating barrel for smooth and consistent application around curves.
- Designed especially for urethane applications.

J&B #	QTY
41049	EA



CAULKING GUN

J&B #	QTY
39065	EA



DUAL CARTRIDGE GUN

- Heavy duty gun designed for use with IES8412 & IES8422.
- Designed for high viscosity products.
- Provides extra thrust and power.
- Includes a push disc for converting to a 2:1 gun.

J&B #	QTY
41211	EA



SPRAY PAINT CAN HOLDER

- Provides control & eliminates finger fatigue.
- Snaps on to any spray can to transform into a spray gun.


J&B #	QTY
41174	EA



EQUIPMENT

GREASE GUNS

J&B #	TYPE	QTY
41046	ONE HAND (Pistol Grip)	EA
41048	STANDARD LEVER	EA



LINCOLN GREASE GUN Clear

- Clear tube provides positive grease type identification, visibility to remaining grease in tube, visibility to air pockets and eliminates risk of mixing incompatible greases.
- Lincoln Industrial 1134CLR 16 ounce pistol grease gun with 18" whip hose and 6" rigid pipe.
- Heavy follower spring to ensure positive priming & uninterrupted pumping action.
- Jam proof handle return mechanism and single-piece head casting.



J&B #	MODEL #	QTY
V41191	1134CLR	EA

STANDARD TRANSFER PUMP

- For fluid lubricants, solvents, thinners, automotive additives, chemicals and non-corrosive liquids.
- Self-adjusting, telescoping suction tube fits all drums.
- Floating check valve allows liquids to drain back from pump when not in use.

J&B #	DRUM VOLUME	MECHANISM	DESIGNATED FLUID	QTY
R80346	16 gal. / 55 gal.	Piston	Petroleum	EA



CHEMICAL ASSORTMENTS

- All Assortments contain 1 each of the items listed.
- Every item comes with a cardboard bin box for organized storage.
- Items in assortments are grouped with similar items for easy trial.

CLEANERS # 2400	
J&B #	ITEM
9374	Brake & Parts Cleaner
9366	Contact Cleaner
9163	CRC Lectra-Motive
9210	Carburetor Cleaner
9214	Engine Degreaser
9212	Glass Cleaner



LUBRICANTS # 2401	
J&B #	ITEM
38847	Super Lube
9111	Rust Bust
9364	Slip Shot Red Grease
9382	White Lithium Grease
9232	Chain & Cable Lube
9202	All Purpose Silicone



ADHESIVES # 2402	
J&B #	ITEM
38810	LockNuts Threadlocker
38805	Teflon Thread Sealant
38834	High Tack Sealant
38824	Red Hi-Temp Silicone
9222	Stuck-Up Adhesive
9242	Super Weatherstrip




AUTOMOTIVE # 2403	
J&B #	ITEM
9208	Battery Cleaner
9362	Battery Prevent Spray
9218	Belt Dressing
9228	Rubberized Undercoat
9158	Disc Brake Quiet
9256	Cold Galv. Compound



GENERAL PURPOSE # 2404	
J&B #	ITEM
38828	Anti-Seize Compound
38847	Super Lube
38824	Red Hi-Temp Silicone
38805	Teflon Thread Sealant
9111	Rust Bust
9374	Brake & Parts Cleaner












J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART# 2248

ADHESIVES

<p>39418 1</p>  <p>FAST CURE EPOXY</p>	<p>41038 2</p>  <p>FASTSTEEL EPOXY</p>	<p>40247 3</p>  <p>REPAIRITQUIK EPOXY</p>	<p>41302 4</p>  <p>5 MINUTE EPOXY SYRINGE</p>
<p>41300 5</p>  <p>CLEAR ADHESIVE / SEALANT</p>	<p>9170 6</p>  <p>SUPER GLUE 495</p>	<p>38820 7</p>  <p>FUTURE GLUE GEL</p>	

