

# Kidstuff playsystems

Catalog #1006

- FUN
- FITNESS
- CHALLENGE
- UNBEATABLE  
VALUE



“Come  
Play  
With  
Us”



Dear Friends and Clients,

Welcome to the world of playground equipment. It is a world that is often confusing to those who are new to it. Our goal is to make your experience a positive one by offering a range of options within your budget to provide age-appropriate fun and challenge for the growing and developing children within your care.

Kidstuff Playsystems, Inc. has been manufacturing playground equipment in the Miller Beach community of Gary, Indiana since 1982. Our beautiful dunes along Lake Michigan were recognized in 2019 by becoming the nation's 61st National Park: the Indiana Dunes National Park. Come visit us when you visit the Dunes.

How do you select appropriate equipment for your children? We do that with you, taking into account the ages of the children, your available space, your budget and your preferred play events in your chosen colors. We also work with you to select the safety surfacing that is right for you. And we will arrange your installation as well. We simplify the playground process for you.

We have sales consultants around the country who will look at your situation and make informed recommendations to you. By completing page 35 in this catalog, you will give us the information we need to get started.

Please look over the information in this catalog and call us at 1-800-255-0153 with your questions. Visit our website [www.kidstuffplaysystems.com](http://www.kidstuffplaysystems.com) to see even more options. Play experiences are critical to all facets of child development. We are looking forward to the opportunity to provide the playground that will inspire both children and adults to "GET OUT AND PLAY!"

Cordially yours,

Richard (Dick) Hagelberg, CPSI  
CEO and Sales Manager

George R. McGuan, CPSI  
President and Manager of Operations

Table of Contents

What's New	3-4
Popular Color Schemes	5
Structural Elements of Playsystems	6
Playsystems for Ages 5-12	7-22
Playsystems for Ages 2-12	23-28
Playsystems for Ages 2-5	29-33
	36-37
Planning your Playground	34-35
Spring Riders	38-39
Playsystems for Toddlers - 6-23 mo.	40-41
Playsystem Components	42-51
Independent Play Events	52-54
Other Play Equipment - basketball, etc	55
Fitness Centers	56
HealthTrek	57-59
Inclusive Playgrounds	60-61
ADA Primer	62
Park Site Furnishings	63
Swings & Swing Replacement Parts	64-65
Surfacing Choices, all ADA-compliant	66
Warranty & IPEMA	67

Why Kidstuff Playsystems?

Here is why your next playground should be a Kidstuff playground:

- Safe, durable and attractive products that your children will find fun and challenging.
- IPEMA-certified to the latest ASTM F1487 standard.
- Top quality materials: stainless steel hardware, steel tubing galvanized inside and out and then powder-coated; your choice of unique kid-friendly rotation-molded decks or plastic-coated steel decks.
- A fantastic 21 year limited warranty.
- Top value for your money measured in the number and quality of the play events.
- Age-appropriate playgrounds complying with the ASTM standard, US Consumer Product Safety Commission (CPSC) guidelines and the Americans with Disabilities Act (ADA) law.
- Personal service when you have a problem or just need an answer.



Kidstuff Playsystems is a participant in the IPEMA certification program for play equipment. Certification is to the ASTM F-1487 for the United States and the CSA standard for Canada. To verify product certification visit [ipema.org](http://ipema.org). More info on the program is on page 67 of this catalog.

**"GET OUT AND PLAY"**

New models for ages 2-5



Playsystem #7639

Playsystem #7376



New models for toddlers

New models for ages 5-12



Playsystem #7691-02-191

New Spring Riders



2-seater spring firetruck #9709



New climbers

Baby Steg (above), Mobius (below)

New slide



Tri-ride slide

New Panels-dozens to choose from



Peek-a-boo, Colorwheel and Transportation panel



To verify product certification visit [www.ipema.org](http://www.ipema.org)

New Overhead Ladders



Ring around Overhead Loop Ladder

Plank Bridge with Molded Walls



New Panels




New Baby Animals Panel in English and Spanish; pictures on one side, counting on the other

Overhead Spiral Ladder



State Panels with a map on one side and fun facts on the other



Florida (front)



Michigan (back)



Pilot Panel

New Pagoda Roof



New Climber



Challenge Climber



To verify product certification visit [www.ipema.org](http://www.ipema.org)

# Colors

Choose your own color scheme! One of our seven Classic: Primary, Basic 4, Natural, Jamee, Two-toned (any 2 colors), All-American, or Rainbow; OR pick a custom color scheme such as school colors by telling us to use any 2-6 colors in combination in your system.

ADA Compliant



Playsystem #6392-105



Natural: Green, Tan, Brown

Playsystem #6392-102



Primary: Red, Yellow, Blue

Playsystem #7079-02-121



Jamee: Green, Tan, Brown, Burgundy

Playsystem #7376



Rainbow - All 6 Colors

Playsystem #6084



All-American: Red, White, & Blue

Playsystem #6677-02-165



Flora: Blue And Orange (Or Any 2 Colors)

Playsystem #7691-02-191



Hobart: Purple, Yellow, Blue

Tulip: Red, Green, Tan



Playsystem #7079

Playsystem #7015



Basic 4: Red, Yellow, Blue, Green

All playsystems require a safety surface under and around the equipment to reduce the danger of serious injuries from falls.

Our playsystems are made up of posts, decks, and play events, all held together by our cast aluminum alloy clamps and stainless steel fasteners.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

Posts




**POSTS** - 3.5" OD or 5" OD, both flow-coat galvanized and then powder-coated the color of your choice. Both exceed 45,000 lbs. yield and 48,000 lbs. tensile strength.

Steel Square Deck



Punched steel decks are dipped in liquid vinyl to eliminate sharp or rough edges, 46" square to accommodate more active children. Available in square, right-triangle, equilateral triangle & hex-shape.

Coated Steel Right Triangle Deck



Clamp for 5" OD Post



Clamp for 3.5" OD Post



Kidstuff Playsystems offers 2 kinds of decks (platforms), each with our 21 year limited warranty.



Molded Deck Tested to Over 3,000 lbs.



Molded Right Triangle Deck

Molded decks are 38" square, allowing you to pack more play events into a limited area. Top surface is ribbed for slip resistance. Child-friendly plastic is cooler in the hot sun. Will never rust or peel. Available as square and right triangles.



Molded Square Deck

Playsystem #7691-02-191 accommodates about 70 children ages 5-12 and requires 61' x 44'.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

Reverse Angle

*Kidstuff  
Playsystems*

Playsystem #7691-02-191 is the ultimate fun & fitness center. Its many climbing and overhead events will challenge your children and encourage the development of strong and fit bodies. It features 11 climbers, 3 different overhead ladders, 4 different slides and 7 additional play events. Its 16 ground level and 10 elevated events make it 100% ADA compliant and fun for all.

Playsystem #6677-02-211 is a big seller with its 2 huge slides, popular track ride and lilypad walk, double climbing wall, challenging overhead loop ladder and much, much more. It features 12 elevated events, 4 ground level events and an ADA transfer module for 100% ADA compliance and fun for all.



Playsystem #6677-02-211 accommodates about 50 children ages 5-12 and requires 50' x 40'.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



To verify product certification  
visit [www.ipema.org](http://www.ipema.org)

**Playsystem #7644-02-201** provides fun and challenge for children of all abilities. It is packed with slides, climbers and more. It features a 12' long wheelchair ramp to a large deck with 3 play panels and a short slide. It features 10 elevated events, 6 ground level events, an ADA transfer module and wheelchair ramp for 100% ADA compliance. Since it has no overhead events, we recommend it be accompanied by a fitness center such as the 7447-161 to provide the challenge that older children need.



**Playsystem #7644-02-201** accommodates about 45 children ages 2-12 and requires 47' x 38'.

Kidstuff  
Playsystems

Playsystem #7643-02 is a large playsystem, perfect for your grade school children. Its 18 elevated play events include 8 climbers and 3 exciting slides. Ground level events (pod walk, pod seats, storefront, tot driver panel and chinning bar) make it 100% ADA compliant.

Playsystem #7643-02 accommodates about 75 children ages 5-12 and requires 59' x 38'.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

**Playsystem #6747-02** is a large playsystem featuring many of our most popular events: the double climbing wall, our huge 3-chute tri-ride slide, our combo slide, zig-zag climbing wall and much, much more. Available in the red, white and blue as shown or in the colors of your choice (see page 4). Playsystem 6747-02 includes 11 elevated and 5 ground level play events, a hex-shaped roof for shade and an ADA transfer module.

Playsystem #6747-02 accommodates about 50 children ages 5-12 and requires 49' x 39'



To verify product certification visit [www.ipema.org](http://www.ipema.org)

**NOTE:** product improvements have been made since this photo was taken. The 3D rendering on the right reflects the improvements.





To verify product certification  
visit [www.ipema.org](http://www.ipema.org)

**Playsystem #7136-201** is a huge playsystem featuring 19 of our most popular events: the climbing wall, our huge 3-chute tri-ride slide, our combo slide, step climber and much, much more. It includes 4 slides, 8 climbers, 2 bridges, 3 overhead events and 6 ground level events for 100% ADA compliance. Available in the colors of your choice (see page 5). Playsystem #7136-201 is shown with 4 shed roofs, but we can build it with the roof of your choice. It is shown with molded decks and is available as model #7136-02-201 with coated steel decks.

Playsystem #7136-201 accommodates  
100+ children ages 5-12 and requires 64' x 60'.



Molded decks: Playsystem #7136-201 (as pictured)  
Coated steel decks: Playsystem #7136-02-201



Playsystem #7686-02 accommodates about 50 children ages 5-12 and requires 50' x 50'.

Playsystem #7686-02 is a wonderful playsystem featuring our popular twister slides and triple shoot tri-ride slide. It is packed with slides, climbers and more. It features 13 elevated events, 4 ground level events, and an ADA transfer module for 100% ADA compliance. It also features 2 overheads—the ever-popular track ride and a loop overhead ladder.

*Kidstuff  
Playsystems*



To verify product certification visit [www.ipema.org](http://www.ipema.org)



To verify product certification  
visit [www.ipema.org](http://www.ipema.org)

Playsystem #7141-02  
accommodates about 45  
children ages 5-12 and  
requires an area of 48' x 30'



Playsystem #7141-02 includes a variety of popular events for climbing and sliding. It features 10 elevated and 4 ground level play events plus an ADA transfer module and 2 large shade roofs. For developing upper bodies, it includes a curved loop overhead ladder.





*Kidstuff  
playsystems.*

Playsystem #7384-02 accommodates about 50 children ages 5-12 and requires an area of 45' x 41'.

**Playsystem #7384-02** will delight your school age children. With 4 slides, 6 climbers, a bridge, a crawl tunnel, an overhead snake ladder and much more, it will provide fun and challenge for many hours. It includes 13 elevated and 5 ground level play events plus an ADA transfer module.

Reverse Angle



To verify product certification visit [www.ipema.org](http://www.ipema.org)

Playsystem #7134-201 accommodates about 40 children ages 5-12 and requires an area of 42 x 30'.



Playsystem #7134-201 is shown here with molded decks. It is available with coated steel decks as Model #7134-02-201.



Playsystem #7134-201 is a terrific fitness center for young developing bodies. It features 6 climbers, a loop overhead ladder, pod walk, a high slide, our new sign language panel and more for fun and challenge. It includes 11 elevated and 4 ground level play events plus an ADA transfer module for 100% ADA compliance. Molded decks are standard; model #7134-02-201 includes coated steel decks.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Playsystem #7541-02 accommodates about 45 children ages 5-12 and requires an area of 40' x 35'.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

Reverse angle  
Many color  
combinations  
are available



Playsystem #7541-02 Children love fantasy (as do adults). Let them pretend to be pirates on the high seas. We offer 2 pirate ships. This is the one for ages 5-12. With its themed panels and sails, it looks like a real ship. It includes 3 different slides, 3 climbers, several ship oriented panels and lots of deck space to play on. It meets all ADA requirements. It includes 10 elevated and 4 ground level play events.

Playsystem #6904-02-182 accommodates about 25 children ages 5-12 and requires an area of 42' x 33'.

#6904-02-182



Playsystem #6904-02-182 is packed with activity and fun. It includes 7 elevated and 2 ground level play events and a transfer module for ADA compliance. A curved overhead ladder adds to the fun and challenge.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

#5469-02



Playsystem #5469-02 provides thrills a plenty for your grade school aged children with its climbing, sliding and traversing the monkey bars. Playsystem #5469-02 includes 5 elevated, 2 ground level play events and a transfer module for ADA compliance.

Playsystem #5469-02 accommodates about 20 children ages 5-12 and requires 34' x 33'. It is shown with poly-coated steel platforms but is also available as model #5469 with molded decks.

Kidstuff  
Playsystems

Playsystem #7730-02-211 features the triple chute "tri-ride slide" with its 3 different rides. Add to that a double climbing wall and firepole and you have a recipe for fun. It has 3 ground level events. As with any high freestanding slide, it is not wheelchair accessible. Your playground will be ADA compliant when you add additional activities on an accessible path.

Playsystem #7730-02-211 accommodates about 12 children ages 5-12 and requires 28' x 21'.

#7730-02-211



To verify product certification visit [www.ipema.org](http://www.ipema.org)



#7688-02

Playsystem #7688-02 has fun for everyone. It includes 5 elevated and 2 ground level play events and a transfer module for ADA compliance. A loop overhead ladder adds to the fun and challenge.

Playsystem #7688-02 accommodates about 20 children ages 5-12 and requires 34' x 32'.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

Playsystem #6302-201 includes several challenging climbers and overhead events and our fun and challenging inclined loop bridge. It includes 8 elevated and 3 ground level play events and an ADA transfer module for 100% ADA compliance.

Playsystem #6302-201 accommodates about 30 children ages 5-12 and requires 44' x 43'.



#6302-201



Playsystem #7645-02 accommodates about 40 children ages 5-12 and requires an area of 41' x 40'.

#7645-02



To verify product certification visit [www.ipema.org](http://www.ipema.org)

*Kidstuff  
Playsystems*

Reverse Angle

Playsystem #7645-02 is packed with many of our most popular events – the twister slide, track ride, mobius climber and much, much more. It includes 11 elevated and 4 ground level play events and a transfer module for ADA compliance. Its 11 wave shades are both attractive and functional.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

Playsystem #5977-161ss accommodates about 25 children ages 5-12 and requires 40' x 24'.

#5977-161ss is shown with a combination of molded and poly-coated steel decks. For all-steel decks, model # is 5977-02-161ss.

Playsystem #5977-161ss is loaded with fun and an 18' x 18' fabric sun shelters adds shade to your project. This is a terrific system to fit into a narrow play space. It features a huge triple chute slide, quarter-turn slide, double climbing wall and much, much more. It includes 5 elevated and 2 ground level play events and a transfer module for ADA compliance.





Playsystem #6152-02-192 is an all-time best seller. With its ever-popular spiral slide and double climbing wall, it provides many opportunities for fun and development. It includes 5 elevated and 2 ground level play events and a transfer module for ADA compliance.

#6152-02-192

Playsystem #6152-02-192 accommodates about 25 children ages 2-12 and requires 33' x 26'.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

Playsystem #7125-02-201 is similar to the 6152-02-192 on this page and has been modified to provide the same play value at a lower cost. Your kids will have hours of fun and challenge. It includes 5 elevated and 2 ground level play events and an ADA transfer module for 100% ADA compliance.

Playsystem #7125-02-201 accommodates about 25 children ages 2-12 and requires 36' x 29'.

#7125-02-201

Playsystem #7142-201 is a large playsystem with 2 wheelchair ramps, allowing children of all abilities to explore many fun and challenging activities. It features 17 elevated events, 8 of which are accessible to a child in a wheelchair. If intended for use by 2-12 year olds, we recommend it be accompanied by a fitness center such as the 7447-161 to provide the challenge that older children need.



Playsystem #7142-201 accommodates about 50 children ages 2-12 and requires 51' x 42'.

Playsystem #7142-201 is shown with a combination of molded and steel decks. It is available as 7142-02-201 with all steel decks

Product improvements have been made since this picture was taken. Ask your sales rep for a current plan view and renderings in your preferred colors.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Another Angle



Reverse Angle

Playsystem #7687 packs a lot of fun into a small area at a great price. It includes 5 elevated and 2 ground level play events. It features 2 of our most popular slides, 2 exciting climbers and a large shade roof. It includes a transfer module for ADA compliance.



Playsystem #7687 accommodates about 17 children ages 2-12 and requires 27' x 27'.



Wild Wall on #7687



To verify product certification visit [www.ipema.org](http://www.ipema.org)

#7473-02 is shown with coated steel decks. It is available with molded decks as Playsystem #7473.



Playsystem #7473-02 accommodates about 30 children ages 2-12 and requires 35' x 32'.



Playsystem #7473-02 will delight your preschoolers and challenge their developing bodies. It includes 8 elevated and 4 ground level play events accessible to all. It features 2 terrific slides, 4 fun climbers and a large shade roof. It includes a transfer module for ADA compliance.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



#7483

Playsystem #7483 accommodates about 25 children ages 2-12 and requires 38' x 24'. It can easily be re-configured into a square-shaped area.

Playsystem #7483 loads play value for your preschoolers into a compact area. It includes 7 elevated and 2 ground level play events. It includes transfer module for ADA compliance.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

Playsystem #7642 is an all-time best seller. With its 2 slides, climber, and high and low crawl tunnels, it appeals to all children. It includes 5 elevated and 4 ground level play events and an ADA transfer module.

Playsystem #7642 accommodates about 22 children ages 2-12 and requires 29' x 28'



#7642



Playsystem #7482-203 accommodates about 45 children ages 2-5 and requires an area of 38' x 35'.

Playsystem #7482-203 is the perfect preschool playground with everything a preschool playground should have—sliding, climbing, crawling, musical instruments and 2 popular bridges. It includes 13 elevated and 4 ground level play events accessible to all and a transfer module for ADA compliance. Its 16 wave shades add color, dimension and shade.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Reverse Angle



Playsystem #7015-201 accommodates about 45 children ages 2-5 and requires 37' x 37'.

Playsystem #7015-201 is shown with a combination of molded and steel decks. It is available as #7015-02-201 with all steel decks.

Playsystem #7015-201 is another large playsystem with a wheelchair ramp, allowing children of all abilities to explore many fun and challenging activities. It features 16 elevated events, 6 of which are accessible to a child in a wheelchair. It includes 2 shade roofs and an ADA transfer point.

*Kidstuff  
playsystems*



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Playsystem #6865ss is “made in the shade”. It is a big seller with its 3 slides, crawl tunnels, tot climbing wall and 6 play panels. It includes 8 elevated and 4 ground level play events, an ADA transfer point and large 18' x 18' built-in sun shelter.

Playsystem #6865ss accommodates about 30 children ages 2-5 and requires 35' x 28'.

Playsystem #6865ss is shown here with molded decks. It is available with coated steel decks as #6865-02ss.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Reverse Angle

Playsystem #7369 accommodates about 22 children ages 2-12 and requires 28' x 29'.

Playsystem #7639 is fun for everyone with its climbing, sliding and crawling. It includes 6 elevated and 2 ground level play events accessible to all. It features 2 terrific slides, 2 great climbers and a transfer module for ADA compliance.

#7639



To verify product certification visit [www.ipema.org](http://www.ipema.org)

#31804

Tot Climb and Slide #31804 is a great little independent play feature. Its slide and tot climbing wall accommodate up to 5 children ages 2-5 and requires 23' x 17'.

Kidstuff  
Playsystems



#6600-201ss

Playsystem #6600-201ss is mighty fun with its 2 slides and popular snake climber. It includes 6 elevated and 2 ground level play events and an ADA transfer point. A built-in 18' x 18' sun shelter protects your kids from dangerous UV rays.

Playsystem #6600-201ss accommodates about 15 children ages 2-5 and requires 29' x 28'.

Available as model #6600-201 with a shade roof but without the large fabric sun shade. Ask us for a 3D rendering in your colors.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

Playsystem #7312-161 is a one platform beginner set for a small child care program with 1 climber and 1 slide and a shade roof. It includes 3 elevated and 1 ground level play event accessible to all. It includes a transfer module for ADA compliance.

Playsystem #7312-161 accommodates about 10 children ages 2-5 and requires 24' x 22'.



#7312-161





#1003

**KidsVision** is a series of themed playsystems for preschool-aged children. Each themed playsystem includes 1 or 2 slides, 1 or 2 climbers, ADA-Compliant transfer module and several 2-color high density polyethylene (HDPE) panels depicting the theme.

**KidsVision** designs have been developed for a train with locomotive, tank car and caboose, a pirate ship, the Alamo, Woodland Trees and Animals, Farm Animals, a Pueblo home, Stagecoach and Dinosaurs. A variation to the theme are vehicles on springs such as the fire engine and the school bus. Do you have a theme you would like us to represent? Tell your Kidstuff consultant and we will design it for you.

**Model #1004-201 Train.** Climb aboard the exciting KidstuffTrain. It includes a locomotive, tank car and caboose with a variety of climbers and slides. Train #1004-201 includes 6 elevated and 2 ground level play events and is fully ADA compliant. It accommodates about 30 children ages 2-5 and requires an area of 46' x 20'.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

**Model #1003 Locomotive and Model #1002 Caboose Climb** aboard for a fun ride. Each includes 2 slides and a climber or 1 slide and 2 climbers plus an ADA transfer module. Both the locomotive and the caboose accommodate about 15 children ages 2-5 and require 32' x 20'.



#1002



#1004-201



Together we will plan your playground when we have the following information:

## 1. The ages of the children who will use the playground

Toddlers, preschoolers, primary and intermediate children are all at different developmental levels. Different play activities are appropriate for the different age levels. Your playground must be Age-appropriate.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

## 2. Space Limitations

We can configure a playground to almost any shape, taking into account the use zone requirements in the ASTM F-1487 standard and US Consumer Product Safety Commission's Public Playground Safety Handbook. All elevated play equipment has a minimum 6' use zone beyond the edge of the equipment that must include impact attenuating safety surfacing. Some requirements in Canada differ. Our designers will design equipment that complies.

## 4. Your Preferences

We will customize our standard playground designs by substituting events that you prefer. Or you can select play events that you like from the pages of this catalog and we will develop a design that is just right for you and the children you serve.

## 5. Project Execution

Your Kidstuff Playsystems sales consultant will work with you every step of the way to get your dream playground ordered, delivered and properly installed with your choice of safety surfacing. This will insure years of safe fun and physical growth and development on your playground.

## 3. Your Budget

We can work with almost any budget. A small budget may preclude a playsystem but we can provide a great many options with smaller freestanding play equipment. Please remember that your budget must include installation, safety surfacing and freight in addition to the cost of the equipment. Kidstuff will quote a complete package or just the equipment and freight if you want to make your own arrangements for installation and safety surfacing. To give you the best possible service, we need to know your budget and what services you would like us to provide.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Please provide the following information so that we can design a playground to your needs and preferences.

Organization \_\_\_\_\_

Contact Person \_\_\_\_\_

Address \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

Phone \_\_\_\_\_ Fax \_\_\_\_\_

E-mail \_\_\_\_\_

Kidstuff consultant (if known) \_\_\_\_\_

1. What age group are we designing for  
 Toddlers  
 Ages 2-5  
 Ages 5-12  
 Other (specify) \_\_\_\_\_

2. Space available \_\_\_\_\_' x \_\_\_\_\_'  
 If space is irregular, please provide a sketch.

3. Preferred surfacing:  
 Poured in place rubber  
 Rubber tiles  
 Loose rubber  
 Engineered wood fiber (wood chips)  
 Artificial turf

4. I prefer playsystem # \_\_\_\_\_ with the following changes: \_\_\_\_\_


5. I want to design my own playsystem with the following events and activities (see pages 42-51): \_\_\_\_\_

6. I want to complete my playground with the following events and activities:  
 Swings (how many?) \_\_\_\_\_  Funball \_\_\_\_\_  Spinsanity  
 Funphones \_\_\_\_\_  Rocksanity \_\_\_\_\_  Wild Wall  
 Other (specify) \_\_\_\_\_

7. In order to intelligently help you plan your playground, we need to know your budget. Your budget is roughly \$ \_\_\_\_\_.  
 This includes (check all that apply):  
 Play equipment \_\_\_\_\_  Installation \_\_\_\_\_  
 Safety surfacing \_\_\_\_\_  Shipping charges \_\_\_\_\_  
 Other, specify \_\_\_\_\_

Please give this completed form to your Kidstuff Playsystems Sales Consultant or fax it to 219-938-3340 or email it to [rhagelberg@kidstuffplaysystems.com](mailto:rhagelberg@kidstuffplaysystems.com). We will put together a plan for your dream playground.

#1011



**Model #1011 Dino World** incorporates those beloved, terrifying dinosaurs. It includes 2 slides, one a double slide and a popular beanstalk climber plus ADA steps. Model #1011 accommodates about 15 children ages 2-5 and requires 31' x 20'.

#1011 Reverse View



To verify product certification visit [www.ipema.org](http://www.ipema.org)



#1014



**Model #1014 Excavator** is a unique playsystem for ages 4-8. In addition to a climber, slide, and ADA transfer module, it features tot monkey bars. The Excavator accommodates 15 children and requires 33' x 23'.

#1008



**Model #1008 Farm Animals** depicts some of the more common animals on a farm. Children will learn to identify sheep, goats, cows, horses, pigs and chickens. Opportunities for teaching and singing abound. Model #1008 includes a double slide, 2 popular climbers and ADA steps. It accommodates about 15 children ages 2-5 and requires 32' x 20'.



**Model #87309 School Bus on Springs.** This is one of our most popular items. Customize it with the name of your school or a beloved driver. Kids can climb on the real rubber tires. They bounce together developing social play. You can use it in your outdoor classroom for a small reading group as well. Without springs it is model #87309-201. Model #87309 accommodates about 12 children ages 2-5 and requires an area of 20' x 18'.

#87309

**Model #69609 Fire Engine on Springs.** Your kids will rock and roll on this exciting fire engine on springs. Available stationary as model #69609-201. Model #69609 accommodates about 12 children ages 2-5 and require 20' x 17'.



#69609



*Kidstuff  
Playsystems*

#1005

**Model #1005 Pirate Ship.** Ahoy! Come aboard matey. Treat your preschoolers to fun on the high seas. Climb the bow, walk up the gangplank and slide into the "ocean". Our pirate ship offers many opportunities for imaginative play and to learn some pirate vocabulary. When playtime is over, don't forget to "batten down the hatches." Our pirate ship accommodates about 15 buccaneers ages 2-5 and requires 30' x 22'.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Kidstuff Playsystems offers 2 types of spring riders—those made with cast aluminum bodies and those fabricated from sheets of 3/4" high density polyethylene. Spring is fabricated from 3/4" powder-coated steel rod. Spring riders require a 6' circle and the use zones of spring riders may overlap as long as they are 6' apart.


Fabricated from Polyethylene Sheets

Spring Jeep for 2



#9712

Spring Horse



#9715

Spring Firetruck for 2



#9709

Spring Motorcycle



#9706

Spring Grasshopper



#9745

Spring Turtle



#9702

Spring Caterpillar



#9724

Spring Bi-plane



#9710

Spring Convertible for 2



#9744



#9701

Spring Mushroom



To verify product certification visit [www.ipema.org](http://www.ipema.org)

Fabricated of Cast Aluminum

Spring Animals 3-seater  
Choose any 3 cast aluminum animals



#89813

Spring  
Dinosaur



#9742

Special  
Overstock  
Price!!

Spring Panda



#9737

Spring Lamb



#9736

Spring Duck



#9732

Spring Pony




#9735

Spring Parrot



#9743

Spring  
Raccoon



#9734



To verify product certification  
visit [www.ipema.org](http://www.ipema.org)



#7547ss

**Playsystem #7547ss** accommodates 30 children ages toddler to 5 and requires 31' x 25'. It includes an 18' x 18' built-in sun shelter, 10 elevated and 4 ground level play events.



#7464

**Playsystem #7464** accommodates 10 children ages toddler to 5 and requires 19' x 20'. It includes 3 elevated and 1 ground level play events.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

**Playsystem #7382-02** is a covered kiddie korral for your toddlers up to age 5. It accommodates 15 children and requires 23' x 20'. This can be reduced to 16' x 20' if the area is supervised and fenced.

**Playsystem #7013** accommodates 13 children ages toddler to 5 with a recommended use zone of 21' x 21'. That area can be reduced to 15' x 15' when the area is supervised and fenced. It includes 7 ground level play events.



#7013



#7382-.02



#7376



Playsystem #7376 is a great little playground for your toddlers. It accommodates 12 children ages 6 months to 5 years and requires 12' x 21'. It includes 4 elevated and 2 ground level play events and the playful puzzle roof.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

#7535



Playsystem #7535 Toddler Activity Center accommodates 12 children ages 6-36 months and requires 20' x 15'. If the area is fenced and supervised, the use zone may be reduced to 14' x 9'. Its 6 play events can be accessed from the ground or from a platform.

Playsystem #7548-04 accommodates 10 toddlers and requires 22' x 16'. Ask your Kidstuff sales rep for a special price with a purple deck.



#7548-04

Playsystem #7360 accommodates 16 children ages 6 months to 5 years and requires 24' x 22'. It includes 4 elevated and 3 ground level play events.



#7360





Heritage Roof for steel decks



Puzzle Roof for steel or molded decks



Pyramid roof for molded decks



Shed Roof for coated steel or molded decks



Hex-shaped roof over hex deck



Standard molded square deck



Standard molded triangle shaped deck



Hex-shaped coated steel deck



Coated steel square deck



Coated steel triangle deck. Also available as an equilateral triangle



Wheelchair ramp 12' long in 6' sections, meets all current standards.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Spiral slide for 54" – 72" deck



Tri-Ride Slide for 72" deck



Quarter-turn slide for 48" deck  
One also available for 36" deck



Combo slide for 48" deck



Wave slide for 48" – 72" deck



Twister slide for 60" – 96" deck



Tiny Tot Slide for 24" deck (ages toddler – 5)



Triple rail slide for 48" - 60" deck



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Triple rail slide for 36" – 42" deck (ages 2-5)



Straight slide to a 48" -72" high deck



Tube slide for 12" – 84" high deck



Totslide for 24" – 36" high deck





Overhead events can connect 2 platforms, connect on one end to a platform and to the ground on the other, or be completely freestanding. As dictated by ASTM F-1487, heights of platforms cannot exceed 36" for ages 5-12 and 18" for ages 2-5. Overheads are not recommended for children under 4 years of age. ASTM also dictates the maximum height of the overhead events by age range. Overhead events are most challenging and young children need to be closely supervised. Note that because of the difficulty, turning wheels are recommended for ages 7 & up.



Ring Trek (ages 5-12)



Overhead Snake Ladder (ages 5-12)



Up and Down Overhead Ladder (ages 5-12)



Tot Monkey Bars (ages 4-12)


Overhead Turning Wheels (ages 7-12)



"S" Curved Overhead Ladder (ages 5-12)



Loop Overhead Ladder (ages 5-12)



Ring-Around Overhead Loop Ladder (ages 5-12)



Single Turning Wheel (Spinning Wheel) (ages 7-12)



Straight Overhead Ladder (ages 4-12)



Track Ride (ages 6-12)



To verify product certification visit [www.ipema.org](http://www.ipema.org)

Guardrails and barrier rails serve to protect children from falling off bridges and steps. Guardrails prevent accidental falls off a bridge while barrier rails prevent a child from climbing over the rails and falling to the underlying surface. The requirements for the presence of guardrails or barrier rails and their heights are prescribed in ASTM F-1487 and vary according to the age group.



Arch Bridge 8' long with barrier rails. Also available 4' long and with guardrails.



Clatter Bridge 7' long with Guardrails (Left). Also available with barrier rails.




ADA Transfer Module (Right); Available to 28", 32", 36", 40" and 48" high deck.



Loop Bridge




Inclined Crawl Tunnel



Up-Down Bridge



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Crawl Tunnel, 48" long



Pod Walk- connects 2 decks or freestanding #85113



ADA Deck to Deck Steps



Steps to a 6' high deck

Most climbers work to a variety of deck heights, usually 48" – 72" and for ages 2-12. Exceptions will be noted.

**Wild Wall**  
(36"-40")



**Wacky Climber**



**Coil Climber**



**Double Climbing Wall**



**Mobius Climber**



**Loop Arch Climber**



To verify product certification visit [www.ipema.org](http://www.ipema.org)



**Beanstalk Climber**



**Firepole**  
(ages 5-12 only)



**Vertical Chain Net**  
Also attaches to a deck



**CNC Plastic Access Ladder**



**Pipe Access Ladder**





Step Climber



Turtleback Climber



Zig-Zag Climbing Wall  
1, 2 or 3 sections




Cloud Climber  
(36"-40")



Banister Climber  
(Ages 5-12, 36"-48")



Rock Wall  
(36"-48")



Climb Around  
(36"-48", Ages 5-12)



Spiral Climber

Snake Climber



Tot Climbing  
Wall (36"-48")



Crawlway  
(24")



To verify product certification  
visit [www.ipema.org](http://www.ipema.org)



Abacus Guardrail



Trash/Recycling Panel




Aviation Panel



Sign Language Panel  
Letters on the front, numbers on the back



Convenience Store Panel;  
Store and Gas Pump



Abacus Panel



Motocross  
Guardrail



Big Rig Panel




Slotted Panel



To verify product certification  
visit [www.ipema.org](http://www.ipema.org)



Peek-a-Boo Panel



Texas Panel



Colorwheel Panel



Transportation Panel



Butterfly Maze Panel

States Panel  
Any State is available



Clock-Gear Panel



Bubble Panel



Illinois Panel



Bee Spinner Panel



To verify product certification visit [www.ipema.org](http://www.ipema.org)





Art Easel



Molded Wall with Wheel



Pilot Panel



Spy Eye Panel



Sea Creatures Panel



Veggies Panel



Compass Panel



How Tall Am I? Measuring Stick



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Guardrail with Telescope Or Kaleidoscope



Baby Animals Panel English and Spanish



Chime Panel



Ball Mixer Panel



Solar System Panel



Mirror Panel



Clown-Beanbag Toss Panel



Numbers Wall



Spelling Wall



To verify product certification visit [www.ipema.org](http://www.ipema.org)



#84317

**Supermoon Climber #84317** requires a 29' diameter circle, accom. 25 children ages 5-12



#85503

**Wild Wall #85503** (3 sections), requires 21' x 20', accom. 6 children ages 5-12



#84308

**Mini Moon Climber #84308** requires a 20' 2" dia. circle, accom. 12 children ages 2-5



#85023

**Stanley Stegosaurus #85023** requires 35' x 21', accom. 12 children ages 5-12



#82222

**Dino Zig Zag Wall #82222** requires 24' x 13' and accommodates 8 children ages 2-5.



#83904

**Quad Climber #83904**; this super climber includes 2 step climbers, a coil climber and firepole, requires 33' x 18', accommodates 10 children ages 5-12



#82203

**Zig Zag Climbing Wall #82203** (3 sections) requires 33' x 18', accom. 10 children ages 5-12




#81411

**Combo Climber #81411** requires 24' x 14', accom. 5 children ages 5-12



To verify product certification visit [www.ipema.org](http://www.ipema.org)



#80710

**Curved Balance Beam #80710**  
requires 20' x 14',  
ages 2-5



#86203

**Spinsanity #86203** requires  
14' x 14', ages 4 and up



#85112

**Pod Walk #85112** with 6 freestanding  
pods, requires 38' x 16', ages 3-12



#68908

**Challenge Walk #68908**  
requires 20' x 14', ages 3-8



#71604

**Log Roll #71604**  
requires 17' x 14',  
ages 5-12



#89405

**Turning Bar #89405**  
requires 12' x 16',  
ages 3-12



#60111

**Straight Balance Beam #60111**  
8' long, requires  
20' x 13', ages 2-5



#89507

**Spin Cycle #89507** requires a 19'  
diameter circle. Children grasp the  
handhold and spin. Ages 5-12. Top is  
angled 15 degrees to increase the fun.



#89312

**Rocksanity #89312**  
requires 20' x 13', ages 3-5



#89505

**Kiddie Cave #89505**  
requires 20' x 18', ages 2-5



To verify product certification  
visit [www.ipema.org](http://www.ipema.org)



**Baby Stegosaurus #85024** accommodates 10 children ages 2-5 and requires 18' x 25'.



#67808

**Art Easel #67808** actual size 4' x 1', requires no safety surfacing



#65301

**Fun Phones #65301** 2 stations each 3' x 1', requires no safety surfacing.



#89603

**Three Throw #89603** actual size 4' x 4', requires no safety surfacing, specify preschool or grade school height.



#85024

#71601

**Music Wall #71601** with 2 bongos, 2 shakers, 2 conga drums, washboard & horn. Actual size 10' x 3', requires no safety surfacing.



#87508

**Sand & Water Table with Clouds #87508** actual size 9' x 9', requires no safety surfacing.



#72020

#2746

**Cottage Climber #2746** recycled plastic, requires a use zone of 20' x 18' with safety surfacing. Shown with 20' x 20' Sun Shelter #72020. Model 2747 has a non-climbable roof.



#69124

**Bouncycle #69124** requires a use zone of 17' x 17' with safety surfacing.



#63388

**Sandbox #63388** 8' x 8' with Fabric Cover #19-6340, requires no safety surfacing.



#19-6340

**Cozy Cottage #69955** with 3 Pod Seats #85203, requires no safety surfacing.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



#69955 & 85203 (3)






#71605

**Bongos on Post #71605** or attached to a playsystem



#85101

**Pod Steps or Seats #85101**



**Crunch Bar on a Playsystem, ages 2-12**



#9400

**Bleachers #9400**  
5 rows, 15' long. Many other sizes available.



#72525

**Sun Shelter #72525**  
25' x 25' x 8' high entry



#71606

**SoundWave #71606**  
21st century xylophone, includes posts and mallets, ages 2-12.



#67102

**Age-Appropriate Signs #67102** for ages 5-12  
#67101 for ages 2-5



#9105

**#9105 Basketball** with 4.5" OD post, backboard & double goal with chain net.



#9250 & 9251

**Plastic Border Timbers #9250**  
9" high, 4' long and **Stakes #9251**



#31106

**Freestanding Wave Slide #31106** 6' high. Other slides and heights are available as freestanding slides.



#9271

**Gaga Pit #9271**  
26' diameter.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



#6377

**Extreme Obstacle Course #6377** provides a variety of challenging climbing and overhead events. It includes 9 ground level play events, requires 46' x 33' and accommodates 15 children ages 5-12.



#7447-161

**Fitness Center #7447-161** includes a loop overhead ladder, ring trek, turning bar, log roll, climbing net and mobius climber. It accommodates 10 children ages 5-12 and requires 24' x 24'. It is a great complement to our playsystem 7644-02-201. Ask us why!!



#5938

**Mini Fitness Center #5938** includes a curved overhead loop ladder, 2 turning bars, chinning bar and vertical ladder for smaller budgets and smaller spaces. It accommodates 6 children ages 5-12 and requires 21' x 22'.



#89304

**Quad Climber #89304** includes 2 step climbers, a firepole and a coil climber. It accommodates 10 children ages 5-12 and requires 33' x 18'. Take off 1 step climber for a more compact climber.



#7474

**Fitness Center #7474** incorporates many of the climbers that kids like the best plus an overhead loop ladder, log roll and overhead spinner. Its 10 activities are accessed at ground level. It accommodates 25 children ages 5-12 and requires 43' x 26'.



#6032-201

**Fun & Fitness Center #6032-201** adds a slide and climbing wall plus ADA access to a variety of strength-developing overhead events. This model with 6 elevated and 5 ground level play events accommodates 30 children ages 5-12 and requires 56' x 33'. It is a great value!



To verify product certification visit [www.ipema.org](http://www.ipema.org)

HealthTrek was developed to meet the physical development and maintenance needs of several very diverse segments of our society - youths, seniors, elite athletes, and the military - as well as the general population. Everyone from elite athletes to couch potatoes, young and old, will benefit.

HealthTrek incorporates activities to develop all major muscle groups, both in terms of endurance and strength. Emphasis is placed on upper body, lower body and abdominal muscles. The courses we have laid out provide a balanced program for the sub-group named, whether it be seniors, youth, athletes/military or the general population.

Our clients often select their own combination of activities to meet goals they have established. Our consultants have strongly recommended stretching activities at both the beginning and end of the course. There is no wrong or right way to set out the courses. Some prefer a cluster while others spread the course over a quarter of a mile or more. HealthTrek can easily be adapted to your situation. We at Kidstuff Playsystems will help you design your course. We are here to help you so you can help the people you serve.

CATALOG #	ACTIVITY/APPARATUS	WORKING MUSCLE	CHARACTERISTIC DEVELOPED	GENERAL	SENIOR	COURSES YOUTH	CHALLENGE/MILITARY
HTK01	Leg Stretch Post and Sign	Calves and Hamstrings	Flexibility	X	X	X	X
HTK02	Arm and Shoulder Stretches Sign	Upper Arms, Chest, Shoulders	Flexibility	X	X	X	X
HTK03	Overhead Ladder and Sign	Shoulders and Arms	Strength			X	X
HTK04	Abdominal Crunch Bench and Sign	Abdominals	Strength	X	X	X	X
HTK05	Push Up Bars and Sign	Chest and Arms	Strength	X	X	X	X
HTK 06	Log Jump and Sign	Calves and Thighs	Endurance, Agility	X	X	X	X
HTK 07	Chin Up Bars and Sign	Arms and Shoulders	Strength	X		X	X
HTK08	Step Up and Sign	Thighs	Endurance	X	X	X	X
HTK09	Vertical Curl and Sign	Calves	Strength	X	X	X	X
HTK10	Side Leg Lift and Sign	Inner and Outer Thighs	Flexibility	X	X		X
HTK11	Vertical Jump and Sign	Calves	Strength	X	X	X	X
HTK12	Opposing Beam and Sign	Legs	Agility, Balance	X	X	X	X
HTK13	Climbing Wall and Sign	Upper Body	Strength				
HTK13B	Wood Double Climbing Wall & Sign	Upper Body	Strength				X
HTK14	Crawl Tube and Sign	Arms and Legs	Agility			X	
HTK15	Parallel Bar and Sign	Arms, Shoulders, Abdominals	Strength				X
HTK16	Balance Beam and Sign	Legs	Balance, Agility	X		X	X
HTK17	Tire Run and Sign	Legs	Agility	X			X
HTK18	Sitting Hamstring Stretch Bench & Sign	Hamstrings and Lower Back	Flexibility	X	X	X	X
HTK19	Lower Back Stretches Bench & Sign	Lower Back	Flexibility	X	X	X	X
HTK20	Welcome Sign	n/a	n/a	X	X	X	X
HTK21	Kids Course Sign	n/a	n/a			X	
HTK22	Challenge Course Sign	n/a	n/a				X
HTK23	Senior Course Sign	n/a	n/a		X		
HTK24	Heart Check Sign	n/a	n/a	X	X	X	X
HTK25	Finish Sign	n/a	n/a	X	X	X	X

## HealthTrek Signs

To guarantee an effective fitness program, Kidstuff Playsystems has designed its signs to be thorough and easy to understand.

Each sign features:

- Name of activity/apparatus
- Physical characteristic developed
- Graphic illustration
- Written directions
- Working muscle
- 3 levels of difficulty



HTK20 Welcome Sign



HTK01 Leg Stretches



HTK02 Arm & Shoulder Stretches

- HTK26 General Course Package
- HTK27 Senior Course Package
- HTK28 Youth Course Package
- HTK29 Challenge Course Package



HTK03 Overhead Ladder



HTK04 Abdominal Crunches



HTK05 Push Up Bars (3 bars)




HTK06 Log Jump



HTK07 Chin Up Bars



HTK08 Step Ups



HTK09 Vertical Curl



HTK10 Side Leg Lifts

# Childhood and Adult Fitness



HTK11 Vertical Jump



HTK12 Opposing Beam Walk



HTK13 Climbing Wall



HTK14 Crawl Tunnel



HTK15 Parallel Bars



HTK16 Balance Beam



HTK17 Tire Run



HTK18 Sitting Hamstring Stretch



HTK19 Lower Back Stretches



HTK24 Heart Check Sign



HTK25 Finish Sign

All playsystems require a safety surface under and around the equipment to reduce the danger of serious injuries from falls.



The Americans with Disabilities Act (ADA) brought into strong focus the need to provide playground equipment to all children, regardless of physical ability. The Access Board issued final guidelines covering the design of playground equipment in October, 2000. Since that time Kidstuff Playsystems has been building play equipment to comply with the law and to meet the physical developmental needs of all children including those with “special needs”.

ADA applies to all facilities that provide recreational activities for children. Some churches are exempt (go to [access-board.gov/play\\_areas](http://access-board.gov/play_areas)). ADA focuses on children in wheelchairs and Kidstuff Playsystems provides many opportunities for this special group. “Special needs” also covers blind, hearing impaired and developmentally delayed children. Kidstuff Playsystems offers a variety of experiences for all of these groups.

On these catalog pages we will offer some examples of play equipment that is “inclusive”, providing developmental experiences to children of all abilities. These are not limited to physical development as social play experiences are also critical for development of social and emotional skills. Many play activities enhance cognitive development as well.



**Playsystem #7229-02** with its climbers and slides includes 5 wheelchair ramps, making it accessible to all children



**Playsystem #7644-02-201** includes a wheelchair ramp to 25% of the elevated play events.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



**Gas Pump Panel** freestanding model #69904 or as part of a playsystem.



**Freestanding Combo Slide #31204-161** Is accessed via an ADA transfer module.



**Abacus Guardrail #69912-201** freestanding or on a playsystem.



**Clock-Gear Panel, freestanding model #69704** or as part of a playsystem.



**Picnic Table #9200-171** is designed for wheelchair access.



Children's noise can turn into music. **Music Wall #71601** is fun for all children.

**Chime panel #69201** freestanding or on a playsystem.



**Telescope on a Guardrail #69935** freestanding or on a playsystem. Kaleidoscope also available.



**FunPhones #65301** (set of 2)

**Tetherball #80602**



**Three Throw #89603**



**Sand & Water Table with Clouds #87508**



**Sign Language Panel #69938** freestanding or on a playsystem. Alphabet on one side, numbers on the other.



**2 Wheels on Guardrail #69935** or on a playsystem.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



**Overhead ladder (low) and turning bar #81011-201**

In October 2000 the Access Board issued a final rule for accessibility guidelines for play areas. These guidelines form the basis for standards under the Americans with Disabilities Act.

While making playgrounds accessible to children in wheelchairs is an important part of the act, it also applies to children with other kinds of disabilities such as impaired vision, impaired hearing, cognitive delays and emotional difficulties.

Some of the more important provisions relating to wheelchair accessibility of playgrounds are


- Play structures with 1-19 elevated play components shall have at least 50% of these play components on an accessible route. An “accessible route” includes a transfer point 11-18” above the underlying safety surface where a child can transfer from a wheelchair to the play equipment, providing they have the required upper body strength. Then the decks or steps must be at intervals of 8” rise or less to higher decks where 50% or more of the play components are located. There must also be an accessible path to the transfer point.
- Play structures with 20 or more play components shall have at least 25% accessible by a ramp designed for wheelchairs.
- Each playground (not play structure) shall have ground level play components of different types; equal in number to roughly 1/3 the number of elevated play events.

Several inclusive activities are shown on this page, pages 60 and 61 throughout this catalog.

Note that some church facilities are exempt from ADA (except in California). Contact the Access Board at [outdoor@access-board.com](mailto:outdoor@access-board.com) for more information.



Sign language panel #69938



Playsystem #7375-02 features 13 ground level events for children of all abilities.



To verify product certification visit [www.ipema.org](http://www.ipema.org)



Wheelchair Ramps on Playsystem #7142-201



Accessible Picnic Table #9200-171



#52206

#52206 6' long poly-coated steel bench with back and in-ground mounting. This durable bench comes in blue, red, green and black. Frames are black. A surface-mount option is available.



#9200

#9200 Heavy-duty 6' long Picnic Table with 2 3/8" OD powder-coated tubing; #9201 with 8' long seats and top.



#9212

#9212 Pedestal Picnic Table; installs in-ground, poly-coated punched steel tops and seats.



#52106

#52106 6' bench with customized lettering (ask your sales rep for details).

#9260



#9260 Tot Picnic Table; fabricated from 3/4" thick high density polyethylene (HDPE) 4' long with heavy steel frame.



#9301

#9301 10' x 10' picnic table shelter. Fabricated with 5" square steel powder-coated steel posts and roof supports and sheet steel roofing. Holds a picnic table or 2 benches.



#66855

#66855 5 loop bike rack holds up to 7 bikes, in-ground mounting standard; use 66855SM for surface mounting to concrete pad.



#9604

#9604 Trash Receptacle with flat top lid (with 8" hole). Optional 32 gal. plastic liner and in-ground mounting are additional.



#9605

#9605 Trash Receptacle with dome top. Optional 32 gal. plastic liner and in-ground mounting are additional.



#9500

#9500 Economy Grill. 300 sq. inches of cooking surfacing.

Swings come 2 seats to a bay; typical bay is 12' long. Add bays for 4 seats, 6 seats or more. Tot seats cannot be mixed with belt seats in a single bay. Specify the number of seats and we will figure it out for you.

Model #'s given below refer to the frame type and height only. Seat assemblies (hangers, hooks, chains & seat combination) are sold separately. Tell your dealer what seats you want and they will give you an all-inclusive price.

#40706

**#40706 Single Post swing with 6 belt seats** requires 48' x 32'. Features 3.5" posts and 2 3/8" top beam; powder-coated the color of your choice.

**#42002 Arched Swingset with 2 belt seats.** Styled to complement your playsystem, arch swings have 3.5" OD legs and 3.5" OD top beam; 8' high. Requires 36' x 32'. Tot seats are available.

#42002

**#66400 Jenn Seat** is a full body seat for children with special needs. Fabricated of double-walled polyethylene, it attaches to any regular swing frame.

#66400

**#40804 Bipod Swings with 4 belt seats** Legs and top rails are 2 3/8" galv. steel tubing; top beam is 8' high, yokes are powder-coated the color of your choice. 2 seats per bay. #40804 requires 39' x 32'. 2 tot seats may be substituted for 2 belt seats.

#40804

**#41704-101 Single post swing with 2 belt and 2 tot seats.** Requires 36' x 32'. Super heavy-duty features 5" OD posts and 3.5" OD top beam, powder-coated the color of your choice. Ask your sales rep for other combinations of belt seats and tot seats.

#41704-101

**#41006 Tripod Swing with 2 3/8" legs and top beam, 10' high** (requires additional safety surfacing).

#41006

#40902

**#40902 T-swing with 2 belt seats** Also available with 1 belt and 1 tot or 2 tot seats. Top beam and legs are 2 3/8" OD. A full body Jenn swing can also be substituted. Requires an area of 22' x 30'; a great choice for tight spaces.

**#43001 Tire Swing** has heavy-duty 3.5" OD legs and top beam, powder-coated to the color of your choice. Requires an area of 29' x 23'.

#43001



To verify product certification visit [www.ipema.org](http://www.ipema.org)



#42-9005

**#42-9005** Commercial belt seat with steel insert and all stainless steel hardware. It is available in black, red, green and blue.



#42-9007

**#42-9007** Galvanized ductile iron swing hanger with clevis for 2 3/8" OD pipe



#42-9006

**#42-9006** Galvanized ductile iron swing hanger with clevis for 3 1/2" OD pipe



#607211

**#607211** Clevis to attach chain to swing seat, includes 1 special wrench per order



#42-8008

**#42-8008** Wrap-around tot seat with steel insert



#42-9012

**#42-9012** 3/8" heavy-duty zinc-plated S-hook



#42-2917

**#42-2917** 4/0 zinc-plated swing chain;  
**#698060** same chain plastic-dipped, 5'2" long



#698060



#703100

**#703100** Replacement steering wheel, plastic



#26-7000

**#26-7000** Replacement tire swing tire (molded plastic)



#42-9009

**#42-9009** S-Hook Closer and opener



#607510

**#607510** Heavy-duty tire swing hanger with rubber boot;  
**#607052** replacement rubber boot



#42-9010

**#42-9010** Anti-wrap swing hanger for 3.5" OD pipe  
**#42-9011** Anti-wrap swing hanger for 2 3/8" OD pipe



To verify product certification visit [www.ipema.org](http://www.ipema.org)

All elevated playground equipment requires a safety surface under and around the equipment to reduce the danger of serious injuries from falls. On this page we show the most common: engineered wood fiber (EWF) also know as playground wood chips, loose shredded rubber, and then 3 unitary surfaces—poured in place rubber, rubber tiles and artificial turf. For each type, we offer several pros and cons. Contact Kidstuff or your Kidstuff sales rep for more information and pricing.

## Poured in Place Rubber Surfacing (PIP)

- + mixed on site and installed by professionals
- + smooth and seamless installation
- + attractive designs available
- + low maintenance
- expensive to repair
- requires site prep—excavation and a hard sub-base (compacted crushed stone, asphalt or concrete).
- expensive- \$12 - \$16 per sq. ft. plus cost of site prep.
- even more expensive for small areas under 1500 sq. ft.
- + “bonded rubber” option cuts cost by about 10%.

#6677-02-203  
PIP Rubber



#6171  
Tiles



## Rubber Tiles or Mats

- + low maintenance
- + more durable than poured in place
- + pricing for smaller areas more reasonable than PIP
- seams fill with dirt
- requires asphalt or concrete sub-base, compacted crushed stone is not recommended for tiles.
- expensive- \$14 - \$20 per sq. ft. depending on size & location plus sub-base and freight.

#6152-02  
Turf



## Artificial Turf

- + looks like grass, comes with or without “infill”, usually sand
- + low maintenance
- + 10-15 year life span (comparable to PIP & tiles)
- must be installed over a hard sub-base
- expensive- \$12 - \$18 per sq. ft. plus site prep and freight

#5670  
EWF



#1003  
Loose Rubber



## Engineered Wood Fiber (EWF)

- + specially shredded wood chips for playgrounds
- + wheelchair accessible (regular wood chips are not)
- + good cushioning at 9-10” compacted depth
- + requires no hard base, can go over grass
- requires border or sunken pit for containment
- deteriorates and requires topping off every 2-3 years; eventually turns to soil and needs to be replaced.
- + \$3.50 - \$5 per sq. ft. including borders, installation, fabric & wheelchair access plus freight. Freight for the EWF can add up to \$2 per sq. ft. in parts of the US.

## Loose Rubber

- + made from recycled tires, does not deteriorate
- + no splinters or splinters, steel has been removed
- + great cushioning at 6” depth
- + loose fill can go in over dirt or grass but not over asphalt or concrete.
- requires border or sunken pit for containment
- can be kicked or carried out by children, requiring regular maintenance.
- quite expensive - \$7 - \$8 per sq. ft. including installation, borders and fabric, plus freight



Safety surfacing sold by Kidstuff Playsystems, Inc. carries the warranty of the surfacing manufacturer, not Kidstuff Playsystems. It is IPEMA- certified by the manufacturer. Ask your sales rep for the applicable documentation.

- We design to the latest standards.
- We build it in the USA.
- We offer the options of installation and installation supervision.
- We offer several types of loose fill and unitary safety surfaces.
- We maintain a dealer network throughout the US. One of our sales consultants will visit your site and work with you to design and build your dream playground.
- You can talk to the owners—Richard Hagelberg, CEO and George McGuane, President at 800-255-0153.
- Charter member of International Play Equipment Manufacturers' Association (IPEMA).
- All of our playsystems meet or exceed government regulations.
- ADA requirements and industry standards. Come play with us!



## IPEMA Certification

In the interest of playground safety, IPEMA (International Play Equipment Manufacturers' Association) provides a third party certification service where a designated private laboratory validates a participant's certification of conformance to ASTM F 1487, "Standard Consumer Safety Performance Specification for Playground Equipment for Public Use" except sections 10 and 12.6.1. The use of the IPEMA Certification logo in Kidstuff Playsystems' catalog signifies that Kidstuff Playsystems has received written validation from the independent laboratory that the products associated with the use of the logo conform with the requirements of the F 1487 standard. Check the IPEMA website: [www.ipema.org](http://www.ipema.org) for a list of Kidstuff Playsystems' approximately 390 IPEMA-certified products.



To verify product certification visit [www.ipema.org](http://www.ipema.org)

## Lease-Purchase Option

If your need for high quality playground equipment exceeds your current budget, consider our lease-purchase option. It will allow you to pay for the equipment, installation and safety surfacing over a number of years while helping you to grow your business. Try your bank first. If that doesn't work, we will put you in contact with a reputable finance company with a history of helping small businesses get the financing they need to build their businesses.



## Kidstuff Playsystems Warranty

All playground equipment requires regular care and maintenance. Kidstuff Playsystems provides you, the purchaser, with a maintenance system that will keep your play equipment in peak condition and extend its useful life for years. **All warranty claims must be accompanied by copies of your maintenance records.** Your maintenance records also serve as your first line of defense against liability claims made against you.

Kidstuff Playsystems warrants all its products against defects in materials and workmanship for twenty-one years as follows (vandalism and abuse are excluded):

**Year 1:** Free repair or replacement; any defective part of a Kidstuff playsystem will be shipped and installed at our cost. Swing parts (chains, clevises or "s" hooks, hangers and seats) will be shipped free but installation is excluded.

**Year 2:** 100% free replacement of defective parts, excluding shipping and installation.

**Year 3-21:** Kidstuff warrants the components of your system on a pro-rated basis, starting at 95% in year 3. For example, if a part of your playsystem fails in year 7, you will receive a 75% credit toward the cost of a replacement part, using pricing in effect at that time. Cost of shipping and installation are the owner's responsibility. If Kidstuff elects to repair rather than replace a part during any year of the 21-year warranty, Kidstuff will pay shipping but the owner agrees to package/pallet and load the item.

Please be aware that some products sold by Kidstuff are manufactured by others and their warranty applies. This particularly applies to PIP rubber and other safety surfacing, sun shelters, climbing nets, bleachers and basketball goals.

We at Kidstuff take pride in our products and know that if you follow the provided maintenance system, your Kidstuff equipment will be exercising the minds and bodies of children for many years to come and you will be telling friends and associates that "you can't buy a better, safer or tougher playsystem than a Kidstuff Playsystem."

# Kidstuff playsystems

“Get Out and Play”



5400 Miller Ave., Gary, IN 46403  
[www.kidstuffplaysystems.com](http://www.kidstuffplaysystems.com)

Your Kidstuff Playsystems Consultant

Catalog #1006