

EXPERIENCE it to BELIEVE it.

The QUICKIE® QM-7 Series power wheelchairs combine function and luxury for a unique driving experience. Make your day-to-day a thrill with the QM-7 Series' SpiderTrac™ Suspension, reliable 4-pole motors, PG Drives electronics, and our most inspired portfolio of power seating options ever.





LIVE WITH OUT LIMITS



DESIGNED FOR PERFORMANCE







Switch-It Micro Pilot



Alternative Drive Control Videos



Switch-It Dual Pro™ Proportional Head Array

POWER BASE PERFORMANCE

- Intuitive mid-wheel drive handling
- Linix 5 mph, 6 mph, or 8 mph, 4-pole motor packages
- SpiderTrac™ Suspension for superior traction and handling across multiple terrains
 - Gas dampening system for smooth, stable transitions
 - 3" curb climbing capability
 - 22° transition angle helps prevent high centering on curb cuts

ELECTRONICS OPTIONS FOR INTUITIVE DRIVING

R-net Expandable and Non-Expandable Controls

- Standard PM120 Controller offers 30% more power and improved drive algorithm
- Simple to use non-expandable controls feature 4-way toggle switch for operation of tilt and power legrests
- Expandable controls feature assignable buttons for control of common functions and 8 programmable profiles for transitions between environments

Alternative Drive Controls

- Alternative drive controls available on-chair and will ship complete with ΩM-7 Series wheelchairs
- 28 Switch-It and ASL® proportional and non-proportional (switch) input control options available
- NEW Switch-It Dual ProTM proportional head array offers fine-tuned adjustments and customization to provide an easy-to-learn, precise, and intuitive driving experience

NEW

OPTIONS FOR ENHANCED USER



Power Centermount Footrest

- Length of articulation increased to 7.5"
- 3" to 19" of independent lower leg length adjustment
- Footplate extends to the floor for easier transfers



Push Button



Ctrl+5 Buttons and Toggles

- Convenient access to 5 seating functions
- USB port charges mobile phones and other devices
- May be mounted in various locations

ASAP II SEAT FRAME

- In-field width, depth, armrest, legrest, and back height adjustability
- Wide range of seat sizes
- Manual reclining backrest for increased function and sitting tolerance
- Optional fold down backrest for easy transport

3.7 RECLINE SEAT FRAME

- Ultra low seat-to-floor heights as low as 16" when combined with tilt and elevate!
- Integrated JAY® J3TM back for seamless functionality with power recline and shear reduction system
- Low profile electronics enclosure shell for a clean look and compatibility with accessories

POWER SEATING OPTIONS

- 3.7 Power Recline with Power Shear Reduction
- 50° of Power Tilt to optimize positioning
- 12" Power Seat Elevate for increased access to cabinets and eye-to-eye interaction with peers
- Power Elevating Legrests with Articulation
 - Swing-Away
 - NEW centermount with 7.5" of articulation



PG Drives Color Joystick

- 3.5" color display
- Paddle switches conveniently control on/off function and chair speed
- Speaker for increased horn volume
- Programmable shortcuts for custom control of other functions



Retractable Joystick Mount

- Adjusts from -135° to 135°
- Provides comfortable position for users whose hands turn inward/outward
- Retracts inward to clear tight spaces
- Retracts outward to access desks/tables

Comfort Reclining Armpads

- Softer armpad
- Cloanor et
- 2" width option
- 4" width option





QM-7 SERIES SPECIFICATIONS

| SPECIFICATIONS | QIVI-710 BC | QIVI-710 SC | QM-710 MPC | QM-715 HD BC | QM-715 HD SC | QM-715 HD MPC | QM-720 BD | QIVI-720 SD | QM-720 MPD |
|-----------------------|------------------------|--|---|------------------------|------------------------------------|-------------------|------------------------|--|---|
| HCPCS Code | K0848 | K0856 | K0861 | K0850 | K0858 | K0862 | K0868 | K0877 | K0884 |
| Drive Wheel Position | Mid | Mid | Mid | Mid | Mid | Mid | Mid | Mid | Mid |
| Speed | 6.0 mph | 6.0 mph | 6.0 mph | 5.0 mph | 5.0 mph | 5.0 mph | 8.0 mph | 8.0 mph | 8.0 mph |
| Overall Weight | 310 lbs. | 350 lbs. | 375 lbs. | 310 lbs. | 350 lbs. | 375 lbs. | 310 lbs. | 350 lbs. | 375 lbs. |
| Overall Width | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" |
| Overall Length | 36" w/o footrests | 36" w/o footrests | 36" w/o footrests | 36" w/o footrests | 36" w/o footrests | 36" w/o footrests | 36" w/o footrests | 36" w/o footrests | 36" w/o footrests |
| User Weight Capacity | 300 lbs. | 300 lbs. | 300 lbs. | 400 lbs. | Tilt: 400 lbs. Recline: 350 lbs | 350 lbs. | 300 lbs. | 300 lbs. | 300 lbs. |
| Seat Widths | 12" to 22" | 12" to 22" | 14" to 22" | 16" to 24" | 16" to 24" | 16" to 22" | 12" to 22" | 12" to 22" | 14" to 22" |
| Seat Depths | 12" to 22" | 12" to 22" | 16" to 22" | 16" to 22" | 16" to 22" | 16" to 22" | 12" to 22" | 12" to 22" | 16" to 22" |
| Seat To Floor Height | 16.3" to 21" | 16.1" to 20.6" | 16" to 19.3" | 16.3" to 20.3" | 16.1" to 20.8" | 16.6" to 19.6" | 16.3" to 21" | 16.2" to 20.6" | 16" to 19.3" |
| Seat Frame Options | ASAP II | ASAP II or 3.7 Recline | 3.7 Recline | ASAP II | ASAP II or 3.7 Recline | 3.7 Recline | ASAP II | ASAP II or 3.7 Recline | 3.7 Recline |
| Power Seating Options | Power ELRs, Elevate | Tilt or Recline, Power ELRs, Elevate | Tilt & Recline, Power ELRs, Elevate | Power ELRs, Elevate | Tilt or Recline | Tilt & Recline | Power ELRs, Elevate | Tilt or Recline, Power ELRs, Elevate | Tilt & Recline, Power ELRs, Elevate |

CONVENIENCE OPTIONS

- RAM® Phone and Tablet Mounts allow mobile phones and/or tablets to be connected and disconnected for easy viewing.
- RAM® Mounts Self-Leveling Cup Holder keeps drinks level during travel or when stopped on inclines.
- Active Controls ReCharge™ with Socket eliminates the challenges of connecting and disconnecting the battery charger by providing an easy-to-reach adapter.
- Bluetooth for controlling Apple and PC-Android devices.





Phone Mount

Tablet Mount

ReCharge™





