



T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

Wheel Chocks



MADE IN USA

615 County Line Rd, Ste E
Palmer Lake, CO 80133

Phone 719.488.0362
www.tcarsonco.com

Email: Info@tcarsonco.com



T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

2 LB. MINI EXTENDED EDGE BASE

WC-UO400



LENGTH	WIDTH	HEIGHT	WEIGHT
8 1/2"	7 1/2"	7"	2.8 lbs

For Tire Diameters up to 35"

Gross Vehicle Operating Weight up to 30,000

Great for Autos, Trucks, and Trailers

4.5 LB. TRIANGLE WEDGE W/ HANDLE

TCM 320040 / WC-UO500 (New Part #)



LENGTH	WIDTH	HEIGHT	WEIGHT
9 3/4"	8 1/2"	5 1/4"	4.5 lbs

For Tire Diameters up to 32"

Solid Urethane Construction, Durable and Oil Resistant

Embedded Handle Makes Use Quick and Easy

Gross Vehicle Operating Weight 50,000 lbs



T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

Extended Base Wheel Chocks

Solid Urethane Construction Makes Our Chocks Durable and Oil Resistant!
Safety Orange Color Makes the Chocks Highly Visible and Complies With All
Safety Regulations

4.5 lb Extended Base Chock
WC-UO600



LENGTH	WIDTH	HEIGHT	WEIGHT
11 1/2"	8 3/4"	8 3/4"	5 lbs

Good for Tire Diameters up to 46"

Gross Vehicle Operating Weight 60,000 lbs

Convenient Carrying Handle and Rope Hole

6 lb Extended Base Chock
WC-UO650



LENGTH	WIDTH	HEIGHT	WEIGHT
11 1/2"	8 3/4"	8 3/4"	6.4 lbs

Good for Tire Diameters up to 46"

Gross Vehicle Operating Weight 70,000 lbs

Convenient Carrying Handle and Rope Hole


** Bracket Storage now Available for the 4.5 and 6 lb Models **



T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

Stainless Steel Wheel Chock Bracket (TCM BR46-47)



LENGTH	WIDTH	HEIGHT	WEIGHT
10 7/8"	10 1/2"	1 1/2"	2.6 lbs

** Now Available from T. Carson and Company **

Stainless Steel Wheel Chock Storage Bracket
For Use with 4.5 and 6 lb Chock
with Extended Base

4.5lb Extended Base Wheel Chock (WC-UO600)

6lb Extended Base Wheel Chock (WC-UO650)



14 Gauge (.075T) A240 304 SS Construction

4 Bolt/Holes for Vehicle Mounting

* Mounting Hardware Not Included *

Extended Base Chocks Easily Slide In
for Secure Storage



T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

**** NOW AVAILABLE ****

Large, Heavy-Duty, High-Density Yellow Polyurethane Wheel Chock is Light Weight, Highly Visible, Easily Deployed and Designed to Exceed the Limits of Extreme Road Hazards.

TCM 376086 / WC-UY720



LENGTH	WIDTH	HEIGHT	WEIGHT
15 3/4"	8 1/2"	8 3/4"	7.6 lbs
Gross Vehicle Operating Weight 80,000 lbs			



Maximum Tire Diameter 46"

Ideal for Heavy Trucks

Fire Trucks, Pumpers, Tankers, Aerial Lift



NFPA 1901 Compliant When Used in Pairs Against the Grade

Exceeds SAE Standard J348

Structurally Reinforced Tire Contact Area

Easy-Grab Handhold and Individual Gripping Pads, Toe and Heel



T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

Ultra high strength, light weight polyurethane wheel chocks for long-term stability and oil resistance. Safety Orange complies with OSHA regulations for many parked vehicles.

The 27 Pound Jumbo (WC-UO700)



LENGTH	WIDTH	HEIGHT	WEIGHT
17 1/2"	14 3/4"	14 3/4"	27 lbs
Gross Vehicle Operating Weight 140,000 lbs			

Ideal for up to 65 inch wheel diameter



Easy haul handle and convenient rope or chain hole



T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

Ultra high strength, light weight polyurethane wheel chocks for long-term stability and oil resistance. Safety Yellow complies with OSHA regulations for many parked vehicles.

70 Ton Large Heavy-Duty Equipment Wheel Chock (TCM 376063 / WC-UY710)



LENGTH	WIDTH	HEIGHT	WEIGHT
15"	15"	10 1/2"	14 lbs
Up To 70 Ton Payload			
Gross Vehicle Operating Weight 245, 000 lbs			

Ideal for up to 65 inch wheel diameter



Easy haul handle and convenient rope or chain hole



T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

Ultra high strength, light weight polyurethane wheel chocks for long-term stability and oil resistance. Safety Yellow complies with OSHA regulations for many parked vehicles.

165 Ton Large Heavy-Duty Equipment Wheel Chock (WC-UY750)



LENGTH	WIDTH	HEIGHT	WEIGHT
17 3/4"	15"	9 1/2"	19 lbs
Up To 165 Ton Payload			
Gross Vehicle Operating Weight 550,000 lbs			

Ideal for up to 105 inch wheel diameter



Easy haul handle and convenient rope or chain hole





T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

Ultra high strength, light weight polyurethane wheel chocks for long-term stability and oil resistance. Safety Yellow complies with OSHA regulations for many parked vehicles.

255 Ton Large Heavy-Duty Equipment Wheel Chock (WC-UY810)



LENGTH	WIDTH	HEIGHT	WEIGHT
22"	15"	10"	24 lbs
Up To 255 Ton Payload			
Gross Vehicle Operating Weight 866,000 lbs			

Ideal for up to 142 inch wheel diameter



Easy haul handle and convenient rope or chain hole



T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

Ultra high strength, light weight polyurethane wheel chocks for long-term stability and oil resistance. Safety Yellow complies with OSHA regulations for many parked vehicles.

400 Ton Large Heavy-Duty Equipment Wheel Chock (WC-UY910)



LENGTH	WIDTH	HEIGHT	WEIGHT
24 1/2"	14"	15 3/4"	32 lbs
Up To 400 Ton Payload			
Gross Vehicle Operating Weight 1,600,000 lbs			

Ideal for up to 165 inch wheel diameter



Easy haul handle and convenient rope or chain hole





T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

Urethane Wheel Chock Ratings

Standard Chocks

WC-UO400 2 LB. MINI EXTENDED EDGE BASE

Tire Diameter	up to 35"
GVWR	30,000 lbs.

WC-UO600 4.5 LB. STD. EXTENDED EDGE BASE

Tire Diameter	up to 46"
GVWR	60,000 lbs.

WC-UO500 4.5 LB. TRIANGLE WEDGE W/ HANDLE

Tire Diameter	up to 32"
GVWR	50,000 lbs.

WC-UO650 6 LB. STD. EXTENDED EDGE BASE

Tire Diameter	up to 46"
GVWR	70,000 lbs.

Heavy-Duty Equipment Chocks

WC-UO720 NFPA Compliant

Tire Diameter	up to 46"
GVWR	80,000 lbs.

WC-UO700 27 LB. JUMBO

Tire Diameter	up to 65"
GVWR	140,000 lbs.

WC-UY750 Large Heavy Duty 165 Ton

Tire Diameter	up to 105"
GVWR	550,000 lbs.

WC-UY710 Large Heavy Duty 70 Ton

Tire Diameter	up to 65"
GVWR	245,000 lbs.

WC-UY910 Large Heavy Duty 400 Ton

Tire Diameter	up to 165"
GVWR	1,600,000 lbs.

WC-UY810 Large Heavy Duty 255 Ton

Tire Diameter	up to 142"
GVWR	855,000 lbs.

**GVWR = Gross Vehicle Operating Weight



T. CARSON AND COMPANY

"CONVEYING A WORLD OF SOLUTIONS"

ELI-FLEX

Rubber and Urethane Repair

Protect-A-Splice

normac

Cold Bond Adhesives

U-Spray Urethane Coating System



Belting

Belt Fabrication

WHEEL CHOCKS


MADE IN USA 



Urethane and Molded Wheel Chocks

For Trucks, Trailers and Heavy-Duty

Equipment



Rubber Skirtboard

Urethane Skirtboard

... Conveyor Accessories, Wear Products and More!