

FY13 Fatalities and Catastrophes To Date

Date of Incident	Company, City, State, ZIP	Preliminary Description of Incident	Fatality or Catastrophe
9/27/2013	Affordable Homes Super Center Inc, Lafe, AR 72436	Worker struck and killed by an outrigger while lowering a manufactured home onto blocks.	Fatality
9/27/2013	Bill Moen, Sole Proprietor, Tampa, FL 33664	Worker trimming a tree on a step ladder died after being struck by a tree limb and falling to the ground.	Fatality
9/27/2013	B-Mack Wireless Inc., Indianapolis, IN 46219	Worker was crushed by a boom on crane being used to lift generator.	Fatality
9/27/2013	Bureau of Land Management, National Interagency Fire Center, Great Basin Smoke Jumpers, Glenns	Smokejumper died when his parachute canopy failed to deploy.	Fatality
9/27/2013	Home Furniture Company, Lafayette, LA 70507	Worker died when the dock underneath the tow tractor he was operating suddenly collapsed.	Fatality
9/27/2013	Klosterman Baking Company, College Corner, OH 45003	Worker died after being pinned between a truck and a dumpster when the truck rolled.	Fatality
9/27/2013	Loram Maintenance of Way Inc., College Park, GA 30337	Worker crushed and killed by a light rail grinder train car.	Fatality
9/27/2013	Robert Morey, Austin, TX 78732	Worker died after falling from the 2nd story framing level.	Fatality
9/26/2013	Iowa Erosion Control Inc., Liberty Center, IA 50166	Worker performing construction road flagger duties was struck and killed by a truck.	Fatality
9/26/2013	Robertson Contractors Inc, Poplar Bluff, MO 63901	Equipment operator drowned when an excavator tipped and the cab became submerged in water.	Fatality
9/26/2013	Tehama County at Long Ranch, Tehama, CA 96090	Worker died when caught between the hitch and trailer of a dump truck.	Fatality
9/26/2013	Terry Rimiller, Chicago, IL 60621	Worker died after falling from roof.	Fatality
9/25/2013	111 East Reistville RoadLantz Family Farm, Myerstown, PA 17067	Worker loading a mechanical harvester died when his leg got caught on a corn bale and pulled into the machine.	Fatality
9/25/2013	Case Street Redi-Mix Inc., Hancock, VT 05748	Cement truck worker killed in vehicle crash.	Fatality
9/25/2013	M Daniel's Trucking LLC, Golden, CO 80402	Worker struck and killed by a dump truck.	Fatality

FY13 Fatalities and Catastrophes To Date

9/25/2013	Metal Systems F&E LLC, Wilder, KY 41071	Worker died after falling 25 feet while installing steel and insulation on deck.	Fatality
9/25/2013	Ricker Oil Company Inc. (DBA Ricker Gas Station), Indianapolis, IN 46254	Worker shot during a store robbery.	Fatality
9/25/2013	Terry's Construction, Blackwell, OK 74631	Worker died after falling 33 feet from aerial lift.	Fatality
9/25/2013	Weiser Security Services Inc., Rancho Cucamonga, CA 91730	Worker was run over by truck.	Fatality
9/24/2013	Berry Brothers General Contractors, Falls City, TX 78113	Five workers were hospitalized after being scalded by heated water released from a failed pressure valve on the machine they were cleaning.	Catastrophe
9/24/2013	First Electrical Service, Honda Center, Anaheim, CA 92806	Worker electrocuted.	Fatality
9/24/2013	Forney Industries Inc., Fort Collins, CO 80521	Worker struck and killed by a passing automobile.	Fatality
9/23/2013	Austin & Bednash Construction Inc., Middletown, DE 19709	Worker died when the walls of the trench he was working in collapsed.	Fatality
9/23/2013	D & K ROOFING LLC, Waynesville, MO 65583	Roofer died after falling 16 feet when part of the roof broke away.	Fatality
9/23/2013	G.W. Drywall, San Antonio, TX 78231	Worker died after falling 19 feet from platform.	Fatality
9/23/2013	LP Trucking LLC, Los Angeles, CA 90069	Worker was struck and killed by window that tipped off back of truck.	Fatality
9/23/2013	Megadyne Services Co., Barstow, TX 79719	Worker on an oil well was struck and killed when part of the drill's overhead piston pump fell on him.	Fatality
9/23/2013	Oyster Bay Town Highway Department, Oyster Bay, NY 11771	Worker was struck by a motor vehicle during a roadside pickup.	Fatality
9/23/2013	Southern Gas and Supply, Theodore, AL 36582	Worker struck and killed by a high-pressure release from a liquid carbon dioxide tank.	Fatality
9/22/2013	Brighton Window Cleaning, St. Cloud, MN 56301	Worker died after falling six stories while washing windows.	Fatality
9/22/2013	Energy Drilling Company, Oberlin, LA 70655	Worker struck and killed by a joint casing that fell from a truck.	Fatality

FY13 Fatalities and Catastrophes To Date

9/21/2013	City of Laguna Beach, Laguna Beach, CA 92607	Worker in vehicle was struck by truck on public highway.	Fatality
9/21/2013	Filiberto Serna, New Orleans, LA 70143	Worker was crushed while disassembling a modular trailer unit.	Fatality
9/20/2013	Campanella Corporation, Vallejo, CA 94592	Worker struck and killed by a construction tractor scraper.	Fatality
9/20/2013	IMPD, Indianapolis, IN 46204	Officer shot and killed while attempting to rescue a victim of domestic violence.	Fatality
9/20/2013	KDW Construction LLC, Mare Island, CA 94592	Worker was struck and killed by a construction tractor scraper while surveying a worksite.	Fatality
9/20/2013	Overgard Inc., Eleva, WI 54738	Worker killed in a vehicle collision after the trailer of the vehicle became unhitched.	Fatality
9/20/2013	Smiley Plaster Co., Swainsboro, GA 30401	Worker performing stucco work from a second level scaffold died after falling 16 feet.	Fatality
9/19/2013	Gold N' Stuff, Ventura, CA 93003	Worker died after falling 45-feet from a tree during trimming operations.	Fatality
9/19/2013	Lamar Advertising, Gary, IN 46408	One worker electrocuted and two others hospitalized while working on an outdoor billboard.	Fatality
9/19/2013	R & J Construction Inc., Fort Payne, AL 35967	Worker installing metal roof clips died after falling 28 feet.	Fatality
9/19/2013	Yager Materials LLC, Owensboro, KY 42302	Worker replacing dump truck axle was crushed when the floor jack failed.	Fatality
9/18/2013	Kenny Construction Company, Chicago, IL 60618	Worker drowned while relining the inside of a sewer during a heavy rain.	Fatality
9/17/2013	Avis Car Rental, Grand Junction, CO 81506	Worker driving a rental car shuttle was killed in a vehicle collision.	Fatality
9/17/2013	Joel Cornelius Enterprises Inc., Harrison, OH 45030	Worker died from fall while conducting repairs to a gutter on a residential house.	Fatality
9/17/2013	Vanderbilt Landscaping LLC, Brownsville, TN 38012	Worker struck and killed by a vehicle while picking up roadside debris.	Fatality
9/16/2013	C&D Ventures (DBA Gold Coast Dairy), Goleta, CA 93117)	Worker was crushed between truck and loading dock while unloading material.	Fatality
9/16/2013	Castlewood Consulting LLC, Glen Echo, MD 21812	Worker operating back hoe died after being caught-between the machine and house under construction.	Fatality

FY13 Fatalities and Catastrophes To Date

9/16/2013	Distribution Export Logistics Inc., Houston, TX 77043	Worker performing maintenance on an electrical forklift was crushed and killed by the machine's overhead guard and mast.	Fatality
9/16/2013	Johnny's Electric, Inc., Fernandina Beach, FL 32034	Electrician working from an aerial lift was electrocuted by an overhead power line.	Fatality
9/16/2013	SRic-Man Construction Florida, Inc., Miami, FL 33173	Worker struck and killed by a valve assembly.	Fatality
9/15/2013	Rogers Helicopters Inc., Perryville, AR 72126	Worker electrocuted while servicing transmission lines from a helicopter.	Fatality
9/14/2013	Caliber Cast Stone, O' FALLON MO 63366	Worker died after being struck by the cement mixer he was repairing.	Fatality
9/14/2013	Ravenswood Disposal Service Inc., Chicago, IL 60612	Worker was crushed between a box truck and a front end loader.	Fatality
9/13/2013	Beyel Bros. Inc., Merritt Island, FL 32952	A deck hand drowned after falling into the water while assisting in securing a tug boat to a barge.	Fatality
9/13/2013	Contractors Inc., Orange, CA 92879 (vacant building)	Worker electrocuted while working on an electrical panel inside vacant commercial building.	Fatality
9/13/2013	Formosa Plastics Corporation Texas, Point Comfort, TX 77978	Five workers were hospitalized for injuries sustained in a flash fire caused by the release of a chemical under pressure.	Catastrophe
9/13/2013	Nuco 2 Inc., Miami, FL 33126	Worker died after being struck by an SUV.	Fatality
9/12/2013	Cronin Construction, Oviedo, FL 32765	Worker died after being struck by a vehicle while working on a roadway project.	Fatality
9/12/2013	GA Paving LLC, Chicago, IL 60621	Worker died after being pulled into the grinding section of an asphalt paving machine.	Fatality
9/12/2013	Patty's Forestry Services Inc., Mammoth Lakes, CA 93546	Worker died after being struck by a falling branch while trimming a tree.	Fatality
9/11/2013	7Joy Process Mechanical Inc., Canastota, NY 13032	Worker welding inside a tank connected to a sewage treatment facility died in an explosion..	Fatality
9/11/2013	Bethel Frame & Wheel Alignment Service LLC, Bethel, OH 45106	Worker performing brake repairs died after falling from a step ladder.	Fatality
9/11/2013	Color Dynamics Inc., Honolulu, HI 96822	Worker died after falling 50 feet from a suspension scaffold.	Fatality

FY13 Fatalities and Catastrophes To Date

9/11/2013	Hartin Paint & Filler Corp., Carlstadt, NJ 07072	Worker died after being overcome by toluene vapor while taking solvent level measurements from an outdoor storage tank.	Fatality
9/11/2013	Lyford Gin Association, San Benito, TX 78586	Worker performing trash removal died after falling from tractor and being run over.	Fatality
9/11/2013	S K Lumber, Cochran, PA 16314	Forklift operator was killed when the lift went off a dock and rolled onto him.	Fatality
9/11/2013	TJ Lyle & Company, Rome, GA 30161	Worker cutting a water pipe with a chain saw died after the saw kicked back and cut his neck, severing arteries.	Fatality
9/11/2013	US Foods, Selem, MO 65560	Worker died after falling from the bumper of a cooler truck.	Fatality
9/11/2013	Westcoast Tree Care Inc., Lake Oswego, OR 97035	Worker died from overexposure to heat while trimming trees.	Fatality
9/10/2013	Heber Farms, Belleville, IL 62220	Worker died after falling off of a six foot ladder.	Fatality
9/10/2013	Rachel Contracting Inc., St. Paul, MN	Worker was crushed by large piece of concrete that fell onto cab of the crane.	Fatality
9/10/2013	Sierra Steel Buildings Inc., Northville, SD 57465	Worker installing insulation and panels on the roof of a steel building died after falling approximately 20 feet.	Fatality
9/10/2013	Terminix Pest Control, Wheeling, WV 26003	Worker died after being stung several times during a service call.	Fatality
9/9/2013	Bdaric Excavating, Swoyerville, PA 18704	Worker died after the steeple of a church that was being demolished fell on the cab of the tractor he was operating.	Fatality
9/9/2013	GFW Welding & Co., Derby, CT 06418	Worker crushed by a snow plow blade that slid off forklift blades.	Fatality
9/9/2013	Godwin Formwork Solutions, Norman, OK 73019	Worker died from a 67-foot fall when the scaffold he stepped onto collapsed.	Fatality
9/9/2013	Madden Galvanizing LLC, Houston, TX 77040	Worker was crushed by the forklift he was operating when it fell over on him.	Fatality
9/9/2013	Werner Construction Inc., Albion, NE 68620	Worker died after being struck by a motor bucket.	Fatality
9/8/2013	Universal Constructors Inc., Piscataway, NJ 08854	Worker died after being run over and crushed by bulldozer.	Fatality

FY13 Fatalities and Catastrophes To Date

9/8/2013	Watts Brothers Cable Construction, Calhoun, KY 42327	Worker was struck and killed by tree that was being removed from a telephone line.	Fatality
9/7/2013	Jenny's Kauli, Bethlehem, PA 18015	Three workers were hospitalized after the butane canisters over-heated and exploded.	Catastrophe
9/7/2013	Premier Bulk Stevedoring LLC, Mobile, AL 36602	Shipboard rigger died after being struck by falling cargo while it was being transferred from the pier.	Fatality
9/7/2013	Sunwest Fruit Company Inc., Traver, CA 93673	Worker killed in collision between all-terrain vehicle he was operating and another vehicle.	Fatality
9/6/2013	Celco Construction Company, Desert Hot Springs, CA 92240	Worker electrocuted while changing power pack.	Fatality
9/6/2013	Powder Coat II, Mt Clemens, MI 48043	Worker crushed between transfer cart and automotive paint coating machine.	Fatality
9/6/2013	Scrap Metal Recycling Inc., Vegas Baja, PR 00693	Worker operating a compact excavator was caught between bucket and machine frame.	Fatality
9/6/2013	Stalcup Roofing & Construction LLC, Sandy Creek, OR 97055	One worker killed and three others hospitalized when roof trusses that were being installed fell over and collapsed into structure under construction.	Fatality
9/6/2013	Williams Brothers Construction Co. Inc., Willis, TX 77378	Worker performing paving/concrete work died after being struck by a driveshaft.	Fatality
9/5/2013	Coastal Leak Consulting Inc., Houston, TX 77066	Plumber was electrocuted while cutting through a pipe.	Fatality
9/5/2013	Dan Hoe Excavating, Grand Haven, MI 49242	Worker leveling stone in preparation for paving was struck and killed by a skid steer operating in reverse.	Fatality
9/5/2013	Saleh's Market, Elkhart, IN 46516	Two workers were shot and killed during store robbery.	Fatality
9/4/2013	Cromwell Dozer & Backhoe L.P., Bristow, OK 74010	Worker died in an explosion at an oil tank battery.	Fatality
9/4/2013	Greentech Energy Services, Skippack, PA 19474	Electrical journeyman electrocuted while installing lighting equipment.	Fatality
9/4/2013	Roy Webster Orchards Inc., Hood River, OR 97031	Worker crushed and killed when the tractor he was operating rolled down a steep ravine.	Fatality
9/4/2013	Union Pacific Railroad, Mathis, TX 78368	Worker in an aerial lift repairing a railroad trestle died after falling 40-60 feet.	Fatality

FY13 Fatalities and Catastrophes To Date

9/3/2013	Baker Grading & Landscaping Inc., Marion, NC 28752	Worker sweeping debris from roadway died when a dump truck backed over him.	Fatality
9/3/2013	Juon Painting (Subcontractor); Calwide Painting (General Contractor), Thousand Oaks, CA 91362	Worker painting died after falling 15 feet from ladder.	Fatality
9/3/2013	Orange County Amish Saw Mill, Orleans, IN 47452	Worker killed by moving saw blade.	Fatality
9/3/2013	Ponder Well Service Inc., Neil, AR 71752	Worker at a well site collapsed and died from heat.	Fatality
9/2/2013	Blanchi Partnership, Nelson, CA 95958	Worker died in all terrain vehicle crash.	Fatality
9/2/2013	Mid-South Agricultural Equipment Inc., Sumner, MS 38957	Worker performing tractor maintenance was killed when the vehicle slipped into gear and rolled over him.	Fatality
9/1/2013	L & M Painting LLC, Irondale, AL 35210	Worker died after falling 50 feet while pressure washing the inside of a water tower.	Fatality
9/1/2013	Labor Ready, Burlington, MA 01803	Worker died after falling from a fixed ladder while replacing filters in a HVAC system located on the roof.	Fatality
8/31/2013	L & M Painting LLC, Irondale, AL 35210	Worker died after falling 50 from a ladder inside a water tower.	Fatality
8/31/2013	Russo Brothers Construction LLC, Johnston, RI 02919	Employee killed after being run over by a dump truck while making repairs to the braking system.	Fatality
8/31/2013	Simmons Foods Inc., Siloam Springs, AR 72761	Four workers hospitalized after being overexposed to carbon dioxide at a poultry processing plant.	Catastrophe
8/31/2013	Wally's Tree Service, Wapakoneta, OH 45895	Worker killed after falling from an extension ladder during tree trimming operations.	Fatality
8/31/2013	YMCA New York, White Plains, NY 10605	Security guard was stabbed to death by a resident.	Fatality
8/30/2013	Asplundh Tree Expert Co., Blairsville, PA 15717	Three employees were hospitalized when their utility vehicle rolled over.	Catastrophe
8/30/2013	Atlantic City Electric, Turnersville, NJ 08012	Worker struck and killed by a utility pole that had fallen off the back of a boom truck.	Fatality
8/30/2013	Santa Fe National Forest, Jemez Springs, NM 87025	Employee killed in an ATV accident while investigating a report of smoke in the Santa Fe National Forest.	Fatality
8/30/2013	SMC Networks Inc., Buford, GA 30519	Worker delivering a package struck and killed by another vehicle.	Fatality

FY13 Fatalities and Catastrophes To Date

8/29/2013	Auger Services Inc., Columbus, TX 78934	Driver loading a drilling rig onto a truck died after being struck by a cable.	Fatality
8/29/2013	Double H Construction of Lake Okeechobee Inc., Punta Gorda, FL 33950	Construction worker died in a motor vehicle accident.	Fatality
8/29/2013	Grove U.S. LLC, Shady Grove, PA 17256	Worker died after being pinned between two mobile cranes.	Fatality
8/29/2013	Sheehan Pipeline Construction, Steubenville, OH 43952	Worker died after falling from construction equipment.	Fatality
8/29/2013	Track Utilities LLC, Medicine, Lodge, KS 67104	Worker electrocuted while reconstructing a power line.	Fatality
8/29/2013	United Forming, Houston, TX 77027	Worker died after falling 11 floors down an elevator shaft.	Fatality
8/29/2013	William J. Morse Jr. LLC, Stephentown, NY 12168	Worker struck and killed by a falling tree during tree-cutting operations.	Fatality
8/28/2013	A. Finkl & Sons Co., Chicago, IL 60619	Employee killed after being struck by material hanging from an overhead crane.	Fatality
8/28/2013	Charter, Keshena, WI 54135	Worker suffered multiple bee stings and died after falling and striking his head.	Fatality
8/28/2013	El Rodeo Restaurant LLC, Riverdale, MD 20737	Worker installing a banner died after falling from an extension ladder.	Fatality
8/28/2013	U.S. Department of Interior, Cherokee, NC 28719	Worker died after a riding lawn mower rolled onto him.	Fatality
8/28/2013	Wightman Oil Company, Andover, NY 14806	Oil worker servicing a well died after being struck by falling equipment when the oil rig mast broke.	Fatality
8/27/2013	McCoy's Building Supply, Lufkin, TX 75901	Employee loading sheetrock was killed after being pinned between a loaded forklift and a flatbed truck.	Fatality
8/27/2013	Sodexo Management Company, Garden City, KS 67846	Employee struck and killed by a car.	Fatality
8/26/2013	Allen Development Group Inc., Columbus, GA 31909	Two workers were killed at an excavation site when the 15-foot deep trench they were working in collapsed.	Fatality
8/26/2013	Bluewater Yacht Sales LLC, Hampton, VA 23669	Employee drowned after falling from a floating dock while washing the hull of motor yacht.	Fatality
8/26/2013	CB Construction Corp., Sarasota, FL 34242	Employee drowned while inspecting a seawall under construction.	Fatality

FY13 Fatalities and Catastrophes To Date

8/26/2013	JBA Land Management, Plano TX 75025	Worker drowned in a golf course pond when a lawnmower flipped over onto him.	Fatality
8/26/2013	Leal Trucking, Alliance, NE 69301	Worker crushed and killed by a truck while removing a pneumatic powered axle.	Fatality
8/26/2013	MFA Inc., Aurora, MO 65605	Worker died after falling nearly 30 feet from a manlift.	Fatality
8/26/2013	Panchos Fencing, Guthrie, TX 79236	Employee killed after being struck by a backhoe.	Fatality
8/24/2013	CC Zamora Construction LLC, Fort Worth, TX 76129	Worker died when a chimney fell on him during demolition operations.	Fatality
8/24/2013	Not Trucking LLC, Killdeer, ND 58640	Worker was killed after being run over by a truck and tanker trailer at a fracking oil well site.	Fatality
8/24/2013	Rutledge Floor Covering, Torrance, CA 90505	Worker died from fall while installing floor covering.	Fatality
8/23/2013	Centerpoint Energy, Katy, TX 77494	Worker killed when caught between the ground and bumper of the bucket truck he was repairing.	Fatality
8/23/2013	Clarion Boards Inc., Shippenville, PA 16254	Worker fatally crushed between a roller conveyor and the conveyor system while working on a hydraulic pump.	Fatality
8/23/2013	Deviney Construction Company, MS 39212	Worker electrocuted by power line.	Fatality
8/23/2013	Erie Insurance Group, Hobart, WI 54115	Insurance employee was killed in a motor vehicle crash while traveling on business.	Fatality
8/23/2013	Globe Energy Services, Henderson, TX 75652	Worker died in fall down staircase.	Fatality
8/22/2013	Heartland Footwear Inc., Pocahontas, AR 72455	Worker killed when caught in a rotary injection molding machine.	Fatality
8/22/2013	Ryman Lynn May, Simsboro, LA 71275	Truck driver was fatally crushed under the landing gear of a semi-trailer.	Fatality
8/22/2013	Troy Construction LLC, Jackson, TX 77566	Employee working as a highway workzone flagger was struck and killed by motor vehicle.	Fatality
8/21/2013	Koch Construction Company Inc., Kingsville, TX 78363	Construction worker died from heat stress.	Fatality
8/21/2013	T-5 Construction Inc., Garrison, TX 75946	Worker electrocuted from overhead power line.	Fatality

FY13 Fatalities and Catastrophes To Date

8/20/2013	Ahronian Landscaping & Design Inc., Holliston, MA 01746	Worker in aerial lift burned and electrocuted from overhead electrical line.	Fatality
8/20/2013	Classic Irrigation & Landscape Inc., Missouri City, TX 77459	Landscape employee crushed and killed by tractor and truck.	Fatality
8/20/2013	Nova Geotechnical and Inspection Services PLLC, Las Vegas, NV 89118	Worker died after falling 20 feet through aluminum decking from second level of steel structure.	Fatality
8/20/2013	Re Planet, Cucamonga, CA 91730	Worker was struck and killed by skid loader.	Fatality
8/19/2013	Four Brothers Goat Farm, Millerton, NY 12546	Farm worker was killed after being run over by tractor.	Fatality
8/19/2013	Lake Painting Inc., Midland, MI 48640	One worker was killed and two hospitalized in a fall from self-propelling work platform.	Fatality
8/19/2013	Medallion Security Door & Window Company, Severn, MD 21144	Worker died when a 7-foot deep trench collapsed.	Fatality
8/19/2013	Moark LLC, Turner, ME 04282	Worker shot and killed in a chicken barn.	Fatality
8/19/2013	Rick's Auto Body, Missoula, MT 59808	Employee died from burns from a vapor fire in a paint room.	Fatality
8/19/2013	Southern Agri Systems Inc., Indianola, MS 38751	Forklift operator killed after being struck by a distracted driver.	Fatality
8/19/2013	Terminix Service Inc., Lake City, SC 29560	Worker electrocuted while performing extermination work.	Fatality
8/19/2013	Tutoring Club, Fountain Valley, CA 92708	Driver killed in vehicle accident.	Catastrophe
8/17/2013	50 State Security Inc., Homestead, FL 33032	Secutiry worker fatally while patrolling.	Fatality
8/17/2013	Custom Tower LLC, Louise, MS 39097	Worker installing satellite dishes to a communications tower died after falling 125 feet.	Fatality
8/17/2013	Golden Touch Painting, North Salem, NY 10560	Painter died after falling from a 30-foot ladder.	Fatality
8/17/2013	Island Field Services LLC, Galveston, TX 77554	Worker died from chemical pneumonitis after being exposed to sulfuric acid and sulfur dioxide.	Fatality
8/17/2013	North American Roofing LLC, Ashtabula, OH 44004	Worker installing sheet metal roof materials died after falling 20 feet through a skylight.	Fatality

FY13 Fatalities and Catastrophes To Date

8/16/2013	Universal Pegasus Power Services Inc., ENCINO TX 78353	Worker died from heat stroke during surveying operations.	Fatality
8/16/2013	US Forest Service, Albuquerque, NM 87109	Worker died from a spider bite.	Fatality
8/15/2013	FMS Drilling, Lafayette, OH 43845	Oil rig worker died after falling 60 feet.	Fatality
8/15/2013	Wire Mesh Corp., Jacksonville, FL 32226	Worker was fatally crushed between feeding cart and feeding tray roller assembly.	Fatality
8/14/2013	Aldridge Electric Inc., New Prague, MN 56071	Electrical worker died after falling into 50 foot hole.	Fatality
8/14/2013	Brothers With Brushes, Warrenton, MO 63383	Worker electrocuted by high tension wires.	Fatality
8/14/2013	F&T Farms, Caruthers, CA 93609	Worker crushed and killed after being caught between dump truck and parked trailer.	Fatality
8/14/2013	GroundsCare Landscape LLC, Watchung, NJ 07069	Landscape worker died from bee sting.	Fatality
8/14/2013	LTM Inc., Wolf Creek, OR 97497	Worker struck and killed when a semi-truck while working on the grass side of a guardrail.	Fatality
8/14/2013	PermaFix of South Georgia Inc., Valdosta, GA 31601	Three workers hospitalized during a chemical fire.	Catastrophe
8/14/2013	Timco Services Inc., Fort Polk, LA 71459	Worker died after falling 30 feet when the air hoist line became caught on an oil rig during rig-up operations.	Fatality
8/14/2013	Unlimited Landscape, Costa Mesa, CA 92626	Worker died after falling from 10-foot ladder.	Fatality
8/13/2013	Elk Grove Milling Inc., Elk Grove, CA 95757	Worker killed when forklift rolled over onto him.	Fatality
8/13/2013	JAG Construction, Hugoton, Goton, KS 67951	Worker died in concrete truck accident.	Fatality
8/13/2013	John Wilkes Tree Service, Middleburg, FL 32068	Worker died in 50-foot fall from tree during trimming operations.	Fatality
8/13/2013	Owens Lumber Company Inc., Tallapoosa, GA 30176	Worker operating an edger struck and killed by a piece of lumber that was ejected from edging machine.	Fatality
8/12/2013	Atlantis Electronics Corporation, Pompano Beach, FL 33069	Warehouse worker died after falling from a ladder.	Fatality

FY13 Fatalities and Catastrophes To Date

8/12/2013	D & D Maintenance Services Inc., Hannahan, SC 29410	Worker electrocuted while performing work on a HVAC unit.	Fatality
8/12/2013	Dave Gryp Construction Inc., Victor, IA 52347	Worker struck and killed by skid loader while unloading wood posts.	Fatality
8/12/2013	Jim Young Construction Company Inc., Andrews, SC 29510	Worker performing flag work in a road construction zone killed in a multiple vehicle collision.	Fatality
8/12/2013	Techline Construction LLC, Victoria, TX 77905	Worker electrocuted by exposed and energized transmission line.	Fatality
8/12/2013	Thebeau Builders, Saint Clair, MO 63077	Three workers hospitalized during truss collapse.	Catastrophe
8/12/2013	Transmit Program Management LLC, Coats, NC 27521	Worker died after falling 200 feet from communication tower.	Fatality
8/11/2013	All Season Roofing & Restoration, Kansas City, MO 64120	Worker died in fall through skylight while installing insulation on a roof.	Fatality
8/11/2013	Perfection Home Repair, Chester, SC 29706	Worker electrocuted while trying to find water leak under a residential home.	Fatality
8/11/2013	Ritter Construction Company, Hochheim, TX 77967	Worker struck and killed by a 60-inch pipe wrench.	Fatality
8/10/2013	Bakersfield Speedway, Bakersfield, CA 93308	Worker died after being struck by a race car.	Fatality
8/10/2013	Capco Contractors Inc., Longview, TX 75604	Three employees were hospitalized after a flash fire during welding operations.	Fatality
8/10/2013	Frank J. Fazio & Sons Inc., Pitman, NJ 08071	Worker died in fall from a truck.	Fatality
8/10/2013	Spring Valley Associates, Ely, NV 89301	Worker died after being ejected from ATV.	Fatality
8/10/2013	Waldhaus, Inc., Topanga, CA 90290	Worker fell 100 feet into river and was swept over waterfall.	Fatality
8/9/2013	Award Electrical Service Inc., Stillwater, OK 74074	Electrical apprentice electrocuted while repairing wires in attic.	Fatality
8/9/2013	Mississippi Phosphates Corporation, Pascagoula, MS 39567	Three employees were hospitalized after being sprayed with sulfuric acid during pumping operations.	Catastrophe
8/9/2013	North American Powerline Construction Services Inc., Eugene, OR 97405	Worker killed when manlift fell over while working on a cell tower.	Fatality

FY13 Fatalities and Catastrophes To Date

8/9/2013	Top-Co Cementing, Itasca, TX 76055	Employee in construction zone died after an 18-wheeler rear-ended the vehicle he was operating.	Fatality
8/8/2013	Jimmies Tree Service Inc., Hemingway, SC 29554	Worker performing flag work struck and killed by an oncoming vehicle.	Fatality
8/8/2013	L&L Ranch, Chawahilla, CA 93610	Worker crushed and killed after being thrown from tractor.	Fatality
8/7/2013	5 J Oilfield Services, Jal, NM 88252	Worker crushed to death between oil and gas drilling machine and truck.	Fatality
8/7/2013	Clintar Groundskeeping Florida LLC, Green Acres, FL 33413	Worker killed by overturned lawn mower.	Fatality
8/7/2013	D.H. Griffin of Texas Inc., Tyler, TX 75706	Skid-steer loader operator working at a demolition site was killed when the loader fell into an open pit.	Fatality
8/7/2013	Decorative Home Services LLC, Sun City Center, FL 33571	Worker died after falling from a 15-foot scaffold while doing stucco work.	Fatality
8/7/2013	Harriman State Park, Bear Mountain, NY 10911	Worker struck and killed by an excavator hammer.	Fatality
8/7/2013	Riverwood Flooring & Paneling Inc., Whigham, GA 39897	Worker died after being cut during repairs to a saw carriage.	Fatality
8/7/2013	Sole Proprietor, Sharp Communications, Las Vegas, NV 89030	Worker died afer falling 16 feet from a communications tower.	Fatality
8/7/2013	Summit Tower Construction LLC, Waynesboro, VA 22980	Worker climbing a cell phone tower communication died after falling approximately 100 feet.	Fatality
8/7/2013	Trees Inc., Grand Rapids, MI 49507	Worker electrocuted from power lines.	Fatality
8/6/2013	Central Ready Mix LLC, Middletown, OH 45044	Worker died from ashyxiation after becoming engulfed in fly-ash.	Fatality
8/6/2013	County Fire & Rescue, LLC, Merlin, OR 97532	Rescue worker killed when boat rolled over onto him.	Fatality
8/6/2013	Hamlet Underground Inc., The Villages, FL 32159	Worker died after being overcome by fumes while working in a manhole.	Fatality
8/6/2013	Howell Paving Inc., Wheeler, IL 62479	Worker struck and killed by vehicle while performing road work.	Fatality
8/6/2013	Lucas Marine Construction LLC, Fort Pierce, FL 34950	Marine construction diver drowned.	Fatality

FY13 Fatalities and Catastrophes To Date

8/6/2013	O & G Industries Inc., Stamford, CT 06902	Worker at an asphalt processing plant was struck and killed by a front end loader.	Fatality
8/6/2013	Professional Well Services, Cuba, NM 87013	Worker driving pump truck died when the vehicle rolled over.	Fatality
8/6/2013	Town of Washington Grove, Gaithersburg, MD 20877	Worker struck and killed by falling tree.	Fatality
8/5/2013	Agraserv Inc., American Falls, ID 83211	Employee struck and killed a farming combine.	Fatality
8/5/2013	California Box Company, Santa Fe Springs, CA 90670	Worker struck and killed by a motor vehicle while moving motorcycle during work.	Fatality
8/5/2013	Groh Farms, Fairfield, OH 45014	Worker in a corn storage died after being engulfed in seed.	Fatality
8/5/2013	Haverfield Aviation Inc., Ackerly, TX 79713	Two employees suspended from a helicopter while working on power lines were killed when the cable holding them snapped.	Fatality
8/5/2013	Highline Autosport, Blue Springs, MO 64014	Employee died after being struck by automotive lift.	Fatality
8/5/2013	Kelley Roofing, Amarillo, TX 79106	Forklift operator unloading roofing materials from a tractor trailer died from injuries after a vehicle collision.	Fatality
8/5/2013	Steel Dynamics, Columbia City, IN 46725	Worker killed after becoming caught and wrapped around driveshaft.	Fatality
8/4/2013	MasterBrand Cabinets Inc, Arthur, IL 61911	Worker crushed and killed when an overhead door fell on him.	Fatality
8/4/2013	Oliver's Hardware Inc., Sobrante, CA 94803	Worker died from injuries after being stabbed.	Fatality
8/3/2013	Main & Hwy 15 One of a Kind Cleaning & Maintenance Services, Follett, TX 79034	Worker died after being struck in the head by a pipe that fell on him.	Fatality
8/3/2013	Sage Electric, Burleson, TX 76028	Employee died from head injuries after falling from a ladder while strapping conduit.	Fatality
8/2/2013	Breaux Unlimited LLC, Gretna, LA 70056	Employee died after falling 25 feet through a skylight while replacing the roof on a building.	Fatality
8/2/2013	L. Bolt Construction, Evansville, IN 47714	Roofer electrocuted from overhead power wires.	Fatality

FY13 Fatalities and Catastrophes To Date

8/2/2013	Norton Creek Farms Inc., Franklin, NC 28734	Worker killed by carbon monoxide while using a forklift to load pallets.	Fatality
8/2/2013	Swanson Electric LLC, Aberdeen, SD 57401	Employee died after being thrown from a bucket truck that tipped over while he changed lightbulbs in a parking lot.	Fatality
8/2/2013	Thuston Construction Company Inc., Alexander, AR 72002	Worker died after falling off a ladder while assessing a building's ventilation.	Fatality
8/1/2013	Arndt Enterprises Inc., Mt. Vernon, IA 52314	Worker died after falling from a water tower while painting.	Fatality
8/1/2013	K & D Pipeline Services, Inc., Pasadena, TX 77501	Employee died after being thrown from, then crushed by the tractor he was using to cut grass.	Fatality
8/1/2013	LGSTX Services, Inc., Wilmington, OH 45177	Employee died after falling off a delivery vehicle and onto the road.	Fatality
8/1/2013	T & R Painting Specialist, Inc., Sunrise FL 33351	Employee died after an unsecured steel security gate fell over onto an employee while it was being moved.	Fatality
7/31/2013	Acme Auto Parts Inc., Kankakee, IL 60901	Worker fatally crushed when a vehicle being lifted by a front-end loader fell on him.	Fatality
7/31/2013	Chain Electric Company, New Orleans, LA 70117	Worker electrocuted after contacting a 7,200-volt line while connecting an overhead power line to a new electrical pole.	Fatality
7/31/2013	Florida Service Painting, Inc., Sarasota, FL 34236	Painter died from injuries after being pinned between aerial lift and eave while positioning the aerial lift.	Fatality
7/31/2013	Zaloumis Contracting Services Inc., Scarsdale, NY 10583	Worker repairing telephone lines was killed when his extension ladder was struck by a passing vehicle.	Fatality
7/30/2013	Delta Sandblasting Co. Inc., Alameda, CA 94501	Employee collapsed and died after performing sandblasting inside a tank on a cargo ship.	Fatality
7/30/2013	Delta Sandblasting Company Inc., Alameda, CA 94501	Worker died while performing sandblasting operations inside a ship tank.	Fatality
7/30/2013	Modern Surfaces Inc., Newport Beach, CA 92660	Worker drowned while repairing tile in a jacuzzi.	Fatality
7/30/2013	MTD Consumer Group Inc., Martin, TN 38327	Eight workers hospitalized for carbon monoxide exposure when multiple propane-powered equipment was used to perform building construction and maintenance.	Catastrophe

FY13 Fatalities and Catastrophes To Date

7/30/2013	P.K. Moyer & Sons, Inc., Landsdale, PA 19446	Employee died after being struck and killed by a street sweeper during road repaving work.	Fatality
7/30/2013	Wilson Construction Co., Gold Beach, OR 97444	Construction worker killed by electric shock.	Fatality
7/29/2013	Ferrellgas L.P. Limited Partnership, Tavares, FL 32778	Six employees were hospitalized after a fire and explosion occurred in the inventory area of a propane distributor.	Catastrophe
7/29/2013	Gilman Building Products, LLC, Fitzgerald, GA 31750	Worker fatally crushed after being caught between stacks of lumber during forklift operations.	Fatality
7/29/2013	River Basin Contracting, Trenton, ND 58853	Employee killed when bulldozer he was operating was struck by an Amtrak train.	Fatality
7/29/2013	Static Oilfield Services Inc, MEDFORD, OK 73759	Employee fatally crushed by bundles of stacked polycoil tubing.	Fatality
7/29/2013	Suburban Landscape Management, Wichita, KS 67216	Worker struck and killed by passing vehicle while operating a weed eater alongside the road.	Fatality
7/29/2013	Torrance Casting Inc., La Cross, WI 54603	Worker died after falling into furnace while performing maintenance on it.	Fatality
7/28/2013	1706 S. 68th St., West Allis, WI 53214	Worker died after falling from a rig while removing machinery from a foundry.	Fatality
7/28/2013	Florida Sheriffs Youth Ranches, Inc., Live Oak, FL 32060	Employee died in a traffic accident.	Fatality
7/28/2013	Pump and Supply LLC, Edmond, OK 73013	Worker electrocuted when energized wires contacted the metal frame of a water pump he was using.	Fatality
7/28/2013	Shatto Farms, Osborn, MO 64474	Farm employee died at the hospital after apparently being stepped on by a bull.	Fatality
7/27/2013	Asplundh, Bethlehem, PA 18018	Worker electrocuted during tree trimming operations when his aerial basket contacted overhead power lines.	Fatality
7/27/2013	Graycor Construction Company Inc., Beachwood, OH 44122	Four workers hospitalized after exposure to mold, other chemicals during a paint remediation project.	Catastrophe
7/27/2013	Navasota Oil Co., Madisonville, TX 77864	Worker died from head injuries after a vehicular accident.	Fatality
7/26/2013	321 Commercial Avenue Super King Sauna NJ, LLC, Park, NJ 07650	Employee found dead inside a granite stone sauna oven area.	Fatality

FY13 Fatalities and Catastrophes To Date

7/26/2013	Burke L. Lathrop, Tollgate, OR 97759	Worker killed when a truck rolled over onto him.	Fatality
7/25/2013	Columbia Pipe & Supply Co., Rockford, IL 61108	Employee crushed when caught between a pipe and the ground while off-loading a trailer.	Fatality
7/25/2013	J&M Hauling Co. Inc., Evanston, IL 60201	Employee suffered fatal injuries after being struck in the head by a crowbar.	Fatality
7/25/2013	James McNally Roofing and Siding, Sandwich, MA 02563	Worker died after falling nearly 40 feet from a roof.	Fatality
7/25/2013	Konet Corporation, Vienna, MD 21869	Worker died from a 240-foot fall from a cell tower while adjusting an antenna.	Fatality
7/25/2013	Patterson-UTI Drilling Company LLC, Houston, TX 77049	Worker died after being pinned between two trucks while preparing to connect a winch line.	Fatality
7/24/2013	Bridgeport Tank Trucks LLC, Bridgeport, TX 76426	Mechanic killed when residual vapors inside a tanker truck ignited while he was replacing the truck's valve.	Fatality
7/24/2013	Fontana Wood Products of Oregon Inc., Prineville, OR 97754	Worker was crushed while dismantling parts from iron frame for salvage.	Fatality
7/24/2013	Hudson River Construction Co. Inc., Wynantskill, NY 12198	Employee killed when a truck rolled over him while he performed road paving operations.	Fatality
7/24/2013	Sergio A Gaytan , Garland, TX 75041	Employee died after falling 25-feet through a roof opening while installing new air conditioner.	Fatality
7/23/2013	Cheney Pulp and Paper Company, Franklin, OH 45005	Worker killed when a piece of fabricated steel struck him in the chest as he cleaned excess paper pulp from a digester machine.	Fatality
7/23/2013	Diaz Construction Co. Inc., Plymouth, MA 02360	Employee fatally crushed when a piece of formwork he was constructing fell on him.	Fatality
7/23/2013	LCN Holdings Inc., Perry, OH 44081	Worker died after falling backwards from a fork truck while completing tree trimming activities.	Fatality
7/23/2013	Lien Transportation Company, Aberdeen, SD 57401	Worker struck and killed by a semi-trailer while serving as a spotter at a construction site.	Fatality
7/23/2013	Preferred Sandblasting & Painting LLC, Sparta, TN 38583	Worker died from a 30-foot fall when a suspension scaffolding support cable pulled free.	Fatality
7/23/2013	Western Flyer Express, Inc., Oklahoma City, OK 73149	Driver died after a PVC pipe rolled off a trailer and struck him.	Fatality

FY13 Fatalities and Catastrophes To Date

7/22/2013	Paul Harris Farms Inc., Robersonville, NC 27871	Worker killed after being pulled into the conveyor of a tobacco harvester.	Fatality
7/20/2013	Dukane Precast Incorporated, Aurora, IL 60502	Employee killed while cleaning a cement mixer that activated while the employee was inside.	Fatality
7/20/2013	Phoenix Rigging & Erecting LLC, Macon, GA 31206	Employee fatally crushed when a portion of a crane fell on him while removing the mast of a lattice boom.	Fatality
7/20/2013	Whitledge Tree Service LLC, Mount Carmel, IL 62863	Employee struck and killed by tree limb while removing limbs entangled in a telephone line.	Fatality
7/19/2013	133-25 131 St., South Ozone Park, NY 11420	Employee died after falling from roof while conducting repairs at private residence.	Fatality
7/19/2013	Bicketts Tilling and Excavation LLC, Owensboro, KY 42302	Worker struck and killed by a falling tree while clearing trees.	Fatality
7/19/2013	C2R Farms Inc., Hemet, CA 92545	Worker struck and killed by falling planting machine located on a flatbed truck.	Fatality
7/19/2013	Cooper Tank & Welding Corp., Brooklyn, NY 11211	Employee died of heat exhaustion while sorting construction debris on a conveyor belt at a concrete recycling plant.	Fatality
7/19/2013	Logram-Eastern Electric Corporation, Hoboken, NJ 07030	Worker electrocuted while replacing wire from a transformer.	Fatality
7/19/2013	Lomelino's Repair, Virden, IL 62690	Worker fatally crushed between sheets of steel and a workbench.	Fatality
7/19/2013	PCS Wireless LLC, Florham Park, NJ 07932	Employee for a wireless provider found dead on the floor of a bathroom being renovated.	Fatality
7/19/2013	Testwell Craig, Mays Landing, NJ 08330	Employee died from injuries after work vehicle struck a tree.	Fatality
7/18/2013	Bass Enterprises Production Company, Kermit, TX 79745	Employee killed after falling off a catwalk while testing a tank filled with hydrogen sulfide.	Fatality
7/18/2013	Falco Energy Transportation, Watford City, ND 58854	Worker died from possible hydrogen sulfide exposure.	Fatality
7/18/2013	Fremont Plastic Products Inc., Fremont, OH 43420	Worker electrocuted while working at a plastics manufacturing facility.	Fatality
7/18/2013	Martin Tree Services, Belspring, VA 24058	Worker died from 60-foot fall while performing tree trimming and removal services for a private resident.	Fatality

FY13 Fatalities and Catastrophes To Date

7/18/2013	Richard D. Gates, Arkansas City, KS 67005	Worker trampled and killed by cattle being unloaded from semi-truck.	Fatality
7/17/2013	AERT, Springdale, AR 72764	Worker died after a fireball engulfed the room where he was working inside a composite building materials facility.	Fatality
7/17/2013	Fairfield Contractors, West Lafayette, IN 47906	Worker killed when run over by a trailer truck within construction zone.	Fatality
7/17/2013	Five Star Logging, Woodland, WA 98674	Worker killed after being struck by a falling cut cedar tree while performing tree operations.	Fatality
7/17/2013	Premier Coopertive Inc., Sidney, IL 61877	Employee killed after being engulfed by grain while working inside a grain bin.	Fatality
7/16/2013	Collum Lumber Products, Allendale, SC 29810	Employee electrocuted after the grinding machine he was operating came into contact with power lines.	Fatality
7/16/2013	Evergreen Lawncare Services, Winchester, VA 22601	Worker found dead underneath a lawnmower.	Fatality
7/16/2013	Grismer Tire Company, Dayton, OH 45449	Employee died after being pinned between the knuckle of a backhoe outrigger and the ground.	Fatality
7/16/2013	J M A Roofing, Omaha, NE 68102	Employee died after falling 30 feet while working on a commercial roofing project.	Fatality
7/16/2013	Shelly & Sands, Columbus, OH 43211	Employee killed after being run over by a dump truck.	Fatality
7/15/2013	Choice Fasteners LLC, Spring, TX 77380	Worker riding as a passenger on a forklift was killed when the forklift overturned, crushing him.	Fatality
7/15/2013	Crosby Plumbing & Water Quinton, VA 23141	Worker died after falling from the second floor stairway of a new home under construction.	Fatality
7/15/2013	Dr. Carey Frix, Henderson, TN 38340 (residential address)	Worker killed after being thrown 20 feet from a manbasket after the machine that the basket was attached to rolled down a hill and struck a tree.	Fatality
7/15/2013	International Door Inc., North Kingstown, RI 02852	Worker died after receiving several electric shocks from a live voltage source inside a panel.	Fatality
7/15/2013	Midwest Machinery Company, Howard Lake, MN 55349	Worker fatally crushed by a box of packaged parts while removing banding.	Fatality
7/15/2013	PPG Industries, Barberton, OH 44203	Worker died after becoming trapped in a winder machine while trying to clear a jam.	Fatality

FY13 Fatalities and Catastrophes To Date

7/15/2013	Tommy M. Castello, Washburn, IL 61570	Two workers drowned after going for a swim to cool off.	Fatality
7/12/2013	BBC Steel Corporation, Canby, OR 97013	Worker crushed when a piece of steel from a press brake fell on him.	Fatality
7/12/2013	Bridgestone Americas Tire Operations LLC, La Vergne, TN 37086	Worker died after being found pinned under parts from a tire assembly machine.	Fatality
7/12/2013	Fuentes Plumbing, Los Angeles, CA 90025	Worker apparently electrocuted while using electric chipping gun to chip concrete inside a 20-foot-deep trench.	Fatality
7/11/2013	Blaine Miller Services, Fort Wayne, IN 46845	Two workers killed when struck by semi-truck while repairing a broken down truck on side of highway.	Fatality
7/11/2013	Consolidated Distributors, Inc. Houston, TX 77018	Employee died from injuries caused by being caught in styrofoam grinder/processor he had been operating.	Fatality
7/11/2013	Gallo Mechanical, LLC, Metairie, LA 70001	Employee died from heat-related injuries while replacing a water heater in a residential home attic.	Fatality
7/11/2013	Gillespi Ag Service, Tulare, CA 93274	Worker killed when caught between the carriage and frame of a poly tank carrier.	Fatality
7/11/2013	Grocery Outlet, Redwood City, CA 94063	Worker fatally crushed inside a compactor/baler.	Fatality
7/11/2013	Thomas Tree Service Professionals, Sharpsville, PA 16150	Worker died after being ejected from a bucket truck while trimming and cutting tree limbs.	Fatality
7/10/2013	Fore Golf Services, Medina, OH 44256	Employee died from electrical shock while working in an excavation.	Fatality
7/10/2013	Mc Connell Dowell Constructors, Pago Pago, AS 96799	Employee electrocuted when an electrical arc occurred between a power line and crane.	Fatality
7/10/2013	National Park Service Channel Islands National Park, Ventura, CA 93001	Volunteer worker died after falling from the fixed steel ladder of a pier onto a park service boat.	Fatality
7/10/2013	Yoder Lumber Company, Inc., Millersburg, OH 44654	Employee died after falling eight feet from a flatbed truck.	Fatality
7/9/2013	Fresh Market Inc., Lexington, KY 40502	Worker died after falling from ladder while stocking shelves at market.	Fatality
7/9/2013	James Mitchell, Nowata, OK 74048	Worker died after falling four stories while painting on a hotel roof.	Fatality

FY13 Fatalities and Catastrophes To Date

7/9/2013	MTech Comfort System, Austin, TX 78702	Employee died from apparent electrocution while working on an A/C unit.	Fatality
7/9/2013	Superior Group LLC, El Paso, TX 79925	Worker died after being electrocuted while working on light fixtures.	Fatality
7/8/2013	B & B Tree Service, Bittering, MD 21522	Tree service worker electrocuted by high voltage power lines.	Fatality
7/8/2013	Curtis Hoffman Oil LLC, Claflin, KS 67525	Employee died from exposure to hydrogen sulfide gas while working in an underground saltwater disposal system.	Fatality
7/8/2013	E&W Electrical Solutions LLC, Buchanan, TN 38222	Worker electrocuted while removing 277-volt AC wiring.	Fatality
7/8/2013	Excell Electric, Irving, TX 75061	Employee died from six-foot fall to concrete after contacting an energized junction box.	Fatality
7/8/2013	Lovett Inc., Portland, OR 97218	Worker killed after work vehicle's brakes failed causing vehicle to crash through a guardrail and roll down a bank.	Fatality
7/8/2013	Monarch Tower, New Town, ND 58763	Two employees died after falling about 225 feet while performing maintenance on a communication tower.	Fatality
7/8/2013	Myers Pump and Supply, LLC, Claflin, KS 67525	Employee died from exposure to hydrogen sulfide gas while working in an underground saltwater disposal system.	Fatality
7/8/2013	US Fish & Wildlife Service, Pickstown, SD 57367	Two employees struck and killed by vehicle while they performed field work for fish and wildlife agency.	Fatality
7/8/2013	Virtexco Corporation , Virginia Beach, VA 23459	Employee died from ruptured spleen after scraping stomach on bar joists while crawling on walk boards in an attic.	Fatality
7/8/2013	Watson Ag Chemicals, Caruthers, CA 93609	Worker died after being runover by a truck.	Fatality
7/7/2013	C&R Downhole Drilling, LLC, West Union, WV 26456	Worker testing a well hole was killed when a fire erupted at a nearby deisel-powered water pump.	Fatality
7/7/2013	Dan Avila & Sons, Turlock, CA 95307	Worker was shot and killed by co-worker's disgruntled spouse, who was attempting to shoot the co-worker.	Fatality
7/7/2013	Nabors Completion and Production Services Company, West Union, WV 26456	Worker testing a well hole was killed when a fire erupted at a nearby deisel-powered water pump.	Fatality

FY13 Fatalities and Catastrophes To Date

7/6/2013	ODW Contract Services, Okmulgee, OK 74447	Worker died from head injuries on his first day on job after his stand-up forklift hit a shelving unit.	Fatality
7/6/2013	Stewart Industrial Maintenance LLC, Tell City, IN 47586	Worker killed after he slipped and fell 50 feet from platform used to perform tank maintenance.	Fatality
7/6/2013	Tulsa Job Corps, Okmulgee, OK 74447	Worker drowned while swimming at Lake Okmulgee.	Fatality
7/5/2013	Bedford-Carp Construction JV Inc., New York, NY 10004	Employee crushed by pipes that fell from a forklift.	Fatality
7/5/2013	Cuddy Thomas / Tim's Taxi, Auburn, WA 98002	Worker killed when an alleged drunk driver struck worker's cab.	Fatality
7/5/2013	Etchegaray Farms LLC, Richgrove, CA 93215	Worker died from possible heat illness while working at farm.	Fatality
7/5/2013	Keystone Automotive Industries Inc., Lakewood, NJ 08701	Employee died after falling from a lift in an automotive distribution facility.	Fatality
7/5/2013	Metra, Chicago, IL 60601	Worker struck and killed by train while performing track maintenance.	Fatality
7/5/2013	Riverside County FD- Station #35, Thousand Palms, CA 92276	Emergency rescue worker struck and killed by vehicle while responding to an emergency call on highway ramp.	Fatality
7/5/2013	Stickfort Construction Corporation, Waterloo, IA 50701	Worker killed after being buried in trench cave-in.	Fatality
7/4/2013	F/V Aleut Sisters, Chignik, AK 99548	Employee died after entering engine space and falling onto rotating propellar shaft of the vessel.	Fatality
7/4/2013	F/V Anna Lane, Homer, AK 99603	Worker killed when he was pulled into an anchor winch after becoming entangled in an anchor wire rope.	Fatality
7/4/2013	F/V Pauline II, Egeik, AK 99579	Employee died after being trapped in a fire on a marine vessel.	Fatality
7/3/2013	Badlands Power Fuels LLC, Watford City, ND 58854	Employee died from possible exposure to chemicals while cleaning the inside of a tank.	Fatality
7/3/2013	Brennan Marine Inc., LA Crosse, WI 54603	Worker dies in tugboat that crashed over the roller gates of a river lock.	Fatality
7/3/2013	Camp Tawonga United Jewish Community, Groveland, CA 95321	Worker killed when top of oak tree snapped and fell, striking worker's head.	Fatality
7/3/2013	Haliburton Energy Services, Jacksonburg, WV 26377	Truck driver killed after being pinned between a bulldozer and work truck.	Fatality

FY13 Fatalities and Catastrophes To Date

7/3/2013	Midwest Mole Inc., Ordway, CO 81063	Worker struck and killed by a U-shaped metal fastener connected to a pipe line.	Fatality
7/2/2013	Autoliv ASP, Auroua, CO 80014	Worker electrocuted after making contact with live wire while repairing electrical breaker box.	Fatality
7/2/2013	Foothill Packing, Five Points, CA 93624	Worker died from seizure after suffering apparent heat illness while performing farming activities.	Fatality
7/2/2013	Producers Rice Mill Inc., Stuttgart, AR 72160	Employee died from apparent fall from man lift.	Fatality
7/1/2013	Easton Coach Company, Allentown, PA 18103	Employee died from head injuries after falling to the ground from the back of bus/van while loading passenger confined to a wheelchair.	Fatality
7/1/2013	U-Haul Moving & Storage, Fort Smith, AR 72901	Worker died in vehicular accident while moving a cargo truck inside the lot.	Fatality
7/1/2013	Wing Stop, Oak, CA 94608	Two workers shot and killed at retail store in an apparent robbery.	Fatality
6/29/2013	Cirque Du Soleil, Las Vegas, NV 89119	Worker died from 94-foot fall when the wire rope broke during a performance.	Fatality
6/28/2013	Cooper Construction, Yuba City, CA 95993	Worker died from apparent heat stress after suffering a seizure while performing ground preparation.	Fatality
6/28/2013	Jose Mendoza Gardening, Trabuco Canyon, CA	Worker drowned after falling into swimming pool while performing landscaping services.	Fatality
6/27/2013	Border State Electric, Clayton, NM 88415	Worker killed after being involved in a motor vehicle accident.	Fatality
6/26/2013	Lupe's Tree Service and Landscaping, San Jose, CA 95121	Worker electrocuted when his climbing rope fell onto energized power line.	Fatality
6/25/2013	John Deere Company, Waterloo, IA 50701	Worker died from head injuries after being struck by powered industrial truck.	Fatality
6/25/2013	Kevin Miller, Monticello, KY 42633	Worker died after falling from bucket truck while cutting tree.	Fatality
6/24/2013	Cantril Feed and Grain, Cantril, IA 52542	Worker died after being struck by section of pipe while exiting boom lift that rolled over.	Fatality
6/24/2013	Chelan View Orchards Inc., Manson, WA 98831	Worker killed when the orchard tractor fell over six-foot embankment, rolled down hill and caught fire.	Fatality

FY13 Fatalities and Catastrophes To Date

6/24/2013	Co-Alliance, Union Mills, IN 46382	Worker killed when an explosion at grain elevator occurred causing worker to fall 100 feet.	Fatality
6/24/2013	Greathouse Landscape Company Inc., LaVergne, TN 37086	Worker killed when lawnmower overturned, crushing him.	Fatality
6/24/2013	Krieger Collison Center, Muscatine, IA 52761	Worker died from severe trauma suffered during a tornado.	Fatality
6/24/2013	Municipio de Vieques Sancamiento y Salud, Vieques, PR 00765	Worker struck and killed by a concrete beam that fell when a truck crashed into it.	Fatality
6/24/2013	NYCDOPR, Staten Island, NY 10305	Worker collapsed and died while pruning hedges. Cause of death under investigation.	Fatality
6/24/2013	Sam's Gardening, Upland, CA 91789	Worker drowned after falling into pool while blowing leaves in backyard.	Fatality
6/22/2013	Duarte Nursery, Hughson, CA 95326	Worker fainted and later died after complaining of chest pains while performing outside bench irrigation work.	Fatality
6/20/2013	RNDS, Indianapolis, IN 46241	Worker died after falling 15-feet through skylight during roofing repairs.	Fatality
6/19/2013	Newtown Farm Services, Veedersburg, IN 47987	Worker died after being pulled into grain flow while clearing blockage in grain bin.	Fatality
6/19/2013	Recycling Inc. Des Moines, IA 50309	Worker fatally crushed between a garbage truck and parked trailer while directing tow truck.	Fatality
6/18/2013	E Light Electric Services Inc., Desert Center, CA 92239	Worker died of apparent heat-related illness.	Fatality
6/18/2013	Optima Contratista General, Ponce, PR 00716	Worker killed when side walls inside an excavation collapsed.	Fatality
6/18/2013	Youngstown Fire Department, Cambria, NY 14132	Worker killed in a vehicle collision.	Fatality
6/17/2013	Townsend Tree Service, Lawrenceburg, KY 40342	Worker suffered fatal fall while cutting tree limbs.	Fatality
6/16/2013	Nissan North America Inc., Smyrna, TN 37167	Worker struck and killed by articulating robot while replacing robot gears.	Fatality
6/15/2013	Dick Oykstra Dairy, Ontario, CA 91761	Worker crushed and killed by gate while moving cows.	Fatality
6/15/2013	Xcel Energy, Artesia, NM 88210	Worker electrocuted when power line he was repairing contacted another live power line.	Fatality

FY13 Fatalities and Catastrophes To Date

6/14/2013	David Dougherty Trucking, Rio Linda, CA 95673	Worker fatally crushed when delivery truck he was repairing fell on him.	Fatality
6/14/2013	Western Waste Management, St. Carson, CA 90745	Worker died after being caught between a forklift and waste cargo trailer.	Fatality
6/13/2013	Midwest Roofing Company Inc., Pico Rivera, CA 90660	Worker died after falling 17 feet from roof.	Fatality
6/13/2013	Schindler Elevator Corporation, Sterling, VA 20166	Worker killed when caught between the elevator cab and an I-beam while making repairs in elevator shaft.	Fatality
6/13/2013	Stevens Creek Quarry Inc., Cupertino, CA 95014	Worker killed when brakes on tractor failed, causing vehicle to roll hit and hit embankment.	Fatality
6/13/2013	Xylem Tree Experts, Hurley, VA 24620	Worker struck and killed by a tree limb.	Fatality
6/12/2013	B&H Tractor and Truck, Jackson, MI 49201	Worker died from severe burns after trailer struck a gas line causing an explosion and fire.	Fatality
6/12/2013	Rock Hill Farm, Bluemont, VA 20135	Worker struck in the head and killed when horse he was loading into trailer kicked him.	Fatality
6/11/2013	Harwood Engineering Inc., Albuquerque, NM 87107	Worker crushed and killed when 12,000-pound boom fell on him while changing the boom crane cylinders.	Fatality
6/11/2013	Outlaw Construction Co., Las Cruces, NM 88012	Worker killed after being struck in chest by a reciprocating saw.	Fatality
6/11/2013	Road Safety LLC, Fulton, MD 20759	Worker struck and killed by vehicle while setting cones for road work.	Fatality
6/11/2013	Schinler Elevator, Santa Clara, CA 95054	Worker killed when struck by elevator counterweight while making repairs.	Fatality
6/9/2013	Peacock Lounge, Sunnyvale, CA 94087	Worker shot and killed at worksite parking lot.	Fatality
6/9/2013	Securitas Security Services USA, Las Vegas, NV 89106	Worker on security patrol was shot and killed.	Fatality
6/8/2013	Cargill Salt, Breaux Bridge, LA 70517	Employee died from an apparent electrocution while connecting a bin indicator for a chipping unit.	Fatality
6/7/2013	Equipment Depot Ohio Inc., Sidney, OH 45365	A forklift technician died after slipping and falling backwards, striking head on a guardrail.	Fatality
6/7/2013	Village Mart Inc, Denmark, WI 54208	Employee working under a sport utility vehicle died from crush injuries when the scissor jack lifting the vehicle failed.	Fatality

FY13 Fatalities and Catastrophes To Date

6/6/2013	Air Evac Lifeteam DBA Air Evac EMS Inc., Manchester, KY 40962	Three emergency air evacuation workers killed when helicopter crashed.	Fatality
6/6/2013	Charles Book, MILES TX 76861	Employee drowned after the catloader he was operating fell off of a 30-foot cliff into the river.	Fatality
6/6/2013	Diamond Surface Inc., Manvel, ND 58256	Worker found dead underneath a concrete grinder on a road construction project.	Fatality
6/6/2013	Jake Marshall Service Inc., Chattanooga, TN 37412	Worker suffered fatal fall while performing mechanical air system service on roof.	Fatality
6/6/2013	Reclaim Company LLC, Fairmont, WV 26555	Driver killed after trying to stop truck when its brakes released, causing truck to roll backward and strike him.	Fatality
6/6/2013	Ugstad Plumbing, Inc. Fergus Falls, MN 56537	Worker killed when company van he was repairing rolled off the ramps, crushing him underneath.	Fatality
6/5/2013	Aligned Building Systems LLC, Summerville, GA 30747	Employee killed after falling 30 feet to lower level during demolition activities.	Fatality
6/5/2013	Georg Fischer Central Plastics LLC, Dallas, TX 75236	Two employees were fatally crushed by polyurethane pipes while loading a flatbed trailer.	Fatality
6/5/2013	Heartland Drilling, Big Spring, TX 79721	Employee died from apparent heat stress while changing out tong heads during drilling operations.	Fatality
6/5/2013	Industrial Roofing and Construction, West Monroe, LA 71292	Employee died from fall and crushing injuries after the concrete channels collapsed beneath him while removing roof deck.	Fatality
6/5/2013	O&V Transport, LLC, Portland, OR 97230	Worker killed when the truck he was repairing lurched forward, crushing him under the wheel.	Fatality
6/5/2013	Oregon State Bridge Construction, Inc., La Grande, OR 97850	Worker died from 23-foot fall off wooden walkway being built on bridge.	Fatality
6/5/2013	The Salvation Army, Philadelphia, PA 19103	Two employees died when an adjacent 4-story structure under demolition collapsed onto the roof of the store they were working causing it to collapse.	Fatality
6/4/2013	First Ward Community Service, Saginaw, MI 48601	Employee killed after work vehicle was struck by another vehicle.	Fatality
6/4/2013	G&G Enterprises LLC, Westport, CT 06880	Worker died from head injuries after falling 20 feet from a roof.	Fatality
6/4/2013	Infrastructure Corporation of America, Radford, VA 24141	Worker killed when tractor-trailer struck him while he removed debris along highway.	Fatality

FY13 Fatalities and Catastrophes To Date

6/4/2013	Lady Bug Natural Brand, Dripping Springs, TX 78620	Worker killed when auger he was inside fell to ground, causing machine's side rails to strike worker's neck.	Fatality
6/4/2013	Sary Painting Inc., Harrisonburg, VA 22801	Worker died after falling nearly 10 feet from ladder while painting townhomes.	Fatality
6/4/2013	Suntree Environment Services Inc., Orlando, FL 32816	Employee died after being pulled against a tree trunk during felling operations.	Fatality
6/4/2013	Tommy Burton, Staten Island, NY 10307	Employee found dead under tongue of trailer.	Fatality
6/4/2013	Vaughan Foods, Moore, OK 73160	Employee died from head trauma after falling on exterior stairs.	Fatality
6/3/2013	B&M Tear Off, Antioch, CA 94509	Worker died from 24-foot fall from roof while making repairs.	Fatality
6/3/2013	Tom's Plumbing & Heating, LLC, Spirit Lake, IA 51360	Worker struck and killed by a skid loader bucket when the loader tipped forward.	Fatality
6/3/2013	Wilbanks Trucking, Inc., Carlsbad, NM 88220	Worker died after falling 25 feet from a rig structure while trying to hook a chain to a ball hook.	Fatality
6/3/2013	Wilkins Lumber Company Inc., Milford, NH 03055	Employee died after being crushed by the arms of an unblocked front-end loader.	Fatality
6/2/2013	MDV - Nash Finch Company, Norfolk, VA 23502	Worker killed when crushed between the bottom section of a tractor trailer and the dock.	Fatality
6/1/2013	K. Wilson and Company Inc., South San Francisco, CA 94080	Worker killed after falling from a forklift being used to paint a wall.	Fatality
6/1/2013	Kraemer-Shows Oilfield Services LLC, Cotulla, TX 78014	Employee died from electrical shock while engaged in repairs to electrical system.	Fatality
6/1/2013	Pepsi Beverages, Chicago, IL 60609	Employee died after falling from a ladder while completing a service installation.	Fatality
5/31/2013	Fisher Ranch Corporation, Blythe, CA 92225	Worker found dead in crop field after checking on irrigation pipes.	Fatality
5/31/2013	Future Air Inc., St. Louis, MO 63123	Worker died after falling from a scaffold while installing tubes for a new HVAC system.	Fatality
5/31/2013	Lalo's Auto Service Center Inc., Bronx, NY 10452	Employee died after the car lift gave way, causing car to fall onto him during repair operations.	Fatality
5/31/2013	Washington State Patrol, Conway, WA 98238	Patrol officer struck and killed by truck.	Fatality

FY13 Fatalities and Catastrophes To Date

5/30/2013	Edwin Brady Construction Company Inc., PAX WV 25904	Employee killed after being struck by a clogged and pressurized hose during concrete preparation.	Fatality
5/30/2013	FreshKO Produce Services, Fresno, CA 93725	Worker electrocuted after coming into contact with a live power conductor inside a charging unit.	Fatality
5/30/2013	Ocean Twp. Public Works, Oakhurst, NJ 07755	Worker loading a garbage truck was struck and killed by another vehicle.	Fatality
5/30/2013	Rialto Concrete Products Inc., Rialto, CA 92377	Worker was crushed by forklift.	Fatality
5/29/2013	Agriculture Bag Manufacturing USA Inc., Oakland, CA 94603	Worker died after being caught between two spinners.	Fatality
5/29/2013	Dunn Roadbuilders, Laurel, MS 39440	Worker killed when a weigh pod from a silo fell on him, knocking him against a steel beam.	Fatality
5/29/2013	Elliott Construction LLC, College Station, TX 77845	Employee died after being pinned underneath 1,500-pound shoring panels during an excavation.	Fatality
5/29/2013	Holiday Rock, Chino Hills, CA 91708	Employee killed when work vehicle's tire blew causing worker to hit guard rail.	Fatality
5/29/2013	K & D Transportation Inc., Adell, WI 53001	Driver died after being pinned between a conveyor belt and the bottom of a semi-truck.	Fatality
5/29/2013	Nationwide Children's Hospital, Columbus, OH 43205	Employee died after being hit by the hospital shuttle bus while walking on hospital's private road.	Fatality
5/29/2013	Olinde's Hardware Supply Company Inc., Lafayette, LA 70506	Warehouse worker died after falling while operating a forklift picker.	Fatality
5/29/2013	Tri-State Floor Covering Supplies Inc., Cincinnati, OH 45241	Employee died after being pinned under the front tire of a powered industrial vehicle.	Fatality
5/29/2013	US Army Reserve, 88th Regional Support Command, Fort McCoy, WI 54656	Worker died from head injuries after vehicle he was repairing dropped, pinning him between cab and front bumper.	Fatality
5/28/2013	A&A Express LLC, Jackson, TN 38366	Worker killed after being pinned between rear of truck and landing gear of trailer.	Fatality
5/28/2013	Byrd Telcom, Inc., Georgetown, MS 39078	Two employees died after the gin-pole derrick they were using broke and fell away from a cell phone tower.	Fatality
5/28/2013	C. R. England, Inc., Providence, RI 02908	Worker killed after being crushed between a truck and loading dock during backing operations.	Fatality

FY13 Fatalities and Catastrophes To Date

5/28/2013	Coastal Plating, Corpus Christi, TX 78408	Worker died after being crushed by a large cylinder during sand blasting operations.	Fatality
5/28/2013	Home Decorators Collection Warehouse, Mexico, MO 65265	Warehouse worker died after being crushed by a dockplate during repair and cleaning operations.	Fatality
5/28/2013	NYS MTA Metro-North West Haven CT Station, West Haven, CT 06516	Worker struck and killed by a train.	Fatality
5/27/2013	AKM Machinery, Wind Gap, PA 18091	Worker died after being struck in head by piston that became unhooked from chain.	Fatality
5/27/2013	Bonnie Plants Inc., Homeworth, OH 44634	Two workers died after company truck collided with semi-truck during transit.	Fatality
5/27/2013	Cory Miller, Salado, TX 76571	Worker died after being struck by a rig and elevator after an anchor failed during water well drilling operations.	Fatality
5/27/2013	Paramount Builders Inc., Atu'u, American Samoa 96799	Employee died after falling from rafters during painting operations.	Fatality
5/25/2013	Bardstown Police Department, Bloomfield, KY 40008	Police officer shot and killed by unknown assailants when he got out of car to remove road debris.	Fatality
5/25/2013	Drilling Solutions, Lignite, ND 58752	A temporary employee died after being run over and crushed by a loader.	Fatality
5/25/2013	Securitas Security Services, Inc., San Bernadino, CA 92411	Worker crushed by a sliding gate that came off track.	Fatality
5/24/2013	Alfons Dziezuta, Chicago, IL 60630	Employee died after falling from scaffolding that collapsed while performing tuckpointing at a residential building.	Fatality
5/24/2013	L & H Boat Docking Service, Garfield, AR 72732	Employee working on barge died from burns and blunt force trauma after barge exploded during welding operations.	Fatality
5/24/2013	Lowe's Home Centers Inc, #1130, New Castle, PA 16101	Employee died after being crushed between a box truck and trailer.	Fatality
5/24/2013	Plasto-Tech Corporation, Elyria, OH 44035	Worker fatally crushed inside a thermo-forming press machine.	Fatality
5/24/2013	Progress Rail Services, San Bernadino, CA 92411	Worker struck and killed by train while installing a train derail device.	Fatality
5/23/2013	ArcelorMittal, Coatesville, PA 19320	Three employees hospitalized after being burned by hot slag from a furnace.	Catastrophe

FY13 Fatalities and Catastrophes To Date

5/23/2013	Battle Energy Services, Maljamar, NM 88264	Worker electrocuted when pole truck hit an overhead power line.	Fatality
5/23/2013	Mountain Peak Vinyl, Salt Lake City, UT 84104	Worker crushed and killed when 2,000-pound container fell on him.	Fatality
5/23/2013	S. L. Construction L.L.C., Harrisonville, MO 64701	Worker fatally crushed when two 2x8 vertical beams fell on him.	Fatality
5/23/2013	Shoreline Foundation, Inc., Riviera Beach, FL 33404	Worker died from oxygen deficient atmosphere in a confined space.	Fatality
5/23/2013	Smith, Rolfes & Skvdahl Company LPA, Lancaster, OH 43130	Employee died after falling through roof while inspecting for wind damage.	Fatality
5/23/2013	Whiting-Turner Contracting Company Inc., Bethesda, MD 20817	Worker crushed by scaffolding during relocation of a 44,000-pound section of concrete.	Fatality
5/22/2013	Blick's Phosphate Conversions LLC, Pocatello, ID 83204	Worker died from burn injuries after the release of ammonia.	Fatality
5/22/2013	Dependable Vending, Pomona, CA 91766	Worker killed when industrial truck collided with another vehicle.	Fatality
5/22/2013	Electronic Waveform Lab, Inc., Livermore, CA 94550	Worker killed when section of pipe flew up from the road striking vehicle windshield.	Fatality
5/22/2013	Mills Ranch/Jam Trucking LLC, Livermore, CA 94551	Worker fatally crushed by large panel of concrete that fell from forklift.	Fatality
5/22/2013	Penn Line Corporation, Bear Creek, PA 18602	Employee died after being hit by a vehicle while he was setting up a roadway workzone.	Fatality
5/22/2013	Star Construction LLC, Birmingham, AL 35222	Employee electrocuted when the pole on digger derrick truck contacted an electrical line.	Fatality
5/22/2013	Tri-Modal Distribution Services, Pomona, CA 91766	Worker, standing outside of vehicle, was struck and killed when his vehicle was rear-ended causing it to hit him.	Fatality
5/21/2013	Bapaz Ash Llc, Brooklyn, NY 11218	Employee died after falling from the third floor level while sheathing exterior of home.	Fatality
5/21/2013	H & H Fisher's Logging LLC, Hightown, VA 24444	Worker killed after being struck by tree.	Fatality
5/21/2013	James Daryl Seibel, Bath, PA 18014	Employee died after falling 22 feet from roof while installing timbers for a barn under construction.	Fatality

FY13 Fatalities and Catastrophes To Date

5/21/2013	Keystone Oil Products Corporation, Dillsburg, PA 17019	Employee died after being run over by a vehicle while delivering home heating oil.	Fatality
5/21/2013	NPL Construction Company, Lakeway, TX 78738	Employee fatally crushed when equipment slid down incline and rolled over him.	Fatality
5/21/2013	White Cedar, Superior, WI 54880	Employee fatally injured after being caught between a power roller and conveyor belt.	Fatality
5/20/2013	Buena Vista Services, LLC, Sequim, WA 98382	Worker died when his vehicle was unable to stop or avoid the vehicle in front that made a sudden turn.	Fatality
5/20/2013	Dale Gilbertson, Grapevine, TX 76051	Employee died after falling 20 feet while engaged in framing activities at new residential home.	Fatality
5/20/2013	Jim Schlessler Inc., Cougar, WA	Worker struck and killed by falling tree.	Fatality
5/20/2013	Spartan Contracting LLC, Owensboro, KY 42301	Worker electrocuted while painting a bridge.	Fatality
5/17/2013	Dennis Keith Greene (dba D & G Wood), Zionville, NC 28698	Worker in logging crew struck and killed by a falling limb.	Fatality
5/17/2013	Greenville Recycling II LLC, Greenville, KY 42345	Worker struck and killed by lid when a 55-gallon drum exploded.	Fatality
5/17/2013	H&G Underground Utilities, LLC, Merrillville, IN 46410	Worker electrocuted while installing a new water main.	Fatality
5/17/2013	King Pallet Inc., Baltimore, MD 21221	Worker crushed and killed by forklift truck and box truck.	Fatality
5/17/2013	Recommunity Recycling, Camden, NJ 08104	Worker crushed and killed when a wall collapsed on him.	Fatality
5/17/2013	River City Petroleum Inc. dba Nevada Truck and Trailer Repair, Las Vegas, NV 89115	Worker died when an empty tanker truck he was welding exploded.	Fatality
5/17/2013	Trapac Inc., Oakland, CA 94607	Worker presumed dead after his vehicle was struck by utility tractor and pushed in the bay. Worker's body has not been found.	Fatality
5/17/2013	Vonderhaar's Meat Market, Fort Recovery, OH 45846	Employee died from asphyxiation when his apron became entangled in a rotating wire brush while cleaning meat grinding machine.	Fatality
5/17/2013	Wemrock Orchards, Manalapan, NJ 07726	Worker died after tractor rolled over him while trying to pull a tree from the ground.	Fatality

FY13 Fatalities and Catastrophes To Date

5/16/2013	ATMI Precast Inc., Aurora, IL 60506	Worker died after being struck by a 500-pound piece of angle iron.	Fatality
5/16/2013	Chicago Steel Construction LLC, Evanston, IL 60208	Employee was struck and killed by construction materials that fell from six stories above.	Fatality
5/16/2013	Magnetech Industrial Services Inc., Saraland, AL 36571	Employee electrocuted while performing repairs on power system equipment.	Fatality
5/16/2013	Mega Construction Co. Inc., Daphne, AL 36526	Employee died from head injuries after falling from a structure while installing trusses.	Fatality
5/16/2013	Wilderness Inc. dba Ely Campgrounds Concessional, Ely, MN 55731	Worker struck and killed by tree during maintenance services.	Fatality
5/15/2013	Independent Roofers and General Contractor Corp., Hato Rey, PR 00918	Worker died from 20-foot fall from roof while performing waterproofing services.	Fatality
5/15/2013	R. C. Construction Co. Inc., Columbus, MS 39705	Employee died after being crushed between auger and frame of a concrete paver.	Fatality
5/15/2013	St. Louis Cold Drawn, St. Louis, MO 63137	Machine operator died from electrocution after contacting live electricity in an electrical cabinet.	Fatality
5/14/2013	Fairview Mills Inc., Hiawatha, KS 66434	Employee died after falling into food processing equipment while attempting to clear a jam.	Fatality
5/14/2013	Garay Construction Inc., Commerce City,, CO 80022	Construction worker died after falling nearly 30 feet to concrete floor.	Fatality
5/14/2013	MAC Truck Leasing Inc., Dallas, TX 75217	Worker died after being injured while lifting a truck break drum.	Fatality
5/14/2013	Riverbell Inc, Vero Beach, FL 32960	Worker died after falling from a 10-foot ladder while picking oranges.	Fatality
5/13/2013	Coastal Masonry Inc., Miami, FL 33131	Worker died after falling from 7th floor while straightening rebar inside concrete wall opening.	Fatality
5/13/2013	Integrity Rebar Placers, Murrieta, CA 92562	Worker killed when forklift tipped over, crushing him.	Fatality
5/13/2013	The Davey Tree Expert Company, Winston Salem, NC 27103	Worker killed when bucket lift malfunctioned during tree trimming, causing worker to fall 35 feet.	Fatality
5/12/2013	Mike's Landscaping and Tree Service, Fort Madison, IA 52627	Worker struck and killed by falling tree limb while performing tree trimming operations.	Fatality
5/12/2013	Robert Crowder Construction, Webster, Springs, WV 26288	Employee struck and killed by tree limb during tree cutting operations.	Fatality

FY13 Fatalities and Catastrophes To Date

5/10/2013	Astec Inc., Chattanooga, TN 37407	Worker struck and killed when a silo head fell from crane.	Fatality
5/10/2013	Total Metal Services LLC, Romulus, MI 48174	Worker died after a dumpster fell and crushed him.	Fatality
5/9/2013	Eagle Adjusting Services Inc., Ferndale, MI 48220	Worker suffered fatal injuries after falling 18 feet from roof.	Fatality
5/9/2013	FIC America, Bloomingdale, IL 60108	Worker died after being pinned under a steel coil.	Fatality
5/9/2013	Lischka Construction, Richmond, TX 77406	Employee died after being caught between two tractor graters.	Fatality
5/9/2013	M.J. Sheridan of Texas Inc, Austin, TX 78730	Worker died after being crushed under a ditch digger when it rolled down a steep hill.	Fatality
5/9/2013	Pfizer Inc., Yucca Valley, CA 92284	Worker killed after being shot during carjacking.	Fatality
5/9/2013	Southland Tube Inc., Birmingham, AL 35234	Worker performing warehouse operations died after being pinned between a load and bundles weighing more than 4,000 pounds.	Fatality
5/8/2013	Hasson's Mobile Truck & Trailer Repair, East Moline, IL 61244	Worker died after semi-trailer collapsed on him during repairs.	Fatality
5/8/2013	J & L Auto Body Parts, Elizabeth, NJ 07202	Worker killed when vehicle elevated by forklift and chain fell on him while performing repairs.	Fatality
5/8/2013	Midwest Wrecking Company, Morrison, OK 73061	Truck driver died after vehicle was struck by train at railroad crossing.	Fatality
5/8/2013	Shoreline Metal Fabricators Inc., Rothbury, MI 49452	Worker died after falling 30 feet through skylight during HVAC removal operations.	Fatality
5/8/2013	Wayne Westland Fire Dept., Westland, MI 48185	Worker died when roof collapsed while fighting a fire at a mall.	Fatality
5/7/2013	All Season's Insulation, Danville, IN 46122	Worker spraying a building with insulation fell approximately 10 feet.	Fatality
5/7/2013	Harvey Paving & Sealcoating, Orono, ME 04469	Foreman struck and killed by vehicle while constructing a driveway.	Fatality
5/7/2013	Kerry's Ingredients and Flavors Union City, CA 94587	Worker died from head injuries when a cart he was pushing was struck by a forklift.	Fatality

FY13 Fatalities and Catastrophes To Date

5/7/2013	Lindstrom Brothers Air Conditioning Inc., Coconut Creek, FL 33093	Worker died after falling from ladder while installing air conditioning ducts at construction site.	Fatality
5/7/2013	M Boren Services, Inc., Myton, UT 84052	Worker crushed and killed when a 40-barrel tank exploded at a well site.	Fatality
5/7/2013	Southern Mechanical Contractors, Chamblee, GA 30341	Employee died after the scissor lift he was inside malfunctioned, pinning worker between the lift and a pipe.	Fatality
5/6/2013	Jet Maintenance, Runge, TX 78151	Worker died when a flare line pipe struck his head and neck while he attached piping to a well head.	Fatality
5/6/2013	Longview Asphalt Inc., Jacksonville, TX 75766	Employee killed when struck by pneumatic gates while unplugging the discharge chute to an asphalt silo.	Fatality
5/6/2013	SD Restoration Inc., Miami, FL 33122	Employee died after falling from 20-foot ladder while applying caulking inside a warehouse.	Fatality
5/6/2013	T.H. Ryan Cartage Company, Kenosha, WI 53144	Driver suffered fatal injuries after truck rolled backward onto him while at a loading dock.	Fatality
5/5/2013	Business Construction Services LLC, Fayetteville, AR 72701	Employee died in a trench collapse.	Fatality
5/5/2013	Schneider National Carriers Inc., Janesville, WI 53546	Tractor-trailer driver died after falling from his truck cab at a home improvement store.	Fatality
5/4/2013	Beaver Excavating Company, Canton, OH 44706	Two carpentry employees died when the crane boom they were using to lift a load fell on them.	Fatality
5/3/2013	Alpine Waste & Recycling, Denver, CO 80216	Worker fatally crushed when the hydraulic compacting mechanism on rear section of trash truck activated.	Fatality
5/3/2013	DRP Industries, Grnbury, TX 76048	Employee died of head trauma after being caught in machine tool.	Fatality
5/3/2013	Ed and Eddys Inc., Panama City Beach, FL 32407	Employee died after being caught in and crushed by an automated bowling pin setting machine.	Fatality
5/3/2013	Gilt Groupe Inc., Brooklyn, NY 11205	Employee died after falling four stories to the bottom of an elevator shaft.	Fatality
5/3/2013	Madison Logging Inc., Caryville, TN 37714	Worker struck and killed by a falling tree.	Fatality
5/3/2013	Murphy Oil Corporation, Fremont, OH 43420	Employee killed when oncoming vehicle crashed into work vehicle.	Fatality

FY13 Fatalities and Catastrophes To Date

5/3/2013	Platt Logging, Constantia, NY 13044	Employee struck and killed by tree while performing logging operations.	Fatality
5/3/2013	Severiano Lopez, Los Angeles, CA 90068	Worker found dead during tree trimming operations.	Fatality
5/3/2013	Weatherford Pumping Unit, Marmarth, ND 58643	Worker died from chest injuries after a belt drive from an oil well pumper unit fell on him.	Fatality
5/2/2013	Alta Fuels, Chama, NM 87520	Worker died when tanker truck rolled over.	Fatality
5/2/2013	Culver Metal Supply LP, Mansfield, TX 76063	Employee killed after 17,000-pound metal coils being moved by a crane fell on him.	Fatality
5/2/2013	Formosa Plastics Corporation, Point Comfort, TX 77978	At least three employees were hospitalized for burns when a flash fire occurred at a plastic resins and petrochemical plant.	Catastrophe
5/2/2013	Griesbach Farm, Appleton, WI 54913	Farm worker died after being caught in auger.	Fatality
5/2/2013	Mortenson Brothers Farms Inc., Plainfield, WI 54966	Worker died after being struck and pinned beneath the landing gear of a semi-truck backing up to loading dock.	Fatality
5/2/2013	PMIC Inc., Point Comfort, TX 77978	At least three employees were hospitalized for burns when a flash fire occurred at a plastic resins and petrochemical plant.	Catastrophe
5/1/2013	Flora-Tech Landscapes Inc., Coral Gables, FL 33134	Employee died after falling nearly 20 feet while installing plants on the inside of a newly constructed nursing facility.	Fatality
5/1/2013	Scott Schultz Roofing and Painting, Madison, WI 53704	Worker died after falling from a residential roof.	Fatality
4/30/2013	Albuquerque-Bernalillo County, Albuquerque, NM 87110	Worker struck and killed by vehicle while securing gate at facility lift station.	Fatality
4/30/2013	American Eagle Buildings Inc., Greneseo, IL 61254	Employee died after falling 25 feet from a beam that broke during roofing operations.	Fatality
4/30/2013	ATS Welding, Inc., West Haven, UT 84401	Worker died after falling 30-feet when wind gusts caused roofing material to become airborne and hit worker.	Fatality
4/30/2013	Fremont Forest Systems Inc., Silver Lake, OR 97638	Worker killed when a tree being cut down fell on him.	Fatality

FY13 Fatalities and Catastrophes To Date

4/30/2013	Home Depot, Mission, TX 78572	Employee died from head injuries after a set of heavy duty screen doors he was stocking fell on him, knocking him to floor.	Fatality
4/30/2013	Lake County, Finland, MN 55603	Worker killed when excavator slipped on icy road and fell into river.	Fatality
4/29/2013	Brookover Ranch Feed Yard, Garden City, KS 67846	Employee crushed and killed when a metal fence he was cutting fell on him, pinning him underneath.	Fatality
4/29/2013	Pastore Cabinet Makers Inc., Madison, VA 22727	Worker died when a hydraulic lift fell, crushing him underneath.	Fatality
4/29/2013	S&S Properties, Alvin, TX 77511	Employee died after being struck by a tree during tree cutting operations.	Fatality
4/29/2013	Sherman Brothers Trucking Inc., West Crossett, AR 71635	Employee found dead at bottom of crude oil tank from apparent over-exposure while performing cleaning operations.	Fatality
4/29/2013	Sundquist Fruit and Cold Storage Inc., Yakima, WA 98901	Worker died from injuries after falling off and being run over by a tractor.	Fatality
4/27/2013	Dudley Hilton, Philadelphia, PA 19147	Employee electrocuted after contacting energized electrical lines and adjacent copper piping.	Fatality
4/27/2013	Floyd Peterson, Cooksville, MD 21723	Worker died from a 17-foot fall from a roof.	Fatality
4/27/2013	Harrison Gypsum Co., Shamrock, TX 79079	Employee died after being pulled into conveyor while removing a rock that was stuck in machine.	Fatality
4/27/2013	Jesus Valladares, Kendall, FL 33183	Worker died after falling off tractor and striking head on rake of the tractor.	Fatality
4/27/2013	Potlatch Corporation, Bemidji, MN 56601	Employee died when hand railing on catwalk gave way, causing worker to fall 40 feet.	Fatality
4/26/2013	Britz Wrecking, Kansas City, MO 64109	Employee killed when debris from a wall being demolished struck his head.	Fatality
4/26/2013	DCS Sanitation Management Inc., Clackamas, OR 97015	Worker died after spray hose he used to clean meat blender got caught on rotating blade and pulled him into machine.	Fatality
4/26/2013	Downey Trees Inc., Alpharetta, GA 30005	Employee died after being struck by tree during tree removal operations.	Fatality

FY13 Fatalities and Catastrophes To Date

4/25/2013	Complete Automation Inc., Smyrna, TN 37168	Worker died when large control panel he was moving tipped over on him.	Fatality
4/25/2013	Rick's Tree Service LLC, Wilmington, DE 19803	Worker died after being struck by cable used to pull tree limbs into shredder.	Fatality
4/25/2013	Siemens Industry, Inc., Mountain View, HI 96771	Worker electrocuted after contacting live parts inside cabinet of well pump motor.	Fatality
4/25/2013	So Cal Edison, Menifree, CA 92586	Worker electrocuted while working in underground vault.	Fatality
4/25/2013	William Joseph La Grasso dba Superior Painters, Big Bear City, CA 92315	Worker killed when ladder used during painting operations fell, landing on worker.	Fatality
4/24/2013	Giovanni Lawn & Garden, Oakton, VA 22124	Worker died from head injuries after being struck by tree he was cutting down.	Fatality
4/24/2013	Machine Tools Inc., Grosse Tete, LA 70740	Employee died from injuries after a traffic accident with a 18-wheel truck.	Fatality
4/24/2013	NYCTA - Signal Maintenance Division, Astoria, NY 11103	Worker killed after falling from ladder at end of train platform and tumbling in front of a train.	Fatality
4/24/2013	Oil Recovery Co. Inc., Mobile, AL 36602	Three employees burned while cleaning a fuel barge that exploded.	Catastrophe
4/24/2013	Progressive Environmental Services Inc., St. Petersburg Beach, FL 33706	Employee crushed and killed by elevator car while cleaning water out of an elevator shaft.	Fatality
4/23/2013	Harold G. Butzer Inc., Altus, OK 73521	Employee in a bucket lift died after being pinned between bucket and I-beam.	Fatality
4/23/2013	Little by Little Trucking, Las Vegas, NV 89135	Worker killed when concrete pipe rolled off truck bed and crushed him.	Fatality
4/23/2013	Primeflight Aviation Services Inc., SeaTac, WA 98158	Worker died when an airline baggage cart with tug struck him as cart was being pulled to exit gate.	Fatality
4/23/2013	Ramsey Water Company Inc., Ramsey, IN 47166	Worker killed after vehicle was hit by oncoming train.	Fatality
4/23/2013	Stephen's Carpet Cleaning, Perryton, TX 79070	Employee was found dead from suspected carbon monoxide poisoning while steam cleaning carpet with a gas-powered steamer.	Fatality
4/22/2013	City of Louisiana, Louisiana, MO 63353	Employee died after lawnmower he was repairing fell on him.	Fatality

FY13 Fatalities and Catastrophes To Date

4/22/2013	DCT Chambers Trucking Ltd., Kettle Falls, WA 99141	Worker killed after being run over by another vehicle while disconnecting a semi from a trailer.	Fatality
4/22/2013	G&H Steel, Alexandria City, AL 35010	Employee died after being caught between boom lift and iron used during welding operations.	Fatality
4/22/2013	Patton Ranch Management LLC, Beatty, OR 97621	Worker died after ATV flipped over embankment and landed on top of him.	Fatality
4/22/2013	Platinum Mechanical Inc., Dexter, MI 48130	Worker killed in explosion while welding tank in waste water treatment plant.	Fatality
4/22/2013	Sunland Construction Inc., Beaumont, TX 77713	Employee died after being caught between a rotating excavator and piping while engaging in trench/piping operations.	Fatality
4/21/2013	CNM Construction Inc., Far Rockaway, NY 11694	Employee died after falling from a scaffold.	Fatality
4/21/2013	Maury County Building and Maintenance Department, Columbia, TN	Worker killed after being pinned under mower that rolled down steep embankment.	Fatality
4/21/2013	St. Johns Precast Inc., St. Augustine FL 32084	Employee died after being struck by a forklift.	Fatality
4/21/2013	Watson Commercial Paint, Tyler, TX 75702	Employee died after being overcome by fumes while spray painting.	Fatality
4/20/2013	American Painters Inc., Tampa, FL 33626	Employee died after falling 15 feet from ladder while pressure washing a house.	Fatality
4/20/2013	Civil Design Services Inc., Abilene, TX 79608	Employee struck and killed by vehicle while surveying roadway activity.	Fatality
4/20/2013	Woodman's Food Market Inc., Beloit, WI 53511	Worker died from head injuries after falling 9 feet from ladder at food market warehouse.	Fatality
4/19/2013	Blades of Green Inc., Inverness, FL 34450	Employee struck and killed by tree limb.	Fatality
4/19/2013	Century Packing Corporation, Las Piedras, PR 00771	Worker struck in head and killed by corrugated carton sheets.	Fatality
4/19/2013	Intex, Sioux Falls, SD 57104	Employee for indoor/outdoor recreation distributor died after his work vehicle was struck by a semi-truck.	Fatality
4/19/2013	Saint Bernadette Catholic Parish, Lakewood, CO 80214	Employee died after tripping over book bin.	Fatality
4/19/2013	Thermal Sun Glass, Santa Rosa, CA 95402	Worker died when sheets of glass fell on him.	Fatality

FY13 Fatalities and Catastrophes To Date

4/19/2013	United Ethanol LLC, Milton, WI 53563	Employee died after being engulfed in grain bin.	Fatality
4/18/2013	Bennett Construction Inc, Manchester, OK 73758	Employee died after being struck by side boom track equipment during construction of natural gas pipeline.	Fatality
4/18/2013	BTT Marine Construction Co. LLC, Lynn, MA 01901	Worker died from possible drowning after falling in water while working on pier.	Fatality
4/18/2013	Jerich International dba Jerich USA Inc., Carson, CA 90745	Worker struck and killed by fallen bale of shredded paper in warehouse.	Fatality
4/18/2013	Landscape Maintenance Services, Jackson, NJ 08527	Worker died from head injuries when landscaping equipment struck him, causing him to fall.	Fatality
4/18/2013	Metal USA, Jeffersonville, IN 47130	Worker killed when a fiber glass cover, lifted off the ground by wind gusts, struck him.	Fatality
4/18/2013	Ohio River Metal Services, Jeffersonville, IN 47130	Employee struck and killed by a 2,200-pound barge lid that became airborne.	Fatality
4/18/2013	Smart Landcare Inc., Charlotte, NC 28210	Landscape worker killed after being hit in head by piece of metal anchor.	Fatality
4/18/2013	Thorne's Excavating Company LLC and N & S Waterproofing LLC, Hendersonville, TN 37075	Two workers killed, a third hospitalized after being struck by a 24-foot tall masonry wall that collapsed during 40 mph wind gusts.	Fatality
4/17/2013	APAC Texas Inc., Rockwall, TX 75087	Worker killed after being struck by vehicle while flagging traffic during roadside construction.	Fatality
4/17/2013	Five Star Lawn and Landscape, Goodlettsville, TN 37072	Worker died after lawn tractor tipped over, pinning worker between ground and equipment.	Fatality
4/17/2013	Signature Industrial Services, Beaumont, TX 77704	At least three employees were hospitalized for burns after flash fire occurred while they worked on a heat exchanger.	Catastrophe
4/17/2013	Signature Industrial Services, Beaumont, TX 77704	Worker died from injuries after a refinery fire.	Fatality
4/16/2013	Akehurst Landscaping Services, Towson, MD 21204	Worker struck and killed by motor vehicle while performing landscaping activities.	Fatality
4/16/2013	Anderson Arbor Pros, LLC, Pendelton, SC 29670	Worker died from 70-foot fall when falling tree hit crane bucket.	Fatality
4/16/2013	CRH PLC, West Memphis, AR 72301	Two employees died after being struck by a vehicle that entered a construction work zone.	Fatality

FY13 Fatalities and Catastrophes To Date

4/16/2013	Estenson Logistics, Santa Fe Springs, CA 90670	Worker died after falling from trailer being loaded with lumber.	Fatality
4/16/2013	Jim Pastor, Holiday, FL 34690	Employee died from heat stroke while installing an electrical box in attic.	Fatality
4/16/2013	Keystone Diner, Oxford, PA 17350	Employee killed after a wall-mounted kitchen grill fell on her head.	Fatality
4/16/2013	L & A Trucking Co. Inc., Moody, AL 35004	Worker died from injuries after vehicle hit work truck, causing a fiber optic line to strike and sever worker's arm.	Fatality
4/16/2013	Mickeys Towing and Garage LLC, Brownsville, KY 42210	Worker crushed and killed when a roll-back wrecker he was repairing rolled off blocks.	Fatality
4/15/2013	Brandon Lamb McIntosh DBA Brandon Lamb, Richmond, KY 40475	Worker struck and killed by falling tree.	Fatality
4/15/2013	Childers Roofing & Sheet Metal Inc., Brunswick, GA 31525	Employee died after falling through a metal roof opening.	Fatality
4/15/2013	Coquille Watershed Association, Coquille, OR 97423	Worker drowned after being trapped under pontoon raft that struck tree and flipped over.	Fatality
4/15/2013	Yellow Cab, Denver, CO 80202	Worker died after another vehicle struck his taxicab.	Fatality
4/14/2013	Topside Contracting, Sheppard AFB, TX 76311	Employee died after falling 25 feet off roof while installing insulation.	Fatality
4/13/2013	Emerald Construction Corp., Sunny Isles Beach, FL 33160	Employee died after falling approximately 36 ft from a sheer wall.	Fatality
4/13/2013	Feeney Brothers Excavation LLC, Dorchester, MA 02121	Employee died after being struck by a falling load while unloading 40' lengths of pipe from a flatbed trailer.	Fatality
4/12/2013	Affordable Waste, Houston, TX 77045	Employee died after being struck and pinned in between a container and skid steer.	Fatality
4/12/2013	Coca Cola North America, Anaheim, CA 92806	Worker died after being crushed between palletizer and another object.	Fatality
4/12/2013	Double Z Construction, Hebron, OH 43025	Worker making bridge repairs was killed after being struck by a falling beam.	Fatality
4/11/2013	Exterran Energy Solutions, Wick, WV 26149	Employee died from burn injuries after a flash fire occurred while working at a pipeline cleanout "pigging" operation.	Fatality

FY13 Fatalities and Catastrophes To Date

4/11/2013	Lanzo Lining Services Inc, Tampa, FL 33605	Employee died from possible hydrogen sulfide exposure while cleaning sewage from pipe.	Fatality
4/11/2013	Matchmakers Employment Service, Friona, TX 79035	Temporary worker died after falling 45 feet from platform while performing maintenance on grain conveyor.	Fatality
4/11/2013	Rose Hill Nursery, Berlin Twp, MI 48022	Worker crushed and killed when bucket overturned and fell on him while he performed tree maintenance.	Fatality
4/11/2013	Union Electric, Saint Ann, MO 63074	Worker electrocuted while conducting storm-restoration work on a 7,200-volt line.	Fatality
4/11/2013	Utah Department of Transportation, Salt Lake City, UT 84121	Worker was checking for possible avalanche when one occurred, sweeping away worker.	Fatality
4/11/2013	Utility Technologies International Corporation, Wick, WV 26149	Employee died from burns after a flash fire occurred while working on a pipeline cleanout operation.	Fatality
4/10/2013	American Framing Inc., Santa Rosa Beach, FL 32459	Employee died after being struck by a front end loader on a construction site.	Fatality
4/10/2013	Cathay Pacific Airways Ltd., Jamaica, NY 11430	Employee struck and killed by cargo transporter during loading operations at airport.	Fatality
4/10/2013	DC Cash and Carry, Washington, DC 20002	Employee died after falling 10 feet from a powered industrial truck while accessing a rack storage system.	Fatality
4/10/2013	Masonry Medic LLC, Cynthiana, KY 41031	Two workers electrocuted when the boom truck basket they were inside contacted a 7,200-volt power line while they performed chimney repair work.	Fatality
4/10/2013	Pacific States Industries dba Redwood Empire Sawmill, Cloverdale, CA 95425	Worker died after becoming stuck in a debarker while trying to unjam the machine.	Fatality
4/10/2013	Residential Creations LLC, Bridgeport, WV 26330	Employee died after falling 20 feet to the ground while making repairs to residential structure.	Fatality
4/10/2013	Spillzz LLC, Jacksonville, FL 32254	Worker died after a garage collapsed on him while he was removing wood planks.	Fatality
4/10/2013	Utah Truck and Trailer Repair, LLC, Salt Lake City, UT 84119	Worker died when truck he was servicing slipped into gear and ran over him.	Fatality
4/9/2013	Waste Landfill Recycling Services, Guanica, PR 00653	Worker struck and killed by garbage container that came loose during unloading process.	Fatality
4/8/2013	A Street Logging, Fenwick, WV 26202	Worker struck and killed by falling tree.	Fatality

FY13 Fatalities and Catastrophes To Date

4/8/2013	Department of Public Works, Indianapolis, IN 46204	Worker died after being pinned between tree and sanitation truck and then run over by truck.	Fatality
4/8/2013	Excel Utility Construction Inc., Mineola, TX 75773	Employee killed when a boring machine tipped over, crushing him.	Fatality
4/8/2013	R. R. Donnelley and Sons Company, Lancaster, PA 17601	Employee killed after being crushed by the rear axle of forklift.	Fatality
4/8/2013	S C SAPP Inc., Leopold, IN 47630	Employee died after falling from courier/delivery vehicle.	Fatality
4/7/2013	AK Steel Corporation, Middletown, OH 45043	Worker died from burns after an explosion at a steel mill.	Fatality
4/6/2013	Hernandez Landscaping, San Clemente, CA 92673	Worker died from head injuries after falling six feet while trimming trees.	Fatality
4/5/2013	Basic Energy Services, Barstow, TX 79719	Two workers died from injuries from a blown high-pressured oil well.	Fatality
4/5/2013	Pacific Excavation, Coto de Caza, CA 92679	Worker died when a side wall collapsed on him while performing sewer/storm drain cleanup.	Fatality
4/5/2013	R. King Window Corp., Brooklyn, NY 11222	Worker died from fall while cleaning building windows.	Fatality
4/5/2013	Upstage Center Inc, San Antonio, TX 78219	Worker died from a 100-foot fall while dismantling iron cross beams in a concert stage setup.	Fatality
4/5/2013	Wilkinson Roy Iron & Metal Inc., McAllen, TX 78501	Employee struck and killed by the front axle of a tandem axle trailer.	Fatality
4/4/2013	Balyasny Asset Management LP, Mequon, WI 53097	Worker died after falling from second floor to lower level of residential home while disassembling a scaffold.	Fatality
4/4/2013	Dring Air Conditioning and Heating, Fort Worth, TX 76107	Employee died after falling 20 feet from a ladder.	Fatality
4/4/2013	Fort Worth Grain Exchange, Frederick, OK 73542	Employee electrocuted when a probe used to take grain samples contacted an overhead power distribution line.	Fatality
4/4/2013	Vesuvius USA Corporation, Chicago Heights, IL 60411	Employee died after making contact with moving auger blades while cleaning a refractory mixer.	Fatality
4/3/2013	BAE Systems Southeast Shipyard, Mobile, AL 36652	Employee has not been found and is presumed dead after cruise ship he was painting broke loose during heavy weather causing vessel to strike pier, throwing him into water.	Fatality

FY13 Fatalities and Catastrophes To Date

4/3/2013	New England Motor Freight Inc., Batavia, OH 45103	Employee died after being crushed between truck bed edge and a load of construction materials.	Fatality
4/3/2013	Paladin Attachments, Ooltewah, TN 37363	Worker died when steel sheeting fell from a crane and crushed him.	Fatality
4/3/2013	Samuelson Funeral Services In., Mankato, MN 56001	Worker died after falling down steps while transporting materials.	Fatality
4/3/2013	Ward Trucking LLC, Grove City, PA 16127	Worker died after being caught between a semi truck and loading dock.	Fatality
4/2/2013	3rd and Ash LLC, Dallas, TX 75226	Employee died after falling 25 feet through roof skylight.	Fatality
4/2/2013	Carol Tires, Henderson, TX 75652	Employee killed after being struck by vehicle when he stepped out of his truck on the side of the highway.	Fatality
4/2/2013	Left Coast Cellars LLC, Rickreall, OR 97371	Worker died from head injuries after falling from a tractor.	Fatality
4/2/2013	Worknet Staffing, Leesville, LA 71446	Employee died while riding as a passenger in a delivery vehicle that collided with an 18-wheel truck.	Fatality
4/1/2013	Emerald Construction Corp., Sunny Isles Beach, FL 33160	Employee died after falling 30 feet to the ground while securing 2x4s to a wall.	Fatality
4/1/2013	Hedge & Herberg Inc., Ortonville, MN 56278	Worker died from burns after the semi-trailer he was working on caught fire.	Fatality
4/1/2013	Jerry's Rentals & Specialties Co. Inc., Lopez Well #11 Encino TX 78353	Worker died from pressure of a blow out that occurred during an oil field stump test.	Fatality
3/31/2013	Precision Surveillance Corporation, Russellville, AR 72802	Employee killed after being struck by a collapsing crane.	Fatality
3/30/2013	M&C Motorcycles, Long Beach, CA 90802	Worker died after being struck by vehicle while testing repaired motorcycle.	Fatality
3/28/2013	IL State Police - District #15, Northbrook, IL 60062	Worker died after being struck by semi-truck while assisting a motorist.	Fatality
3/28/2013	Kimble Mixer Company, Philadelphia, OH 44663	Employee died after a presumed fall.	Fatality
3/28/2013	NJ Division of Parks and Forestry, Clinton, NJ 08809	Worker died after being struck by vehicle while performing controlled forestry burns in the park.	Fatality
3/28/2013	Spectrum Contracting Inc., St. Petersburg, FL 33710	Employee died after falling 30 feet off a scissors lift on which he was working.	Fatality

FY13 Fatalities and Catastrophes To Date

3/27/2013	Arbor Care Inc., Houston, TX 77008	Employee died after falling nearly 50 feet from a bucket while performing tree trimming operations.	Fatality
3/27/2013	Barralaga's Roofing & Siding, Ocean City, NJ 08226	Employee died after falling from a residential roof to the ground below.	Fatality
3/27/2013	Becco Contractors Inc., Tulsa, OK 74145	Employee died after being struck by vehicle.	Fatality
3/27/2013	Comfort-Air Engineering Inc., San Antonio, TX 782181	Employee died after falling through a skylight while installing HVAC piping.	Fatality
3/27/2013	Craft Machine Works, Inc., Hampton, VA 23661	Worker died when caught between a vertical door counterweight and support structure.	Fatality
3/26/2013	Ardagh Glass Inc., Henryetta, OK 74437	Employee died from injuries after being crushed by a forklift.	Fatality
3/26/2013	BBG Services, Corpus Christi, TX 78414	Employee died when trench collapsed and crushed him.	Fatality
3/26/2013	Duplo USA Corporation, Henderson, NV 89002	Worker died after vehicle collided with another on interstate highway.	Fatality
3/25/2013	Juan Betancourt-Duran, Katy, TX 77494	Employee died after being struck by falling wall.	Fatality
3/24/2013	Newark Brothers Inc., Newark, NJ 07103	Employee shot and killed during altercation between restaurant patrons.	Fatality
3/23/2013	Magnussen Brothers Inc., Fostoria, IA 51340	Worker crushed and killed after bales of corn stalk fell on him.	Fatality
3/22/2013	Construction Engineering Consultants (CEC, Inc.), Newport News, VA 23606	Worker died from a fall while installing gutters and replacing window trim.	Fatality
3/22/2013	S. McClain Stone Company, Vestal, NY 13850	Employee struck and killed by forklift.	Fatality
3/21/2013	Indianapolis Funeral Escort Services, Indianapolis, IN 46227	Worker leading a funeral procession on motorcycle died from injuries when the motorcycle hit the center median and slid	Fatality
3/21/2013	Mollertech LLC, Shelby Twp, MI 48315	Employee died after being struck by a mold that hooks to crane.	Fatality
3/20/2013	Burnham Industrial Contractors Inc., Haywood, WV 26366	Worker died after falling from collapsed roof onto a filter device.	Fatality
3/20/2013	Woodworks Construction, Franklin, MI 48025	Worker died from 35-foot fall after wind gusts pushed him and a window he was installing off forklift platform.	Fatality

FY13 Fatalities and Catastrophes To Date

3/19/2013	Freeman LP Corp, Long Beach, CA 93584	Worker died from injuries after falling 11 feet from scaffold.	Fatality
3/18/2013	Astro Aluminum Treating Company, South Gate, CA 90280	Worker crushed and killed after a stack of cylinder racks fell on him.	Fatality
3/18/2013	Boeing, North Charleston, SC 29418	Worker died after falling 30 feet from a mobile scaffold.	Fatality
3/18/2013	JRJ Trucking LLC, Thomasville, NC 27360	Worker crushed and killed after the tractor trailer he was repairing fell on him.	Fatality
3/18/2013	Parker Integrated Sealing Systems, Ligonier, IN 46767	Worker electrocuted while repairing light fixture.	Fatality
3/18/2013	Patriot Drilling LLC, Orla, TX 79770	Employee struck and killed by pipe at drilling rig site.	Fatality
3/18/2013	The Clubs at Colonial Ridge, Harrisburg, PA 17112	Employee struck and killed by tree he was cutting down.	Fatality
3/17/2013	Frontier Drilling LLC, Wellington, UT 84542	Worker died after being struck by a chain and hook from an extended forklift.	Fatality
3/17/2013	Reedy Creek Energy Services Inc., Lake Buena Vista, FL 32830	Employee died after falling from scaffold.	Fatality
3/17/2013	White Pigeon Paper Co., White Pigeon, MI 49099	Worker died after falling into a pulper while welding equipment.	Fatality
3/16/2013	Thornton's Gas Station, Streamwood, IL 60107	Employee killed after robbery at gas station.	Fatality
3/15/2013	Thompson Metal Fab Inc., Vancouver, WA 98668	Worker crushed and killed when steel wing wall collapsed.	Fatality
3/14/2013	Los Angeles Engineering Inc., Los Angeles, CA 90272	Worker killed when trench collapsed.	Fatality
3/14/2013	Schneider Milling Inc., Waverly, IA 50677	Two workers died from possible carbon monoxide exposure after entering a grain bin to unclog an auger.	Fatality
3/13/2013	NLMK Indiana Portage, IN 46368	Workers were diagnosing Joslyn switch that was supposedly locked-out. Circuit completed and voltage went through meter resulting in an arc flash. Three workers were hospitalized with burns.	Catastrophe
3/13/2013	Prime Wheel Corp., Harbor City, CA 90248	Worker killed after being caught between hoist and plating tank.	Fatality

FY13 Fatalities and Catastrophes To Date

3/13/2013	River Parish Maintenance Inc., Norco, LA 70079	Worker died after being crushed by cylinders that rolled off fork-truck.	Fatality
3/13/2013	TIC dba The Industrial Company, Bakersfield, CA 93308	Worker died from injuries when forklift overturned and rolled down hill.	Fatality
3/12/2013	Upper Valley Disposable Services Inc., St. Helena, CA 94574	Worker was struck by company truck and dragged approximately 200-300 feet. Worker was pronounced dead at scene.	Fatality
3/11/2013	Harris Camden Realty Inc., Camden, NJ 08104	Employee died after falling through roof opening onto steel landing.	Fatality
3/11/2013	Rieke Grading, Shawnee Mission, KS 66227	Worker died when the pump truck he was welding exploded.	Fatality
3/8/2013	J Flores Roofing Inc., Oak Ridge, NC 27310	Worker died from fatal fall while repairing roof at residential house.	Fatality
3/8/2013	Mcm Carpentry LLC, Woodbridge, Virginia 22193	Worker struck and killed by steel I-beams while working in unfinished basement.	Fatality
3/7/2013	Apple Valley Waste Services, Gerrardstown, WV 25420	Worker struck and killed by vehicle while collecting trash.	Fatality
3/7/2013	Apple Valley Waste Services, Gerrardstown, WV 25420	Worker struck and killed by vehicle while collecting trash.	Fatality
3/7/2013	Martinrea Hopkinsville LLC, Hopkinsville, KY 42240	Worker killed after being pinned under machine at automotive plant.	Fatality
3/6/2013	C&J Energy Services Inc., Moulton, TX 77975	Worker died when fork-truck fell on him after going over ramp.	Fatality
3/6/2013	Davis Tool & Die, Fenton, MO 63026	Worker electrocuted while working on industrial furnace.	Fatality
3/6/2013	Hudson Community FPD - Main Station Hudson, IL 61748	Five workers hospitalized after being struck by a trailer carrying automobiles.	Catastrophe
3/6/2013	Hudson Community FPD - Main Station, Hudson, IL 61748	Worker killed after being struck by a trailer carrying automobiles.	Fatality
3/6/2013	Purina Animal Nutrition, Evansville, IN 47711	Worker suffocated after becoming trapped in man lift.	Fatality
3/6/2013	Schlitterbahn Beach Resort Management LLC, South Padre Island, TX 78597	Worker killed after being caught between the gate of a wave pool he was repairing.	Fatality

FY13 Fatalities and Catastrophes To Date

3/4/2013	Gin-Spen Inc., Andrews, TX 79714	Worker died from head injuries after falling from back of pickup truck.	Fatality
3/2/2013	Bradsher Boys, Inc., Raleigh, NC 27615	Worker killed after becoming entangled in a mulch auger.	Fatality
3/1/2013	CR&R, Inc., Stanton, CA 90680	Worker struck and killed by a projectile while welding.	Fatality
3/1/2013	GB Auctions, Inc., Spokane, WA 99219	Worker died of CO poisoning emitted after gas-powered generator used inside trailer failed.	Fatality
2/28/2013	Charles Blalock and Sons Inc., White Pine, TN 37890	Worker struck and killed by tractor trailer at construction site.	Fatality
2/28/2013	Southwest Transportation LLC, Loving, NM 88256	Worker struck and killed by a hatch lid that blew off tank while he loaded well-water into disposal well.	Fatality
2/27/2013	Asplundh Tree Expert Co., Charlotte, NC 28217	Worker struck and killed by falling tree.	Fatality
2/26/2013	Gardner Brothers Drilling Inc., Beaver, UT 84725	Worker struck and killed by pipe that came loose during drilling.	Fatality
2/26/2013	Gilles & Audrey Fleury Trust, Anaheim, CA 92802	Worker died after falling 14 feet to concrete on construction site.	Fatality
2/26/2013	Penhall Co, Brigham City, UT 84302	Worker crushed and killed when a section of building's roof collapsed during demolition operations.	Fatality
2/25/2013	CSC Sugar LLC, Fairless Hills, PA 19030	Employee killed after falling into a sugar hopper.	Fatality
2/25/2013	J.G. Boswell Company, Bakersfield, CA 93311	Worker drowned after accident caused vehicle to land in canal.	Fatality
2/25/2013	Pete Gould & Sons Inc., Ellenboro, WV 26346	Employee struck and killed by falling tree.	Fatality
2/25/2013	Sidewinder Drilling, Carrollton, OH 44615	Worker killed when struck by drilling equipment.	Fatality
2/24/2013	Turner Specialty Services LLC, Darrow, LA 70725	Employee crushed and killed by conveyor belt rollers undergoing maintenance.	Fatality
2/23/2013	RSI Home Products Manufacturing, Inc., Lincolnton, NC 28092	Worker killed after being caught in saw machine at cabinetry facility.	Fatality

FY13 Fatalities and Catastrophes To Date

2/22/2013	Hagel Metal Fabrication Inc., East Peoria, IL	Worker operating laser machine struck and killed by metal debris.	Fatality
2/22/2013	Saddai Inc., Perth Amboy, NJ 08861	Employee was struck and killed by vehicle while making a delivery.	Fatality
2/21/2013	Best Logging, Rock Castle, WV 25245	Employee killed by a falling tree during tree felling operations.	Fatality
2/21/2013	Desert Cab, Inc., Las Vegas, NV 89109	Taxi driver was killed after being struck from behind by another vehicle, causing the car to catch fire.	Fatality
2/21/2013	Donald L. Shirey Lumber Company Inc, Rimersburg, PA 16248	Worker struck and killed by falling tree.	Fatality
2/21/2013	Guichard Operation Company LLC, Rayne, LA 70578	Employee died after falling from a building.	Fatality
2/20/2013	Cactus Wellhead, Bossier City, LA 71111	Employee killed by falling equipment during unloading operations.	Fatality
2/20/2013	Slone Builders, Inc., White Lake, MI 48386	Worker was killed when nail from a nail gun struck him in the eye.	Fatality
2/20/2013	Tex-Lee Operating Company, Giddings, TX 78942	Oil rig worker killed when a counter-weight fell 65 feet on him during a rig shutdown.	Fatality
2/19/2013	Day Zimmer NPS, Perry, OH 44081	Employee died from head injuries after falling off scaffolding.	Fatality
2/19/2013	JJ's Restaurant, Kansas City, MO 64112	Employee killed in a natural gas explosion.	Fatality
2/18/2013	Cat Spec Ltd., Ardmore, OK 73402	Employee died while working in a confined space at a crude oil refinery.	Fatality
2/18/2013	Summit Roofing, LLC, Howell, MI 48855	Worker died after falling 25 feet from roof while installing insulation.	Fatality
2/17/2013	Hydro-Marine Construction Inc., South Amboy, NJ 08879	Employee crushed and killed by excavator bucket.	Fatality
2/16/2013	G&H Steel, New Orleans, LA 70119	Employee died after falling 18 feet from a roof support beam.	Fatality
2/15/2013	Central Environmental Services, Flemington, WV 26181	Employee died after an explosion occurred while he was checking levels on a 400 barrel brine water holding tank.	Fatality
2/15/2013	Coba Landscaping & Construction, Belleville, NJ 07109	Employee struck and killed by falling tree limb while trimming trees.	Fatality

FY13 Fatalities and Catastrophes To Date

2/15/2013	ERG Aerospace Corporation, Oakland, CA 94608	Worker was struck in head and killed by piece of metal while operating lathe.	Fatality
2/14/2013	Wade C. Bowler, Aylett, VA 23009	Worker struck and killed by an excavator arm while trimming trees.	Fatality
2/13/2013	Life Time Brands, Garden City, NY 11530	Employee died after falling in a parking lot.	Fatality
2/13/2013	Professional Service Industries Inc., Belle Glade, FL 33430	Employee died after being thrown from and run over by bulldozer.	Fatality
2/13/2013	SCC Cabinets Inc., Wellington, FL 33414	Worker died after falling 30 feet while unloading tools from forklift.	Fatality
2/11/2013	Burns Paving Company Inc., Oklahoma City, OK 73105	Employee died after being struck by a vehicle moving in reverse on the worksite.	Fatality
2/11/2013	HSA Consulting Group Inc., Pensacola, FL 32503	Employee struck and killed by vehicle while conducting a traffic study.	Fatality
2/9/2013	Air Liquide USA, La Porte, TX 77572	Employee died in a facility explosion.	Fatality
2/9/2013	Ironrock Resources Inc. Pampa, TX 79065	Employee died when he fell while cutting away a conveyor that was attached to a building.	Fatality
2/8/2013	YJF Company dba New Star Design, Honolulu, HI 96813	Worker died from injuries sustained after falling off a two-stage scaffold.	Fatality
2/7/2013	Riverside Police Department, Riverside, CA 92522	A patrol officer was killed in the line of duty after being ambushed by gunfire.	Fatality
2/6/2013	Bodine Services of Decature Inc., Decature, IL 62526	Employee died after being crushed between dislodged material he was cleaning and an I-beam.	Fatality
2/6/2013	General Iron Industries Inc., Chicago, IL 60616	Welder died from injuries sustained when a steel wall fell on him.	Fatality
2/6/2013	Mac Corporation, Indianapolis, IN 46219	Worker was crushed to death when the trash compactor he was repairing was energized.	Fatality
2/6/2013	Mass Transportation Authority, Mt Morris, MI 48458	Worker died after being struck by the rear tires of a rolling bus.	Fatality
2/6/2013	Quality Drywall, Inc., Lewisville, NC 27023	Worker installing sheetrock was killed after falling from ladder.	Fatality
2/5/2013	BWP Hardwoods, Brookville, PA 15825	Employee died after being pinned between his machinery.	Fatality

FY13 Fatalities and Catastrophes To Date

2/5/2013	Sweyolakan Farms, Ithaca, NY 14850	Dairy farm worker crushed and killed by auger.	Fatality
2/5/2013	Thiems Construction Company Inc., Maryville, IL 62062	Employee was electrocuted when a downed electrical powerline came into contact with the concrete truck he was operating.	Fatality
2/4/2013	Midwest Construction Co Inc., Burlington, KS 66839	Employee died when the crane he was operating tipped over and crushed him.	Fatality
2/1/2013	Buffalo Sweeping Compound Inc., Buffalo, NY 14210	Employee died after being crushed by the payload arm of a powered industrial truck.	Fatality
2/1/2013	LT Disposal Inc., Leicester, NY 14481	Employee died after being caught between two trucks.	Fatality
2/1/2013	NYCPD - Bkyn North Narcotics, Brooklyn, NY 11207	Worker died from heart attack, determined to be work-related, during a narcotics operation.	Fatality
1/31/2013	Heller Casing Service Inc., Watford City, ND 58854	Employee died after being crushed by the equipment he was operating.	Fatality
1/31/2013	Southern Minnesota Beets Cooperative Renville, MN 56284	Worker was fatally struck by a pay loader while walking from one building to another.	Fatality
1/29/2013	Container Solutions Inc., Mantachie, MS 38855	Employee died after being crushed between a semi-trailer and a loading dock.	Fatality
1/29/2013	Farmers Cooperative Company, Talmage, NE 68448	Employee died after being struck by a grain truck.	Fatality
1/28/2013	TK Holdings Inc., San Antonio, TX 78251	Employee died after being crushed inside a die press.	Fatality
1/27/2013	Square K Lumber LLC., Smoot, WV 24977	Employee died after being crushed between the frame and the bed of a dump truck.	Fatality
1/26/2013	SCR Construction Inc., Richmond, TX 77469	Employee died when an empty chemical drum he was cutting exploded and struck his head.	Fatality
1/25/2013	Oscar Adelar, Mission Viejo, CA 92691	Worker died after being hit by several cars while handing out flyers.	Fatality
1/25/2013	Quality Services LLC, Memphis, TN 38106	Worker died after being struck by a tractor trailer truck while changing a tire.	Fatality
1/25/2013	Shores Construction Inc., Horseshoe Beach, FL 32648	Employee died after falling 135 feet from a water tower.	Fatality
1/24/2013	Abacus Building Innovations Inc., Astoria, NY 11103	Employee died after falling 15 feet onto a metal floor joist and concrete foundation.	Fatality

FY13 Fatalities and Catastrophes To Date

1/24/2013	Grosse Ile Township, Grosse Ile, MI 48138	Worker died after becoming trapped in a trench during excavation operations.	Fatality
1/24/2013	H.B. Gills Inc., Cutler, CA 93615	Worker died after being crushed between a tractor tire and the ground after falling from the vehicle.	Fatality
1/24/2013	Miracle Method of Portland LLC, Portland, OR 97220	Worker succumbed to injuries sustained from a chemical exposure while resurfacing a bathtub in a small bathroom with little air ventilation.	Fatality
1/24/2013	Moss Transportation Services, Belle Glade, FL 33430	Employee died after being crushed between a semi-truck and a loading dock.	Fatality
1/23/2013	C.J. Mabardy Inc., Cambridge, MA 02138	Employee died from injuries sustained from being crushed by the bulldozer he was working on.	Fatality
1/23/2013	John Miller Construction, Coldwater, MI 49036	Worker died after falling off a roof.	Fatality
1/22/2013	Eaton Corporation, Pittsburgh, PA 15213	Employee electrocuted while performing upgrades to a campus electrical distribution switchgear.	Fatality
1/22/2013	Resolute FP US Inc., Catawba, SC 29704	One worker died and two others were hospitalized after cleaning a seven-story high tank. After seeing a brown liquid and vapor flowing into tank two of the workers were able to climb out but the third was trapped 14 feet down in the tank and died from chemical exposure.	Fatality
1/22/2013	Stanco Metal Products Inc., Williamston, SC 29697	Worker died after being caught in a stamping machine.	Fatality
1/21/2013	Bliss Environmental Services Inc., Utica, NY 13502	Employee died after being struck by a garbage truck.	Fatality
1/21/2013	Gao's Construction Corp., Port Jefferson, NY 11777	Employee died from injuries sustained after falling from a ladder and being struck by falling metal awning.	Fatality
1/21/2013	LPC & D Inc., Rio Grande, PR 00745	One worker was killed and two were hospitalized when a crane overturned and the basket fell 40 feet during maintenance operations on a highway bridge.	Fatality
1/21/2013	Owego Vill Fire Department, Newark Valley, NY 13811	Worker died after falling through floor and into basement during fire fighting operations.	Fatality
1/20/2013	Rea Magnet Wire, Fort Wayne, IN 46803	Worker succumbed to injuries sustained after falling from a seven-foot platform.	Fatality

FY13 Fatalities and Catastrophes To Date

1/19/2013	Haliburton Inc., Watford City, ND 58854	Worker was killed after being struck by a steel valve under 4100 psi of pressure during fracking operations.	Fatality
1/18/2013	Quality Plus Gas Station, Sylva, NC 28779	Gas station worker died from brain damage sustained after being overcome by gas fumes.	Fatality
1/18/2013	Reynolda House Inc., Winston-Salem, NC 27106	Worker for an art museum died from sepsis after an object penetrated his foot.	Fatality
1/17/2013	County of Orangeburg Sawyerdale Collection, Orangeburg, SC 29112	Worker fell to his death after being hit by a compactor door.	Fatality
1/17/2013	Hatchett Roustabout Inc., Lamesa, TX 79331	Worker died from exposure to hydrogen sulfide after stepping into 5-foot-deep hole containing oil slush.	Fatality
1/17/2013	Newt Davis LLC, Sardis, MS 38666	Employee died from injuries sustained from severe burns after coming in contact with a wood burning heater.	Fatality
1/17/2013	Turner Bean & Grain Inc., Turner, MI 48765	Worker died while removing railroad timber when the tractor he was using rolled on top of him.	Fatality
1/16/2013	Gustafson Chipping Company Inc., Orlando, FL 32808	Employee died after tripping and falling onto a marble mold.	Fatality
1/16/2013	Reliance Steel & Aluminum Co., Atlanta, GA 30318	Employee died after falling from the back of a tractor trailer being unloaded.	Fatality
1/16/2013	Witt Plumbing Inc., Hastings, NE 68901	Worker died after being engulfed in a collapsing trench.	Fatality
1/15/2013	Flowers Baking Company, Bardstown, KY 40004	Worker died from injuries sustained after being pinned between a trove and an elevator bar.	Fatality
1/14/2013	Kaba Ilco Corporation, Forsyth, NC 27009	Worker crushed and killed when a cart carrying 2,000 pounds of zinc tipped over on top of him.	Fatality
1/14/2013	Omni Energy and Seismic Services LLC, Fairview, WV 26570	Worker died after being ejected from a track buggy that fell down a hill.	Fatality
1/12/2013	Jim Corridon Electric Inc., Vienna, Virginia 22182	Worker succumbed to injuries after falling off of a 12-foot step ladder while installing an un-energized electrical cable.	Fatality
1/11/2013	C & L Lockers, Connell, WA 99326	Worker operating an off-road vehicle died after being struck from behind by another vehicle.	Fatality

FY13 Fatalities and Catastrophes To Date

1/11/2013	C&L Lockers, Connell, WA 99326	Worker died while riding in an off-road vehicle when the vehicle was struck from behind by another car on the highway.	Fatality
1/11/2013	Compos Roofing, Oklahoma, OK 73134	Employee died after falling 19 feet while working on an apartment rooftop.	Fatality
1/11/2013	Luis Colorado, Newark, NJ 07105	Employee died after being crushed between a truck chassis and a container wall inside a parking garage.	Fatality
1/11/2013	Xceed Resources, El Paso, TX 79905	Employee was struck and killed by a hit-and-run driver while working along an interstate access road.	Fatality
1/10/2013	Ace Hardware, Vallejo, CA 94589	Worker died when a big rig struck another vehicle and fell off a ramp.	Fatality
1/10/2013	H. William Paving LLC, Fairfield, NJ 07004	Employee died after being caught between a truck's dump body and frame.	Fatality
1/10/2013	Mesa Wells Service LP, Jal, NM 88252	Worker died when brakes on the blocks failed and the tubing he was pulling from a well struck and knocked him from a platform.	Fatality
1/9/2013	Pessoa Construction Company, Perryville, MD	Two construction workers struck and killed by motor vehicles while setting up a road closure.	Fatality
1/9/2013	RJ Taylor-Wyatt LLC, Bridgeland, UT 84012	Worker struck and killed by 40-foot pipe as it was being placed in a bending machine.	Fatality
1/8/2013	Johnston Trucking, Memphis, TN 38113	Worker succumbed to injuries sustained after being struck by a front-end loader while waiting for truck to be loaded.	Fatality
1/8/2013	Keeco LLC, Hayward, CA 94544	Worker's head was crushed between a loading dock and a trailer while backing into a dock.	Fatality
1/7/2013	Lopez Landscaping, Greenwich, CT 06830	Worker killed when struck by a fallen tree trunk.	Fatality
1/7/2013	Regal Entertainment Group, Burlington, NJ 08016	Employee died from injuries sustained after falling from a 6 foot ladder.	Fatality
1/7/2013	Smith Pipe & Supply LP, Abilene, TX 79606	Employee died after being crushed between a 500-pound barrel-tank and a tractor trailer during loading.	Fatality
1/5/2013	Ben's Gardening Services, Torrance, CA 90501	Worker electrocuted while trimming pine tree branches at 25 feet when his pruning shears contacted an overhead electrical cable.	Fatality

FY13 Fatalities and Catastrophes To Date

1/5/2013	Terex Services North America, Blytheville, AR 72315	Employee died after falling 30 feet from an overhead crane while performing maintenance work.	Fatality
1/4/2013	American Cable & Rigging Supply Inc., Asheville, NC 28801	Worker died after falling eight feet when the core drilling machine he was using hit rebar.	Fatality
1/4/2013	Latshaw Drilling & Exploration LLC, Reydon OK 73660	Worker died after falling 30 feet while removing equipment during drilling operations.	Fatality
1/4/2013	Tom Lane Contractors, Hebron, KY 41048	Worker died after falling 20 feet while working on the steps of a second floor landing.	Fatality
1/4/2013	WS Consulting & Construction Inc., Mount Vernon, WA 98273	Worker died after falling 80 feet from a cellular tower.	Fatality
1/3/2013	Landrum Construction, Cincinnati, OH 45011	Employee died after falling 10 feet through the floor while performing residential framing operations.	Fatality
1/2/2013	Universal Cable Systems Inc., White Castle, LA 70788	Cable service worker died after falling from a ladder.	Fatality
12/31/2012	Strickland Tree Service, Phenix City, AL 36870	Employee was fatally crushed while performing maintenance on a dump truck.	Fatality
12/31/2012	W & O Construction Company Inc., Knoxville, TN 37919	Worker electrocuted after trailer's load line contacted overhead powerline.	Fatality
12/30/2012	Aspen Skiing Company, Snowmass Village, CO 81611	Employee patrolling ski slopes killed during an avalanche.	Fatality
12/30/2012	Wal-Mart Associates Inc., Hermiston, OR 97838	Worker died after vehicle crashed during icy road conditions.	Fatality
12/28/2012	Environmental Enterprises Inc., Cincinnati, OH 45232	Employee died when chemicals from an industrial filter he was shredding ignited and exploded.	Fatality
12/28/2012	James Construction Group, Geismar, LA 70734	Construction worker died after falling 12 feet from a ladder.	Fatality
12/28/2012	RL Construction & Restoration Inc., Elmont, NY 11003	Employee died from injuries sustained after falling from a residential roof.	Fatality
12/27/2012	Grayhawk LLC, Phelps, KY 41553	Worker fell 18 feet from scaffold hitting post with left leg. Worker was hospitalized but succumbed to injuries and died.	Fatality
12/27/2012	Pope Douglas Solid Waste, Alexandria, MN 56308	Worker was crushed by a compactor after pressure developed during repairs.	Fatality

FY13 Fatalities and Catastrophes To Date

12/27/2012	Western & Fourth Car Wash, Los Angeles, CA 90020	Worker died from injuries sustained after being struck by a vehicle operated by another worker while exiting the car wash tunnel.	Fatality
12/26/2012	Justino Rodriguez, Houston, TX 77031	Employee died after falling 20 feet from a scaffold while framing a hotel window.	Fatality
12/24/2012	Alpine Meadows, Tahoe City, CA 96145	Worker died following injuries sustained from being caught in an avalanche.	Fatality
12/24/2012	Ken Plante's Tree Removal, Haverhill, MA 01830	Worker died after a large tree limb fell and crushed him.	Fatality
12/24/2012	W Webster Fire Department, Webster, NY 14580	Two workers were killed and two others were critically injured after being shot while responding to a reported car and house fire.	Fatality
12/23/2012	Jerry Dean Oxendine, Edith H. Oxendine, Jerry Dean Oxendine II dba 710 Dragstrip, Rowland, NC 28383	Worker died from burns suffered during a grease fire and explosion at fast-food restaurant.	Fatality
12/22/2012	Bimco Construction Services, Atlanta, GA 30312	Worker died after falling 16 feet from a ladder while painting an apartment building.	Fatality
12/20/2012	Hudson Plumbing and Heating Inc., Yonkers, NY 10704	Employee died from head injuries after a concrete block fell from a ceiling being repaired.	Fatality
12/20/2012	Roorda Dairy LLC, Paullina, IA 51046	Worker died from 15-foot fall when wind gusts knocked him off a silage pile.	fatality
12/19/2012	Halliburton Energy Services Inc., Rock Springs, WY 82901	Worker was run over by a tractor trailer while attempting to unfreeze the brakes.	Fatality
12/19/2012	WDH Roofing Company, Philadelphia, PA 19104	Employee electrocuted when his aluminum ladder contacted a power line.	Fatality
12/19/2012	Witmer's Inc., North Lima, OH 44452	Employee died after falling 20 feet from a roof.	Fatality
12/18/2012	Hattaway Brothers Inc., Columbus AFB, MS 39701	Worker electrocuted while working on overhead power lines.	Fatality
12/18/2012	Mountain Vending Inc., Oak Hill, WV 25901	Employee died after being crushed by fork truck.	Fatality
12/16/2012	Precision Pipeline, Bethany, WV 26032	Worker killed when a section of pipeline crashed through the windshield of the excavator he was operating.	Fatality

FY13 Fatalities and Catastrophes To Date

12/15/2012	Groves Building and Design LLC, Palm Beach, FL 33480	Employee was struck and impaled by wood ejected from a table saw.	Fatality
12/15/2012	Kennedy Valve, A Division of McWane, Elmira, NY 14901	Employee crushed by machinery while making repairs to a hydraulic tabletop.	Fatality
12/15/2012	Sodecia Sterling Heights, MI 48314	Worker was crushed to death when the robot work cell he was working inside was struck from behind by a transfer robot.	Fatality
12/14/2012	American Forestry and Firewood LLC, Gloverville, NY 12078	Worker was killed after being struck by a tree during felling operations.	Fatality
12/14/2012	Canada Dry Bottling Co. of NY, NY, NY 10023	Driver fatally struck by passing motor vehicle while delivering beverages from a truck to a supermarket.	Fatality
12/14/2012	Premium Mulch & Materials, Coram, NY 11727	Employee died after being struck by a payloader.	Fatality
12/13/2012	Boeing Services Inc., Seattle, WA 98108	Worker was priming a plane for painting and fell approximately 15 feet from the nose of the plane to the cement floor.	Fatality
12/13/2012	K&S Logging LLC, Gladwin, MI 48624	Worker was fatally struck by a tree limb.	Fatality
12/13/2012	Waste Management, Cannon Falls, MN 55009	Worker was struck by and run over by a garbage truck.	Fatality
12/12/2012	S & T Tree Services, Windsor, PA 17366	Worker died when a tree fell onto his legs during tree cutting operations.	Fatality
12/12/2012	The Home Depot, Commack, NY 11725	Employee died after falling from a truck.	Fatality
12/12/2012	Veteran's Health Administration, Parma, OH 44130	Volunteer employee died from injuries after tripping and falling over a motorized scooter.	Fatality
12/12/2012	YRC Freight, Kansas City, MO 64129	Employee killed when crushed between a loading dock and a freight container.	Fatality
12/11/2012	East End Environmental Services Corp., Mastic Beach, NY 11951	Employee died when a storage tank he was cutting exploded.	Fatality
12/11/2012	Genie Industries Inc., Moses lake, WA 98837	Worker was crushed to death between a lift mast tube and a paint cart when the tube fell.	Fatality
12/11/2012	Hawkeye Paving Corporation, Davenport, IA 52807	Worker was shaping a hill with dozer when the vehicle tipped over and crushed him.	Fatality

FY13 Fatalities and Catastrophes To Date

12/10/2012	Napoleon Boneparte Ballard III, Middleburb, FL 32068	Tow truck operator was fatally crushed when a vehicle was shifted from park into neutral.	Fatality
12/10/2012	Nevin Stitzer Contracting Inc., Johnstown, PA 15901	Worker died after falling 14 feet while setting up retractable laynards.	Fatality
12/9/2012	Dan D. Drilling Co., Guthrie, OK 73044	Employee was killed when an industrial drill block fell on him.	Fatality
12/9/2012	Great Divide Forestry Thermopolis, WY 82443	Worker was struck and killed by a truck hauling logs.	Fatality
12/7/2012	Globe Energy Services, Midland, TX 79712	Three employees hospitalized after tubing burst while performing oilfield rigging activities.	Fatality
12/6/2012	Badger Pressure Control, Pecos, TX 79772	Three employees hospitalized after being injured while conducting drilling operations.	Fatality
12/6/2012	Steven Jesser Farms, Fresno, CA 93727	Worker was struck by a falling tree.	Fatality
12/6/2012	TForce Energy Services Inc., Rock Springs, WY 82901	Worker died after being ejected from bucket and striking metal object while positioning equipment on trailer.	Fatality
12/5/2012	Corrosion Controls Corporation, Audubon, PA 19403	Worker died from a fall after a suspended scaffold partially collapsed.	Fatality
12/5/2012	Kroger Co., Spring, TX 77379	Grocery store worker died from injuries after tripping and falling from loose flooring.	Fatality
12/5/2012	Lassetter Propane LLC, Dawsonville, GA 30534	Employee succumbed to injuries sustained from a fatal burn.	Fatality
12/4/2012	Endeavor Energy Resources LP, Stanton, TX 79782	Employee electrocuted while installing a power line from a bucket.	Fatality
12/4/2012	Primera Iglesia Bautista de Juncos Inc., Juncos, PR 00777	Worker died from second- and third-degree burn injuries sustained when his clothes caught fire while working in a	Fatality
12/4/2012	Safway Services LLC, Wheatfield, IN 46395	Worker died after falling 20 feet to ground while climbing scaffold.	Fatality
12/4/2012	TSL Transportation Inc., Newton, IA 50208	Two workers were checking a container seal ID when they were struck by a semi-truck. Both workers were hospitalized and one died as a result of his injuries.	Fatality
12/3/2012	Al Cook Electric, MaComb, IL 61455	Employee died after falling off a ladder while installing electrical power lines.	Fatality

FY13 Fatalities and Catastrophes To Date

12/3/2012	BJ Barnes and Sons Inc., Green River, WY 82935	Worker died after falling off trailer while opening hatch.	Fatality
12/3/2012	Empresas Diaz Betterecycling Corp., Salinas, PR 00751	Worker struck and killed by loader.	Fatality
12/3/2012	Lincoln Well Services LLC, Skiatook, OK 74070	Worker was electrocuted while setting up a rig at an oil well site.	Fatality
12/3/2012	LPC Landscaping, Oak Park, MI 48237	Worker killed after being struck in jaw by 15-pound metal piece from trailer plate.	Fatality
12/3/2012	Valero Refining Company - Tennessee LLC, Memphis, TN 38109	Worker died after being struck by flying glass and liquid propane from ruptured pump.	Fatality
12/2/2012	Jack Cooper Transportation Company, Bethpage, NY 11714	Employee died after falling from the second level of a vehicle transport trailer.	Fatality
12/2/2012	Santa Fe Fire Protection District, Bartelso, IL 62218	Firefighter struck and killed by fire truck while trying to contain fire.	Fatality
11/30/2012	Berry Brothers Sawmill Inc., Cypress Inn, TN 38452	Worker died when a fan blade from a chipper struck him.	Fatality
11/30/2012	City of Chicago - Police Department - 3rd District, Chicago, IL 60637	Three police officers were hospitalized following a motor vehicle crash that occurred as they were responding to a robbery.	Catastrophe
11/30/2012	Mac Haik Used Car, Houston, TX 77024	Employee died after being shot by another employee.	Fatality
11/30/2012	Rangel's Workforce Inc., LaFollette, TN 37849	Worker died after falling 16 feet from a roof while installing plywood.	Fatality
11/30/2012	Specialized Trucking Inc., Pearl River, NY 10965	Employee died after being crushed by a heavy computer unit that tipped over while being transferred between two trucks.	Fatality
11/30/2012	TJ Lambercht, Delphi, IN 46923	Employee died after s trench caved in on him.	Fatality
11/30/2012	Unique Roofing Concepts Company, Redmond, WA 98053	Worker died after falling 35 feet from a roof.	Fatality
11/29/2012	Co-Am Enterprise LLC, Hope, AR 71857	Worker was crushed and killed by cattle while directing them through an alley way.	Fatality
11/29/2012	Michael Welch dba Welch Roofing, Cornelius, NC 28031	Worker died after slipping and falling from a roof while installing new shingles.	Fatality

FY13 Fatalities and Catastrophes To Date

11/29/2012	Phoenix Industrial Cleaning, Whelling, IL 60090	Employee died after falling from a ladder while attempting to exit a chemical storage tank.	Fatality
11/28/2012	Duval Glass & Mirror Inc., Jacksonville, FL 32211	Worker died after falling 25 feet while performing window maintenance.	Fatality
11/28/2012	GardenState Tree & Lawn LLC, Colts Neck, NJ 07722	Employee was crushed to death when a tree he was clearing fell onto him.	Fatality
11/28/2012	Highway Technologies Inc., Las Vegas, NV 89115	Worker died after a stack of metal guardrails he was loading on a truck fell on him.	Fatality
11/28/2012	Tipton County Highway Department, East Union, IN 46031	Worker died after his dump truck collided with a semi-truck in an intersection.	Fatality
11/27/2012	Diamond S Company, Saratoga Springs, UT 84043	Worker died after being caught in asphalt pulverizing machine.	Fatality
11/27/2012	Twin States Utilities Inc., Henderson, KY 42420	Worker died after being pinned between a trailer and a truck while working on the highway.	Fatality
11/26/2012	Illinois State Police - District 18, Litchfield, IL 62056	Police officer killed after being hit by a passing vehicle.	Fatality
11/24/2012	AKDOT&PF, Girdwood, AK 99587	Worker died after being struck by a vehicle while assisting another vehicle on the shoulder of a highway.	Fatality
11/24/2012	Somer Township - Highway Commission, Urbana, IL 61802	Worker died from exposure to carbon monoxide while repairing his equipment's engine.	Fatality
11/21/2012	Eastport Bible Church, Eastport, NY 11941	Worker died after falling 9 feet from a garage roof while installing asphalt shingle.	Fatality
11/21/2012	J.F.T. Enterprises Inc., Port Washington, NY 11050	Employee died after falling 16 feet from a ladder during chimney repairs.	Fatality
11/21/2012	Monster Tree Service, South Hampton, PA 18954	Employee died after being struck by a tree during tree removal operations.	Fatality
11/21/2012	Sonora Auto Sales, Fresno, CA 93721	Worker died after being crushed by a vehicle while performing maintenance.	Fatality
11/21/2012	Suncoast Environmental Services Inc., Englewood, FL 34208	Employee died from an infection sustained after he slipped and fell onto debris at work.	Fatality
11/20/2012	J.F. Wilkerson Contracting Company Inc., Raleigh, NC 27606	Worker died after becoming entrapped in a trench.	Fatality
11/20/2012	Landmark Roofing Inc., Miami, FL 32025	Worker died after falling from a residential roof while conducting roofing operations.	Fatality

FY13 Fatalities and Catastrophes To Date

11/20/2012	Porterville Unified School District Porterville, CA 93257	Sixteen workers were hospitalized following a refrigerant leak.	Catastrophe
11/19/2012	Beacon Exteriors Inc., Brownstown Twp, MI 48173	Worker was electrocuted after a metal ladder contacted power lines.	Fatality
11/19/2012	Precision Lawn Care and Landscaping Inc., Williamston, NC 27892	Worker was struck and killed by a tractor trailer while mowing grass along the highway.	Fatality
11/18/2012	Habitat for Humanity of Greater Pittsburgh, Pittsburgh, PA 15221	Employee died after falling 10 feet while cleaning on an elevated surface.	Fatality
11/17/2012	Closed Loop Systems, Riverside, NM 88210	Worker killed after being pinned between two loading bins.	Fatality
11/16/2012	Jose Ochoa-Rodriguez, Wheaton, MD 20904	Worker died after falling 50 feet from a tree.	Fatality
11/15/2012	James A Graf Trucking Inc., Winston, OR 97496	Worker killed when his truck went over an embankment.	Fatality
11/15/2012	Kett Engineering Corporation, California City, CA 93505	Worker died after a tree fell on him.	Fatality
11/15/2012	National Maintenance & Repair Inc., Hartford, IL 62048	Employee died after being struck by a tug boat propeller wheel when the support chain failed.	Fatality
11/15/2012	Super Link Plastics Inc., Oakland, CA 94603	Forklift driver killed when struck by another forklift.	Fatality
11/14/2012	Roscoe Stewart dba R. Stewart Tree Service, Durham, NC 27703	Worker died after falling 30 feet while cutting down a tree.	Fatality
11/14/2012	William A Severyns Insurance, Renton, WA 98057	Worker sitting at a desk died when struck by car that crashed through an office building wall.	Fatality
11/13/2012	Barnett Management, West Palm Beach, FL 33409	Employee died after falling into a canal and drowning.	Fatality
11/13/2012	Bisom Trucking, Des Moines, IA 50309	Worker died from injuries sustained after falling off a semi-trailer while unloading rebar.	Fatality
11/13/2012	Forever Green Tree Solutions LLC, Parma, MI 49269	Worker killed after being crushed between a truck's bed and frame while making repairs.	Fatality
11/13/2012	Thomas Market Inc., Malad City, ID 83252	Employee died from injuries after falling off a loading dock striking his head and being run over by a vehicle.	Fatality
11/12/2012	Ismael Pacheco dba Ismael Pacheco, Ayden, NC 28513	Worker was run over and killed by a truck while working in a potato field.	Fatality

FY13 Fatalities and Catastrophes To Date

11/11/2012	NC Department of Transportation, Hatteras, NC 27943	Truck driver died when he was hit by another truck.	Fatality
11/11/2012	Washington Township Fire Department, Fort Wayne, IN 46808	Worker died after being ejected from tanker truck when it hit a utility pole.	Fatality
11/10/2012	Nelson Engineering Construction Inc., Sioux City, IA 51106	Worker performing hoisting and lifting operations at a construction site died when the hoisting strap failed causing the load to fall on him.	Fatality
11/10/2012	US Postal Service, Lockport, LA 70374	Worker was crushed and killed after another vehicle crashed into his postal vehicle.	Fatality
11/9/2012	J. Goode Environmental Services, Nacogdoches, TX 75964	Employee died after falling from a tree during tree cutting operations.	Fatality
11/9/2012	Municipio de Maunabo Obras Publicas, Maunabo, PR 00707	Worker died after being struck by car while performing road maintenance.	Fatality
11/9/2012	Sovay Iron Works Inc., Oswego, NY 13209	Employee died after falling 40 feet while installing metal decking.	Fatality
11/8/2012	T&T Trucking Inc., Trona, CA 93562	Worker killed after being crushed between two tractors.	Fatality
11/7/2012	Anniston Army Depot, Anniston, AL 36201	Employee died from injuries sustained from being struck in the abdomen by the steering wheel after his forklift hit a concrete-filled pole during operations.	Fatality
11/7/2012	Georgia Pacific, Muskogee, OK 74403	Worker was electrocuted while changing a light bulb in a high bay.	Fatality
11/7/2012	Pauletich Electric and Communications, Madera, CA 93636	Worker was struck by a vehicle while performing construction work.	Fatality
11/7/2012	Wick Buildings LLC, Mazomanie, WI 53560	Employee crushed by materials used to support building structures.	Fatality
11/6/2012	APAC-Southeast Inc., Naples, FL 34117	Employee died from hydrogen sulfide exposure.	Fatality
11/6/2012	Patriot Tree Service, Saint James, NY 11780	Employee died after being struck by a tree limb while trimming a tree.	Fatality
11/6/2012	RG Landscaping & Tree Service, East Brunswick, NJ 08816	Worker was struck and killed by a tree during tree trimming operations.	Fatality
11/5/2012	Acker and Guerrero Roofing Company, Oakland, CA 94601	Worker died after falling from a roof and landing on his head.	Fatality

FY13 Fatalities and Catastrophes To Date

11/5/2012	Askew and Workers Construction, Galveston, TX 77553	Worker died after being pinned between an excavation device and an outrigger.	Fatality
11/5/2012	Lawson Excavating Inc., Flemington, NJ 08822	Employee working on a roadway died after being struck by a truck.	Fatality
11/4/2012	Badger Grain Company Inc., Darien, WI 53114	Worker died after falling from an elevated rail platform.	Fatality
11/4/2012	Lee & Eastes Tank Lines Inc., Federal Way, WA 98001	Worker driving a tank truck was killed when the truck burst into flames after being struck by another vehicle.	Fatality
11/4/2012	Yukon Enterprise, New York, NY 10002	Employee died after falling through a roof skylight.	Fatality
11/2/2012	American Concrete Industries Inc., Auburn, ME 04210	Employee was fatally crushed by a concrete barrier that fell on him.	Fatality
11/2/2012	City of Chicago - Fire Department Engine Company 123, Chicago, IL 60621	Fire fighter died after a house's roof collapsed trapping him inside.	Fatality
11/2/2012	eCullet Inc., Camden, NJ 08104	Worker at glass recycling plant died after being caught in a conveyor.	Fatality
11/2/2012	Noriega Equipment, Portola, CA 96122	Worker operating an excavator to clean out the bottom of a lake drowned after the excavator tipped over into the lake.	Fatality
11/2/2012	Sajoma Fried Chicken, New Brunswick, NJ 08901	Employee died from carbon monoxide exposure.	Fatality
11/1/2012	Roswell Commercial Roofing Inc., Salt Lake City, UT 84104	Worker died after falling 25 feet through skylight to concrete surface.	Fatality
11/1/2012	Western Oilfields Supply Company, Dickinson, ND 58601	Employee died after being crushed by work vehicle.	Fatality
10/31/2012	Bar G Feedyard, Summerfield, TX 79085	Worker repairing a tire from a front-end loader was killed when the tire's locking ring struck him.	Fatality
10/31/2012	Commercial Jet Inc., Miami, FL 33166	Three employees were hospitalized after falling from an aircraft while using a forklift to unload parts.	Catastrophe
10/31/2012	WD Olsen Tree Care, Annapolis, MD 21409	Worker helping to clear fallen trees after hurricane was killed when a tree fell on him.	Fatality
10/30/2012	Extrudex Aluminum Inc., North Jackson, OH 44451	Employee was killed after a rack of aluminum sheets fell on him.	Fatality

FY13 Fatalities and Catastrophes To Date

10/30/2012	Rainbow Valley Design & Construction Inc., Eugene, OR 97402	Employee performing drywall work died after falling off a ladder and striking his head.	Fatality
10/29/2012	Easton Volunteer Fire Company No. 1 Inc., Easton, CT 06612	Fire fighter died after being struck by a falling tree while responding to a house fire.	Fatality
10/29/2012	Empire Parking Corp., NY, NY 10013	Parking attendant drowned after being trapped in a flooded garage.	Fatality
10/27/2012	Extreme Elements LLC, Tallmadge, OH, 44278	Worker repairing construction equipment was killed after being crushed by a pneumatic lift machine.	Fatality
10/27/2012	P.K. Installs, Landover, MD 20785	Worker installing tyvec paper on single family home died after falling from 32-foot extension ladder.	Fatality
10/27/2012	Valley View Electric Inc., Buffalo Lake, MN 55314	Worker died after falling 60 feet while working on auger motor on outside of grain elevator.	Fatality
10/27/2012	Williams Brothers Construction Co. Inc., Conroe, TX 77303	Worker setting up a temporary traffic control zone died after being struck by vehicle.	Fatality
10/26/2012	Southeast Culvert Inc., Cleveland, AL 35049	Employee died from injuries sustained after being struck by falling industrial pipes that were being unloaded.	Fatality
10/26/2012	Three Corners LLC, Fort Smith, AR 72903	Employee died after being electrocuted when aluminum ladder contacted power line.	Fatality
10/25/2012	Fairway Construction LLC, Hillsboro, OR 97123	Worker installing new siding on house died when he fell approximately 15 feet from ladder.	Fatality
10/25/2012	Marriot TownPlace Suites, Lafayette, IN 47905	Worker at a hotel died after falling three stories from attic rafters to the ground.	Fatality
10/25/2012	Tower Maintenance Corp., Edison, NJ 08818	Employee died after falling from an electrical tower.	Fatality
10/24/2012	STS Terminal Ports of America Berth 37, Oakland, CA 94601	Worker repairing a crane trolley was crushed between the trolley's bumper and a guardrail.	Fatality
10/24/2012	Toys R Us, Dublin, OH 43017	Retail worker died from fall from an 8-foot ladder.	Fatality
10/23/2012	Center Fire Feed Yard, Ulysses, KS 67880	Worker died after falling 20 feet through roof skylight.	Fatality
10/23/2012	Nassau County Police Department Highway Patrol Bureau, Bellmore, NY 11710	Police officer died after being shot in the chest while pursuing a hit and run suspect.	Fatality
10/23/2012	Ports America Tampa LLC., Tampa, FL 33605	Employee died after being struck by large pipe bundle when the lifting strap broke.	Fatality

FY13 Fatalities and Catastrophes To Date

10/22/2012	American Rice Growers, Raywood, TX 77582	Worker died after falling 60 feet through a grain elevator opening.	Fatality
10/22/2012	Cell-crete Co, Running Springs, CA 92382	Worker lost control of flat-bed semi-truck and died after jumping or being ejected from out-of-control truck.	Fatality
10/22/2012	General Motors LLC, Bedford, IN 47421	Worker performing maintenance under a scissor lift died after the lift descended causing worker to be caught between base and lift.	Fatality
10/22/2012	K&R Roustabout Services Inc., Killdeer, ND 58640	Employee died from burns suffered while repairing tank batteries at an oil well site.	Fatality
10/22/2012	Mobley Contractors Inc., Star City, AR 71667	Employee killed after being crushed by a fallen crane boom.	Fatality
10/22/2012	New Mexico School for the Deaf, Santa Fe, NM 87505	Worker died after falling from an extension ladder while working on a roof.	Fatality
10/22/2012	Republic Services, Mayfield, KY 42066	Worker was run over and killed when he slipped off a garbage truck's side running board.	Fatality
10/22/2012	SM Hentges & Sons, Minneapolis, MN 55401	Worker dredging a pond was killed when a backhoe tipped over on him.	Fatality
10/21/2012	International Extrusions, Waxahachie, TX 75165	Worker died after being electrocuted while wiring overhead lighting.	Fatality
10/19/2012	Ivan Martinez, Keller, TX 76248	Worker died after being struck by the arm lift of a skid loader.	Fatality
10/19/2012	Randolph County Schools, Archdale Trinity Middle School, Trinity, NC 27370	Worker died from complications after falling on face, chest and abdomen while working with students.	Fatality
10/18/2012	JDK Construction, Live Oak, CA 95953	Employee died after falling 14 feet from second-story balcony while working inside a new residential construction.	Fatality
10/18/2012	Nassau County Police Department, Highway Patrol Bureau, Bellmore, NY 11710	Police officer was struck and killed by a vehicle while investigating a two-car collision.	Fatality
10/18/2012	Seaboard Foods LLC, Guymon, OK 73942	Worker died after falling onto a drive shaft at a food processing plant.	Fatality
10/18/2012	Total Fire Protection Inc., Benton Harbor, MI 49022	Worker was crushed between the side of an excavation and a 20000-gallon water tank.	Fatality
10/18/2012	United States Postal Service, Newport, DE 19804	Worker died from injuries after being attacked by a dog.	Fatality

FY13 Fatalities and Catastrophes To Date

10/16/2012	Lakeside Transport LLC, Wolcottville, IN 46795	Worker performing maintenance on semi-truck was crushed after truck fell on him.	Fatality
10/16/2012	Sam's Club, Philadelphia, PA 19154	Worker died after falling through a suspended ceiling while repairing a security system.	Fatality
10/16/2012	Select Staffing, Yadkinville, NC 27055	Worker killed at food processing plant after he was caught in a conveyor belt.	Fatality
10/15/2012	Dow Machine Corporation, Houston, TX 77041	Worker repairing a forklift was crushed by machine's forks.	Fatality
10/15/2012	Larry Mitchell dba Tri-County Roofing and Repair Services, Salemburg, NC 28385	Worker replacing sheet metal on barn roof died after falling nearly 20 feet to ground.	Fatality
10/15/2012	WA State Department of Natural Resources, Springdale, WA 99173	Worker died after being electrocuted while removing a tree from a 115-kV power line.	Fatality
10/13/2012	AIRSERV Corp., Flushing, NY 11371	Worker struck and killed by a water service truck.	Fatality
10/12/2012	McPhail Construction Company, Jackson, MS 39202	Employee died after falling from a 5th floor roof when his safety lanyard broke.	Fatality
10/12/2012	Plasterer Equipment Company, Bethlehem, PA 18015	Employee crushed by a backhoe.	Fatality
10/12/2012	Steve's Towing Inc., Perris, CA 92570	Worker was crushed when a car he was connecting to a tow truck rolled over him.	Fatality
10/12/2012	Zelaya Construction Corp., Miami, FL 33178	Employee died from injuries sustained from a fall while working on a balcony roof.	Fatality
10/11/2012	Max Montgomery dba Montgomery Saw Mill, Franklinville, NC 27316	Worker was struck and killed by a 30-foot tree being cut down.	Fatality
10/11/2012	Pyramid Residential Construction Inc., Watford City, ND 58854	Employee installing siding during residential construction died after falling from scaffolding.	Fatality
10/11/2012	SPX Corporation, Houston, TX 77065	Worker died after being caught in a lathe.	Fatality
10/10/2012	Baker Concrete Construction - Northern Operation Division, Charlston, TN 37310	Two workers died after falling 140 feet from a collapsed work platform while helping to construct a chemical plant.	Fatality
10/10/2012	E&E Concrete Pumping Services, Doral, FL 33178	Employee died after being crushed in a parking garage collapse.	Fatality
10/10/2012	Elmo Greer & Sons LLC, Manchester, KY 40962	Worker for a paving contractor was struck and killed by a truck.	Fatality

FY13 Fatalities and Catastrophes To Date

10/10/2012	Solar Erectors US Inc., Doral, FL 33178	2 Employees died after being crushed in a parking garage collapse.	Fatality
10/10/2012	Stryker Electrical Contracting Inc., Doral, FL 33178 (US Army - Aberdeen Test Center)	Employee died while conducting dive operations at 130 feet.	Fatality
10/9/2012	Gorilla Mikes LLC,Cincinnati,OH 45243	Employee died from being struck on head by large tree limb.	Fatality
10/9/2012	Robert Pitman Jr. DBA Envirosweep, Greenwood, IN 46143	Worker involved in a motor vehicle accident died when his work vehicle flipped and ejected the driver	Fatality
10/9/2012	Tourism Arts & Heritage Cabinet Dept. of Parks,Waddy,KY 40076	Worker killed in a car crash while traveling from one worksite to another.	Fatality
10/8/2012	Mid-Atlantic Realty Co. Inc., Greenville, DE 19807	Employee electrocuted while working in a bucket truck.	Fatality
10/8/2012	Vanmeter Contracting Inc., Glasgow, KY 42141	Worker died in a fall after a 12-foot wall he was installing on a highway collapsed.	Fatality
10/7/2012	Odyssey-Geronimo JV, Longview, WA 98568	Worker died when he fell into a river while performing bridge repairs.	Fatality
10/4/2012	Central Site Development, Davenport, FL 33836	Worker died after being struck by a bulldozer.	Fatality
10/4/2012	Custom Machine Works LLC, Tigard, OR 97224	Worker operating a lathe died from neck injuries when his arm got caught in machine pulling him in.	Fatality
10/4/2012	Lonestar Geophysical Surveys, Oakley, KS 67748	Worker crushed by a seismic vibrator when it overturned during operation on a slope.	Fatality
10/4/2012	Ulland Brothers, Highway 23, Wright, MN 55798	Worker electrocuted after crane contacted overhead power lines.	Fatality
10/3/2012	All State Roofing, Columbus, GA 31907	Employee died after falling through roof.	Fatality
10/3/2012	Brahma Group Inc., Bakersfield, CA 93308	Worker cleaning the inside of a water tank killed when floor beneath him collapsed.	Fatality
10/3/2012	Consolidated Waste Services Corp, Salinas, PR 00751	Worker electrocuted by a 2 400-volt power line while trying to remove a stuck cable.	Fatality
10/3/2012	Fort Russell Township - Highway Department, Moro, IL 62067	Worker was crushed when a dump truck struck and ran over him.	Fatality
10/3/2012	Golden Gait Trailers LLC, Concord, NC 28027	Worker making repairs underneath a trailer died after the vehicle fell on him pinning him to the ground.	Fatality

FY13 Fatalities and Catastrophes To Date

10/3/2012	M. K. Construction Group Inc., Apollo Beach, FL 33572	Employee died from injuries after falling from scaffolding.	Fatality
10/3/2012	Pacific Northwest Aggregates Inc., Wishram, WA 98637	Worker was electrocuted while operating construction machine used to create flat surfaces.	Fatality
10/3/2012	Snow Road Farms, Bridgewater, ME 04735	Employee working in a potato house was struck and killed by a potato truck.	Fatality
10/3/2012	Snow Road Farms, Bridgewater, ME 04735	Employee working in a potato house was struck and killed by a truck.	Fatality
10/3/2012	U.S. National Whitewater Center Inc., Charlotte, NC 28214	Worker for a water recreation center was found floating on the surface of a river. Worker died two days later.	Fatality
10/2/2012	Alaska Airlines, Golden Scott Freeway I-5, Scott Exit Road, Burbank, CA 91502	Pilot found dead along freeway of apparent homicide.	Fatality
10/2/2012	Allied Genetics LLC, Geneva, NE 68361	Worker conducting measurements in a cornfield was run over and killed by farm equipment.	Fatality
10/2/2012	ITR Concession Company, LLC Michigan City, IN 46360	Worker was performing maintenance on grass median and was reaching in work truck when truck was struck by another vehicle. Worker died on site.	Fatality
10/2/2012	NC/DOT Division of Highways, Boone, NC 28607	Highway maintenance worker was struck by a vehicle.	Fatality
10/2/2012	Orange County Rural Electric Membership Corp. Orleans, IN 47452	Worker loading a utility pole onto a truck was killed when the pole fell on the worker.	Fatality
10/2/2012	P&P Farms Arbuckle, CA 95912	Worker operating farm equipment was fatally injured after being struck by a truck	Fatality
10/2/2012	Universal Oilfield Services Inc., Lovelady, TX 75851	Three employees suffered third degree burns during a tank battery fire.	Fatality
10/2/2012	Universal Oilfield Services Inc., Lovelady, TX 75851	Three employees suffered third degree burns during a tank battery fire.	Fatality
10/2/2012	Waurika Livestock Commission Company, Waurika, OK 73573	Employee died after being struck by cattle gate.	Fatality
10/1/2012	American Rain Gutter Sacramento, CA 95811	Worker died after falling approximately 22 feet from scaffold.	Fatality

FY13 Fatalities and Catastrophes To Date

10/1/2012	Anderson Columbia Co. Inc., Lake City, FL 32055	Employee checking his truck's fuel level died when the fumes contacted an ignition source causing an explosion.	Fatality
10/1/2012	Checkered Towing Long Beach, CA 92708	Worker underneath a motorhome trying to replace its starter was crushed when the motorhome was struck by another vehicle.	Fatality
10/1/2012	International Paper Company, Pewaukee, WI 53072	Employee crushed by falling paper products.	Fatality
9/28/2012	DiPonio Contracting, LLC, Shelby Twp, MI 48092	Worker moving a 36-foot-long pipe across roadway was killed when a bus hit the pipe throwing worker into a crane.	Fatality
9/28/2012	Trimming Land Company, Inc. Riverside, CA 90280	Worker trimming trees was struck and killed by tree limb.	Fatality
9/27/2012	Davey Tree, Livermore, CA 9455	1 Worker cutting down trees was struck and killed by a tree branch.	Fatality
9/27/2012	Longevity International Enterprises Corporation, Honolulu, HI 96817	Maintenance worker died after falling off a two-stage-high mobile scaffold	Fatality
9/27/2012	Maria Jesus Flores, Riverside, CA 93656	Worker run over and killed by a tractor trailer.	Fatality
9/25/2012	NV Energy, Las Vegas, NV 89040	Worker died after falling 75 feet from a steel tower to the ground.	Fatality
9/24/2012	Beaver Valley Backyard Garden Products Inc., Morton, WA 98567	Worker making deliveries died when the brakes failed on the delivery truck causing vehicle to crash.	Fatality
9/24/2012	Custom Crushing & Recycling, Battle Lake, MN 56515	Worker using a cutting torch to help dismantle a farm combine suffered fatal burns when a fuel tank exploded. Two other workers suffered second and third degree burns.	Fatality
9/21/2012	Silver Bullet Production, Acton, CA 93510	Worker drowned while cleaning a large water tank.	Fatality
8/23/2012	Myers Container Service Corporation, Barre, VT 05641	Worker died from injuries after falling off truck.	Fatality
8/16/2012	Cheston Madsen dba Madsen Plumbing, Ephraim, UT 84632	Worker crushed and killed by tractor backhoe bucket while removing top from sanitation tank.	Fatality

FY13 Fatalities and Catastrophes To Date

8/16/2012	Rhodes Pump Sales & Service Company, New Harmony, UT 84757	Worker electrocuted after truck boom contacted power lines during water pump maintenance.	Fatality
8/3/2012	Bergen County Parks Dept., Mahwah, NJ 07430	Worker closing a steel gate was fatally struck in the chest by the gate arm.	Fatality
8/1/2012	Roc Equipment, Henderson, NV 89015	Worker died from injuries sustained from the release of extreme pressure while performing maintenance on a	Fatality
7/28/2012	Joe Stilley & Son LLC, Trenton, NC 28585	Worker died after collapsing on the ground with seizures while working in a tobacco field with a heat index of 108 degrees.	Fatality
7/12/2012	Adonis Bronze, Alpine, UT 84004	Worker was struck and killed by the door on a pressure vessel.	Fatality
4/1/2012	ReMax Intergrity Group, Gary, IN 46408	Real estate worker showing a house suffered fatal burns when she turned on a light switch which ignited a pocket of natural gas causing an explosion.	Fatality
3/23/2012	Cambelt International, Salt Lake City, UT 84104	Worker killed when crushed between a bolster and ram while performing maintenance on a press machine.	Fatality
3/4/2012	Lucky Food Mart, Merrillville, IN 46410	Convenience store worker was killed after being shot by two robbers.	Fatality
1/2/2012	Hurling Erection and Construction Inc., Jacksboro, TN 37577	Worker died after falling from scaffold while trying to access roof.	Fatality
5/22/1995	SNW Construction Inc., Lynnwood, WA 98046	Worker permanently disabled from the shoulders down after falling 20 feet out of a wall opening. The worker later died from complications related to the injury.	Fatality