



CLICK ON BOOKMARKS FOR INDEX OF THIS SECTION



SHEET METAL SCREWS

SLOTTED PAN HEAD

Zinc Plated

- Low profile and large head diameter for good driving power.
- Sharp lead point and deep twist resistant slots.
- Greater resistance to breakage and snapping.



# 4 DIAMETER		
J&B #	SIZE	QTY
12938	4 x 1/4	100
12939	4 x 3/8	100
25153	4 x 1/2	100
12940	4 x 5/8	100
25154	4 x 3/4	100
25155	4 x 1	100

# 6 DIAMETER		
J&B #	SIZE	QTY
12941	6 x 1/4	100
12942	6 x 3/8	100
12943	6 x 1/2	100
12944	6 x 5/8	100
12945	6 x 3/4	100
12946	6 x 7/8	100
12947	6 x 1	100
25156	6 x 1-1/4	100
25157	6 x 1-1/2	100
25158	6 x 2	100

# 8 DIAMETER		
J&B #	SIZE	QTY
12948	8 x 1/4	100
12949	8 x 3/8	100
12950	8 x 1/2	100
12951	8 x 5/8	100
12952	8 x 3/4	100
12953	8 x 7/8	100
12954	8 x 1	100
12955	8 x 1-1/4	50
12956	8 x 1-1/2	50
25159	8 x 1-3/4	50
25160	8 x 2	50

# 10 DIAMETER		
J&B #	SIZE	QTY
12958	10 x 3/8	100
12959	10 x 1/2	100
12960	10 x 5/8	100
12961	10 x 3/4	100
12962	10 x 7/8	100
12963	10 x 1	100
12964	10 x 1-1/4	50
12965	10 x 1-1/2	50
12966	10 x 1-3/4	50
12967	10 x 2	25
25161	10 x 2-1/2	25
25162	10 x 3	25

# 8 DIAMETER		
J&B #	SIZE	QTY
38410	8 x 1-1/4	100
38411	8 x 1-1/2	100
38412	8 x 1-3/4	100
38413	8 x 2	100

# 10 DIAMETER		
J&B #	SIZE	QTY
38358	10 x 1-1/4	100
38359	10 x 1-1/2	100
38360	10 x 1-3/4	100
38361	10 x 2	100
38362	10 x 2-1/2	100
38363	10 x 3	100

SHEET METAL SCREWS

SLOTTED PAN HEAD Zinc Plated

- Low profile and large head diameter for good driving power.
- Sharp lead point and deep twist resistant slots.
- Greater resistance to breakage and snapping.



# 12 DIAMETER		
J&B #	SIZE	QTY
12968	12 x 1/2	100
12969	12 x 5/8	100
12970	12 x 3/4	100
12971	12 x 7/8	100
12972	12 x 1	50
12973	12 x 1-1/4	50
12974	12 x 1-1/2	50
12975	12 x 1-3/4	25
12976	12 x 2	25
25163	12 x 2-1/2	25
25164	12 x 3	25

# 14 DIAMETER		
J&B #	SIZE	QTY
12977	14 x 1/2	100
12978	14 x 5/8	100
12979	14 x 3/4	100
12980	14 x 7/8	100
12981	14 x 1	50
12982	14 x 1-1/4	50
12983	14 x 1-1/2	50
12984	14 x 1-3/4	25
12985	14 x 2	25
25165	14 x 2-1/2	25

# 12 DIAMETER		
J&B #	SIZE	QTY
38414	12 x 1	100
38364	12 x 1-1/4	100
38365	12 x 1-1/2	100
38366	12 x 1-3/4	100
38367	12 x 2	100
38368	12 x 2-1/2	100
38369	12 x 3	100

# 14 DIAMETER		
J&B #	SIZE	QTY
38370	14 x 1	100
38371	14 x 1-1/4	100
38372	14 x 1-1/2	100
38373	14 x 1-3/4	100
38374	14 x 2	100
38375	14 x 2-1/2	100

SHEET METAL SCREWS

PHILLIPS PAN HEAD Zinc Plated

- Low profile and large head diameter provide good driving power.
- Sharp, hardened threads.
- Greater resistance to snapping and breakage.



# 6 DIAMETER		
J&B #	SIZE	QTY
13036	6 x 1/4	100
13037	6 x 3/8	100
13038	6 x 1/2	100
13040	6 x 3/4	100
13042	6 x 1	100

# 8 DIAMETER		
J&B #	SIZE	QTY
13044	8 x 3/8	100
13045	8 x 1/2	100
13046	8 x 5/8	100
13047	8 x 3/4	100
38502	8 x 7/8	100
13049	8 x 1	100
13050	8 x 1-1/4	100
13051	8 x 1-1/2	50
40138	8 x 2	50

# 10 DIAMETER		
J&B #	SIZE	QTY
13052	10 x 3/8	100
13053	10 x 1/2	100
13054	10 x 5/8	100
13055	10 x 3/4	100
38503	10 x 7/8	100
13057	10 x 1	100
13058	10 x 1-1/4	100
13059	10 x 1-1/2	50
38504	10 x 1-3/4	50
40139	10 x 2	50
38505	10 x 2-1/2	50
38506	10 x 3	50


# 12 DIAMETER		
J&B #	SIZE	QTY
13060	12 x 1/2	100
13062	12 x 3/4	100
13064	12 x 1	50
13065	12 x 1-1/4	50
13066	12 x 1-1/2	50
13068	12 x 2	50
38507	12 x 2-1/2	50

# 14 DIAMETER		
J&B #	SIZE	QTY
40129	14 x 1/2	100
40130	14 x 3/4	100
40132	14 x 1	50
40133	14 x 1-1/4	50
40134	14 x 1-1/2	50
40136	14 x 2	50
38508	14 x 2-1/2	50
38509	14 x 3	50

SHEET METAL SCREWS

PHILLIPS FLAT HEAD Zinc Plated

- Sharp lead points and deep twist resistant slots for easier and faster driving.



# 6 DIAMETER		
J&B #	SIZE	QTY
32170	6 x 1/4	100
32171	6 x 3/8	100
32172	6 x 1/2	100
32173	6 x 5/8	100
32174	6 x 3/4	100
32175	6 x 1	100

# 8 DIAMETER		
J&B #	SIZE	QTY
32176	8 x 3/8	100
32177	8 x 1/2	100
32178	8 x 3/4	100
32179	8 x 1	100
32180	8 x 2-1/2	100
32181	8 x 3	100

# 10 DIAMETER		
J&B #	SIZE	QTY
32182	10 x 1/2	100
32183	10 x 3/4	100
32184	10 x 1	100
32185	10 x 1-1/4	100
32186	10 x 1-1/2	100
32187	10 x 1-3/4	100

# 12 DIAMETER		
J&B #	SIZE	QTY
32188	12 x 1/2	100
32189	12 x 3/4	100
32190	12 x 1	100
32191	12 x 1-1/4	100
32192	12 x 1-1/2	100

# 14 DIAMETER		
J&B #	SIZE	QTY
32193	14 x 1/2	100
32194	14 x 3/4	100
32195	14 x 1	100
32196	14 x 1-1/4	100
32197	14 x 1-1/2	100



WOOD SCREWS

STEEL PHILLIPS FLAT HEAD

Zinc Plated

- Head provides flush surface with countersunk hole; use where clearance is important.
- Sharp leader points provide greater resistance to snapping and breakage.



# 4 DIAMETER		
J&B #	SIZE	QTY
32198	4 x 1/2	100
32199	4 x 3/4	100
32200	4 x 1	100

# 5 DIAMETER		
J&B #	SIZE	QTY
32201	5 x 1/2	100
32202	5 x 3/4	100
32203	5 x 1	100
32204	5 x 1-1/4	100
32205	5 x 1-1/2	100

# 6 DIAMETER		
J&B #	SIZE	QTY
32206	6 x 1/2	100
32207	6 x 3/4	100
32208	6 x 1	100
32209	6 x 1-1/4	100
32210	6 x 1-1/2	100

# 7 DIAMETER		
J&B #	SIZE	QTY
32211	7 x 1/2	100
32212	7 x 3/4	100
32213	7 x 1	100

# 8 DIAMETER		
J&B #	SIZE	QTY
32214	8 x 1/2	100
32215	8 x 3/4	100
32216	8 x 1	100
32217	8 x 1-1/4	100
32218	8 x 1-1/2	100
32219	8 x 1-3/4	100
32220	8 x 2	100
32221	8 x 2-1/2	100
32222	8 x 3	100

# 10 DIAMETER		
J&B #	SIZE	QTY
32223	10 x 1/2	100
32224	10 x 3/4	100
32225	10 x 1	100
32226	10 x 1-1/4	100
32227	10 x 1-1/2	100
32228	10 x 2	100
32229	10 x 2-1/2	100

# 12 DIAMETER		
J&B #	SIZE	QTY
32230	12 x 3/4	100
32231	12 x 1	100
32232	12 x 1-1/4	100
32233	12 x 1-1/2	100
32234	12 x 1-3/4	100
32235	12 x 2	100
32236	12 x 2-1/2	100
32237	12 x 3	100

# 14 DIAMETER		
J&B #	SIZE	QTY
32238	14 x 3/4	100
32239	14 x 1	100
32240	14 x 1-1/2	100
32241	14 x 2	100
32242	14 x 2-1/2	100
32243	14 x 3	100

SHEET METAL SCREWS

PHILLIPS OVAL HEAD

Zinc Plated

- Deep burr-free, recessed heads for easier and faster driving.
- Top protrudes slightly above material surface.



# 6 THREADS		
J&B #	SIZE	QTY
13079	6 x 5/8	100

# 8 THREADS		
J&B #	SIZE	QTY
13089	8 x 1	100
13091	8 x 1-1/2	50

# 10 THREADS		
J&B #	SIZE	QTY
13103	10 x 3/4	100
13109	10 x 2	50

"UNDERSIZED" PHILLIPS OVAL HEAD

Zinc Plated

# 8 THREADS W/ # 6 HEAD		
J&B #	SIZE	QTY
13095	8 x 3/4	100
13096	8 x 1	100
13097	8 x 1-1/4	50
13098	8 x 1-1/2	50
*13099	8 x 1-3/4	25
11911	8 x 2-1/2	25

# 10 THREAD W/ # 6 HEAD		
J&B #	SIZE	QTY
13101	10 x 1/2	100
13112	10 x 1	100
12318	10 x 1-1/4	50
12321	10 x 1-1/2	25

* BLACK PHOSPHATE

# 10 THREAD W/ # 8 HEAD		
J&B #	SIZE	QTY
13119	10 x 3/4	100
12316	10 x 1	50
13121	10 x 1-1/2	50
13122	10 x 1-3/4	50

BLACK SCREWS

PHILLIPS OVAL HEAD TRIM

Black Satin Finish

- Deep burr-free slots for easier and faster driving.
- Sharp point for fastening wood or metal trim to wood or metal framing.



# 8 THREADS		
J&B #	SIZE	QTY
11901	8 x 3/4	100




# 10 THREADS W/ # 8 HEAD		
J&B #	SIZE	QTY
13472	10 x 3/4	100
13473	10 x 1	50

SPECIAL TAPPING SCREW

J&B #	DESCRIPTION	QTY	
41843	M4.2-1.41 x 20mm 16mm Washer O.D. Hex Hd. Sems	50	
45820	M4.2-1.41 x 20mm 12mm Washer O.D. 7 mm Hex	100	
45816	M6.3-1.81 x 25mm 17mm Washer O.D. Hex Hd. Sems	50	
41844	M4.2-1.41 x 20mm 12mm Washer O.D. Hex Hd. Sems with teks point	50	
41880	M4.2-1.41 x 20mm 12mm Washer O.D. Hex Hd. Sems	50	
42006	M6.3-1.81 x 20mm 17mm Washer O.D. Hex Hd. Sems	50	

BLACK SCREWS

SPECIAL TAPPING SCREW

J&B #	DESCRIPTION	QTY	
45828	8 x 3/4 Phillips Washer Truss Hd 31/64 Wash Hd. O.D.	100	
45846	8 x 1/2 Phillips Washer truss Hd w/ teks Pt. 7/16 Wash O.D.	50	
40915	8 x 3/4 Phillips Washer truss Hd w/ teks Pt. 7/16 Wash O.D.	50	

PHILLIPS HEAD



BLACK OXIDE # 8 DIAMETER		
J&B #	SIZE	QTY
13447	8 x 3/4	100
13420	8 x 1	100
45806	10 x 1	50


BLACK OXIDE PHILLIPS WASHER HEAD TAPPING SCREW		
J&B #	SIZE	QTY
42062	8 x 1/2	100
42002	8 x 3/4	100
45812	8 x 1	100
45824	10 x 3/4	50

SCREWS

DRYWALL

Bugle Head Phillips – Coarse Thread

J&B #	SIZE	QTY
40480	6 x 1	100
40481	6 x 1-1/8	100
40482	6 x 1-1/4	100
40483	6 x 1-5/8	100
40484	6 x 2	100
40486	6 x 2-1/4	100
41034	8 x 1-1/2	100
41035	8 x 1-5/8	100
41036	8 x 2	100
41037	8 x 2-1/2	100
41041	8 x 3	100




- Head is self-countersinking and designed to resist tearing drywall paper surface.
- Deep phillips recess reduces dropped and misaligned screws.

SHEET METAL SCREWS

SLOTTED HEX WASHER HEAD

Zinc Plated



- Eliminates punching or drilling holes in sheet metal.
- Washer face protects metal against wrench disfigurement.
- Provide an excellent bearing surface and cover irregular holes.

# 6 DIAMETER		
J&B #	SIZE	QTY
11284	6 x 3/8	50
32119	6 x 1/2	50
32120	6 x 3/4	50
32121	6 x 1	50

# 6 DIAMETER		
J&B #	SIZE	QTY
32154	6 x 1/4	100
32155	6 x 3/8	100
32156	6 x 1/2	100
32157	6 x 3/4	100
32158	6 x 1	100

# 8 DIAMETER		
J&B #	SIZE	QTY
11286	8 x 1/2	50
11287	8 x 3/4	50
11288	8 x 1	50
11289	8 x 1-1/4	50
11290	8 x 1-1/2	25

# 8 DIAMETER		
J&B #	SIZE	QTY
11612	8x 3/8	100
11613	8 x 1/2	100
11614	8 x 3/4	100
11615	8 x 1	100
32133	8 x 1-1/4	100
11616	8 x 1-1/2	100
41390	8 x 2	50

# 10 DIAMETER		
J&B #	SIZE	QTY
32122	10 x 3/8	50
11291	10 x 1/2	50
11292	10 x 5/8	50
11293	10 x 3/4	50
11294	10 x 1	50
11295	10 x 1-1/4	25
11296	10 x 1-1/2	25


# 10 DIAMETER		
J&B #	SIZE	QTY
32135	10 x 3/8	100
11617	10 x 1/2	100
32137	10 x 5/8	100
11618	10 x 3/4	100
11619	10 x 1	100
11620	10 x 1-1/4	100
11621	10 x 1-1/2	100
41393	10 x 2	50

SHEET METAL SCREWS

SLOTTED HEX WASHER HEAD

Zinc Plated

- Eliminates punching or drilling holes in sheet metal.
- Washer face protects metal against wrench disfigurement.
- Provide an excellent bearing surface and cover irregular holes.



# 12 DIAMETER		
J&B #	SIZE	QTY
32123	12 x 1/2	50
32124	12 x 5/8	50
11297	12 x 3/4	50
11298	12 x 1	50
11299	12 x 1-1/4	25
11300	12 x 1-1/2	25

# 12 DIAMETER		
J&B #	SIZE	QTY
32159	12 x 1/2	100
32160	12 x 5/8	100
11622	12 x 3/4	100
11623	12 x 1	100
11624	12 x 1-1/4	100
11625	12 x 1-1/2	100
41396	12 x 2	50

# 14 DIAMETER		
J&B #	SIZE	QTY
32125	14 x 1/2	50
11301	14 x 3/4	50
11302	14 x 1	25
11303	14 x 1-1/4	25
11304	14 x 1-1/2	25

# 14 DIAMETER		
J&B #	SIZE	QTY
11626	14 x 1/2	100
11627	14 x 3/4	100
11628	14 x 1	100
11629	14 x 1-1/4	100
11630	14 x 1-1/2	100
41399	14 x 2	50

5/16 DIAMETER		
J&B #	SIZE	QTY
11305	5/16 x 1	25
41384	5/16 x 1-1/2 NO SLOT 7/16 HEX	25



5/16 DIAMETER		
J&B #	SIZE	QTY
32153	5/16 x 1 SLOTTED 1/2 HEX	50

3/8 DIAMETER		
J&B #	SIZE	QTY
41379	3/8 x 1	25
41381	3/8 x 1-1/2 NO SLOT 9/16 HEX	25




SHEET METAL SCREWS

HEX HEAD

Zinc Plated

- Large hex head for easy wrenching.
- Faster and easier to start and drive.
- Install and remove with standard sockets or wrenches for high driving torque.



5/16 DIAMETER		
J&B #	SIZE	QTY
11631	5/16 x 3/4	50
11632	5/16 x 1	50
11633	5/16 x 1-1/4	50
11634	5/16 x 1-1/2	50

3/8 DIAMETER		
J&B #	SIZE	QTY
11639	3/8 x 3/4	50
11640	3/8 x 1	50
11641	3/8 x 1-1/4	50
11642	3/8 x 1-1/2	50

HEX WASHER HEAD

(Washer loose from Head)

Plated Finish

# 14 DIAMETER		
J&B #	SIZE	QTY
13147	14 x 3/4 with 3/8 Hex	50


- Provide an excellent bearing surface and cover irregular holes.

THREAD CUTTING SCREWS

HEX WASHER HEAD

Zinc Plated

J&B #	SIZE	QTY
38523	8-32 x 1/2	100
38524	8-32 x 3/4	100
32152	10/24 x 1/2	100
32164	10/24 x 3/4	100
32165	10/24 x 1	100
38453	1/4-20 x 1/2	100
32166	1/4-20 x 3/4	100
38428	1/4-20 x 1	100
12915	5/16-18 x 1/2	50
12916	5/16-18 x 3/4	50
12917	5/16-18 x 1	50
32167	5/16-18 x 1-1/4	50
12918	3/8-16 x 1	50
12930	3/8-16 x 1-1/4	50




- Washer head face provides an excellent bearing surface.
- Head protrudes above material surface.

PHILLIPS FLAT HEAD

Zinc Plated

J&B #	SIZE	QTY
32161	10/24 x 3/4	100
32162	1/4-20 x 1	100
13152	1/4-20 x 1-1/2	100
32163	1/4-20 x 1-3/4	100




- Flat head provides flush surface with countersunk hole.

SLOTTED PAN HEAD

Zinc Plated

J&B #	SIZE	QTY
12896	8-32 x 1/2	100
12897	8-32 x 3/4	100
12898	10-24 x 3/4	100
12906	1/4-20 x 5/8	100




- Have low profile and large head diameter for good driving power.

THREAD CUTTING SCREWS

TORX DRIVE SYSTEM

- Provides excellent driving power while the specially designed thread minimizes slippage, increases holding power, and resists stripping.
- Ideal for floorboard fastening.
- Screw head provides flush surface with countersunk hole.



J&B #	SIZE	DRIVE SIZE	QTY
38873	1/4 x 1	T30	100
38874	1/4 x 1-1/4	T30	100
38875	1/4 x 1-1/2	T30	100
38876	1/4 x 2	T30	100
38879	1/4 x 2-1/2	T30	100
38880	1/4 x 2-1/2	T30	750
38881	1/4 x 3	T30	50
38882	5/16 x 2	T40	25

SELF-DRILLING SCREWS

TEKS HEX WASHER HEAD

With Neo Washer

- Drills, taps and fastens in one **quick, easy** motion eliminating alignment problems.
- Teks fasten metal to metal and a wide range of other materials including wood, synthetics and mechanical components to metal.

8-18 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
39021	8-18 x 3/4	1/4	100

10-16 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
39024	10-16 x 3/4	5/16	100
39025	10-16 x 1	5/16	100

12-14 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
39033	12-14 x 3/4	5/16	50
39034	12-14 x 1	5/16	50
39035	12-14 x 1-1/4	5/16	50
39036	12-14 x 1-1/2	5/16	50


1/4-14 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
39053	1/4-14 x 3/4	3/8	50
39054	1/4-14 x 1	3/8	50
39055	1/4-14 x 1-1/4	3/8	50
39056	1/4-14 x 1-1/2	3/8	50

SELF-DRILLING SCREWS

TEKS HEX WASHER HEAD

Zinc Plated

- Drills, taps and fastens in one **quick, easy** motion eliminating alignment problems.
- Tek screws fasten metal to metal and a wide range of other materials including wood, synthetics and mechanical components to metal.



6-20 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
41386	6-20 x 3/8	1/4	100
41387	6-20 x 1/2	1/4	100
41388	6-20 x 3/4	1/4	100
41389	6-20 x 1	1/4	100

8-18 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
12920	8-18 x 1/2	1/4	100
37530	8-18 x 5/8	1/4	100
12921	8-18 x 3/4	1/4	100
12922	8-18 x 1	1/4	100
41385	8-18 x 1-1/4	1/4	50
37531	8-18 x 1-1/2	1/4	50
41391	8-18 x 2	1/4	50

10-16 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
12923	10-16 x 1/2	5/16	100
37532	10-16 x 5/8	5/16	100
12924	10-16 x 3/4	5/16	100
12925	10-16 x 1	5/16	100
37534	10-16 x 1-1/4	5/16	50
12698	10-16 x 1-1/2	5/16	50
41392	10-16 x 2	5/16	50

12-14 DIAMETER			
J&B #	SIZE	SOCKET	QTY
41370	12-14 x 3/4	5/16	50
41371	12-14 x 1	5/16	50
41372	12-14 x 1-1/4	5/16	50
41373	12-14 x 1-1/2	5/16	50
41395	12-14 x 2	5/16	50

1/4-14 DIAMETER			
J&B #	SIZE	SOCKET	QTY
12926	1/4-14 x 3/4	3/8	50
12927	1/4-14 x 1	3/8	50
37535	1/4-14 x 1-1/4	3/8	50
12929	1/4-14 x 1-1/2	3/8	50
41375	1/4-14 x 2	3/8	50
41376	1/4-14 x 2-1/2	3/8	50
41377	1/4-14 x 3	3/8	50



SELF-DRILLING SCREWS

TEKS PHILLIPS WAFER HEAD

Zinc Plated

- Also known as plymetal screws because they are ideal for attaching plywood to metal.
- Their large wafer head forms an excellent bearing surface.
- Head countersinks below the wood's surface.



10-24 DIAMETER			
J&B #	SIZE	DRILL PT. #	QTY
41481	10-24 x 1	3	100
41482	10-24 x 1-1/2	3	100

PHILLIPS PAN HEAD

Zinc Plated



6-20 DIAMETER		
41404	6 x 3/8	100
41405	6 x 1/2	100
37536	6 x 5/8	100
37537	6 x 3/4	100
37538	6 x 1	100

8-18 DIAMETER		
41400	8 x 3/8	100
12919	8 x 1/2	100
37539	8 x 5/8	100
13283	8 x 3/4	100
37540	8 x 1	100
37541	8 x 1-1/4	50
37542	8 x 1-1/2	50

10-16 DIAMETER		
41401	10 x 1/2	100
37543	10 x 5/8	100
41402	10 x 3/4	100
41403	10 x 1	100
37544	10 x 1-1/4	50
37545	10 x 1-1/2	50

12-14 DIAMETER		
37546	12 x 1	50
37547	12 x 1-1/2	50

TEKS HEX WASHER HEAD

#4 Point - Heavy Gauge Metal

- Stalgard Corrosion Resistant Coating protects any ferrous metal against rust and corrosion better than any conventional coating.
- Fasten decking to bar joist and beams, electrical or plumbing accessories to joist or stud, roof, decking and bridge decking.




J&B #	SIZE	MAX. METAL THICKNESS	QTY
41188	12-24 x 1-1/4	.375	500
41190	12-24 x 1-1/4	.375	50





SCREWS







PHILLIPS ROUND HEAD FINISH SCREWS

# 8 THREAD W/ # 6 HEAD				
J&B #	FINISH	SIZE	QTY	
11542	Chrome	8 x 5/8	50	
11543	Chrome	8 x 3/4	50	

PHILLIPS BUTTON HEAD SCREWS

J&B #	FINISH	SIZE	QTY	
39192	Nickel on Brass	SOCKET	100	
39190	Nickel on Brass	8 x 3/8 STUD	25	
39188	Nickel on Brass	8 x 5/8 STUD	25	

MOULDING SCREWS

J&B #	FINISH	SIZE	QTY	
11867	Zinc	8-18 x 3/8	50	
12076	Zinc	8-18 x 3/8	50	
13637	Zinc	8-18 x 1/2	25	
13687	Zinc	8 x 5/8 TEK	25	
38174	Zinc	10 x 3/8	50	
45808	Zinc	8 x 1/2 TEK	50	
40912	Zinc	8 x 3/4 TEK	50	
40919	Zinc	8 x 1" TEK	50	

SCREWDRIVING ACCESSORIES

PHILLIPS POWER BITS

- Precision made of special shock resistant, heat treated and tempered steel.



J&B #	SIZE	SHANK	LENGTH	QTY
39485	# 1	1/4	1-15/16"	EA
39486	# 2	1/4	1-15/16"	EA
39479	# 2	1/4	2-3/4"	EA
39478	# 2	1/4	6"	EA
39488	# 3	1/4	1-15/16"	EA


PHILLIPS INSERT BITS



J&B #	SIZE	SHANK	LENGTH	QTY
39520	# 2	1/4	1"	EA
39521	# 3	1/4	1"	EA

HEXAGON SHANK MAGNETIC EZ-CHUCK

- For driving screws into metal with an electric drill.
- Recessed to allow the screw washer to be seated inside the chuck walls.
- Keeps your hex head screws from flipping out on any surface, even round duct.



J&B #	HEX HEAD	SCREW DIA.	SHANK	LENGTH	QTY
38421	1/4 W.A.F.	# 8	1/4	1-3/4	EA
38422	5/16 W.A.F.	#10	1/4	1-3/4	EA
38423	3/8 W.A.F.	1/4	1/4	1-3/4	EA


SCREWDRIVING ACCESSORIES

SQUARE INSERT BIT



J&B #	SQUARE SIZE	HEX DRIVE	LENGTH	QTY
39482	# 2	1/4	1	EA

SQUARE POWER BIT



J&B #	SQUARE SIZE	HEX DRIVE	LENGTH	QTY
39483	# 2	1/4	2	EA

POZIDRIVE BIT



J&B #	POINT SIZE	HEX DRIVE	LENGTH	QTY
39484	# 2	1/4	1	EA

SLOTTED INSERT BIT



J&B #	SCREW SIZE	HEX DRIVE	LENGTH	QTY
39487	8F-10R	1/4	1-1/2	EA

TORX POWER DRIVE BITS



J&B #	SIZE	SCREW DIA.	SHANK	LENGTH	QTY
39480	T-30	1/4	1/4	1"	EA
39481	T-40	5/16	1/4	1"	EA