# SPRAYERS & ACCESSORIES CATALOG



Serving the farm and ranch industry since 1963



SMV Industries was founded in 1963 after a national mandate requiring the use of the slow moving vehicle sign. In the beginning one employee made the signs that were sold in the farm retail market. As sales increased, more and more employees were hired and new products added to the SMV line of merchandise.

Offering light manufacturing, warehousing, and distribution to farm/ag/home store retailers. Conveniently located in the Interstate 29 & Interstate 80 corridor in Council Bluffs, IA. We have over 40 years of experience in the Lawn/Garden/Ag Sprayer market with 125,000 sq. ft. warehouse space.

SMV Industries stands out as a company known for it long-term commitments, reliable service, quality products, and competitive pricing. The SMV name brings with it a reputation for integrity. Customers can believe what they are told. As a family-owned business, SMV focuses its attention on managing business over the long term to ensure a significant presence in the marketplace. Customers can rely on SMV's merchandising, warehousing, and distribution system to help them stay competitive in meeting the product and service demands of their customers.

SMV employees are a multi-talented group of people who sincerely care about the products they make and customers they serve. They are hard working people who still believe in old fashioned, midwestern values and service – with a personal touch. We look forward to serving and helping you meet your needs.



# **SMVSPOT SPRAYERS**

### **ECONOMY SPOT**



120" Wire Harness (located inside tank)

### **FEATURES**

- Rugged Poly Tank with Drain
- Available in White or Yellow Tanks
- 15 or 25 Gallon Tanks
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lib & Tether
- 17' EPDM 3/8" Hose
- On-Demand 1.0 GPM Pump
- Spray Wand with Adjustable Tip





25' Horizontal • 20' Vertical







120" Wire Harness (located inside tank)

### **FEATURES**

- Rugged Poly Tank with Drain
- Available in White or Yellow Tanks
- 15, 25 or 40 Gallon Tanks
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lib & Tether
- 17' EPDM 3/8" Hose
- On-Demand 2.2 GPM Pump
- Spray Wand with Adjustable Tip





25' Horizontal • 20' Vertical









120" Wire Harness (located inside tank)

- Rugged Poly Tank with Drain
- Available in White or Yellow Tanks
- 15, 25 or 40 Gallon Tanks
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lib & Tether
- 17' EPDM 3/8" Hose
- On-Demand 2.2 GPM Pump
- Deluxe D Handle Spray Wand with Adjustable Tip





39' Horizontal • 30' Vertical











120" Wire Harness (located inside tank)

- Rugged Poly Tank with Drain
- Available in White or Yellow Tanks
- External Strainer
- 15 or 25 Gallon Tanks
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lid & Tether
- 17' EPDM 3/8" Hose
- On-Demand 2.2 GPM Pump
- Deluxe D Handle Spray Wand with Adjustable Tip



2.2 Remco Pump



39' Horizontal • 30' Vertical







120" Wire Harness (located inside tank)

- Rugged Poly Tank with Drain
- Available in White or Yellow Tanks
- External Strainer
- 25, 40 or 60 Gallon Tanks
- 120" Switched Wire Lead with Alligator Clips
- 5" Screw-On Lid & Tether
- 25' EPDM 1/2" Hose
- On-Demand 2.2 & 4.0 GPM Smooth Flo Pump
- Hose Wrap Bracket





39' Horizontal • 30' Vertical











120" Wire Harness (located inside tank)

- Rugged Poly Tank with Drain
- Available in White or Yellow Tanks
- 25, 40, 60 Gallon Tanks
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lid & Tether
- 17' EPDM 3/8" Hose
- On-Demand 2.2, 4.0 & 5.3 GPM Pump
- Deluxe D Handle Spray Wand with Adjustable Tip
- Manifold & Pressure Gauge
- Agitation Valve



DHG Wand

Up to 42' Horizontal • 38' Vertical







120" Wire Harness (located inside tank)

- Rugged Poly Tank with Drain
- Available in White or Yellow Tanks
- 25, 40, 60 Gallon Tanks
- 120" Switched Wire Lead with Alligator Clips
- Hose Wrap Bracket
- 5" Screw-On Lid & Tether
- 25' EPDM 1/2" Hose
- On-Demand 2.2, 4.0, 5.3 GPM Pump 2.2 & 4.0 Smooth Flo
- Premium Spray Wand
- Includes Manifold & Pressure Gauge (Except Smooth Flo)



**Smooth Flo Remco Pump** 



Up to 50' Horizontal • 45' Vertical









120" Wire Harness (located inside tank)

- Rugged Poly Tank with Drain
- Available in Yellow Tank
- 25 Gallon Tanks
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lid & Tether
- 17' EPDM 3/8" Hose
- On-Demand 2.2 EXTREME DUTY PUMP
- Deluxe D Handle Spray Wand with Adjustable Tip
- Includes Manifold & Pressure Gauge






Up to 39' Horizontal • 30' Vertical





## FEATURES

OPTION	COVERAGE
2 NOZZLE	22-25 FT



Boomless Left-Right Control





### **FEATURES**

- Rugged Poly Tank with Drain
- Powder Coated Metal
- Available in White or Yellow Tanks
- 25 Gallon Tank
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lid & Tether
- 17' EPDM Hose
- On-Demand 4.0 & 5.3 GPM Pump or 4.0 GPM Smooth Flo Pump
- Folding Bracket for Easy Transport & Storage
- Individual Nozzle Control L/R or Both



Foldable Brackets For Easy Storage

Remco Pump



Up to 42' Horizontal • 38' Vertical





120" Wire Harness (located inside tank)

### **FEATURES**

- Rugged Poly Tank with Drain
- Powder Coated Metal
- Available in White or Yellow Tanks
- 25 Gallon Tank
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lid & Tether
- 17' EPDM 3/8" Hose
- On-Demand 5.3 GPM Pump
- Folding Bracket for Easy Transport & Storage
- Individual Nozzle Control L/C/R or Any Combination





5.3 GPM Remco Pump



Up to 42' Horizontal • 34' Vertical



### **BOOM FEATURES**

OPTION	COVERAGE
2 NOZZLE	80"





120" Wire Harness (located inside tank)

### **FEATURES**

- Rugged Poly Tank with Drain
- Powder Coated Metal
- Available in White or Yellow Tanks
- 15 or 25 Gallon Tank
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lid & Tether
- 17' EPDM 3/8" Hose
- On-Demand 2.0, 4.0 or 5.3 GPM Pump
- Folding Bracket for Easy Transport & Storage





Up to 42' Horizontal • 35' Vertical



- Powder Coated Metal
- Available in White or Yellow Tanks
- 25 Gallon Tank
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lid & Tether
- 17' EPDM 3/8" Hose
- On-Demand 2.2, 4.0 & 5.3 GPM Pump





# **OPTIONS** OPTION COVERAGE PUMP SIZE (MIN) 2 NOZZLE 80" 1.0 GPM\* 2.2 GPM 3 NOZZLE 120"



120"

120"

192"

192"

22-25 FT

4 NOZZLE

**5T NOZZLE** 

5 NOZZLE

9T NOZZLE

2X BOOMLESS

3X BOOMLESS



120" Wire Harness (located inside tank)



Up to 28' Horizontal • 25' Vertical



Up to 42' Horizontal • 35' Vertical



**Tank Colors** 

### **FEATURES**

Rugged Poly Tank with Drain

2.2 GPM\*

2.2 GPM

4.0 GPM


4.0 GPM

4.0 GPM

5.3 GPM

- Powder Coated Heavy Duty Frame
- Available in White or Yellow Tanks
- 15/25 Gallon Tank
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lid & Tether
- 17' EPDM 3/8" Hose
- On-Demand 2.2, 4.0 & 5.3 GPM Pump
- Pnuematic Tires w/Inner Tubes
- Adjustable Boom Height





3X BOOMLESS 25-30 FT 5.3 GPM
\* MINIMUM PUMP SIZE REQUIRES #2 TIP

120"

192"

192"

22-25 FT

**5T NOZZLE** 

5 NOZZLE

9T NOZZLE

2X BOOMLESS

120" Wire Harness (located inside tank)

### **FEATURES**

2.2 GPM

4.0 GPM

4.0 GPM

4.0 GPM

- Rugged Poly Tank with Drain
- Powder Coated Metal Convertible Frame
- Available in White or Yellow Tanks
- 40 or 60 Gallon Tank
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lid & Tether
- 25' 3/8" EPDM Hose
- On-Demand 2.2, 4.0 & 5.3 GPM Pump
- Adjustable Boom Heights
- Adjustable Hitch
- Drop Axle w/Pneumatic Tires (60 Gal), No-Flat Tires (40 Gal)
- Hose Tree



**Drop Axle w/Pneumatic Tires** 

**LHG Wand** 

Up to 28' Horizontal • 25' Vertical

Up to 42' Horizontal • 35' Vertical





### **OPTIONS**

OPTION	COVERAGE	PUMP SIZE (MIN)
2 NOZZLE	80"	2.2 GPM*
3 NOZZLE	120"	2.2 GPM
4 NOZZLE	120"	2.2 GPM*
5T NOZZLE	120"	2.2 GPM
5 NOZZLE	192"	4.0 GPM
9T NOZZLE	192"	4.0 GPM
2X BOOMLESS	22-25 FT	4.0 GPM
3X BOOMLESS	25-30 FT	5.3 GPM

<sup>\*</sup> MINIMUM PUMP SIZE REQUIRES #2 TIP



120" Wire Harness (located inside tank)

# EXTERIOR STRAINER Includes

### **FEATURES**

- Rugged Poly Tank with Drain
- Powder Coated Metal Convertible Frame
- Available in White or Yellow Tanks
- 40/60 Gallon Tank
- 120" Switched Wire Lead with Alligator Clips
- Hose Bracket
- 5" Screw-On Lid & Tether
- 25' 1/2" EPDM Hose for Longer Spray Distance
- On-Demand 4.0 & 5.3 GPM Pump/Smooth Flo 2.2 & 4.0 GPM
- Exterior Strainer



Up to 50' Horizontal • 45' Vertical



**Smooth Flo Remco Pump** 



120" Wire Harness (located inside tank)

- Rugged Poly Tank with Drain
- Powder Coated Metal 3-PT Frame & Boom
- Available in White
- 40 Gallon Tank
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- 5" Screw-On Lid & Tether
- 17' EPDM Hose
- On-Demand 2.2 GPM Pump
- Adjustable Boom Height
- Breakaway Boom Arms
- · CAT I

### **OPTIONS**

OPTION	COVERAGE	PUMP SIZE (MIN)
4 NOZZLE	120"	2.2 GPM
5T NOZZLE	120"	2.2 GPM



Up to 28' Horizontal • 25' Vertical







**ROLLER READY** 

**ELECTRIC** 



120" Wire Harness (located inside tank)

### **FEATURES**

- Rugged Poly Tank with Drain
- Powder Coated Metal HD Metal Frame & Boom
- Available in White or Yellow Tanks
- 40/60 Gallon Tank
- 120" Switched Wire Lead with Alligator Clips
- Wand Storage Clips
- Hose Storage Bracket
- 5" Screw-On Lid & Tether
- 25' 3/8" EPDM Hose
- On-Demand 2.2, 4.0, 5.3 or 7.0 GPM Pump
- Cat I
- Adjustable Manifold Bracket

### **OPTIONS**

OPTION	COVERAGE	PUMP SIZE (MIN)
2 NOZZLE	80"	2.2 GPM*
3 NOZZLE	120"	2.2 GPM
4 NOZZLE	120"	2.2 GPM*
5T NOZZLE	120"	2.2 GPM
5 NOZZLE	192"	4.0 GPM
9T NOZZLE	192"	4.0 GPM
2X BOOMLESS	22-25 FT	4.0 GPM
3X BOOMLESS	25-30 FT	5.3 GPM

\* MINIMUM PUMP SIZE REQUIRES #2 TIP



Up to 28' Horizontal • 25' Vertical




Up to 42' Horizontal • 35' Vertical



Tank Colors







Skid Mount 110-200 Gallon



3-Point Tanks 110, 150, 200 or 300 Gallon CAT I/CAT II



Eliptical Tanks 300 or 500 Gallon

- Rugged Poly White Tank with Sump
- Powder Coated Metal
- Wand and Hose Storage
- 8" Screw-On Lid & Tether
- Variety of Wand Options Available
- Gas Driven Roller Pumps Briggs & Stratton
- Honda Engines Available
- Cox Reels
- Electric Option
- 6 or 8 Roller, Delavan Roller Pumps
- Remco Fatboy Pumps Available
- 28' Boom, Boomjet, Boomless Options





# **COMBINE ALL THREE FOR A COMPLETE UNIT**









### **FEATURES**

- Exterior Strainer
- Flat Bottom for use as a skid unit or bolt down feet
- White Poly Tank with Drain
- 25, 40 or 60 Gallon Capacity
- 120" Switch Wire Lead w/ Alligator Clips
- Hose Storage Bracket
- 25' 1/2" EPDM Hose
- Premium 43L Short Barrel Wand
- 5" Screw-on Lid & Tether
- 2" Receiver Hitch Boom Bracket
- All Boom Options Available
- 2.2 & 4.0 GPM Smooth Flo Pumps and 4.0 & 5.3 GPM Pumps



- 7' Coverage
- TF-VP3 Spray Tips with Screens
- Convenient Folding Brackets
- Includes Boom Manifold
- For use on Spot Sprayers with 2.2 GPM or larger pumps
- Tank not included



- 10' Coverage
- TF-VP3 Spray Tips with Screens
- Convenient Folding Brackets
- Includes Boom Manifold
- Spring Back Boom Arms
- Storage Position
- For use on Spot, Trailer, Skid and 3 Point Sprayers with 2.2 GPM or larger pumps
- Tank not included

### **FEATURES**

- 16' Coverage
- TF-VP3 Spray Tips with Screens
- Fixed Brackets
- Includes Boom Manifold
- Spring Back Boom Arms
- Storage Position
- For use on Spot, Trailer, Skid and 3 Point Sprayers with 4.0 GPM or larger pumps
- Tank not included





2 NOZZLE BOOM





**5 NOZZLE BOOM** 

### **BOOM FEATURES**

BOOM I ENTONES		
OPTION	COVERAGE	
2 NOZZLE	84"	
3 NOZZLE	120"	
5 NOZZLE	192"	
9 NOZZLE	192" (TURF)	



Breakaway Boom













2200

3300

5500

**FATBOY** 

**SMOOTHFLO** 



Remco Professional Grade quality starts with our vision to produce fluid handling equipment that excels in performance and reliability, and surpasses the end user's expectations. Every component of every Remco product has earned its pedigree through relentless field use and refinement.

Remco takes nothing for granted. Every product is tested at the factory to ensure it meets our rigorous standards of quality and performance.

Industry professionals choose Remco first because of our commitment to pro-level quality, engineering and customer service.





At TeeJet Technologies our single focus is on application technology. Our company and our products have been part of agricultural applications since the first crop protection products came onto the market in the 1940's. Our control systems date back to some of the earliest in-field uses of electronics in agriculture. This experience in the fields of spraying, fertilizing, and seeding means nobody is better suited to provide quality products and technical solutions for your business.

Innovative, industry-leading products are what you expect from TeeJet. Many of our best solutions can be found in our catalog or on this website; however, there is more to our company than great products. We also posses a wealth of information about applications and technologies that don't appear as cataloged products.



# SINUSTRIES INC.

51213 195th Street Council Bluffs, IA 51503 712-366-8040 1-800-831-3308 sprayers@smvind.com smvindustries.com