



www.fcracetires.com
(905)641-8633
info@fcracetires.com

GOODYEAR
Racing

2025 CANADIAN PRICELIST

GENERAL INFORMATION

No Warranty

Due to the conditions under which they operate, Goodyear MAKES NO WARRANTY AND SPECIFICALLY DISCLAIMS ANY WARRANTY (INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), EITHER EXPRESSED OR IMPLIED, with respect to Goodyear racing tires, tubes, safety spares or air containers and shall not be liable for any damages whatsoever including, without limitation, consequential or special damages, arising out of their use. Goodyear racing tires are designed and compounded solely for racing purposes and are not tested or labeled to meet FMVSS/ECE Regulations. It is therefore not only dangerous, but also illegal to sell for use or use race tires on public streets or highways.

Pressure Recommendations

Consult your Goodyear Racing Tire Distributor for specific recommendations for your local track.

Tire changing should be done by trained personnel using proper tools and procedures. NEVER attempt to install and inflate a tire of one diameter on a rim or wheel of another diameter. All Goodyear racing tires are designed to be used on wheels or rims that are manufactured to Tire and Rim Association (T&RA) specifications and tolerances. Use of Goodyear racing tires on damaged or improper rims can cause the assembly to explode with force sufficient to cause injury or death. When inflating, always lock wheel on mounting machine or place in safety cage and use extension gauge and hose with clip on air chuck.

STAND BACK. NEVER EXCEED 35 PSI TO SEAT BEADS.

Tire Care

Goodyear racing tires should not be stored near high temperatures, in direct sunlight, around welding areas, in overhead garage areas or around high-voltage electric motors.

NEVER attempt to patch or repair a Goodyear racing tire.

NEVER attempt to chemically or physically treat or alter a Goodyear racing tire.

NEVER re-use a Goodyear racing tire involved in a vehicle fire under ANY circumstances.

Tire Specifications

Size designations on Goodyear racing tires show nominal outside diameter, tread width and bead diameter (ie. 27.0x 9.0 -15). All dimensions are taken from an inflated tire under no load conditions.

Our comprehensive line of Goodyear racing tires brings versatility to the racing fraternity. Each type of racing activity is provided with a choice of tires affording the ultimate in performance during acceleration, cornering and braking.

The increasing successes of the Goodyear racing tires in worldwide competition give testimony to the effort in development, design and production of this extensive line.

A choice of compounds is available for some types of racing to best suit given track conditions. Consult your nearest Goodyear Racing Tire Distributor for specific recommendations for any particular vehicle or track in your area.

Additional Information

Additional information can be found at www.racegoodyear.com or by contacting Fairchild Race Tires at www.fcracetires.com.

***Prices in this catalogue are subject to change without notice based on exchange rates.**

Eagle Dragway Special

Eagle Dragway Special



TOP FUEL, FUNNY CAR

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2025 CDN Price
36.0x17.5-16	808-018-081	2747 231233	D-2H	BL, LW	16.0	36.6	115.0	21.8	17.3	48.0	\$1,450.00

PRO MOD, ALCOHOL, PRO STOCK

34.5x17.0-16	808-117-081	3122 229258	D-2G		16.0	34.8	109.0	21.3	17.0	43.0	\$940.00
33.5x17.0-16	808-043-081	2433 233411	D-4A	SS, BL	16.0	33.4	105.0	21.5	17.7	43.0	\$1,100.00
34.5x17.0-16	808-117-081	2799 271793	D-2H		16.0	35.2	110.0	19.6	17.0	49.0	\$940.00

STOCK, SUPER STOCK, SUPER GAS

32.0x14.0-15	808-178-081	1984 23556	D-5		14.0	32.4	101.0	17.0	14.4	39.3	\$650.00
32.0x14.5-15	808-163-081	1672 23540	D-5	MS	14.0	32.8	103.0	17.7	14.8	39.4	\$640.00
32.0x16.0-15	808-184-081	1408 23558	D-5	MS	15.0	32.4	102.0	18.4	16.0	39.6	\$660.00
33.0x15.0-15	808-260-081	2078 192212	D-5	MS	14.0	33.2	104.0	17.5	15.0	40.6	\$700.00
33.0x17.0-15	808-031-081	3153 244213	D-2H		15.0	32.8	102.0	20.6	17.3	42.9	\$785.00
28.0x9.0-15	808-735-081	2790 210598	D-5		8.0	28.0	88.0	10.7	9.0	21.3	\$395.00
28.0x10.0-15	808-736-081	2791 210599	D-5		10.0	28.0	88.0	12.0	10.0	23.1	\$400.00
29.0x11.0-15	808-174-081	2796 210596	D-5		10.0	29.0	91.0	12.8	10.9	25.1	\$470.00
29.0x12.0-15	808-188-081	2797 210597	D-5		11.0	29.0	91.0	13.9	11.8	25.1	\$480.00
30.0x9.0-15	808-717-081	1909 23623	D-5		8.0	30.7	96.5	12.4	9.0	25.0	\$520.00
31.0x13.0-15	808-096-081	2018 190161	D-5	MS	12.0	30.6	96.0	15.6	12.8	33.4	\$635.00
31.0x14.0-15	808-097-081	2019 190162	D-5	MS	12.0	31.0	97.0	16.2	14.0	35.8	\$645.00

Eagle Dragway Special

COMP, SUPER COMP											
Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2025 CDN Price
26.0x8.0-15	808-906-081	2976 23653	D-6	LW	9.0	26.4	83.0	10.5	8.9	16.0	\$300.00
32.0x14.5-15	808-163-081	1911 193992	D-1		14.0	32.2	101.0	17.7	15.0	34.1	\$685.00
33.0x14.5-15	808-164-081	2070 190163	D-6		14.0	32.8	104.0	18.9	14.9	34.1	\$680.00
33.0x16.0-15	808-942-020	3133 270982	D-2H		15.0	32.4	106.0	19.9	16.3	39.6	\$780.00
33.0x16.0-15	808-942-081	2052 190167	D-6		15.0	32.8	102.0	19.6	16.1	38.0	\$695.00
33.0x17.0-15	808-031-081	3151 244212	D-2H	LW,SS	15.0	32.5	100.0	20.8	17.2	41.1	\$785.00
33.0x17.0-15	808-031-081	3153 244213	D-2H		15.0	32.8	102.0	20.6	17.3	42.9	\$785.00
33.5x17.0-16	808-043-081	2433 233411	D-4A	BL, SS	16.0	33.4	105.0	21.5	17.7	43.0	\$1,130.00
33.5x17.0-16	808-391-081	2775 227639	D-2A	BL	16.0	33.5	105.0	21.1	16.8	40.3	\$730.00
33.5x17.0-16	808-393-081	2776 235137	D-2A	BL, SS	16.0	33.5	105.0	21.1	16.8	45.1	\$825.00
35.0x15.0-16	808-522-082	3111 239367	D-2A		16.0	33.5	110.0	18.8	14.8	42.0	TBD
35.0x15.0-16	808-522-082	2719 242495	D-2H		16.0	35.0	110.0	18.8	14.8	42.0	\$825.00
36.0x17.0-16	808-495-010	3256 275661	D-PM		16.0	36.0	113.0	19.7	17.0	49.0	\$960.00
36.0x17.0-16	808-495-010	3009 274383	D-2H		16.0	36.0	113.0	19.7	17.0	49.0	\$960.00

DRAG RADIAL											
30.0x9.0-15	388-717-097	5202 243655	D-1B	Factory Stock, Super Stock	9.0	29.6	93.1	12.4	9.8	21.5	\$530.00
30.0x9.0-15	388-717-097	5204 243660	D-1B	Factory Stock, Super Stock	9.0	30.1	94.7	12.8	9.8	21.7	\$530.00
30.0x9.0-15	388-717-097	5192 243651	D-1B	LW	9.0	29.5	92.5	11.8	9.1	21.1	\$530.00
30.0x9.0-15	388-717-097	5194 243653	D-1B		9.0	30.0	94.0	12.0	9.1	21.4	\$530.00
30.0x9.0-15	388-717-097	4902 240012	D-1A		9.0	30.0	94.0	12.0	9.1	21.4	\$530.00
30.0x9.0-15	388-717-097	4904 240059	D-1A		9.0	30.0	94.0	12.0	9.1	21.4	\$530.00
30.0x10.5-15	388-361-097	4915 237694	D-8		10.0	29.6	93.0	13.3	10.5	23.5	\$540.00
31.0x13.5-15	388-250-097	4909 237692	D-8		14.0	31.7	99.5	16.9	13.8	33.0	\$630.00
31.0x16.0-15	388-387-097	4917 237741	D-8		15.0	31.0	101.0	19.4	16.3	37.3	\$790.00
32.0x14.0-15	388-178-097	4911 237490	D-8		14.0	32.1	101.0	17.2	13.8	32.4	\$670.00
33.0x14.5-15	388-164-097	4463 220522	D-8		14.0	33.0	103.0	17.4	14.5	36.4	\$700.00
33.0x14.5-15	388-164-097	4913 237488	D-8		14.0	33.0	103.0	17.4	14.5	36.4	\$770.00

Eagle Dragway Special

EAGLE FRONTRUNNER

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2025 CDN Price
22.0x2.5-17	808-102-089	1445 177193	Hard	ET	2.5	22.0	69.9	2.5	1.5	4.5	\$325.00
22.0x4.0-17	808-130-089	2904 215560	Hard		2.5	22.9	72.0	3.4	3.1	5.2	\$485.00
23.0x5.0-15	808-243-089	2989 240982	Hard		4.0	23.0	72.7	6.8	5.0	12.2	\$435.00
24.0x5.0-15	808-730-089	1962 189955	Hard		4.0	24.0	75.8	6.8	5.0	11.3	\$365.00
25.0x4.5-15	808-028-089	2991 215499	Hard	LW	4.0	25.0	78.5	6.5	4.5	11.6	\$375.00
26.0x4.5-15	808-062-089	1964 190130	Hard		4.0	26.0	81.2	6.3	4.5	10.8	\$375.00
27.0x4.5-15	808-181-089	1965 197495	Hard		4.0	27.0	84.8	7.9	4.5	13.5	\$390.00
28.0x4.5-15	808-729-089	1966 189822	Hard		4.0	28.0	89.1	7.7	5.1	12.4	\$390.00

EAGLE LANDSPEED

Size	Product Code	Tire Code Matl No.	Rim	Width Overall	Diam.	Section Width	Tread Width	Weight (lbs)	Min. Inflation (psi)	Max Load (lbs)	Max Speed (MPH)	2025 CDN Price
21.0x5.0-15	808-975-090	2952 234517	4.5	21.3	5.4	4.1	10.0	50.0	1200	300		\$1,080.00
23.0x5.0-15	808-243-090	2953 234515	4.5	23.1	7.0	5.0	12.0	70.0	1700	300		\$1,120.00
25.0x4.5-15	808-028-090	2954 234514	4.5	24.8	6.7	4.0	12.0	70.0	1700	300		\$1,130.00
28.0x4.5-15	808-682-089	2956 234516	4.5	27.8	7.7	4.5	13.0	70.0	1700	300		\$1,170.00
28.0x10.0-15	813-264-058	2944 266917	9.5	28.3	13.6	10.0	22.0	89.0	1700	300		\$475.00
27.5x12.0-15	386-974-600	4600 227725	9.5	28.2	13.5	11.0	21.9	88.5				\$785.00
24.5x7.5-16	808-523-090	2860 239857	5.5	24.5	7.4	5.5	14.2	70.0	2300	320		\$1,200.00
22.0x4.0-17	808-130-089	2904 215560	2.5	22.9	3.4	3.1	5.2	72.0	1200	300		\$485.00
30.0x9.0-18	808-425-090	2870 233188	6.5	30.0	8.5	3.0	16.5	70.0	2300	320		\$1,255.00

LIFEGUARD SAFETY SPARE

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2025 CDN Price
PR-16	185-244-515	2912 230874	#	#	#	#	#	#	#	#	\$320.00

MOTORCYCLE

Size	Product Code	Tire Code Matl No.	2025 CDN Price
25.0x7.0-18	808-891-919	2980 103310	\$465.00

Eagle Dragway Special

DRAG TIRE COMPOUND DATA

Listed in order from softest to hardest.

Note that in some cases, a softer compound is not necessarily more tractive due to the nature of Goodyear's drag racing compounds.

D-8	High grip compound for high horsepower radial tire applications
D-2A	High grip compound used for TAD and some bracket applications
PM	New in 2025 for Pro Mod and TAFC
D-2G	For Pro Mod and TAFC. High level of grip that can also sustain wheelspeed
D-2H	For TF/FC and other high horsepower applications
D-1	For use on Dragsters and other lightweight cars
D-4B	For Stock Eliminator and slightly more tractive than D-4A
D-4A	Good for hot and/or slick track conditions
D-4	Excellent wear/longevity for heavy applications, +3,000 lbs
D-1B	New and improved compound for Stock and Factory Stock Showdown
D-1A	For use on Stock and Super Stock Radials
D-6	Works well on Dragsters and 1,500 - 2,500 lbs cars
D-5	Works well on Dragsters and 2,000 - 3,200 lbs cars
D-7	Limited application compound. Designed to eliminate shake
D-3	For heavy manual and automatic cars
HARD	Frontrunners

COMMENT KEY

R - Radial, **HG** - High Growth, **LW** - Lightweight, **MS** - Medium Stiff Sidewall, **SS** - Stiff Sidewall,

ET - Extended Tread Life, **BL** - Beadlock Wheel Required

Eagle Sports Car Special



FORMULA AND SPORTSCAR - BIAS

Size	R110	R160	R250	R255	R430	R470	R600	Application/ Tread Design	Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2025 CDN Price
20.0x7.0-13			2756 234776					S2000 G-19	6.0-8.0	20.5	9.0	7.2	9.5	\$450.00
20.0x7.0-13						2659 228938		FM Spec G-19	6.0-8.0	20.5	9.0	7.2	9.5	\$440.00
20.0x9.5-13	2468 221854	2640 221592						Vintage Fm ATL G-19	10.0	20.3	10.9	9.1	11.9	\$505.00
21.0x8.0-13						2769 235624		Formula G-19	9.0	21.5	10.0	8.5	11.0	\$530.00
22.0x9.0-13			2757 234777					S2000 G-19	8.0-10.0	22.5	11.3	9.2	11.9	\$515.00
22.0x9.0-13						2660 228985		FM Spec G-19	8.0-10.0	22.5	11.3	9.2	11.9	\$505.00
22.0x11.0-13						2770 235625		Formula G-19	11.0	22.7	12.5	10.8	13.6	\$570.00
23.0x13.0-13	2469 221855	2453 221813						Vintage Fm ATL G-19	14.0	23.0	16.1	12.3	19.3	\$630.00
20.0x8.0-13			2138 237143		2140 236865			Prod/Canilever G-19	6.0	20.2	9.3	8.2	14.3	\$440.00
20.0x9.5-13					2162 236866			Prod/Canilever G-19	7.0	20.1	10.5	9.5	16.0	\$450.00
23.0x9.0-15					2185 236599			Prod/Canilever G-19	7.0	23.0	10.4	9.3	18.0	\$540.00
23.5x10.5-16					1651 221579	1512 247028		GT/Production G-19	11.0	23.3	11.8	10.1	18.0	\$740.00
25.0x13.0-16					1570 221561	1510 247026		GT/Production G-19	12.0	24.5	13.7	12.4	22.5	\$780.00
27.0x14.0-16					1571 221562	1511 246027		GT/Production G-19	14.0	26.6	15.9	13.7	26.5	\$830.00

VINTAGE FORMULA / SPORTSCAR - BIAS

Size	R250	R310	R645	R655	Firm	Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2025 CDN Price
5.00-15			1664 237033								\$520.00
6.00-15					2724 238711						\$460.00
6.00-15W					2726 238696						\$465.00
26.5x8.0-15				2546 230167							\$555.00
26.5x10.0-15				2547 230168							\$560.00
7.00-15				2728 238712							\$485.00
8.00-15				2729 238713							\$495.00
23.5x10.5-15	2225 221728										\$745.00
27.0x14.0-15	2226 221730										\$825.00
20.0x10.0-13	2963 271657										\$825.00
23.0x10.5-13	2973 271658										\$970.00
26.0x15.0-13	2977 271659										\$1,140.00

Eagle Sports Car Special



FORMULA AND SPORTSCAR - RADIAL

Size	R160	R245	R250	R255	R410	R430	R465		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2025 CDN Price
21.5x8.0-13	4572 242221			5882 274461			4540 226363	Formula G19	9.0	21.6	9.8	8.2	13.1	\$630.00
22.5x11.0-13	4573 242222			4583 237147			4541 226364	Formula G19	11.0	22.6	12.2	10.6	16.5	\$665.00
23.0x9.5-15				4285 243865				GT3	7.0	23.1	9.9	9.3	18.5	\$640.00
25.5x14.0-16		4825 243865				4533 240035		TA1/GT1	12.0	25.5	14.1	14.0	25.0	\$920.00
28.5x14.5-16		4826 243867				4534 240036		TA1/GT1	13.0	28.5	15.4	14.8	28.5	\$980.00

VINTAGE - RADIAL

Size	R160	R210	R245	R255	R310	R430	R465		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	
23.5x10.5-16	4482 219472	4483 219473						Radial G-19 Porsche/MSA Ft	10.0	23.5	11.2	10.6	18.0	\$750.00
25.5x12.0-16		4480 219447						Radial G-19 Porsche Rear	12.0	25.5	13.5	12.2	24.5	\$845.00
25.5x14.0-16		4481 219471						Radial G-19 MSA Rear	14.0	25.4	15.2	14.0	25.0	\$875.00
25.5x12.5-18			5971 274170		4575 234480			Radial G-19 TA1/GT1	13.5	25.6	14.3	12.8	24.0	\$940.00
28.5x14.5-18			4972 244548		4536 232433			Radial G-19 TA1/GT1	14.5	28.5	16.0	14.5	30.0	\$970.00

D.O.T RADIAL

Size	RCMD 2	DOT R		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	
P205/50ZR15	4850 242197		2 Grooves B-Spec	6.5	23.1	8.8	8.1	18.7	\$280.00
P225/45ZR15	4934 246462		2 Grooves	7.5	23.0	9.5	8.9	19.4	\$465.00
P225/50ZR16	4854 243939		2 Grooves	7.0	24.5	9.6	8.9	21.2	\$490.00
P245/45ZR16	4858 243883		2 Grooves	8.0	24.5	10.2	9.6	22.6	\$550.00
P275/45ZR16	4898 243886		2 Grooves	9.0	25.5	11.0	10.8	23.7	\$585.00
P225/40ZR17	5825 271142		2 Grooves	8.0	24.0	9.3	8.9	20.6	\$530.00
P225/45ZR17	5919 271145		2 Grooves	7.5	24.9	9.3	8.9	20.9	\$530.00
P245/40ZR17	5856 271357		2 Grooves	8.5	25.0	10.2	9.6	21.8	\$540.00
P275/40ZR17		5896 273556	2 Grooves	9.5	25.6	11.5	10.8	24.5	\$650.00
P245/35ZR18	5852 271144		2 Grooves	9.0	25.0	10.2	10.0	22.7	\$680.00
P275/35ZR18	5846 271143		2 Grooves	9.5	25.6	11.3	10.8	24.1	\$700.00
P295/30ZR18		5939 273996	2 Grooves	10.5	24.9	11.9	11.6	24.0	\$710.00
P315/30ZR18	5900 271355		2 Grooves	11.0	25.6	12.6	12.4	26.2	\$725.00
P335/30ZR18	5906 271356		2 Grooves	12.0	26.2	14.0	13.2	28.8	\$765.00

Eagle Sports Car Special

D.O.T RADIAL WET

Size	WET		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2025 CDN Price
P205/50R15	4851 241796	Gatorback B-Spec Wet	6.5	23.1	8.5	8.1	19.1	\$295.00
P245/40R17	4857 243882	Gatorback	8.5	24.6	9.9	9.6	21.7	\$595.00
P275/35R18	4847 243884	Gatorback	9.5	25.7	10.8	10.8	24.2	\$775.00
P315/30R18	4901 243840	Gatorback	11.0	25.7	12.4	12.4	27.3	\$785.00

MODERN ERA RADIAL

Size	MED -	MED +	Rim Width	Diametre MM	Width MM	Tread MM	2025 CDN Price
200/580R15		6051 241863	7.0	583	216	195	\$630.00
265/605R16		6054 241865	9.0	607	275	260	\$700.00
305/660R18	6067 247029		12.5	656	332	290	\$1,050.00
310/710R18	6065 247030		13.0	706	354	308	\$1,060.00

MODERN ERA RADIAL - RAIN

Size	WET		Rim Width	Diametre MM	Width MM	Tread MM	2025 CDN Price
200/580R15	6053 241833	Revolution	7.0	583	216	195	\$650.00
265/605R16	6056 241834	Revolution	9.0	607	275	260	\$725.00
305/660R18	6059 242947	LMPC/DP	12.5	656	332	290	\$1,090.00
310/710R18	6060 242948	LMPC/DP	13.0	706	354	308	\$1,100.00

FORMULA AND SPORTSCAR - BIAS, RAIN

Size	R065 G-18	R085 F1	Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2025 CDN Price
20.0x6.5-13	2661 226343		6.0-8.0	21.0	7.7	5.9	10.5	\$435.00
22.0x9.0-13	2662 226351		8.0-10.0	22.4	11.1	8.8	13.0	\$505.00
20.5x7.5-13		1079 221803	6.0-7.0					TBD
23.0x8.0-15		1275 221807	7.0					TBD

FORMULA, SPORTSCAR AND VINTAGE - RADIAL, RAIN

Size	R065	R085	Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2025 CDN Price
21.5x8.0-13	4544 226361		9.0	21.6	9.8	8.2	13.1	\$650.00
22.5x11.0-13	4545 226340		11.0	22.6	12.2	10.6	16.5	\$685.00
23.5x10.5-16	4484 219474		10.0	23.5	11.2	10.6	17.0	\$815.00
25.5x12.0-16	4485 219476		12.0	25.5	13.5	12.2	24.5	\$850.00
25.5x14.0-16		6672 240508	12.0	25.5	14.1	14.0	30.0	\$990.00
28.5x14.5-16		6673 240509	13.0	28.5	15.4	15.4	36.6	\$1,060.00
25.5x12.5-18		4975 242373	13.5	25.6	14.3	12.8	24.0	\$1,020.00
28.5x14.5-18		4936 242374	14.5	28.5	16.0	14.5	30.0	\$1,090.00

Eagle Sports Car Special

FORMULA SAE

Size	DRY	RAIN		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2025 CDN Price
22.0x7.0-13	2773 253420		FSAE G-19	7.0	20.4	7.9	6.9	8.9	\$435.00
22.0x7.0-13		2703 239261	FSAE Rain F-1 Carved	7.0	20.4	7.9	6.9	8.8	\$445.00

TOURING

Size	Spec	R500	Firm	Application/ Tread Design						
27.0x11.0-15	3062 233295			G-19 Left spec	9.5	27.0	13.5	11.8	23.0	\$445.00
27.0x11.0-15	3063 233296			G-19 Right spec/Road	9.5	27.0	13.5	11.8	23.0	\$445.00
27.0x11.0-15			1439 218252	G-19 Bias White Letter	9.5	27.0	13.0	11.2	22.5	\$445.00
28.0x10.0-15	2944 261968			Landspeed	9.5	28.3	13.6	10.0	22.0	\$470.00
800/820-15	1432 217496			Historic						\$495.00
27.5x12.0-15		4409 271141		Classic	10.0	27.0	9.8	10.0	25.0	\$535.00

LIFEGUARD SAFETY SPARE

TS-15		2380 20505								\$310.00
-------	--	---------------	--	--	--	--	--	--	--	----------

