

Kidstuff play systems



- Top Design
- Great Quality
- Best Customer Service
- Unbeatable Value




ISO CERTIFIED
Aproval Certificate
#07.193.1



IPEMA CERTIFIED
To verify product certification,
visit www.ipema.org

"You can't buy a safer, tougher or better playsystem than a Kidstuff Playsystem"

2



Dick (above) and George (below) on the site of the "KidSoft" prototype



IPEMA Certified

To verify product certification visit www.ipema.org



Certified to "ISO 9001:2008 With Design" International Quality Standard Approval certificate number: 07.193.1

The Quality Policy of Kidstuff Playsystems

- * We will produce safe, durable and attractive products that children will find fun and challenging.
- * We will meet or exceed all customer and regulatory requirements and ship equipment on time, complete, and packaged with care and intelligence.
- * We will provide service and support which exemplify our deep commitment to partnership with customers for the well being of their children.
- * If there are problems with our equipment or installation, our commitment is to remedy the problem in a timely manner to provide the minimum possible inconvenience to our customers.
- * We see ongoing improvement to our Quality Management System as a duty to our customers and ourselves. We will review our procedures on a regular basis.
- * The quality of our equipment and our customer service will make every buying experience a positive one.

Dear Client,

Greetings from the beautiful Miller Beach in Gary, Indiana where we have been manufacturing playground equipment in the dunes near Lake Michigan since 1982.

When you are looking for playground equipment, what is important to you? That is how we approach the manufacture and sales of our playground equipment. We are not trying to put words in your mouth, but here is what playground purchasers have told us and how we address it:

- * a safe playground—IPEMA certified playground equipment to the latest ASTM standard.
- * a playground that will last a long time—21 year limited warranty.
- * a playground that will give me top value for my money—just compare us to others.
- * a playground that is age-appropriate for the playground users— meets ASTM & CPSC standards.
- * a playground with built-in quality—our ISO 9001-2008 certification attests to our quality.
- * a company that gives top notch service when I have a need or problem—we are the best.

This catalog offers you a variety of playsystems for different age groups and different price points. We are confident there is something in here for you. Events on pages 45-54 allow you to customize your playsystem to your preferences.

Finally, we don't just offer equipment and tell you to find an installer. We provide complete installation services including a variety of safety surfaces shown on pages 63-64.

We have sales reps throughout the USA to help you choose your playground. Check our website www.kidstuffplaysystems.com and let us know when you are ready to get started. Let's do your new playground together!

Cordially yours,

Richard (Dick) Hagelberg, CPSI
CEO and Sales Manager

George R. McGuan, CPSI
President and Manager of Operations

Table of Contents

What's New	3	Playsystem Events	45-54
Colors and Sizes	4	Sky Climbers	55
Fitness for Children and Adults	5-11	Classic Wood Playsystems	56-57
Playsystems for Ages 5-12	12-26	Freestanding Play Events	58-61
Playsystems for Ages 2-5	27-30	Swings	62
KidsVision Themed Playsystems	31-33	Swing Replacement Parts	63
Planning Your Playground	34-35	KidSoft and Surfacing Options	64-65
Playsystems for ages 2-5	36-42	ADA	66
Toddler Playsystems	43-44	Our Warranty	67

What's new from Kidstuff Playsystems



Spinsanity



Ball Mixer Panel

New Freestanding Events
Spinsanity (page 58)

New Panels
Ball Mixer Panel (page 54)

New KidsVision Themed Playsystems
Pirate Ship (page 32)

New Preschool Events
Music Wall (page 59)

New Climbers
Cloud Climber

New Toddler Playsystems
Playsystem # 7360 (page 43)

KidSoft Surfacing System (page 64)



Pirate Ship




Music Wall



Cloud Climber



Playsystem#7360



KidSoft Surfacing System

Color and Size Selection

4




IPEMA Certified

To verify product certification
visit www.ipema.org



**Playsystem # 7033-02
in red, white and blue**



**Playsystem # 5618 shown in
Green, Tan and Brown**

For steel posts and climbers, most people choose from red, royal blue, yellow, forest green, tan, brown, orange, purple, black and white—but scores of other color choices are available.

For plastics choose from red, blue, yellow, forest green, purple, tan and brown. You will see many popular color combinations throughout this catalog. Choose a playsystem you like or customize it to the colors of your choice.

Our plastic deck can handle this much block and beef and more. It is tested with over 3,000 lbs.

Choose either 3 ½" OD or 5" OD posts. Both exceed 45,000 lbs. yield and 48,000 lbs. tensile strength.

Kidstuff clamps: the "Heart" of the playsystems. Far superior to inserts in posts. Both 3 ½" and 5" clamps have been extensively tested to the F1487 ASTM standard and are IPEMA-certified. See www.ipema.org for a list of our IPEMA-certified products.

Stainless steel hardware and self-locking nuts are used throughout the system.



**Playsystem # 5469 shown
in Red, Yellow and Blue**



Plastic Deck

Childhood Fitness



IPEMA Certified

To verify product certification
visit www.ipema.org



Extreme Obstacle Course # 6377

Childhood obesity is a major problem in the U.S. today. We owe it to our children to provide experiences which will encourage growth and physical development and an active lifestyle. This, in turn, will lead to healthier lives. Here are some playsystems that will help in the fight.

Extreme Obstacle Course # 6377

Challenge your kids with a variety of overhead and climbing events. Great for critical upper body development. Playsystem # 6377 includes 9 ground level events and requires a use zone of 46' x 33'. It will accommodate 15 children ages 5-12.



Quad Climber # 83904

Mini Fitness Center # 5938

For a limited space or a smaller budget, the mini fitness center might be just right for you. It features a curved overhead loop ladder, chinning bar, 2 turning bars and a vertical ladder. Required use zone is 21' x 22'.

Quad Climber # 83904

Kids will climb up and down its 2 step climbers and coil climber and slide down the ever-popular firepole. Required use zone is 33' x 18'.

Freestanding Climbing Wall # 82106

Requires 16' x 15'

Zig Zag Climbing Wall # 82203 (3 sections)

Requires 33' x 18'



Mini Fitness Center # 5938



Freestanding Climbing Wall # 82106

Zig Zag Climbing Wall # 82203 (3 sections)





Fun and Fitness Center # 6032



IPEMA Certified
To verify product certification
visit www.ipema.org

Fun and Fitness Center # 6032

With climbers and overheads galore, your children will have hours of fun and challenge. Playsystem # 6032 includes 6 elevated play events, 5 ground level events and requires a use zone of 56' x 33'. It will accommodate 30 children ages 5-12.



Fitness Center # 7362

Fitness Center # 7362

Packed with fun and challenge, 7362 includes 3 overhead events, 5 different climbers, a fun log roll, a chin bar and a pod walk. Center accommodates 25 children ages 5-12 and requires a use zone of 44' x 32'.

Freestanding Loop Overhead Ladder # 80010

Great for developing upper body strength. Required use zone is 22' x 16'.

Wild Wall # 85503

Your children will love to climb all over this rotation-molded polyethylene, 3 section climber. It accommodates up to 9 children and requires a 20' x 40' use zone.

Combo Climber # 81411

This sturdy climber is sure to be a hit with the kids. Required use zone is 24' x 14'.



Freestanding Loop Overhead Ladder # 80010



Wild Wall # 85503



Combo Climber # 81411

Playsystem # 6960 has no platforms. It is available with 3 ½" OD steel posts—# 6960 and 5" OD steel posts—# 6960-03.

This is a playground designed for fun and challenge for your grade schoolers. It has a variety of climbers and overhead activities without any platforms. It is an obstacle course for children to develop important muscle groups while hanging, climbing, moving from bar to bar or taking the challenge of navigating the turning wheels. The log roll develops balance and coordination. Playsystem # 6960 includes 13 ground level play events plus 11 lilypad steps.

Playsystem # 6960 accommodates about 40 children ages 5-12 and requires a use zone of 56' x 49'.



IPEMA Certified

To verify product certification
visit www.ipema.org

Playsystem # 6960 Fun and Challenge Center

Playsystem # 6302

This playground is another in our line of playsystems designed to include many challenging climbers and overhead ladders. It also includes the ever-popular spiral slide. Playsystem # 6302 contains 9 elevated play events plus an ADA transfer module.

Playsystem # 6302 accommodates about 30 children ages 5-12 and requires a use zone of 45' x 42'.

3 Options for Playsystem # 6302

6302 3 ½" OD Steel posts 1 Plastic square deck and 1 plastic-coated steel hex shaped deck (as pictured)	6302-02 3 ½" OD Steel posts Steel decks	6302-03 5" OD Steel posts Steel decks
--	---	---



IPEMA Certified

To verify product certification
visit www.ipema.org

Healthtrek was developed to meet the physical development and maintenance needs of several very diverse segments of our society—youth, seniors, elite athletes, and the military as well as the general population. Everyone from elite athletes to couch potatoes, young and old, will benefit.

Healthtrek incorporates activities to develop all major muscle groups, both in terms of endurance and strength. Emphasis is placed on upper body, lower body, and abdominal muscles. The courses we have laid out provide a balanced program for the sub-group named, whether it be seniors, youth, athletes/military or the general population.

Our clients often select their own combination of activities to meet goals they have established. Our consultants have strongly recommended stretching activities at both the beginning and end of the course. There is no wrong or right way to set out the course. Some users prefer a cluster while others spread the course over a quarter of a mile or more. HealthTrek can be easily adapted to your situation. We at Kidstuff Playsystems will help you design your course. We are here to help you so you can help the people you serve.

CATALOG #	ACTIVITY/APPARATUS	WORKING MUSCLE	CHARACTERISTIC DEVELOPED	COURSES			
				GENERAL	SENIOR	YOUTH	CHALLENGE/MILITARY
HTK01	Leg Stretches	Calves & Hamstrings	Flexibility	x	x	x	x
HTK02	Arm & Shoulder Stretches	Upper arms, Chest, Shoulders	Flexibility	x	x	x	x
HTK03	Overhead Ladder	Shoulders & Arms	Strength			x	x
HTK04	Abdominal Crunches	Abdominals	Strength	x	x	x	x
HTK05	Push Up Bars	Chest & Arms	Strength	x	x	x	x
HTK06	Log Jump	Calves & Thighs	Endurance, Agility	x	x	x	x
HTK07	Chin Up Bars	Arms & Shoulders	Strength	x		x	x
HTK08	Step Ups	Thighs & Calves	Endurance	x	x	x	x
HTK09	Vertical Curl	Abdominals & arms	Strength	x	x	x	x
HTK10	Side Leg Lifts	Inner & Outer Thighs	Flexibility	x	x		x
HTK11	Vertical Jump	Calves	Strength	x	x	x	x
HTK12	Opposing Beam Walk	Legs	Agility, Balance	x	x	x	x
HTK13	Climbing Wall	Upper Body	Strength				x
HTK14	Crawl Tunnel	Arms & Legs	Agility			x	
HTK15	Parallel Bars	Arms, Shoulders, Abdominals	Strength				x
HTK16	Balance Beam (3 sections)	Legs	Balance, Agility	x		x	x
HTK17	Tire Run	Legs	Agility	x			x
HTK18	Sitting Hamstring Stretches	Hamstrings & Lower Back	Flexibility	x	x	x	x
HTK19	Lower Back Stretches	Lower Back	Flexibility	x	x	x	x
HTK20	Welcome Sign	N/A	N/A	x	x	x	x
HTK21	Kids Course Sign	N/A	N/A			x	
HTK22	Challenge Course Sign	N/A	N/A				x
HTK23	Senior Course Sign	N/A	N/A		x		
HTK24	Heart Check Sign	N/A	N/A	x	x	x	x
HTK25	Finish Sign	N/A	N/A	x	x	x	x

HealthTrek Signs

To guarantee an effective fitness program, Kidstuff Playsystems has designed its signs to be thorough and easy to understand.

Sign Features:

Name of activity/apparatus

Characteristic developed

Graphic illustration

Written directions

Working muscle

3 levels of difficulty

HTK26 General Course Package
HTK27 Senior Course Package
HTK28 Youth Course Package
HTK29 Challenge Course Package



HTK20 Welcome Sign



HTK01 Leg Stretches



HTK02 Arm & Shoulder Stretches



HTK03 Overhead Ladder



HTK04 Abdominal Crunches



HTK05 Push Up Bars




HTK06 Log Jump



HTK07 Chin Up Bars



HTK08 Step Ups



HTK09 Vertical Curl




HTK10 Side Leg Lifts



HTK11 Vertical Jump



HTK12 Opposing Beam Walk



HTK13 Climbing Wall



HTK14 Crawl Tunnel



HTK15 Parallel Bars



HTK16 Balance Beam (3 sections)



HTK17 Tire Run



HTK18 Sitting Hamstring Stretches



HTK19 Lower Back Stretches



HTK24 Heart Check Sign



HTK25 Finish Sign

Playsystem # 7136

A fantastic large playsystem for your school, model # 7136 has many of the most popular grade school climbers, overheads and slides. It will keep a large group happily playing day after day. Playsystem # 7136 contains 18 elevated play events, 3 ground level play event and 2 ADA transfer modules.

Playsystem # 7136 accommodates 100+ children ages 5-12 and requires a use zone of 64' x 49'.

3 Options for Playsystem # 7136

7136 3 ½" OD Steel posts Plastic square decks and plastic triangle- shaped decks (as pictured)	7136-02 3 ½" OD Steel posts Steel decks	7136-03 5" OD Steel posts Steel decks
--	--	--



IPEMA Certified

To verify product certification
visit www.ipema.org

Playsystem # 7268-02 accommodates about 75 children ages 5-12 and requires an area of 57' x 40'.

Playsystem # 7268-02

This large playsystem is perfect for the elementary school with 75 children using the playsystem at one time. Remember that many children will be playing games on the playground so you only need to accommodate roughly 1/2 the children on the play equipment. With 3 slides, a double ring trek, a bridge, 8 climbers, play panels and ADA access, this playsystem has something to challenge all your children. Playsystem 7268-02 has 22 play events; 15 elevated and 7 at ground level and makes your playground ADA compliant without adding any more events.



IPEMA Certified
To verify product certification
visit www.ipema.org

2 Options for Playsystem # 7268-02

7268-02
3.5" OD steel posts
Steel decks
(as pictured)

7268-03
5" OD steel posts
Steel decks

Second View

Playsystem # 5670 accommodates about 45 children ages 5-12 and requires a use zone of 58' x 50'. It is easily modified for ages 2-12.

Playsystem #5670

This large structure features 3 favorite events: the beanstalk climber, the step climber and lilypad walk. It also includes many popular slides and play events including the spiral slide, combo slide and clatter bridge.

Playsystem #5670 includes 15 elevated play events of which 12 are accessible by wheelchair ramp or transfer module.

3 Options for Playsystem # 5670

5670 3 ½" OD Steel posts Plastic decks (As pictured)	5670-02 3 ½" OD steel posts Steel decks	5670-03 5" OD steel posts Steel decks
--	--	--



IPEMA Certified

To verify product certification
visit www.ipema.org

Playsystem # 6747-02

This large playsystem features many of our most popular events: the double climbing wall, the huge alpine thunder slide, our combo slide, and much, much more. Available in the popular red, white and blue as shown or in the colors of your choice. Playsystem # 6747-02 includes 11 elevated play events, 5 ground level play events, a hex roof for shade and ADA transfer module.

Playsystem # 6747-02 accommodates about 50 children ages 5-12 and requires an use zone of 49' x 39'.



IPEMA Certified
To verify product certification
visit www.ipema.org

2 Options for Playsystem # 6747-02

6747-02

3 ½" OD steel posts
Steel decks
(as pictured)

6747-03

5" OD steel posts
Steel decks



IPEMA Certified

To verify product certification
visit www.ipema.org

Playsystem # 6677-02

A big seller with its 2 huge slides, popular track ride and lily pad walk, double climbing wall, challenging turning wheels and much, much more. This large playsystem features our most popular events for the age range. Do it in your school colors! Playsystem # 6677-02 includes 11 elevated play events, 1 ground level play event, 2 gable roofs for shade and an ADA transfer module.



3 Options for Playsystem # 6677-02

6677

3 1/2" OD Steel posts
Plastic decks with a
plastic-coated steel
hex shaped deck.

6677-02

3 1/2" OD Steel posts
Steel decks
(As pictured)

6677-03

5" OD Steel posts
Steel decks

Playsystem # 6677-02
accommodates about
50 children ages 5-12
and requires a use
zone of 52' x 42'



Reverse View

Playsystem # 7141-02

This large playsystem is packed with climbing, sliding and an overhead ladder. It will keep your grade schoolers active and happy throughout the recess period. Playsystem # 7141-02 has 10 elevated play events, 1 ground level play event, 2 hex roofs for shade and ADA transfer module.



IPEMA Certified
To verify product certification
visit www.ipema.org



2 Options for Playsystem # 7141-02

7141-02
3 ½" OD steel posts
Steel decks
(as pictured)

7141-03
5" OD steel posts
Steel decks

Playsystem # 7141-02 accommodates about 45 children ages 5-12 and requires an use zone of 49' x 31'.

Your grade schoolers will have hours of fun exploring the many activities of this play-system. They will be challenged by the track ride, turning wheels and climbing wall and enjoy 4 more climbers and the ever-popular spiral slide and high wave slide. Playsystem # 6171 includes 12 elevated play events, 1 ground level play event, 2 roofs and an ADA compliant transfer module.

Playsystem # 6171

3 Options for Playsystem # 6171

6171

3 ½" OD Steel posts
Plastic decks
(as pictured)

6171-02

3 ½" OD Steel posts
Steel decks

6171-03

5" Steel posts
Steel decks

Playsystem # 6171 accommodates about 45 children ages 5-12 and requires a use zone of 40' x 39'.



IPEMA Certified

To verify product certification
visit www.ipema.org

Playsystem # 7380-02 accommodates about 70 children ages 5-12 and requires an use zone of 48' x 48'.



Playsystem # 7380-02

This large playsystem combines fun and fitness. It easily accommodates 70 children and fully engages them in physical and social developmental activities. With its multiple slides, climbers, bridges and overhead events, this playsystem has something to challenge all your children. It includes 14 elevated and 5 ground level events, making this playground ADA compliant without adding ground level events.



Second View

2 Options for Playsystem # 7141-02

7380-02
3.5" OD steel posts
Steel decks
(as pictured)

7380-03
5" OD steel posts
Steel decks



IPEMA Certified
To verify product certification
visit www.ipema.org

Playsystem # 7384-02 accommodates about 45 children ages 5-12 and requires an use zone of 44' x 42'.

Playsystem # 7384-02

This exciting playsystem emphasizes fun and fitness while including 4 popular slides and a variety of challenging climbers including 2 climbing walls. Playsystem # 7384-02 includes 12 elevated and 5 ground level play events, making this playground ADA compliant without adding ground level events.



IPEMA Certified
To verify product certification
visit www.ipema.org

2 Options for Playsystem # 7384-02

7384-02
3.5" OD steel posts
Steel decks
(as pictured)

7384-03
5" OD steel posts
Steel decks

Second View

Ages 5-12 Playsystem

ADA Compliant



IPEMA Certified

To verify product certification
visit www.ipema.org

Playsystem # 7134

A fantastic mid-sized playsystem for more advanced grade schoolers, this model is packed with climbers and upper body activities. It also has the ever-popular wave slide from a 6' high platform. It is a top value. Playsystem # 7134 contains 11 elevated play events, 1 ground level play event and an ADA transfer module.



3 Options for Playsystem # 7134

7134 3 ½" OD Steel posts Plastic square decks and plastic triangle- shaped decks (as pictured)	7134-02 3 ½" OD Steel posts Steel decks	7134-03 5" OD Steel posts Steel decks
--	--	--

Playsystem # 7134 accommodates 35-40 children ages 5-12 and requires a use zone of 43' x 31'.

Playsystem # 6120-02

Packed with activities for the lower elementary grades, its climbers, slides and overhead loop ladder provide a ton of fun and challenge. It is easily modified for ages 2-12. Playsystem # 6120-02 contains 12 elevated play events, 2 roofs and an ADA transfer module.



3 Options for Playsystem # 6120

6120	6120-02	6120-03
3 ½" OD steel posts	3 ½" OD Steel posts	5" OD Steel posts
Plastic decks	Steel decks (as pictured)	Steel decks

Playsystem # 6120-02 accommodates 40 children ages 5-12 and requires a use zone of 50' x 34'.



IPEMA Certified
To verify product certification
visit www.ipema.org

Playsystem # 5977

Big climber, huge slide! Playsystem # 5977 will fit into that long, narrow space that is so hard to fill. A great playsystem for your school or park. Playsystem # 5977 includes 6 elevated play events, 2 ground level play events, a roof and an ADA compliant transfer module.

Playsystem # 5977 accommodates about 25 children ages 5-12. It is easily modified for ages 2-12 and requires a use zone of 40' x 21'.



IPEMA Certified

To verify product certification
visit www.ipema.org

3 Options for Playsystem # 5977

5977

3 ½" OD Steel posts
Plastic decks
(as pictured)

5977-02

3 ½" OD Steel posts
Steel decks

5977-03

5" OD Steel posts
Steel decks



Models # 6904-03 and # 7363-02 are available with either 3.5" OD or 5" OD steel posts. Ask your sales consultant for details.

IPEMA Certified
To verify product certification
visit www.ipema.org

Playsystem # 6904-03



Playsystem # 6904-03

This playsystem packs a lot of play into a small area. It provides many popular activities for you your grade schoolers. Shown with the larger 5" OD steel posts, playsystem # 6904-3 includes 5 overhead play events, 2 ground level play events, a gable roof and an ADA compliant transfer module.

Playsystem # 6904-3 accommodates about 25 children ages 5-12 and requires a use zone of 38' x 29'.

Playsystem # 7363-02 "The Rocket"

This playsystem encourages your children to reach for the stars. Its climbers and slides will entertain for hours. It includes 6 elevated and 2 ground level play events appropriate for ages 2-12 as well as ADA accessibility.

Playsystem # 7363-02 accommodates 25 children ages 2-12 and requires an area of 36' x 34'.

Playsystem # 7363-02





IPEMA Certified

To verify product certification
visit www.ipema.org

Playsystem # 7033-02

This medium sized playsystem brings terrific variety to your playground with its climbers, upper body developing overhead snake ladder and 2 popular slides. Playsystem # 7033-02 contains 7 elevated play events, 2 ground level play events, a roof for shade and an ADA transfer point.

Playsystem # 7033-02 accommodates 35 children ages 5-12 and requires a use zone of 38' x 36'.

2 Options for Playsystem # 7033

7033-02
3 1/2" OD Steel posts
Steel decks
(as pictured)

7033-03
5" OD Steel posts
Steel decks

Models # 5469-02 is available with either 3 ½" OD or 5" OD steel posts and either plastic or steel decks. Model 6368-02 is available with 3 ½" or 5" OD posts but only is available with a steel deck. Ask your sales consultant for details.

Playsystem # 6368-02



IPEMA Certified

To verify product certification
visit www.ipema.org

Playsystem # 6368-02

Wow! That's what your children will be saying after they have tried the "alpine thunder slide" with its 3 different sliding experiences. Playsystem # 6368-02 includes the alpine thunder slide, access steps, a firepole and climbing wall.

It accommodates about 12 children ages 5-12 and requires a use zone of 28' x 20'.

Playsystem # 5469-02

This playsystem provides thrills aplenty for your grade schoolers. Whether climbing or sliding or hanging from the monkey bars, children will be having a blast. Playsystem # 5469-02 includes 5 elevated play events, a shade roof and an ADA compliant transfer module.

Playsystem # 5469-02 accommodates 20 children ages 5-12 and requires a use zone of 34' x 33'.


Playsystem # 5469-02



Both models # 6152-02 and # 7152-02 have one large hexagon-shaped platform. Both are available with either 3.5" OD or 5" OD steel posts.



Playsystem # 7125-02



IPEMA Certified
To verify product certification
visit www.ipema.org

Playsystem # 7152-02

This is a modification of the very popular model 6152, for those with smaller budgets. It will keep your class of grade schoolers happily playing day after day. Playsystem # 7125-02 contains 5 elevated play events and an ADA transfer module.

Playsystem # 7125-02 accommodates 25 children ages 2-12 and requires a use zone of 36' x 29'.

Playsystem # 6152-02

Playsystem #6152-02 features a large hex-shaped platform with a play event off every side. Its slides and climbers make it a hit with the kids. Its double climbing wall allows side by side climbing and tons of fun. The playground is topped off with a large hex-shaped roof for shade.

Playsystem # 6152-02 includes 5 elevated play events, a large shade roof and an ADA compliant transfer module.

Playsystem #6152-02 accommodates about 25 children ages 5-12. It is easily modified for ages 2-12 and requires a use zone of 35' x 29'.



Playsystem # 6152-02



Playsystem # 7142

Playsystem # 7142

This large playsystem, with its two wheelchair ramps, allows children with all physical abilities to explore its many fun and challenging activities. Its 4 slides provide a variety of different rides. Playsystem # 7142 contains 15 elevated play events, 6 of which are accessible to a child in a wheelchair.



IPEMA Certified

To verify product certification visit www.ipema.org

Playsystem # 7142 accommodates 50 children ages 2-12 and requires a use zone of 51' x 42'.

3 Options for Playsystem # 7142

7142
3 1/2" OD Steel posts
Plastic square deck with
2 plastic-coated
steel hex shaped decks
(as pictured)

7142-02
3 1/2" OD Steel posts
Steel decks

7142-03
5" OD Steel posts
Steel decks



Playsystem # 7142



Playsystem # 5281

One of our all-time best sellers, this playsystem meets the developmental needs of a wide age range of children; perfect for homeowners associations and apartment complexes. Playsystem # 5281 contains 6 elevated play events, 2 ground level play events and an ADA compliant transfer module.

Don't like these colors? We will do it in your colors. Ask your sales consultant for a 3D rendering showing it in your colors.



IPEMA Certified
To verify product certification
visit www.ipema.org

Playsystem # 5281 accommodates 22 children ages 2-12 and requires a use zone of 28' x 29'.

3 Options for Playsystem # 5281

5281 3 ½" OD steel posts Plastic decks (As pictured)	5281-02 3 ½" OD Steel posts Steel decks	5281-03 5" OD Steel posts Steel decks
---	---	---

Second View



Playsystem # 7135-02

This popular playsystem provides a variety of fun and challenging activities for your preschool children. Besides climbing and sliding, your children will use their imaginations while enjoying the play panels. Purchase it in these colors or the colors of your choosing. Playsystem # 7135-02 includes 8 elevated play events plus an ADA compliant transfer module and 2 plastic roofs for shade.



3 Options for Playsystem # 7135

7135	7135-02	7135-03
3 ½" OD Steel posts	3 ½" OD Steel posts	5" OD Steel posts
Plastic decks	Steel decks (As pictured)	Steel decks

Playsystem # 7135-02 accommodates about 30 children ages 2-5 and requires a use zone of 37' x 29'.



IPEMA Certified

To verify product certification visit www.ipema.org

KidsVision is a series of themed playsystems for preschool aged children. It includes 1 or 2 slides, 1 or 2 climbers, ADA compliant transfer module and several 2-color high density polyethylene (HDPE) panels depicting the theme.

KidsVision designs have been developed for a train as you see on this page, a pirate ship, the Alamo, and the nature scene shown on another page. A variation of KidsVision is themed vehicles. Elsewhere in this catalog you will find a school bus and a fire engine. Can you propose a theme for us to represent for your playground? Tell your playground consultant and we will work up your custom design.



IPEMA Certified

To verify product certification
visit www.ipema.org

Model # 1004 Train

Climb aboard the deluxe Kidstuff train which includes the locomotive, caboose and tank car connector. Our train with its variety of climbers and slides accommodates 30 children and requires 46' x 20'. Train # 1004 includes 6 elevated play events and an ADA compliant transfer module.



Model # 1002 Caboose

Bring back the caboose! Our caboose has 2 climbers, a slide and an ADA transfer module. It makes a perfect little playground. Caboose # 1002 accommodates 14 children ages 2-5 and requires 28' x 19'.


Model # 1003 Locomotive

Its 2 slides, climber and ADA transfer module make the locomotive a hit with your preschoolers. Locomotive # 1003 accommodates 15 children ages 2-5 and requires a use zone of 32' x 20'.



Model # 87308 School Bus on Springs

Your children will love to play on their own school bus. We will write the name of your school on one of the panels. Also available stationary, model # 873008S. Accommodates up to 12 children ages 2-5 and requires a use zone of 20' x 18'.



Model # 87308

Model # 1005



Model # 1005 Pirate Ship

All aboard matey for a ride on the wild seas. Climb the prow, walk up the gangplank and slide into the "ocean". Our pirate ship offers many opportunities for imaginative play. Includes ADA transfer module.

Pirate Ship # 1005 accommodates about 15 children ages 2-5 and requires an area of 30' x 22'.



IPEMA Certified
To verify product certification
visit www.ipema.org

Model #69608 Fire Engine on Springs

Your preschoolers will rock and roll on our unique fire engine on springs. Also available stationary (model # 69608S). Accommodates up to 12 children ages 2-5 and requires a use zone of 20' x 17'.



Model # 69608

Woodland Trees and Animals

Teachers can play many teaching games with their preschool aged children. "Which animals live around here?" "Where would you go to see a bear?" "How many trees can you count?" "How many animals do you see?" Opportunities abound for opening the door to the study of living things with which we share the world; that interdependent web of which we are a part.

Our nature theme depicts some of the more common trees and animals of the woodland. One side features the turkey, duck, deer and possum along with pine trees. The other side shows a raccoon, goose, squirrels and a bear with an oak tree. While your children are climbing and sliding on the playsystem they can be learning about nature.

Everyone likes to be in a scene. Kids love to have their pictures taken as they become the head of the deer or the bear.

The Kidstuff Woodland Trees and Animals themed playsystem will stretch your children's growing bodies and minds.

The Woodland Trees and Animals # 1007 playsystem will accommodate 15 children ages 2-5 and requires a use zone of 32' x 20'.

KidsVision # 1007
View 2

KidsVision # 1007
View 1



IPEMA Certified
To verify product certification
visit www.ipema.org

Custom design your own themed playsystem for preschoolers. Or choose one of our other designs: a castle, the Alamo, a Pueblo-style house, farm animals or animal habitats.

Plan Your Playground

34

Together we can plan your playground when we have the following information

1. The ages of the children who will use the playground

Toddlers, preschoolers, primary and intermediate aged children are all at different developmental levels and different play activities are appropriate for the different age groups. Your playground design has to be age-appropriate.

2. Space limitations

We can configure a playground to almost any shape. We also must take into account the ASTM F1487 standard and the U.S. Consumer Product Safety Commission (CPSC) guidelines for playground safety. Every elevated playsystem has a use zone that is 6' in all directions from the outermost element. Our designers will work with you to design a playground that complies.

3. Budget

We can work with almost any budget. We may recommend small stand-alone events if your budget precludes a playstructure. Please remember that your budget needs to include, in addition to the cost of the play equipment, installation, safety surfacing and freight. Kidstuff Playsystems will do the whole package for you or you can make your own arrangements for the installation and safety surfacing. We need to know your budget and which services you want us to provide in order to provide you the best possible service.

4. Your Preferences

We will customize your playground by adding to or taking away from our standard playsystems and substituting events that you prefer. Or you can pick events from our event pages and we will custom design a playsystem to include them. Your Kidstuff Playsystems sales consultant will work with you to develop a design that is just right for you and the children you serve.

5. Project Execution

Your Kidstuff Playsystems sales consultant will work with you every step of the way to get your dream playground ordered, delivered and properly installed with an appropriate safety surface. This will insure that your children will experience years of safe fun and challenge on their playground.

COME PLAY WITH US!

Organization _____
Contact Person _____
Address _____ State _____ Zip _____
Phone () _____ Fax _____
E-mail _____
Kidstuff Sales Consultant (if known) _____

1. What age group are we designing for?:

- ☐ Toddlers
☐ Ages 2-5
☐ Ages 5-12
☐ Other age group, specify _____

2. Space Available _____' x _____'

If space is irregular, please provide a sketch.

3. Preferred surfacing:

- ☐ KidSoft
☐ Poured in place
☐ Rubber tiles
☐ Loose rubber
☐ Engineered wood fiber (wood chips)
☐ Artificial turf

4. I like the following playsystem: _____

with the following changes (if none, write "none")

5. I want to design my own playsystem with the following events and activities (see pages 45-54.)

6. I want to complete my playground with the following events and activities:

- ☐ Swings (how many?) _____ ☐ Funball
☐ Funphones ☐ Mushroom spinners (how many?) _____
☐ Other, specify _____

7. In order to intelligently help you plan your playground we need to know your budget.

Your budget is \$ _____

This includes... (check all that apply)

- ☐ Play equipment ☐ Installation
☐ Safety surfacing ☐ Shipping charges
☐ Other (specify) _____

Give this form to your Kidstuff sales consultant, fax it to 219 938-3340 or e-mail to rhagelberg@kidstuffplaysystems.com. We will put together a plan for the playground of your dreams.



IPEMA Certified

To verify product certification visit www.ipema.org

Playsystem # 7015

This large playsystem, with a 12' long wheelchair ramp to a hex shaped platform, allows children with all physical abilities to explore its many varied activities—slides, crawl tubes, bridges, activity panels and climbers too. Playsystem # 7015 contains

16 elevated play events, 6 of which are accessible to a child in a wheelchair, 1 ground level play event, 1 large hex shaped roof and 1 square roof for shade and an ADA compliant transfer point.



3 Options for Playsystem # 7015

7015 3 ½" OD Steel posts Plastic square decks with 1 plastic-coated steel hex shaped deck (as pictured)	5281-02 3 ½" OD Steel posts Steel decks	7015-03 5" OD Steel posts Steel decks
---	--	--

Playsystem # 7015 accommodates 45 children ages 2-5 and requires a use zone of 37' x 37'.

Playsystem # 7347



Playsystem # 7347

Slides, climbers, interactive panels and drums; a ton of fun for your preschoolers.

Playsystem # 7347 includes 10 elevated and 3 ground level play events.

Playsystem # 7347 accommodates 30 children ages 2-5 and requires 31' x 24'.

Playsystem # 7079

This preschool playground is packed with climbing and sliding opportunities for your preschoolers. Activity panels encourage their developing creativity. Playsystem # 7079 contains 8 play events, an ADA compliant transfer module and a shade roof.

Playsystem # 7079 accommodates about 25 children ages 2 to 5 and requires a use zone of 35' x 28'.



Playsystem # 7079



IPEMA Certified
To verify product certification
visit www.ipema.org

Both models # 7374 and # 6865ss available with either 3.5" OD or 5" OD steel posts and either plastic or steel decks. Ask your sales consultant for details.



IPEMA Certified
To verify product certification
visit www.ipema.org



Playsystem # 6865ss

Playsystem # 6865ss

Children enjoy fun in the shade as the large 18' x 18' sun shelter protects them from harmful rays of the sun. This preschool playground is packed with climbing and sliding opportunities and includes 3 different slides and a variety of play panels. Playsystem # 6865ss contains 8 elevated play events, 4 ground level play events, and an ADA compliant transfer module and a built-in 18' x 18' fabric sun shelter.

Playsystem # 6865ss accommodates about 30 children ages 2 to 5 and requires a use zone of 35' x 28'.

Playsystem # 7374

This is a terrific starter set for your preschoolers. With 2 great slides and 2 fun climbers, it offers a lot of activity in a compact area. It includes 5 play events (4 elevated and 1 ground level) plus a shade roof and ADA transfer module.

Playsystem # 7374 accommodates 16 children ages 2-12 and requires an area of 27' x 27'.



Playsystem # 7374



IPEMA Certified
To verify product certification
visit www.ipema.org

Playsystem # 7294



Playsystem # 7294


This playsystem offers climbing, crawling and sliding as well as a variety of interactive activities including conga drums, bongo drums, a storefront panel, and 5 different play panels.

Playsystem # 7294 accommodates 25 children ages 2-5 and requires an area of 30' x 26'.

Playsystem # 7369

This is our most popular small playsystem for early learning programs with 2 slides and an age appropriate climber. Playsystem # 7369 includes 6 elevated and 2 ground level play events, ADA transfer point and a roof. Pictured balance beam and fun phones are optional additions.

Playsystem # 7369 accommodates 15 children ages 2-5 and requires a use zone of 29' x 20'.



Playsystem # 7369

Both models 6600 and 6600ss are available with either 3 1/2" OD or 5" OD steel posts and either plastic or steel decks. Ask your sales consultant for details.

Playsystem # 6600ss

Playsystem # 6600ss

Same as Model # 6600 except an 18' x 18' built-in sun shelter replaces the pyramid roof.

Sun Shade

Sun shade protects children from harmful UV radiation, lowers the temperature under it and is rated for winds in excess of 120 mph. Fabric is high-density polyethylene with ultraviolet inhibitors. All connecting points are triple reinforced. Fabric is warranted for 10 years.

Playsystem # 6600 and # 6600ss accommodate about 15 children ages 2-5 and require a use zone of 29' x 28'.

Playsystem # 6600

A terrific small playsystem for your preschoolers. It has 2 slides and a popular climber. Playsystem # 6600 contains 6 elevated play events, 1 ground level play event, a roof and an ADA transfer point.



IPEMA Certified

To verify product certification visit www.ipema.org

Playsystem # 6600

Independent Play Features Preschool Ages 2-5



Sandbox # 63388

Sandbox # 63388

Children love to play in the sand. Our 8' x 8' sandbox is built from red, blue, green and yellow molded plastic timbers. A plastic seat is attached in each corner. Includes steel stakes to attach timbers to the ground.

Sandbox cover # 63400

Sandbox cover material is reinforced 18 gauge vinyl and includes a sewn-in elastic shock cord to fit neatly around the top of the sandbox. Sand box cover comes with a reinforced center hole for drainage.

Sandbox cover # 63400



Sun shelter # 72020

Recycled plastic cottage climber, shown with a 20' x 20' sun shelter



Cottage Climber # 2746


Our multi-purpose cabin is great fun for your kids. They will love to climb all over the roof or just hang out inside. Children use the play counter in a variety of games. The cottage climber accommodates about 16 children ages 4 and up and requires a use zone of 20' x 18'.

Model # 2747 is the Cottage Climber with a non-climbable roof.

Sun shelter # 72020

(20' x 20' shown on left)

Our sun shelters are fabricated of the best quality materials: high density polyethylene fabric with UV protection additives; double lock stitched seams, stainless steel fasteners and galv. steel posts. Built to withstand 150 mph winds, fabric is guaranteed for 10 years. Powder-coated posts and a variety of sizes are available. Ask for a quote.




Cottage Climber # 2746

Cottage Climber is available in both treated pine and recycled plastic.

All Kidstuff Spring Riders are fabricated from high-density polyethylene (HDPE) $\frac{3}{4}$ " thick. Spring is specially designed for spring toys from $\frac{3}{4}$ " steel rod, powder-coated the color of your choice. Spring riders require safety surfacing 6' in all directions; however, use zones may overlap as long as there is 6' between all of the spring riders.

IPEMA Certified

To verify product certification
visit www.ipema.org



**Model # 9701
Mushrooms on Springs**



**Model # 9702
Spring Turtle**



**Model # 9710
Spring Bi-Plane**



**Model # 9715
Spring Horse (yellow, red,
green or blue)**



**Model # 9705
Spring Car**



**Model # 9706
Spring Motorcycle**



**Model # 9712
Spring Jeep, 2 seater**



**Model # 9707
Spring Airplane**

Playsystem # 7360



Playsystem # 7360

This playground is designed for your toddlers to allow them to develop their skills of climbing, sliding and crawling. Activity panels encourage their developing creativity.

Playsystem # 7360 includes 4 elevated and 3 ground level events and features our new "tiny tot slide" which meets the ASTM standards for ages 6 months to 5 years.

Playsystem # 7360 accommodates 16 children ages toddler to 5 and requires 24' x 22'.



IPEMA Certified
To verify product certification
visit www.ipema.org

Playsystem # 7382-02

Our covered kiddie korral provides lots of activities for your toddlers. Its interactive panels, crawl tunnel and bongos will keep them busy.

Playsystem # 7382-02 accommodates 15 children ages 6 months to 5 years and requires an area of 23' x 20'.



Playsystem # 7382-02



Playsystem # 7378

Playsystem # 7378

Includes 6 of our most popular panels for toddlers, fun phones and our caterpillar crawl tunnel.

Playsystem # 7378 accommodates 20 children ages toddler-5 and requires an area of 19' x 33'.

Playsystem # 7376

A terrific starter set for a small group of toddlers. Its varied activities encourage curiosity and growth.

Playsystem # 7376 includes 5 elevated and 2 ground level play events and features our "tiny tot slide" and puzzle roof.

Playsystem # 7376 accommodates 15 toddlers and requires 21' x 21'.



Playsystem # 7376

Playsystem # 7356



Playsystem # 7356

This is a fantastic starter set for a group of toddlers. It includes 4 elevated and 2 ground level play events. Featured are our "tiny tot slide," and "crawlway".

Playsystem # 7356 accommodates 16 toddlers and requires 22' x 22'.

Playsystem # 7375 Toddler Palace

Toddler Palace # 7375 is packed with interactive panels to keep your toddlers occupied and happy while they develop their motor skills.

Playsystem # 7375 includes 13 ground level play events and accommodates 20 children ages toddler to 5. Recommended use zone is 34' x 27'.



Playsystem # 7375



IPEMA Certified
To verify product certification
visit www.ipema.org

Components: Decks, Roofs, Ramps



IPEMA Certified
To verify product certification
visit www.ipema.org

Decks

Standard plastic triangle shaped deck

Standard plastic square deck

Plastic-coated square and triangle-shaped steel decks

Hex-shaped plastic-coated steel deck

Pyramid roof for plastic decks

Puzzle Roof
Steel of plastic decks

Gable roof for square steel decks

Hex shaped roof for hexagon-shaped steel decks


Plastic-coated steel wheelchair ramp in 6' sections meets all current standards and guidelines.

Wheelchair ramp



IPEMA Certified


To verify product certification
visit www.ipema.org



Totalslide
Working height: 24" – 36"



Twister Slide
Working height: 60" – 84"



Combo Slide
Working height: 48"



Tube Slide
Working height: 24" – 84"



Wave Slide
Working height: 48" – 73"



Alpine Thunder Slide
Working height: 72"



Spiral Slide
Working height: 54" – 72"



Triple Rail Slide
Working height: 36" – 42"

Quarter-turn Slide
Working height: 36" – 48"



Overhead Events



**Loop
Overhead
Ladder**



**Up and Down
Overhead Ladder**



**Turning
Wheels**



Tot Monkey Bars



IPEMA Certified

To verify product certification
visit www.ipema.org

Overhead Events

Overhead events can connect 2 platforms, connect to a platform at one end and be freestanding at the other end, or be completely freestanding.

As dictated by the ASTM standard F1487, the heights of the platforms cannot exceed 36" for ages 5-12 and 18" for ages 2-5. The maximum height of the overhead is also dictated by ASTM F1487. Generally speaking the height of the handhold cannot exceed 84" for ages 5-12 and 60" for ages 2-5.

**Single
Turning
Wheel**



Snake Overhead Ladder



**Curved
Overhead
Ladder**



Ring Trek

Track Ride





Arch Bridge 8' long with barrier rails

Guardrails and barrier rails serve to protect the children from falling off bridges. Guardrails prevent accidental falls off the bridge while barrier rails prevent a child from crawling or climbing off the side of the bridge. For ages 2-5, bridges must be protected with barrier rails when the bridge is over 30" high. For ages 5-12, a bridge over 48" requires barrier rails. Guardrails are acceptable under those heights.



Loop Bridge



Arch Bridge 4' long with barrier rails

Clatter Bridge with barrier rails



Clatter Bridge with guardrails



Lily pad walk



Up and Down Bridge



Arch Bridge 8' long with guardrails



IPEMA Certified

To verify product certification visit www.ipema.org

Events: Climbers

Most climbers work to a variety of heights, generally 36" to 72" and are used for the age range 2-12. Exceptions are noted for each event.



IPEMA Certified

To verify product certification
visit www.ipema.org



Access Ladder



Coil Climber



Loop Arch Climber




Beanstalk Climber



Climbing Wall



CNC Access Ladder



**Crawlway
To a 24" high platform
for toddlers**



**Firepole
Ages 5-12 only**




**Banister climber
Ages 5 - 12**



IPEMA Certified

To verify product certification
visit www.ipema.org



Rock Wall
To a 36" - 48" high
platform



Turtleback Climber



Wacky Climber




Snake Climber




Vertical Chain Ladder
(Also works to a platform as
a chain net)



Spiral Climber



Zig Zag Climbing Wall
(Freestanding or to a platform)



Step Climber
Ages 5-12



Climb Around
Ages 5-12

Events: Panels

Panels normally are used on a playsystem as an elevated play event. However all panels are available at ground level on a playsystem or as freestanding events. Ask your Kidstuff sales consultant for pricing.



IPEMA Certified

To verify product certification
visit www.ipema.org

Concentration Panel



Clown Panel



Bubble Panel




Colorwheel Panel



**Baby Animal Panel
English & Spanish**

Clock & Gear Panel



**Dino Tic Tac Toe; also
available with X's and O's**





Race Car Maze Panel




IPEMA Certified
To verify product certification
visit www.ipema.org



Solar System Panel

Spelling Wall



Storefront Panel



Peek-A-Boo Panel

Tot Driver Panel



Gas Pump Panel with moveable handle, freestanding # 69904

Events: Panels

States Panels

We offer a panel for each state and US territory. Shown on one side of the panel is a map of the state, including your town or city. The other side gives a few facts about the state. Ask for a panel for your state. Shown here are a few examples.



IPEMA Certified

To verify product certification
visit www.ipema.org



Texas Facts

Capital: Austin

Nickname: Lone Star State

State Flower: Bluebonnet

State Dinosaur: Pleurocoelus

Size: 268,580 square miles (2nd largest)

"Remember the Alamo" - 1836

Republic of Texas: 1836 - 1845

Entered the Union December 29, 1845, the 28th state

Presidents born in Texas: Dwight D. Eisenhower

and Lyndon B. Johnson



Texas Panel



Indiana Panel



ILLINOIS



ILLINOIS FACTS

NATIVE PEOPLE: CAHOOKIA, KASKASKIA, MICHIGAMEA, MOINGWENA, PEORIA, AND TAMAHOA

GREAT BRITAIN OBTAINED THE REGION IN 1763

TERRITORY CAPITAL: SPRINGFIELD

21ST STATE IN 1818

FIRST STATE CAPITAL: KASKASKIA

NICKNAME: THE PRAIRIE STATE

STATE BIRD: CARDINAL

STATE SLOGAN: LAND OF LINCOLN

Illinois Panel


CALIFORNIA



California Panel

CALIFORNIA FACTS

- SPANISH CLAIM TERRITORY IN 1542
- FIRST MISSION: SAN DIEGO, 1769
- PROVINCIAL CAPITAL: MONTEREY
- INDEPENDENCE FROM SPAIN IN 1821
- MEXICAN-AMERICAN WAR
- TERRITORY CEDED TO US IN 1848
- "GOLD RUSH" IN 1849
- 31ST STATE IN 1850
- STATE CAPITAL: SACRAMENTO
- NICKNAME: "GOLDEN STATE"
- STATE MOTTO: "EUREKA"



Pipe Wall
With Wheel - pictured
No Wheel - not pictured



Telescope Wall



Ball Mixer Panel



IPEMA Certified
To verify product certification
visit www.ipema.org



Teddy Bear-Gear Panel



Mirror Panel



Globe Panel



Chime Panel

Kidstuff Sky Climbers

- * Kidstuff Sky Climbers will add a unique dimension to your playground.
- * The latest technology in cable climbers from the industry leader.
 - * Limited 100 year warranty.
- * Available in a variety of sizes for ages 2-5 as well as 5-12. Ask your Kidstuff sales consultant for more information.



Sky Web # 84800

A million different ways to climb it. Requires a use zone of 39' x 39' and accommodates 43 children ages 5-12. Sky Web is 12'10" high at the peak and has a 6' fall height.



Sky Twister # 84700

Twists as you climb. Requires a use zone of 23'x 23' and accommodates 35 children ages 5-12.

Sky Twister is 12'8" high at the peak and has a fall height of 9'3".

Biggo Spia Swing Model # 89704

An interactive balance activity that provides a soaring experience to users of all abilities. One to four users can sit, stand or lie down while swaying the large, hammock-like dish back and forth through its parabolic arc. The Biggo Spia Swing develops balance and equilibrium and promotes physical and social activity.



IPEMA Certified

To verify product certification visit www.ipema.org



Playsystem # 3596

This large wood playsystem with 24' of wheelchair ramps and large 6' x 6' platforms is ideal for your state park or other wooded setting. It provides a wide variety of accessible activities including ground level events for upper body development. There is plenty of variety to make this playsystem challenging to everyone. It is fully ADA compliant including the number of ground level events. Playsystem # 3596 contains 15 elevated play events, 6 ground level play events and an ADA compliant transfer point. Treated pine is standard; redwood and Douglas Fir are available for an upcharge.

Playsystem # 3596 accommodates 75 children ages 2-12 and requires a use zone of 62' x 57'.



Playsystem # 3596

A large wooden play structure with multiple levels, slides, and a climbing net, set in a park-like environment with trees in the background.

Playsystem # 2606

Playsystem # 2606

This is a best buy for ages 5-12. It is guaranteed to provide many hours of enjoyment. Playsystem # 2606 includes 5 elevated play events and an ADA compliant transfer module.

Playsystem # 2606 accommodates 22 children ages 5-12 and requires a use zone of 40' x 27'.

The posts and platforms for our wood play-systems are made of pressure-treated southern yellow pine, # 1 grade, dried after treatment. Redwood and Douglas Fir are available for an up-charge. Ask your Kidstuff sales consultant for pricing.

A wooden play structure featuring a spiral slide, a platform, and a climbing net, set in a park-like environment.

Playsystem # 366 I

A different view of the Playsystem # 366 I, showing the spiral slide and the platform more clearly.

Playsystem # 366 I view 2

Playsystem # 366 I

This is an upgraded version of the # 2606. Added to the model 2606 are a platform and the ever-popular spiral slide. Kids love it! Playsystem # 366 I includes 7 elevated play events and an ADA compliant transfer module.

Playsystem # 366 I accommodates 26 children ages 5-12 and requires a use zone of 40' x 34'.

Freestanding Play Events

58



9105 Basketball Set
Includes a 4 1/2" OD galvanized steel post with 4' overhang, aluminum fan backboard, double rim and chain net. **Note: Other styles of basketball goals are available. Ask your Kidstuff sales consultant for details.**



Three Throw # 89603
Also available with 1 or 2 buckets.
Special balls included



71604 Log Roll
Requires a use zone of 14' x 18'.
Ages 5-12



60111 Balance Beam
Requires a use zone of 20' x 13'



68908 Challenge Walk
Requires a use zone of 20' x 14'



65301 Fun Phones
One piece steel construction, powder-coated after fabrication; connected with plastic tubing installed underground.



80710 Curved Balance Beam
Requires an area of 20' x 13'.



Spinsanity # 86203
Requires an area of 14' x 14'

Freestanding Play Events



Pod Walk with steps, model # 85111
Challenge your kids with moving pods suspended from the top beam; 2 stationary pods are on each end. Accommodates 10 children and requires 36' x 16'.



Music Wall # 71601 combines a pair of bongos, 2 conga drums, washboard, 2 shakers and a megaphone into your own children's band. Pick and choose components to customize your percussion set.



Rocksanity # 89312 for preschoolers with heavy-duty torsion spring



Pod Step # 85101—a balance event, available as 1 or more, price is for 1; can also be used under a deck as a seat.



31106 Freestanding Wave Slide 6' high
Requires a use zone of 29' x 19'. All slides are available freestanding; ask for details.



87508 Sand and Water Table with Clouds
2 large basins accommodate about 8 children.

30906 Freestanding Spiral Slide 6' high
Requires a use zone of 23' x 18'




5503 Wild Wall
Rotation-molded polyethylene, 3 sections, requires 20' x 20' use zone. Also available freestanding with 2 or 4 sections and as a single section attached to a playsystem.



67508 Funball





Crawl Tunnel
Any height.



Inclined Crawl Tunnel
Connects 2 platforms that
vary in height by 20"

ADA Deck to Deck Steps
Between 2 platforms that vary in height by 24"



Border timbers # 9250 are 4' long and 9" high, made of recycled plastic. Stakes # 9251 are 3/4" diameter galv. steel, 30" long.



67804 Art Easel
With cut out circles
for your paint cups.



Curved Crawl Tunnel



9400 Aluminum Bleachers
with steel frame
Heavy-duty 5 row aluminum bleachers
with steel frame, 15' long; includes chain
link safety rails on sides and back. Ask your
Kidstuff sales consultant for other
types and sizes of bleachers.



Turning Bar (pictured)
or Chinning Bar (higher)



ADA Transfer Module
Meets ADA requirements; used
on platforms 28" to 48" high.


Site Furnishings




9212 Pedestal Picnic Table
Plastic-coated expanded steel seats and top.



9200 Heavy-duty 6' long Picnic Table
2 3/8" OD steel tubing frame with plastic-coated expanded steel top and seats.
9201—8' long, plastic-coated steel top and seats
9202—6' long, treated pine top and seats
9203—8' long, treated pine top and seats
9204—6' long, aluminum top and seats
9205—8' long, aluminum top and seats



9500 Economy Grill



9260 Tot Picnic Table
Fabricated of 3/4" thick high density polyethylene (HDPE), 4' long with heavy steel frame.



52006 6' long Plastic-coated Steel Bench, in-ground mounting. This durable bench is available in a variety of colors; choose in-ground, surface-mount or portable; 6' or 8' long.

52008 8' long Bench



Model # 66855 5 Loop Bike Rack
Powder-coated finish, holds up to 7 bikes, in-ground mounting. Use model # 66855SM for surface mounting to a concrete pad.



9301 10' x 10' Picnic table shelter. Fabricated with 5" square powder-coated steel posts and roof supports and sheet steel roofing, shelter holds a picnic table or 2 benches.



9604 Trash Receptacle with flat top lid
Plastic-coated expanded steel with flat top lid (with 8" hole). Optional 32 gallon plastic liner and in-ground mounting are additional.



9605 Trash Receptacle with Dome top
Plastic-coated expanded steel with dome top. Optional 32 gallon plastic liner and in-ground mounting are additional.

40804



40804 Bipod Swings with 4 belt seats (top left)
 Legs and top rail are 2 3/8" OD galvanized steel tubing, top beam is 8' high; yokes are powder-coated the color of your choice; bipod end support; available with 2, 4, 6, or 8 seats. # 40804 requires a use zone of 39' x 32'. Tot seats are available. Ask your Kidstuff sales consultant.

42004



42004 Arched Swingset with 4 belt seats (middle left)
 Styled to compliment your playsystem; arch swings have 3 1/2" OD legs and 2 3/8" OD top beam; 8' high; requires a use zone of 36' x 32'. Tot seats are available.

40902BT T-Swing (bottom left)

Pictured with 1 belt and 1 tot seat, also comes with 2 belts or 2 tot seats. A full body Jenn Swing may also be substituted. As pictured requires a use zone of 22' x 30'. Great choice for tight spaces!

#41704TT Single Post Swings with 4 tot seats (top right)

Pictured is the model with 4 tot seats. Posts are 5" OD and top beam is 3 1/2" OD. Powder-coated to the color of your choice. # 41704 has 4 belt seats and # 41704T has 2 belt seats and 2 tot seats. Beam is 7' high. Required use zone is 36' x 28'.

#41706 Single Post Swings with 6 belt seats (2nd from top, right)

Same as above with 6 belt seats, 8' high, required use zone 48' x 32'

#43001 Tire Swing (3rd from top, right)

Heavy-Duty 3 1/2" OD legs and top beam support, made from galvanized steel tubing, powder-coated the color of your choice. Required use zone is 29' x 23'.

#466400 Tire Swing (3rd from top, right)

Full body swing for children with special needs; double-wall polyethylene construction; attaches to any regular swing frame.

40902BT



41704TT



41706



43001



66400



IPEMA Certified
 To verify product certification
 visit www.ipema.org

Replacement Swing Parts and Accessories



RP01 Commercial Belt Seats with steel Insert, available in a variety of colors



RP02 4/0 Galvanized Swing Chain
RP02P 4/0 Plastic-dipped Galvanized Swing Chain




RP04 Heavy-duty Tire Swivel U-Joint with protective rubber boot
RP04A Replacement Rubber Boot



IPEMA Certified

To verify product certification
visit www.ipema.org



RP07 S-Hook Closers

RP03 Wrap-around Tot Seat with steel Insert



RP10 3/8" Heavy-duty Galvanized Steel S-Hook



RP05 Galvanized Ductile Iron Swing Hanger with clevis for 2 3/8" OD pipe
RP06 Galvanized Ductile Iron Swing Hanger with clevis for 3 1/2" OD pipe



RP08 Galvanized Ductile Iron Swing Hanger for wood beam



RP11 1/4" HDPE Steering Wheel with stainless steel hardware



RP01A Belt Seat with all Stainless Steel hardware.

NEW!**KidSoft®**

Introducing the revolutionary
 “KidSoft” safety surfacing system
 from Kidstuff Playsystems.


KidSoft® includes loose rubber in compartmentalized fabric shells, overlaid with interlocking rubber mats and surrounded by molded plastic border timbers that encapsulate the edges of the rubber mat.

With none of the downsides of loose fill (high maintenance and general messiness) and retaining its resiliency better than PIP or tiles, it is the ideal solution to your safety surfacing needs.

The only ground prep required is a level surface. Save the cost of an expensive excavation and base course. (But if you already have a hard surface, put KidSoft right over it!)


KidSoft is virtually maintenance free and is affordable. But most of all, KidSoft means safe kids.

KidSoft has passed G-max and HIC testing at the 11 feet height at the TUV SUD lab in Michigan



To verify product certification, visit www.ipema.org

US Patent # 8,882,603



Playground Safety Surfacing

All are ADA Compliant

Poured in place rubber surfacing (PIP)

- + mixed on-site and installed by professionals
- + smooth and seamless installation
- + attractive designs available
- + low maintenance
- expensive to repair
- requires a hard sub-base (compacted aggregate, asphalt or concrete) and excavation-- \$7 - \$9 per sq. ft.
- expensive-- \$11 - \$17 per sq. ft. depending on required fall height plus cost of preparing the base
- costs even more in quantities under 1,500 sq. ft.
- + available as a "bonded rubber" option, cutting cost by about 10%



Playsystem # 5885 Ages 2-5 years

In addition to KidSoft on the previous page, Kidstuff Playsystems offers several safety surfacing options to meet your safety surfacing needs. Here are some of the pros (+) and cons (-) of each.

Engineered Wood Fiber

- + specially shredded wood chips for playgrounds
- + wheelchair-accessible (regular wood chips are not)
- + good cushioning at 9-10" compacted depth
- + does not require a hard base
- requires border or sunken pit for containment
- deteriorates and requires topping off every couple of years; eventually turns to soil and needs to be dug out and replaced.
- + \$4 - \$6 per sq. ft. including borders and installation, plus freight.



Playsystem # 5285 Ages 5-12 years

Rubber Tiles or Mats

- + low maintenance
- + more durable than poured in place
- seams fill with dirt
- requires hard sub-base (see PIP above)
- + pricing is more practical than PIP for smaller areas
- expensive--\$14 - \$20 per sq. ft., depending on size and location, plus cost of sub-base and freight



Playsystem # 5721A Ages 2-5 years

Playsystem # 6067 Ages 2-5 years

Loose Rubber

- + Made from recycled tires, does not deteriorate
- + No splinters or splinters
- + Great cushioning at 6" depth
- + Loose fill does not require a hard sub-base.
- Requires border or sunken pit for containment
- Can be kicked and carried out by children
- Quite expensive- \$8 - \$10 per sq. ft. including installation & borders, plus freight.



Playsystem # 6670 Ages 5-12 years

Synthetic Turf

- + looks like grass, comes with or without "infill" (tiny rubber balls)
- + low maintenance
- + 10-15 year life span (comparable to PIP and tiles)
- Expensive--\$19 - \$24 per sq. ft. plus cost of sub-base plus freight.
- Requires a hard sub-base.

Safety surfacing sold by Kidstuff Playsystems carries the warranty of the manufacturer, which in some cases is not Kidstuff Playsystems. Ask your sales rep for the applicable warranty.



Americans with Disabilities Act

In October, 2000 the Access Board issued a final rule on accessibility guidelines for play areas. These guidelines form the basis for standards under the Americans with Disabilities Act. Some of the more important provisions relating to playgrounds follow:

* Play structures with 1-19 elevated play components shall have at least 50% of these components on an accessible route. In this case an accessible route consists of a transfer point 11-18" above ground where a child can transfer from a wheelchair onto the structure and then decks or steps at intervals of 8" or less up to higher decks where slides, panels and climbers are used.

* Play structures with 20 or more play components shall have 25% accessible by a ramp designated for wheelchairs and an additional 25% reached by transfer steps and stepped decks where the rise of the steps does not exceed 8".

* Each playground shall have ground level play components of different types. These events are entered and exited at ground level. Different types could include the experiences of rocking, swinging, climbing, spinning and sliding. The number of these play components required depends on the number of elevated play components in the play structure. You can add ground level events to comply with the requirements.

Note that certain church facilities are exempt from ADA. Contact the Access Board at outdoor@access-board.com to see if you qualify.



IPEMA Certified

To verify product certification
visit www.ipema.org

Kidstuff Playsystems Warranty

“You will not find a playground that is better, safer, or tougher than a Kidstuff Playsystem”

- * We design it to the latest standards.
- * We build it in the U.S.A.
- * We offer the options of installation and installation supervision.
- * We offer KidSoft Safety Surfacing, the best safety surface available.
- * If you need help designing a playground, call our CEO Richard (Dick) Hagelberg or President George McGuan at 800-255-0153.
- * We maintain a dealer network throughout the U.S. One of our sales consultants is ready to visit your site and to work with you to design your dream playground.
- * All of our playsystems meet or exceed government regulations, ADA requirements and industry standards. Come play with us!



IPEMA Certification Seal
To verify product certification
visit www.ipema.org

In the interest of playground safety, IPEMA (International Play Equipment Manufacturer's Association) provides a third party certification service where a designated independent laboratory validates a participant's certification of conformance to ASTM F 1487, "Standard Consumer Safety Performance Specification for Playground Equipment for Public Use," except sections 10 and 12.6.1. The use of the corresponding logo in Kidstuff Playsystems' catalog signifies that Kidstuff Playsystems has received written validation from the independent laboratory that the products associated with the use of the logo conform with the requirements of the F 1487 standard. Check the IPEMA website: www.ipema.org for a list of Kidstuff Playsystems' IPEMA-certified products.

Kidstuff Lease-Purchase Option

If you don't have all the cash you need to purchase your playground, our lease purchase option allows you to purchase the equipment, installation and safety surfacing out of your cash flow. We put you in touch with reputable finance companies to make it happen for you. A bit of advice: try your bank first. Their rates are likely to be better.

Our Warranty

All playground equipment requires regular care and maintenance. Kidstuff Playsystems provides you, the purchaser, with a maintenance system to keep your equipment in top condition for many years. All warranty claims must be accompanied by copies of your maintenance records.

Kidstuff Playsystems warrants all its products against defects in materials or workmanship for twenty-one years as follows (vandalism and abuse are excluded):

Year 1: Free repair or replacement--any defective element of a Kidstuff playsystem will be shipped and installed at our cost. Swing parts (chain, "S"-hooks, hangers, or seats) will be shipped free, but installation is excluded.

Year 2: 100% free replacement of defective parts, excluding shipping and installation.

Years 3-21: Kidstuff warrants the components of your system on a prorated basis; starting at 95% in year three. For example, if a part of your playsystem falls in year seven, you will receive a 75% credit (calculated from the part price at time of purchase) toward a new replacement part for your unit. Shipping and installation are owner's expenses during this portion of the warranty period. If Kidstuff elects to repair your part rather than replace it during any phase of this warranty, shipping back to Gary, Indiana, will be at our expense. If we elect to repair a part, the owner agrees to package/pallet and load the item.

Please be aware that Kidstuff Playsystems sells some products which are manufactured by others. Such items are excluded from this warranty and covered by that of the actual manufacturer.

We at Kidstuff Playsystems take pride in our products and believe that if you follow the maintenance system that is provided to you, your Kidstuff playsystem will be exercising the minds and bodies of children for years to come and you will be telling your friends and associates that you can't buy a better, safer or tougher playsystem than a Kidstuff Playsystem.



Kidstuff
playsystems



Come Play With Us!

Your Kidstuff Playsystems Consultant

5400 Miller Ave., Gary, IN 46403
www.kidstuffplaysystems.com