







Monterey
An exceptional blend of performance and rich beauty at an unusually reasonable price.

Lengths: 66" and 69" Weights to 55 lbs.

Handle riser: Shedua and Rosewood

Glass color: White Howatt Stabilizer insert

90.00





Deluxe black padded case

99.50





Handle riser: Bubinga and Rosewood

Glass color: Black 65.00



HOWATT

Hi Speed High performance, speed and and remarkable power all in a compact, shorter length hunting bow.

Lengths: 54" and 58" Weights to 75 lbs.

Handle riser: Bubinga and Rosewood

Glass color: Black

65.00



For sheer beauty of line and finish, for unexcelled performance, the Del Rey is unchallenged as the World's "Standard of Excellence." Here is a magnificent tournament quality bow that defies comparison in any respect.

Lengths: 66" and 70" Weights to 55 lbs.

Handle riser: Laminated Rosewood, drilled for Howatt Micro-Sight and fitted with Custom Stabilizer insert. Adjustable pressure point.


Glass color: White

Black padded vinyl carrying case

160.00 Includes membership in the Order of the Del Rey with certificate suitable for framing.











Leather Goods No. 300 Pouch. Top gr

No. 409 Target King Quiver. Selected top grain leather, 20 in. long, 4½x2 in. opening with divider strap, 8x1¾ in. zipper pocket. Two belt clips and pencil holder on strap. Colors black or brown. Right or left hand.

No. 418S Shoulder Quiver. Split cowhide, two divisions, 18 in. long. Holds 24 arrows. Large zipper pocket 10½x5 in. with knife pocket on side. Available in black only with choice of right or left hand. Ladies' or juniors' 19.50

No. 445S Roving or Target Quiver. Long double leather belt loop, accessory pocket with flap. Size $6\frac{1}{2}$ in. taper to $4\frac{1}{2}$ in. deep, $3\frac{1}{2}$ in. wide. Holds 6 to 8 arrows. Made of black split cowhide, beaver grain finish. Right or left hand. 8.95

No. 489 Shoulder Quiver. Heavy guage tough vinyl. Black only. Measures $19\frac{1}{2}$ in. long and will hold 18 or more arrows. Zipper pocket. Quiver has moulded bottom. Choice of right or left hand 9.00

No. 225 Glove. Cream colored, form fitting with one piece back and closed end style. Men's S-M-L-XL. Ladies' S-M-L. Soft leather . . 2.75

Howatt Archery carries a complete line of King archery accessories— the leather line long recognized for outstanding quality, design and workmanship. There is a King design and style to suit each individual's personal need and preference.



A modestly priced all purpose bow for men or women and an all around excellent performer.

Length: 66"
Weights to 55 lbs.
Handle riser: Shedua

Glass color: White **55.00**

HOWATT Coronado

This is it for the economy minded archer seeking a good, sound utility bow. Great for hunting.
Length: 60"
Weights to 55 lbs.
Handle riser: Dark tropical hardwood.
Glass colors: Dark hunting colors.
47.50

HOWATT Bandito

A great hunting bow at an unbelievably small price. Fast, smooth, powerful and surprisingly consistent.
Length: 58"
Weights to 65 lbs.
Handle riser: Dark tropical hardwood.
Glass colors: Dark hunting colors.
39.50

HOWATT Cavalier

Here's an excellent bow for beginners. Modestly priced but delivers plenty of smooth performance.

Length: 62"
Weights to 55 lbs.
Handle riser: Eastern

Glass colors: Assorted 32.50

Little John

This surprising little bow is designed specifically to provide a quality bow for children up to about 10.
Length: 44"
Weights to 25 lbs. at 20"
Handle riser: Eastern

Maple Glass colors: Assorted 25.00





No. 226 Lady's All White Glove. Soft form fitting. Closed end tips. Top grain leather. Elastic back. Ladies' sizes only
No. 227 Glove. Soft top grain leather, cream color, closed end tips, elastic insert back. Men's S-M-L-XL. Ladies' S-M-L 3.45
Tabs. New style with protective flipper which is long enough to protect finger from nock pressure. Four sizes — X-Small, Small, Medium, Large. Right or left hand. No. 252 — Single thickness top grain cowhide
No. 100K Arm Guard. Made of fine cowhide and lined. Steel stay and two elastic loops with hook
No. 102 Arm Guard. Tough vinyl bonded to leather. Steel stay insert. Semi-narrow style with two elastic straps
No. 105 Arm Guard. Narrow style made of cowhide. Lined, steel stay insert, two adjustable elastic straps. Brown only 2.00
No. 108 Arm Guard. Regular style. Two adjustable straps with metal fittings. Leather lined. Material is tough vinyl covered cowhide. Spring steel insert. Three colors. Black, brown, white
No. 11-2 Arm Guard. Wide style with 1 in. steel stay, made of tough vinyl bonded to leather. Black only 2.60
No. 122 Arm Guard. Extra wide, tough vinyl bonded to leather. 1-inch steel stay, 3 straps, leather lined. Brown or black 3.60
No. 130 Arm Guard. A cooler model of tough vinyl bonded to leather. Full leather lining. 7" long. Black or white 3.95
No. 150 Arm Guard. Full arm protection. Four adjustable straps with steel stay in forward part. 13 in. long. Black only 4.95
No. 151 Arm Guard. Same style and construction as No. 150 but 2 in. shorter. Available in white only
No. 700 Belt. Smooth top grain leather. Fitted. Available in black, brown or white. Specify left or right

Arrows

No. 050 Howatt Custom Arrows. 5/16 in. shaft, 21/2 in. fletch. Packed for dealers in onehalf or full gross box. Standard pack: 2 dozen 24-in., four 24-in., and six 28-in. . 43.20 gross

Kantpinch Tab. Top grain shell cordovan fac-

ing. Available in small, medium, large. Finest

Kantpinch Hair Tab. Hair facing is replaceable.

Replacement hair, snap-on facings 1.00

No. 275 Howatt Custom Arrows. Clear lacquer 5/16 in. shaft with 3 in. dved white fletch. Two color crest and target point. Dealer packed in gross and half-gross cartons. .. 72.00 gross

No. 280 Howatt Custom Arrows. 11/32 in. shaft with 4 in. fletch. 28 in. length with target point, 29 in, length with field point 79,20 gross

No. 290 Howatt Custom Arrows. 11/32 in. shaft matched in spine to 10 lb. with 5 in. fletch. 321/2 in. length or tapered for broadheads. Packed in one gross box 8.50 doz.

No. 350 Howatt Custom Arrows. 5/16 or 11/32 in. shaft with 5 in. helical three fletch. Matched in spine with 5° taper for broadheads. Colors: White, yellow, red, black, purple, blue, pink, green or orange. 10.00 doz.

With Bear Razor Head 15.50 doz. Four-Fletch Arrows 1.00 doz. extra

No. 400 Howatt Custom Arrow. Our finest wood arrow. 5/16 or 11/32 in. shaft, matched in weight and spine, helical three-fletch. Full length or cut to length with 5° taper for broad-

With Bear Razor Head 17.50 doz. Four-Fletch Arrows 1.00 doz. extra

Micro-Flight Fiberglass Arrows. Attractively finished with colorful crest, three-fletch helical fletch. Please specify target point or broadhead adapter and length. 28.50 doz.

Four-Fletch Arrows 1.00 doz. extra

Howatt Swift Aluminum Three-Fletch Helical Arrows. Available in sizes 1316, 1616, 1716, 1718, 1816, 1818, 1916, 1918, 2016, 2018, 2020 and 2219 23.95 doz.

Easton Aluminum 24SRT-X Arrows. Undoubtedly, the leader in metal arrows. Three-fletch helical fletch with target point or broadhead insert. Please specify length 29.50 doz.

Four-Fletch Arrows 1.00 doz. extra

Easton Aluminum XX75 Arrows. Have onethird greater bend resistance and tremendous tensile strength. Three-fletch helical fletch, target or broadhead insert. 34.50 doz. Four-Fletch Arrows 1.00 doz. extra

Easton Aluminum X7 Arrows. Three-fletch Available in size 1614, 1616, 1714, 1716, 1814, 1816, 1914, 1916 and 2014. 39.50 doz.

Special Howatt Rabbit Arrows. Matched to 5 lb. spine. Target point installed. Full or half gross cartons. 4.95 doz.

Howatt Flu Flu Arrows. Made of top quality Port Orford cedar. Fully dipped and crested

Arrow Materials

Swift Aluminum Shafts. Full length, points Easton Shafts 24SRT-X. Full length, points loose. 20.80 doz. Easton Shafts 24SRT-X. Cut to lengths, points installed. 22.00 doz. Easton Shafts XX75. Full length, points loose 25.80 doz. Easton Shafts XX75. Cut to length, points installed. 27.00 doz. Easton Shafts X7. Full length, points loose. 30.80 doz. Easton Shafts X7. Cut to lengths, points installed. 32.00 doz. Micro-Flite Shafts. Full length, nocks and Micro-Flite Shafts. Cut to length, points and nock inserts installed. 19.50 doz. No. 1 Port Orford Cedar Shafts. Matched within 5 lb, spine, 11/32 or 5/16 in. Matched in weight and spine. 3.00 doz. Matched in spine only in lots of 100 ... 17.50 No. 1 Premium Feathers, left wing only, completely processed and ready for fletching. Large quantity prices on request.

Dyed Bar, per doz. 90¢ **Dyed White,** per doz. 1.10

Plastifletch, Plastic vanes decrease feather drag and wind resistance. Used primarily for outdoor target shooting. Colors: Red: white, vellow, black. Fluorescent orange, green and ruby, add 1.00 per 100.

P-15 1-5/8 in. Shield, per 100 3.00
P-22 2-1/4 in. Shield, per 100 3.50
P-23 2-5/8 in. Parabolic, per 100 3.50
P-25 2-5/8 in. Shield, per 100 4.00
P-26 2-3/4 in. Parabolic, per 100 4.00
P-32 3-1/4 in. Parabolic, per 100 4.00
Index Nocke 1/4 9/32 5/16 and 11/32 in

White, red, blue, yellow, black, orange and green
In lots of 100 2.00
In lots of 1000 15.00
Target Points. 5/16 or 11/32 in 1.25 doz.
In lots of 100

Field Points, 5/16 or 11/32 in. parallel or 5° taper. 1.25 doz. In lots of 100 9.00



Easton 24SRT-X Fletching Cement. 1¾ ounce tube	Bod-Kin "B" 3 Blade. 11/32 in., 115 grains	No. 715 Eastern Fletcher. Converts from three feather to four and any angle desired. Bench
Pliobond Rubber Based Cement. In 3 ounce bottle	M-A 3 Blade. 5/16 in. (100 grains), 11/32 in. (125 grains),	mounts at convenient angle 6.95 For helical fletching, specify left or right
Pliobond Rubber Based Cement. In 1 ounce	Missile Spike Broadhead.125 grains.	6.95
Robin Hood Fletch-Nox Weld. 1 ounce tube	H.T.M. Small Game Standard Head. 125	Young Feather Burner. Heavy duty transformer, adjusts to cut clean and sharp, any style feather every time
Fletch Tite. For aluminum or glass, ¾ ounce 65¢	grains	Qwiffer Bow Quiver. Fits all bows, right or left hand. Attaches instantly and gives complete broadhead protection 9.95
Ferr-L-Tite Cement. Stick	Strings	Bow Pal Bowstringer. Easy to use, fits in your pocket
Bowfishing Equipment	Howatt Custom Bowstrings. Made of the finest Type B Dacron material available and served	Deluxe Kwikee-Kwiver. 6 pairs to display carton
Mohawk Bow Fishing Arrows. Rubber lay	with soft twisted Nylon. Five weights: up to 24 lbs., 25-34 lbs., 35-44 lbs., 45-54 lbs., and 55-65 lbs. Length from 44 in to 72 in Specify	Kwikee-Kover. Featherweight broadhead shield
Fletch, point	weight and exact bow length 1.50 ea.	Kwikee-Silencer. 12 pairs on display card
Mohawk "Shoot Thru" Reel. 7 in, diameter, easily attached with tape. Made of anodized aluminum. 50 ft. of 80 lb, line 3.95	Howatt Professional Monofilament Center Served Bowstring	National String Silencer. 12 pairs on display card
Mohawk Deluxe Reel. Anodized aluminum,	Howatt Special Single Loop Bow String. Made from No. 400 braided Dacron. Packed 12	Kisser Button. Card of 12 6.00 doz.
41/2 in. diameter. Comes complete with 50 ft. of	to dealer display card 6.00 doz.	Nock-Lock. 12 pairs on dealer display card
80 lb. test line	Soft Twist Nylon Serving Thread. Six colors: red, green, blue, yellow, black and white. 1	6.00 doz.
Mohawk Custom Reel. 6 in diam, of anodized aluminum. 50 feet of 80 lb. line. Easily	ounce serving jig spool	Heat Nox Nocking Points. Packaged four per package, 12 packages per display card 6.00
taped to bow handle	Available in white, black, yellow, or green. 4 ounce spool	Brush Buttons. Brush proofs your bow, quiets string 60¢ pr.
Mohawk Braided Line. 50 feet of 80 lb. test	Dacron "B" Bowstring Fibre. Bonded, designed and processed especially for bowstrings.	Super Brush Buttons. Made of soft rubber. Carded
Mohawk Fish Point. 250 grains, 5/16 in. parallel hole	White only. 4 ounce spool	Bowtip Protectors. 12 to dealer display card 6.00 doz.
Al's Fish-Slick Point. 5/16 in 1.95	or soft nylon serving thread. Colors: red, green, blue, yellow, white.	Vertical Feather Arrow Rest. 12 to a card 6.00 doz.
Rubber Arrow Vanes. Slips on end of shaft 30¢ ea., 3.35 doz.	Tool and nylon thread	Horizontal Feather Arrow Rest. 12 to a card
0.1	Extra nylon thread85¢	Hoyt Klicker.
Sights	Tools and Accessories	Cures freezing and is self-mounting 1.25
See Howatt Micro-Sight Described	Standard Berger Button 10.00	Hoyt Flex Rest. 12 to a box 50¢ ea.
on Back Cover	Deluxe Berger Button. Comes with two extra	Hoyt Pro Flex Rest. Arrow cushion and guides 1.00 ea.
REYNOLDS BOW SIGHT. Made of anodized aluminum with double adjustment and short	springs, two Teflon caps (large and small) and special threaded brass plunger 11.95	Black Hawk Tapering Set. 2 main bodies, 4 bushings 5.00
mounting bracket for sharp contour handles 12.75	Super Berger Button. Same as above but in gold finish	Accurate Arrow Taper and Tenon Tool. 5/16 or 11/32 in
Hunting Points	No. 5088 and 5089 Fleetwood Spiral Fletcher. No. 5089 is for left wing feathers and No. 5088 for right. Not adjustable 3.75	Tex-Tite Bow String Wax. Push out tube, metal cap 65¢ ea.
Bear Razor Head. 115 grains 5.50 doz.	No. 5159 Fleetwood Spiral Four Feather	Arrow Clips. Finest spring steel clips. Gross 6.60
Bear Razor Head Inserts. 10 grains: 1.35 doz.	Fletcher. Left wing. Four fletch 75° to 105°. Fletches all four feathers at once 4.25	Fiberlay Urac 185, with powder.
Bear Razor Head with Insert. 125 grains	No. 5166 Fleetwood Burner. Kit has all pieces	Half pint 1.50, pint 2.20
Black Copperhead "Slicer". 125 grains	loose. Cord, plug and three extra wires, Simple assembly	No. 80 Kamo 2 Piece Suit. S-M-L-XL . 12.95
8.95 doz.	No. 760 Eastern Trimmer. Deluxe burner,	No. 45F Kamo Hunting Hat 3.00
Bod-Kin "A" 3 Blade . 11/32 in., 125 grains	completely assembled with switch and adjustable base, makes it easy to set feather 6.40	No. 125 Kamo Bow Covers. Small or large size
	I DOO, INC. TO I DOO, TO OUT TOUR TO I DO I TO	



HOWATT MICRO-SIGHT

HOWATT MICRO-SIGHT WINDAGE APERTURE

The Howatt Micro-Sight Windage Aperture allows the archer to make the most minute windage adjustments quickly and easily. The aperture does not have to be rotated, as do many such devices, but is adjusted by turning the outer knob to slide the aperture in or out. It adds a further delicate refinement to the well established accuracy of the Howatt Micro-Sight. Specify right or left hand. 4.95

7" Sight Extension Arm 8.95



HOWATT SPRING LOADED PRESSURE POINT



Howatt Custom Hunting Stabilizer. A compact, thoroughly engineered, flexible shaft stabilizer for the bowhunter. This all metal unit is finished in black with the distinctive Howatt gold feature trim. 9.95

HOLTZ-BLITCH WESTERN SALES
P. O. Box 5072
SAN MATEO, CALIFORNIA 94402
415 - 342-8401

HOWATT GUARANTEE

Each HOWATT bow is fully guaranteed against glass failure or delamination during normal use for one full year and replacement or repairs will be made for 50 percent of the retail cost during the second year.

IMPORTANT—No adjustment will be made when breakage or failure is due to abuse or mishandling. Otherwise, should failure occur, please contact your dealer or DAMON HOWATT ARCHERY MANU-FACTURING CORP. for instructions.

All prices are F.O.B. Yakima, Washington. Specifications and prices are subject to change without notice.

Terms are net 30 days, however all orders will be shipped C.O.D. unless order is prepaid or open account has been approved by HOWATT. Minimum order is \$5.00.

No returns will be accepted without proper authorization from HOWATT ARCHERY MANUFACTURING CORP.

We urge all HOWATT bow owners to use a bow stringer to string their bow. In lieu of that, use a method of stringing that will minimize the twisting of the bow limbs—the cause of most bow breakage. Fistmele (brace height) is so dependent upon the style of the shooter that it is impractical to specify fistmele measurements for HOWATT bows. HOWATT bows are equipped with strings that will provide proper fistmele in most cases. Because of a particular shooting style, it may be necessary to tighten the string by twisting it to obtain maximum performance.

All HOWATT bows are made of the finest materials available. These exceptional materials together with more than 25 years of bow making experience are combined to produce the world's best performing and most beautiful line of modern bows.

HOLTZ-BLITCH WESTERN SALES P. O. Box 5072 SAN MATEO, CALIFORNIA 94402 415 - 342-8401

