

## The Clorox Company 1221 Broadway Oakland, CA 94612

## **Material Safety Data Sheet**

	Tel. (510) 27	1-7 000				
I Product:	CLOROX REG	CLOROX REGULAR-BLEACH				
Description:	CLEAR, LIGH	T YELLOW LIQUID	WITH A CHARACTERIS	STIC CHLORINE ODOR		
Other Designations		Distributor		Emergency Telephone Nos.		
Clorox Bleach EPA Reg. No. 5813-50		Clorox Sales Company 1221 Broadway Oakland, CA 94612		For Medical Emergencies call: (800) 446-1014 For Transportation Emergencies Chemtrec (800) 424-9300		
II Health Hazard Data			III Hazardous	Ingredients		
DANGER: CORROSIVE. May cause severe irritation or damage to skin. Vapor or mist may irritate. Harmful if swallowed. Keep out of children.  Some clinical reports suggest a low potential for sensitization upon exposure to sodium hypochlorite if skin damage (e.g., irritation) occuexposure. Under normal consumer use conditions the likelihood of a health effects are low.		o out of reach of n upon exaggerated on) occurs during	Ingredient Sodium hypochlorite CAS# 7681-52-9 Sodium hydroxide CAS# 1310-73-2	<1%	Exposure Limit Not established  2 mg/m <sup>3; 1</sup> 2 mg/m <sup>3; 2</sup>	
Medical conditions that may be aggravated by exposure to high concentrations of vapor or mist: heart conditions or chronic respiratory problems such as asthma, emphysema, chronic bronchitis or obstructive lung disease.						
FIRST AID:  Eye Contact: Hold eye open and rinse with water for 15-20 minutes. Remove contact lenses, after first 5 minutes. Continue rinsing eye. Call a physician.  Skin Contact: Wash skin with water for 15-20 minutes. If irritation develops, call a physician.  Ingestion: Do not induce vomiting. Drink a glassful of water. If irritation develops, call a physician. Do not give anything by mouth to an unconscious person.  Inhalation: Remove to fresh air. If breathing is affected, call a physician.  IV Special Protection and Precautions  No special protection or precautions have been identified for using this product under directed consumer use conditions. The following recommendations are given for production facilities and for other conditions and situations where there is increased potential for accidental, large-scale or prolonged exposure.		1 ACGIH Threshold Limit Value (TLV) - Ceiling 2 OHSA Permissible Exposure Limit (PEL) – Time Weighted Average (TWA)  None of the ingredients in this product are on the IARC, NTP or OSHA carcinogen lists.  V Transportation and Regulatory Data  DOT/IMDG/IATA - Not restricted.  EPA - SARA TITLE III/CERCLA: Bottled product is not reportable under Sections 311/312 and contains no chemicals reportable under Section 313. This product does contain chemicals (sodium hydroxide <0.2% and sodium				
<ul> <li>Hygienic Practices: Avoid contact with eyes, skin and clothing. Wash hands after direct contact. Do not wear product-contaminated clothing for prolonge periods.</li> <li>Engineering Controls: Use general ventilation to minimize exposure to vapo mist.</li> <li>Personal Protective Equipment: Wear safety glasses. Use rubber or nitrile gloves if in contact liquid, especially for prolonged periods.</li> </ul>		ing for prolonged	hypochlorite <7.35%) that are regulated under Section 304/CERCLA.  TSCA/DSL STATUS: All components of this product are on the U.S. TSCA Inventory and Canadian DSL.			
		ubbei of nittile				
KEEP OUT OF REACH OF CHILDREN						
VI Spill Procedures/Waste Disposal			VII Reactivity Data			
Spill Procedures: Control spill. Containerize liquid and use absorbents on residual liquid; dispose appropriately. Wash area and let dry. For spills of multiple products, responders should evaluate the MSDS's of the products for incompatibility with sodium hypochlorite. Breathing protection should be worn in enclosed, and/or poorly ventilated areas until hazard assessment is complete. Waste Disposal: Dispose of in accordance with all applicable federal, state, and		Stable under normal use and storage conditions. Strong oxidizing agent. Reacts with other household chemicals such as toilet bowl cleaners, rust removers, vinegar, acids or ammonia containing products to produce hazardo gases, such as chlorine and other chlorinated species. Prolonged contact with metal may cause pitting or discoloration.				
local regulations.		,	IV Dharain I D	-10		
VIII Fire and Explosion [	Jata		IX Physical Da			
Flash Point: None Special Firefighting Procedures: None Unusual Fire/Explosion Hazards: None	. Not flammable or ex	xplosive. Product	Specific Gravity (H <sub>2</sub> 0=1	1)	∼ 1.1 at 70°l	

does not ignite when exposed to open flame.