

## Acetaminophen Dosing Guide (Tylenol, Feverall, etc)

<b>Call before using this medication for infants under 2 months of age</b>				
Child's weight/age	Infant's 160mg/5ml	Children's suspension liquid 160mg/5ml	Children's meltaways/chewable tablets 80 mg each	Junior meltaway/chewable tablets 160 mg each
6-11 lbs 0-3 months	1.25 ml			
12-17 lbs 4-11 months	2.5 ml	1/2 teaspoon 2.5 ml		
18-23 lbs 12-23 months	3.75 ml	3/4 teaspoon 3.75 ml		
24-35 lbs 2-3 years	5 ml	1 teaspoon 5 ml	2 tablets	
36-47 lbs 4-5 years		1-1/2 teaspoons 7.5 ml	3 tablets	
48-59 lbs 6-8 years		2 teaspoons 10 ml	4 tablets	2 tablets
60-71 lbs 9-10 years		2-1/2 teaspoons 12.5 ml	5 tablets	2-1/2 tablets
72-95 lbs 11 years		3 teaspoons 15 ml	6 tablets	3 tablets
>96 lbs >12 years				4 tablets

## Ibuprofen Dosing Guide (Advil, Motrin, etc)

<b>For children 6 months and older</b>				
Child's weight/age	Infant's concentrated drops 50 mg/1.25 ml	Children's suspension liquid 100 mg/5 ml	Children's soft chews 50 mg each	Junior strength chewable tablets/caplets 100 mg each
12-17 lbs 6-11 months	1.25 ml			
18-23 lbs 12-23 months	1.875 ml			
24-35 lbs 2-3 years	2.5 ml	1 teaspoon 5 ml	2 tablets	
36-47 lbs 4-5 years		1-1/2 teaspoons 7.5 ml	3 tablets	
48-59 lbs 6-8 years		2 teaspoons	4 tablets	2 tablets/caplets
60-71 lbs 9-10 years		2-1/2 teaspoons 12.5 ml	5 tablets	2-1/2 tablets/caplets
72-95 lbs 11 years		3 teaspoons 15 ml	6 tablets	3 tablets/caplets

## Diphenhydramine Dosing Guide (Benadryl) 12.5mg/5ml

Use every 6 hours as needed for ages 2 years and older	
Child's Weight	
15 lbs	1/2 teaspoon 2.5 ml
20 lbs	1 teaspoon 5 ml
25 lbs	1 teaspoon 5 ml
30 lbs	1 teaspoon 5 ml
35 lbs	1-1/4 teaspoons 6.5 ml
40 lbs	1-3/4 teaspoons 8.75 ml
45 lbs	2 teaspoons 10 ml
50 lbs	2-1/4 teaspoons 11.5ml
55 lbs	2-1/2 teaspoons 12.5 ml
60 lbs	2-3/4 teaspoons 13.75 ml
65 lbs	3 teaspoons 15 ml
70 lbs	3 teaspoons 15 ml
75 lbs	3-1/2 teaspoons 17.5 ml
80 lbs	3-1/2 teaspoons 17.5 ml
85 lbs	3-3/4 teaspoons 18.75 ml
90 lbs	4 teaspoons 20 ml
95 lbs	4 teaspoons 20 ml