

## ***D'TTACH HITCH FIT LIST***

| <b>MFG</b>     | <b>SIZE</b> | <b>MODEL</b>               | <b>PART NUMBER</b>  | <b>NOTES</b>   |
|----------------|-------------|----------------------------|---------------------|--|
| <b>BRADLEY</b> | 36"         | Stand On Compact           | DTHSM-UNI           | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS         |
| Bradley        | 48"         | Stand On Compact           | DTHMD-UNI           | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Bradley        | 52"         | Stand On Compact           | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| <b>BOBCAT</b>  | 36"         | Quick Cat (Stand On)       | DTHSM-UNI           | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 48"         | Quick Cat (Stand On)       | DTHALL              | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Bobcat         | 52"         | Quick Cat (Stand On)       | DTHALL              | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Bobcat         | 61"         | Quick Cat (Stand On)       | DTHALL              | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Bobcat         | 61"         | Predator Pro               | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 72"         | Predator Pro               | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 61"         | Pro Cat 6000MX             | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 52"         | Pro Cat 6000               | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 61"         | Pro Cat 6000               | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 48"         | Pro Cat 5000               | DTHMD-UNI           | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 52"         | Pro Cat 5000               | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 61"         | Pro Cat 5000               | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 36"         | Fast Cat Pro SE            | N/A (Not confirmed) |  |
| Bobcat         | 42"         | Fast Cat Pro SE            | N/A (Not confirmed) |  |
| Bobcat         | 48"         | XRZ Pro RS                 | DTHMD-UNI           | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 52"         | XRZ Pro & XRZ              | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 61"         | XRZ Pro & XRZ              | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 42"         | CRZ                        | DTHMD-UNI           | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 48"         | CRZ                        | DTHMD-UNI           | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 52"         | CRZ                        | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Bobcat         | 61"         | CRZ                        | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| <b>BAD BOY</b> | 61"         | Renegade & Diesel Renegade | EQUIPPED            |  |
| Bad Boy        | 72"         | Renegade & Diesel Renegade | EQUIPPED            |  |
| Bad Boy        | 54"-72"     | Rogue                      | EQUIPPED            |  |
| Bad Boy        | 54"-72"     | Rebel                      | EQUIPPED            |  |
| Bad Boy        | 36"-54"     | Revolt (Stand On)          | NOT AVAILABLE       |  |
| <b>BIG DOG</b> | 52"         | Diablo                     | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Big Dog        | 60"         | Diablo                     | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Big Dog        | 72"         | Diablo                     | DTHLG-UNI           | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |

|                   |     |                        |               |  |
|-------------------|-----|------------------------|---------------|--|
| Big Dog           | 36" | Trooper (Stand On)     | DTHSM-UNI     | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS |
| Big Dog           | 48" | Trooper (Stand On)     | DTHMD-UNI     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS |
| Big Dog           | 52" | Trooper (Stand On)     | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Big Dog           | 60" | Trooper (Stand On)     | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| <b>BILLY GOAT</b> | N/A | X3000 Stand On Blower  | DTHXB         | EXACT FIT  |
| Billy Goat        | N/A | Z3000 Stand On Blower  | DTHZB         | EXACT FIT  |
| <b>CUB CADET</b>  | 48" | Pro Z 548 (500 Series) | DTHMD-UNI     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 54" | Pro Z 554 (500 Series) | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 60" | Pro Z 560 (500 Series) | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 60" | Pro Z 760 (700 Series) | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 72" | Pro Z 772 (700 Series) | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 60" | Pro Z 960 (900 Series) | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 72" | Pro Z 972 (900 Series) | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 48" | Pro X 648 (Stand On)   | DTHMD-UNI     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 54" | Pro X 654 (Stand On)   | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 60" | Pro X 660 (Stand On)   | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 36" | Pro HW 336             | DTHSM-UNI     | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 48" | Pro HW 348             | DTHMD-UNI     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS |
| Cub Cadet         | 54" | Pro HW 354             | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| <b>ENCORE</b>     | 32" | Rage (Stand On)        | DTHSM-UNI     | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS |
| Encore            | 36" | Rage (Stand On)        | DTHSM-UNI     | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS |
| Encore            | 48" | Rage (Stand On)        | DTHMD-UNI     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS |
| Encore            | 52" | Rage (Stand On)        | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Encore            | 60" | Rage (Stand On)        | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| <b>EXMARK</b>     | ALL | Navigator              | DTHWALL       | EXACT FIT  |
| Exmark            | 36" | Vantage                | DTHSM-UNI     | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS |
| Exmark            | 48" | Vantage                | DTHMD-UNI     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS |
| Exmark            | 52" | Vantage                | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Exmark            | 60" | Vantage                | DTHLG-UNI     | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS |
| Exmark            | 32" | Staris E Series        | NOT CONFIRMED | PLEASE CALL WITH MEASUREMENT BETWEEN CASTOR WHEELS           |
| Exmark            | 36" | Staris E Series        | NOT CONFIRMED | TELESCOPIC CROSS BAR SPAN 17-22 INCHES BETWEEN CASTOR WHEELS |
| Exmark            | 44" | Staris E Series        | DTHXSM-UNI    | TELESCOPIC CROSS BAR SPAN 17-22 INCHES BETWEEN CASTOR WHEELS |
| Exmark            | 44" | Radius E Series        | NOT CONFIRMED | PLEASE CALL WITH MEASUREMENT BETWEEN CASTOR WHEELS           |
| Exmark            | 48" | Radius E Series        | DTHMD-EXR     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS |

|               |     |                          |               |  |
|---------------|-----|--------------------------|---------------|--|
| Exmark        | 52" | Radius E Series          | DTHMD-EXR     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Exmark        | 60" | Radius E Series          | NOT CONFIRMED | PLEASE CALL WITH MEASUREMENT BETWEEN CASTOR WHEELS                             |
| Exmark        | ALL | Lazer                    | CALL          | NEED MEASUREMENTS AND PICTURES TO PROCEED W/ PROPER FITMENT                    |
| <b>FERRIS</b> | 61" | IS3200 (Except Midnight) | DTHFER-1      | EXACT FIT  |
| Ferris        | 72" | IS3200 (Except Midnight) | DTHFER-1      | EXACT FIT  |
| Ferris        | 61" | IS2600                   | DTHFER-5      | EXACT FIT  |
| Ferris        | 52" | IS2100                   | DTHFER-5      | EXACT FIT  |
| Ferris        | 61" | IS2100                   | DTHFER-5      | EXACT FIT  |
| Ferris        | 52" | ISX800                   | DTHFER-1      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 61" | ISX800                   | DTHFER-1      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 52" | IS700                    | DTHFER-3      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 61" | IS700                    | DTHFER-3      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 44" | IS600                    | DTHFER-3      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 48" | IS600                    | DTHFER-3      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 61" | IS600                    | DTHFER-3      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 61" | F320                     | DTHFER-1      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 72" | F320                     | DTHFER-1      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 61" | F210                     | DTHFER-3      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 48" | F160                     | DTHFER-3      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 52" | F160                     | DTHFER-3      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 36" | F60                      | DTHFER-3      | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| Ferris        | 36" | SRS Z1                   | N/A           |  |
| Ferris        | 48" | SRS Z1                   | DTHMD-UNI     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Ferris        | 48" | SRS Z2                   | DTHMD-UNI     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Ferris        | 52" | SRS Z2                   | DTHMD-UNI     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Ferris        | 61" | SRS Z2                   | DTHMD-UNI     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Ferris        | 52" | SRS Z3                   | DTHFER-4      | EXACT FIT  |
| Ferris        | 61" | SRS Z3                   | DTHFER-4      | EXACT FIT  |
| Ferris        | 72" | SRS Z3                   | DTHFER-4      | EXACT FIT  |
| Ferris        | 61" | F800X                    | DTHALL        | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS           |
| Ferris        | 72" | F800X                    | DTHALL        | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS           |
| Ferris        | 61" | Pro Cut S                | DTHMD-UNI     | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Ferris        | 48" | FW35                     | DTHALL        | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS           |
| Ferris        | 52" | FW35                     | DTHALL        | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS           |

|                  |     |                               |                        |  |
|------------------|-----|-------------------------------|------------------------|--|
| Ferris           | 61" | FW35                          | DTHALL                 | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS           |
| Ferris           | 36" | FW25                          | DTHMD-UNI              | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Ferris           | 48" | FW25                          | DTHMD-UNI              | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Ferris           | N/A | FB2000 (Stand On Blower)      | DTHXB                  | EXACT FIT  |
| Ferris           | N/A | FB3000 (Stand On Blower)      | DTHZB                  | EXACT FIT  |
| Ferris           | ALL | ISX3300, 2200                 | DTHFER-6 (Coming Soon) | EXACT FIT - REQUIRES ADDITIONAL HOLE/HOLES DRILLED FOR PROPER USE WITH ATTCHMT |
| <b>GRAVELY</b>   | 32" | Pro Stance                    | N/A                    |  |
| Gravely          | 36" | Pro Stance                    | N/A                    |  |
| Gravely          | 48" | Pro Stance                    | DTHMD-UNI              | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 52" | Pro Stance                    | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 60" | Pro Stance                    | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 52" | Pro Turn 400                  | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 60" | Pro Turn 400                  | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 72" | Pro Turn 400                  | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 52" | Pro Turn 200                  | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 60" | Pro Turn 200                  | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 72" | Pro Turn 200                  | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 60" | Pro Turn Mach 1               | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 48" | Pro Turn Z & ZX               | DTHMD-UNI              | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 52" | Pro Turn Z & ZX               | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 60" | Pro Turn Z & ZX               | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 44" | ZT HD                         | DTHMD-UNI              | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 48" | ZT HD                         | DTHMD-UNI              | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 52" | ZT HD                         | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Gravely          | 60" | ZT HD                         | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| <b>HURRICANE</b> | N/A | X3 Stand On Blower            | DTHXB                  | EXACT FIT  |
| Hurricane        | N/A | Z3 Stand On Blower            | DTHZB                  | EXACT FIT  |
| <b>HUSQVARNA</b> | 48" | Z548                          | DTHMD-UNI              | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Husqvarna        | 54" | Z554                          | DTHMD-UNI              | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Husqvarna        | 60" | Z560                          | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Husqvarna        | 72" | Z572                          | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |
| Husqvarna        | 54" | V554 (Stand On)               | DTHMD-UNI              | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| Husqvarna        | 48" | V548 (Stand On)               | DTHMD-UNI              | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS                   |
| <b>HUSTLER</b>   | 54" | Super Z & Super Z Hyper Drive | DTHLG-UNI              | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS                   |

|                   |        |                                  |             |  |
|-------------------|--------|----------------------------------|-------------|--|
| Hustler           | 60"    | Super Z & Super Z Hyper Drive    | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Hustler           | 66"    | Super Z & Super Z Hyper Drive    | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Hustler           | 72"    | Super Z & Super Z Hyper Drive    | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Hustler           | 36"    | Trimstar                         | DTHSM-UNI   | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS         |
| Hustler           | 48"    | Trimstar                         | DTHMD-UNI   | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Hustler           | 54"    | Trimstar                         | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Hustler           | 60"    | Trimstar                         | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Hustler           | 60"    | Z Diesel                         | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Hustler           | 72"    | Z Diesel                         | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Hustler           | 36"    | Super S (Stand On)               | DTHALL      | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Hustler           | 48"    | Super S (Stand On)               | DTHALL      | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Hustler           | 52"    | Super S (Stand On)               | DTHALL      | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Hustler           | 60"    | Super S (Stand On)               | DTHALL      | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| <b>JOHN DEERE</b> | 36"    | Quick Trak 636M (Stand On)       | DTHSM-UNI   | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS         |
| John Deere        | 48"    | Quick Trak 648M (Stand On)       | DTHSM-UNI   | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS         |
| John Deere        | 52"    | Quick Trak 652M (Stand On)       | DTHMD-UNI   | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| John Deere        | 52"    | 652E (Stand On Fix Deck)         | DTHLG-FD    | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| John Deere        | 48-72" | Ztrak 900 Series w/o weight kit  | DTHZ900     | EXACT FIT FOR MOWER WITHOUT WEIGHT KIT                               |
| John Deere        | 48-72" | Ztrak 900 Series with weight kit | DTHZ900-WK  | EXACT FIT FOR MOWER WITH WEIGHT KIT                                  |
| <b>KUBOTA</b>     | 48"    | Z400 Series                      | DTHMD-UNI   | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Kubota            | 54"    | Z400 Series                      | DTHMD-UNI   | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Kubota            | 60"    | Z400 Series                      | DTHMD-UNI   | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Kubota            | 48"    | Z700 Series                      | DTHMD-UNI   | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Kubota            | 54"    | Z700 Series                      | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Kubota            | 60"    | Z700 Series                      | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| <b>REDMAX</b>     | 54"    | CZT Series                       | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Redmax            | 60"    | CZT Series                       | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Redmax            | 72"    | CZT Series                       | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| <b>SCAG</b>       | 52"    | Turf Tiger II                    | DTHLG-UNI+2 | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Scag              | 61"    | Turf Tiger II                    | DTHLG-UNI+2 | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Scag              | 72"    | Turf Tiger II                    | DTHLG-UNI+2 | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Scag              | 48"    | Cheetah                          | DTHLG-UNI+2 | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Scag              | 52"    | Cheetah                          | DTHLG-UNI+2 | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Scag              | 61"    | Cheetah                          | DTHLG-UNI+2 | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |

|                |     |                                  |             |  |
|----------------|-----|----------------------------------|-------------|--|
| Scag           | 72" | Cheetah                          | DTHLG-UNI+2 | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Scag           | 48" | Tiger Cat II                     | DTHMD-UNI+1 | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Scag           | 52" | Tiger Cat II                     | DTHMD-UNI+1 | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Scag           | 61" | Tiger Cat II                     | DTHLG-UNI+1 | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Scag           | 36" | V-Ride I                         | DTHSM-VR1   | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS         |
| Scag           | 48" | V-Ride I                         | DTHMD-UNI   | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Scag           | 52" | V-Ride I                         | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Scag           | 61" | V-Ride I                         | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Scag           | ALL | V-Ride II                        | DTHV2       | EXACT FIT - REQUIRES 2 HOLES DRILLED FOR PROPER USE WITH ATTCHMT     |
| Scag           | 36" | SWZT                             | DTHSM-UNI   | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS         |
| Scag           | 48" | SWZT                             | DTHMD-UNI   | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Scag           | 52" | SWZT                             | DTHMD-UNI   | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Scag           | 61" | SWZT                             | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| <b>SPARTAN</b> | 48" | RZ Series                        | DTHMD-U2X2  | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Spartan        | 54" | RZ Series                        | DTHLG-U2X2  | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Spartan        | 61" | RZ Series                        | DTHLG-U2X2  | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Spartan        | 54" | RT Series                        | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Spartan        | 61" | RT Series                        | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Spartan        | 54" | SRT Series                       | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Spartan        | 61" | SRT Series                       | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| <b>TORO</b>    | 36" | Grandstand (Stand On)            | DTHSM-UNI   | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS         |
| Toro           | 40" | Grandstand (Stand On)            | DTHSM-U2X2  | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS         |
| Toro           | 48" | Grandstand (Stand On)            | DTHMD-UNI   | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Toro           | 52" | Grandstand (Stand On)            | DTHLG-UNI   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Toro           | ALL | Z Master                         | CALL        | NEED MEASUREMENTS AND PICTURES TO PROCEED W/ PROPER FITMENT          |
| Toro           | ALL | 8000 Series                      | DTHWALL     | EXACT FIT  |
| Toro           |     | Multi Force                      | DTHMF       | EXACT FIT  |
| <b>WALKER</b>  | ALL | Model S                          | DTHWALL     | EXACT FIT  |
| Walker         | ALL | Model C                          | DTHWALL     | EXACT FIT  |
| Walker         | ALL | Model T                          | DTHWALL     | EXACT FIT  |
| Walker         | ALL | Model D                          | DTHWALL     | EXACT FIT  |
| <b>WRIGHT</b>  | ALL | Rapid Height (Stand On)          | DTHALL      | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Wright         | ALL | Stander I "Intensity" (Stand On) | DTHALL      | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Wright         | ALL | Stander X (Stand On)             | DTHALL      | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |

|        |     |                               |            |  |
|--------|-----|-------------------------------|------------|--|
| Wright | ALL | Stander ZX (Stand On)         | DTHALL     | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Wright | 36" | Stander Fixed Deck (Stand On) | DTHSM-3642 | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS         |
| Wright | 42" | Stander Fixed Deck (Stand On) | DTHSM-3642 | TELESCOPIC CROSS BAR SPAN 20-26 INCHES BETWEEN CASTOR WHEELS         |
| Wright | 48" | Stander Fixed Deck (Stand On) | DTHLG-FD   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Wright | 52" | Stander Fixed Deck (Stand On) | DTHLG-FD   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Wright | 61" | Stander Fixed Deck (Stand On) | DTHLG-FD   | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Wright | 48" | Stander B (Stand On)          | DTHALL     | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Wright | 52" | Stander B (Stand On)          | DTHALL     | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Wright | 36" | Sport I                       | DTHALL     | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Wright | 48" | Sport X                       | DTHMD-UNI  | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Wright | 52" | Sport X                       | DTHLG-UNI  | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Wright | 61" | Sport X                       | DTHLG-UNI  | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Wright | ALL | Sport RH                      | DTHALL     | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Wright | ALL | Sentar                        | DTHALL     | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Wright | ALL | Sentar Sport                  | DTHALL     | MOWER MUST BE EQUIPPED WITH ACCESSIBLE CROSS BAR BETWEEN CASTOR ARMS |
| Wright | 48" | ZTO                           | DTHMD-UNI  | TELESCOPIC CROSS BAR SPAN 26-36 INCHES BETWEEN CASTOR WHEELS         |
| Wright | 52" | ZTO                           | DTHLG-UNI  | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Wright | 61" | ZTO                           | DTHLG-UNI  | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Wright | 52" | MMZ                           | DTHLG-UNI  | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |
| Wright | 61" | MMZ                           | DTHLG-UNI  | TELESCOPIC CROSS BAR SPAN 31-44 INCHES BETWEEN CASTOR WHEELS         |

REVISED 5/21/20 DTTACH\_HITCH\_FIT\_LIST.XLSX