2022 BC-15 HD SW & DW

BY BCROASTERS.COM

THE NEW 2022 BC-15 HD COMES IN SINGLE OR DOUBLE WALL MODELS. THESE ARE GREAT FOR PRODUCTION ROASTING FOR THE WHOLESALE OR RETAIL COFFEE BUSINESS. IT CAN ROAST FROM 3LB. TO 15LB. PER ROAST AND UP TO 4-5 ROASTS PER HOUR. THE DW MODEL CAN ROAST EVEN SMALLER BATCHES. IT WILL ROAST WELL OVER 400LB. PER DAY. IT HAS ALL THE FEATURES MOST COMPANIES CHARGE EXTRA FOR BUILT INTO THE BASE PRICE. THE MAG AIRFLOW GAUGE COMES STANDARD AND THE ONLY OPTION IS IF YOU WISH TO ADD A COOLING TRAY COVER. THESE MODELS ALL COME WITH THE ADVANCED AND PRECISE AIRFLOW CONTROL VIA THE MDDS (MANUAL DAMPER) SYSTEM & MANY NEW SAFETY FEATURES. SOLID HEAVY-DUTY STAINLESS STEEL DRUM AND BUILT IN PROFILING SYSTEM WITH ARTISAN SOFTWARE FOR RECORDING BT & ET. DIRECT-CONNECT CHAFF UNIT FOR EFFICIENCY & REDUCED FOOTPRINT. COMES STANDARD WITH LP (PROPANE) GAS. AND YOU CAN PURCHASE A NATURAL GAS KIT IF YOU WISH TO CONVERT UNIT TO RUN ON NATURAL GAS. THE 2022 HD MODEL COMES WITH A HEAVY DUTY CHAFF FAN AND HD GAS GAUGE. AND ALSO WE OFFER THESE







FEATURES

DRUM TYPE DATA LOGGING THERMOCOUPLES CONTROL PANEL WARRANTY PARTS AVAILABLE 110V CONVERTER **TYPE DATA LOGGING**

Single or Double Wall 2 OMRON CONTROLS w/BT & ET K-TYPE for BT & ET BT & ET VEIW ON PANEL 1 YEAR PARTS & INSTRUCTION 10 Year Parts Available Guarantee Optional 110V Voltage Converter 3000W may be purchased separate.

BC-14MD	GAS TYPE
Batch Size	3-15lb.
Roasting Time	10-15 minutes
Production	56-75lb.hr
Heat Source	NG/LPG
Voltage	220V
Wattage	760W
Drum Motor	200W
Chaff Fan Motor	180W
Cooling Fan Motor	200w
MIXING ARM	90W
BTU	105,000
NG PRESSURE	7-14WC
LPG PRESSURE	MAX. 16-20WC
Gas Consumption	0.8kg/hr
Roaster Dim.	58x38x63"
Roaster Weight	838lb.
Package Dimensions	65x45x66 1050lb.

SEE OUR NEW COLOR OPTIONS! BLACK, RED & WHITE BODIES!

BCROASTERS.COM TONOPAH, AZ

INFO@BUCKEYECOFFEE.COM

844.522.6333

THE BC-15 MD IS A HEAVY DUTY ROASTER BUILT WITH A CARBON STEEL BODY WITH APPROVED POWDER COAT HIGH TEMPERATURE BODY IN BLACK, RED OR WHITE. THE HOUSINGS COME IN A CHOICE OF 3 SOLID COLORS (Rose Gold, Black Titanium & Stainless) SVERAL TEXTURED COLORS

TWO EXHAUST PIPE COMES OFF THE **BC-15 AT 5"** AS SHOWN BELOW AND CAN BE EXHAUSTED SEPARATELY OUT OF BUILDING OR JOINED WITH A BLAST DAMPER OR BACKDRAFT DAMPER ABOVE CHAFF UNIT.


MDDS SYSTEM FOR PRECISE AIRFLOW CONTROL



IN WHITE OR RED BODIES








SHOWN IN DRAWING WITH MAG AIRFLOW GAUGE ALSO THE NEW HD GAS GAUGE IS & CHAFF FANS ARE ON THE NEW 2021 HD Models!








NEW FOR 2022:

HEAVY DUTY CHAFF FANS HEAVY DUTY GAS GAUGES

BUILT TO BE THE MOST HEAVY DUTY MODEL IN 2022!





COMPUTER DATA LOGGING VIA ARTISAN SOFTWARE

RECORD ROASTS VIA USB OR BLUETOOTH TO DUPLICATE PROFILES USING ARTISAN SOFTWARE.



BUCKEYE COFFEE IS A PROUD MONTHLY SPONSOR OF ARTISAN SOFTWARE

ARTISAN SOFTWARE

Do your part to Keep Artisan
Alive and Well.

Donate to Artisan Here:

https://artisan-scope.org/donate/
DO YOUR PART!



CONSIDER ARTISAN PLUS

https://shop.artisan.plus



BC ROASTERS NOW COME IN 3 BODY COLORS: BLACK, RED & WHITE



BLACK BODY WITH BLACK CHECKERED HOUSING



RED BODY WITH GOLD CHECKERED HOUSING



WHITE BODY WITH ROSE GOLD HOUSING



ROSE GOLD



STAINLESS



BLACK TITANIUM

TEXTURED HOUSINGS

CHECKERED



CHECKERED BLACK



CHECKERED GOLD



CHECKERED SILVER

NEW FOR 2021





GOLD MOSAIC



BODY COLORS:

BLACK, RED OR WHITE

SOLID HOUSING COLORS: ROSE GOLD, BLACK TITANIUM, STAINLESS

TEXTURE HOUSINGS: CHECKERED GOLD, CHECKERED BLACK OR CHECKERED SILVER
NEW: TEXTURED SILVER RAINDROP OR GOLD MOSAIC

BC-15 COMMERCIAL COFFEE ROASTER

*FLOOR MODEL WITH HD CASTER WHEELS
*DIRECT CONNECT CHAFF UNIT FOR SMALLER
FOOTPRINT

*CHOICE OF ALL ELECTRIC OR GAS MODELS

SIZE (LXWXH) WITHOUT CHAFF UNIT SIZE SETUP W/ CHAFF UNIT ATTACHED	58x24x63" ROASTER ALONE 58x40x63" Roaster with Chaff Unit
WEIGHT	838LB
MINIMUM CLEARANCE FROM COMBUSTABLE MATERIALS	18-24"
ROASTING CAPACITY	3-15LB SINGLE WALL 2 TO 15LB DOUBLE WALL
ROAST TIME & ROASTS PER HOUR	9-14 MINUTES (5 ROASTS PER HOUR GAS. 3.5 PER HOUR ELECTRIC)
DRUM INFORMATION	SW DRUM: 5MM SUPERIOR 304SS CONTAINS 18% CHROMIUM AND 8% NICKEL DW DRUM: HAS TWO LAYERS: ONE OF 3MM & ONE 2MM 304SS WITH 6MM OF AIR CUSHION. SS WELDING (11MM TOTAL THICKNESS ON DW)
ELECTRIC STATS:	GAS MODEL: SINGLE PHASE 220V 50/60Hz 780W REQUIRES STANDARD 15A BREAKER
ELECTRICAL PLUG TYPE	GAS MODELS: 20A 250V 3 WIRE NEMA 6-20P
FUEL CHOICES ON GAS MODELS	LPG GAS STANDARD WITH MODELS. NATURAL GAS CONVERSION KITS OFFERED FOR CUSTOMER INSTALLATION ONLY.
BURNER INFORMATION ON GAS MODELS	SW & DW BURNERS: 21
BTU REQUIRMENTS	82,000 BTU MINIMUM REQUIRED FOR NG LINE
GAS PRESSURE	LPG: 12-16WC (3-4KPA) MARSHALL 1912/197 REGULATOR RECOMMENDED NG: 7-14WC

EXHAUST SETUP	
EXHAUST PIPE REQUIREMENTS	POSITIVE PRESSURE EXHAUST VENTING WITH MINIMUM CLEARANCE 18-24" FROM COMBUSTABLE MATERIALS. EXHAUST PIPE SHOULD BE RATED TO 1000F FOR THE BC-15 AND UP.
MAXIMUM VENTING LENGTHS	20-25' FROM CHAFF UNIT. DEDUCT 3-5' FOR 45-90 DEGREE PIPE ELBOWS. IF YOU MUST VENT AT LONGER LENGTHS CONSULT A LOCAL TECHNICIAN ON USE OF POSSIBLE BOOSTER FANS
MAXIMUM EXHAUST TEMPERATURES	425-475F
CHAFF UNIT HIGH TEMP.	300-350F
COOLING TRAY HIGH TEMP.	200F
DATA LOGGING VIA ARTISAN OR CROPSTER	BUILT IN DATA LOGGER ATTACHES TO COMPUTER (PC OR MAC) VIA USB OR BLUETOOTH
K TYPE THERMOCOUPLES	BT & ET WITH TWO ADDITIONAL PREDRILLED CAPPED THREADED HOLES TO ADD OR ADJUST LOCATION OF PROBES
MANUFACTURED IN CHINA FOR BC ROASTERS	CUSTOM BUILT FOR BC SPECS IN USA AND OVER 200 LANDS

FOR MORE INFORMATION SEE:

BCROASTERS.COM

HTTP://WWW.BUCKEYECOFFEE.COM/BC-COFFEE-ROASTERS.HTML

BC ROASTERS BUCKEYE, ARIZONA 85326 TONOPAH, ARIZONA 85354

TOLL FREE: 844.522.6333
INFO@BUCKEYECOFFEE.COM