

EnviroMatrix



Analytical, Inc.

23 March 2017

Wynola Water District
Attn: Tim Taschler
PO Box 153
Santa Ysabel, CA 92070

EMA Log #: 17C0746

Project Name: WYNOLA WATER DISTRICT

Project Desc./#: PS 3701837

Enclosed are the results of analyses for samples received by the laboratory on 03/22/17 13:25. Samples were analyzed pursuant to client request utilizing EPA or other ELAP approved methodologies. I certify that this data is in compliance both technically and for completeness.

A handwritten signature in black ink, appearing to read 'Dan Verdon', is written over a light gray circular stamp.

Dan Verdon
Laboratory Director

CA ELAP Certification #: 2564

4340 Viewridge Avenue, Suite A - San Diego, California 92123 - (858) 560-7717 - Fax (858) 560-7763
Analytical Chemistry Laboratory

Client Name: Wynola Water District
Project Name: WYNOLA WATER DISTRICT

EMA Log #: 17C0746

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
3701837 4701 MB	17C0746-01	Drinking Water	03/22/17 10:02	03/22/17 13:25
3701837 4743 MB	17C0746-02	Drinking Water	03/22/17 10:12	03/22/17 13:25
3701837 1440 SV	17C0746-03	Drinking Water	03/22/17 10:17	03/22/17 13:25
3701837 003	17C0746-04	Drinking Water	03/22/17 10:26	03/22/17 13:25
3701837 007	17C0746-05	Drinking Water	03/22/17 10:41	03/22/17 13:25
3701837 009	17C0746-06	Drinking Water	03/22/17 10:34	03/22/17 13:25
3701837 010	17C0746-07	Drinking Water	03/22/17 10:48	03/22/17 13:25
3701837 011	17C0746-08	Drinking Water	03/22/17 10:56	03/22/17 13:25

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.

Client Name: Wynola Water District
 Project Name: WYNOLA WATER DISTRICT

EMA Log #: 17C0746

Microbiological Parameters by Standard Methods

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Date Prepared Date Analyzed	Method	Notes
3701837 4701 MB (17C0746-01) Drinking Water Sampled: 03/22/17 10:02 Received: 03/22/17 13:25								
Total Coliforms	ND	1	MPN/100 ml	1	7032250	03/22/17 14:00 03/23/17 14:15	SM9223	
E. Coli	ND	1	"	"	"	03/22/17 14:00 03/23/17 14:15	"	
3701837 4743 MB (17C0746-02) Drinking Water Sampled: 03/22/17 10:12 Received: 03/22/17 13:25								
Total Coliforms	ND	1	MPN/100 ml	1	7032250	03/22/17 14:00 03/23/17 14:15	SM9223	
E. Coli	ND	1	"	"	"	03/22/17 14:00 03/23/17 14:15	"	
3701837 1440 SV (17C0746-03) Drinking Water Sampled: 03/22/17 10:17 Received: 03/22/17 13:25								
Total Coliforms	ND	1	MPN/100 ml	1	7032250	03/22/17 14:00 03/23/17 14:15	SM9223	
E. Coli	ND	1	"	"	"	03/22/17 14:00 03/23/17 14:15	"	
3701837 003 (17C0746-04) Drinking Water Sampled: 03/22/17 10:26 Received: 03/22/17 13:25								
Total Coliforms	ND	1	MPN/100 ml	1	7032250	03/22/17 14:00 03/23/17 14:15	SM9223	
E. Coli	ND	1	"	"	"	03/22/17 14:00 03/23/17 14:15	"	
3701837 007 (17C0746-05) Drinking Water Sampled: 03/22/17 10:41 Received: 03/22/17 13:25								
Total Coliforms	ND	1	MPN/100 ml	1	7032250	03/22/17 14:00 03/23/17 14:15	SM9223	
E. Coli	ND	1	"	"	"	03/22/17 14:00 03/23/17 14:15	"	
3701837 009 (17C0746-06) Drinking Water Sampled: 03/22/17 10:34 Received: 03/22/17 13:25								
Total Coliforms	ND	1	MPN/100 ml	1	7032250	03/22/17 14:00 03/23/17 14:15	SM9223	
E. Coli	ND	1	"	"	"	03/22/17 14:00 03/23/17 14:15	"	
3701837 010 (17C0746-07) Drinking Water Sampled: 03/22/17 10:48 Received: 03/22/17 13:25								
Total Coliforms	ND	1	MPN/100 ml	1	7032250	03/22/17 14:00 03/23/17 14:15	SM9223	
E. Coli	ND	1	"	"	"	03/22/17 14:00 03/23/17 14:15	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Client Name: Wynola Water District
 Project Name: WYNOLA WATER DISTRICT

EMA Log #: 17C0746

Microbiological Parameters by Standard Methods

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Date Prepared Date Analyzed	Method	Notes
3701837 011 (17C0746-08) Drinking Water								
Sampled: 03/22/17 10:56 Received: 03/22/17 13:25								
Total Coliforms	ND	1	MPN/100 ml	1	7032250	03/22/17 14:00 03/23/17 14:15	SM9223	
E. Coli	ND	1	"	"	"	03/22/17 14:00 03/23/17 14:15	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.

Client Name: Wynola Water District
Project Name: WYNOLA WATER DISTRICT

EMA Log #: 17C0746

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
RPD Relative Percent Difference

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.



23 March 2017

Wynola Water District
Attn: Tim Taschler
1234 Lakedale Road
Santa Ysabel, CA 92070

EMA Log #: 17B0687

Project Name: WYNOLA WATER DISTRICT
Project Desc./#: PS 3701837

Enclosed with this letter are the test results performed by subcontract laboratory for the following analyses:


- SOC Waiver

The samples were received by EnviroMatrix Analytical, Inc. intact and with chain-of-custody documentation. The test results and pertinent quality assurance/quality control data are listed on the attached tables.

I certify that this data report is in compliance both technically and for completeness. Release of the data contained in this hard copy data report has been authorized by the following signature.

Dan Verdon
Laboratory Director

Clinical Laboratory of San Bernardino, Inc.



EnviroMatrix Analytical, Inc. 4340 Viewridge Ave., Ste. A San Diego CA, 92123	Project: Routine Sub Project: 17B0687 Project Manager: Project Manager	Work Order: 17C0235 Received: 03/01/17 14:50 Reported: 03/16/17
-------------------------------------------------------------------------------------	------------------------------------------------------------------------------	-----------------------------------------------------------------------

3701837-003 **17C0235-01 (Water)** **Sample Date:** 02/22/17 9:00 **Sampler:** Not Listed

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
---------	--------	--------	-------	------------	-----	----------	----------	-------	-----------

Volatile Organic Analyses / EPA 504

Ethylene Dibromide (EDB)	EPA 504.1	ND	ug/L	0.020	0.05	03/08/17	03/08/17	1710098	
Dibromochloropropane (DBCP)	EPA 504.1	ND	ug/L	0.010	0.2	03/08/17	03/08/17	1710098	


Semi-Volatile Organic Analyses

Alachlor (ALANEX)	EPA 507	ND	ug/L	1.0	2	03/07/17	03/08/17	1710057	
Atrazine (AATREX)	EPA 507	ND	ug/L	0.50	1	03/07/17	03/08/17	1710057	
Molinate (ORDRAM)	EPA 507	ND	ug/L	2.0	20	03/07/17	03/08/17	1710057	
Simazine (PRINCEP)	EPA 507	ND	ug/L	1.0	4	03/07/17	03/08/17	1710057	
Thiobencarb (BOLERO)	EPA 507	ND	ug/L	1.0	70	03/07/17	03/08/17	1710057	
Surrogate: 1,3-dimethyl-2-nitrobenzene	EPA 507	103 %				03 07 17	03 08 17	1710057	
Dalapon	EPA 515.4	ND	ug/L	100	200	03/03/17	03/15/17	1709164	
2,4,5-TP (SILVEX)	EPA 515.4	ND	ug/L	10	50	03/03/17	03/15/17	1709164	
Bentazon (BASAGRAN)	EPA 515.4	ND	ug/L	20	18	03/03/17	03/15/17	1709164	
Picloram	EPA 515.4	ND	ug/L	10	500	03/03/17	03/15/17	1709164	
2,4-D	EPA 515.4	ND	ug/L	100	70	03/03/17	03/15/17	1709164	
Pentachlorophenol (PCP)	EPA 515.4	ND	ug/L	2.0	1	03/03/17	03/15/17	1709164	
Dinoseb (DNBP)	EPA 515.4	ND	ug/L	20	7	03/03/17	03/15/17	1709164	
Surrogate: 2,4-Dichlorophenylacetic acid	EPA 515.4	107 %				03 03 17	03 15 17	1709164	

Pamela Ybarra

Pamela Ybarra
Project Manager

Clinical Laboratory of San Bernardino, Inc.



EnviroMatrix Analytical, Inc. 4340 Viewridge Ave., Ste. A San Diego CA, 92123	Project: Routine Sub Project: 17B0687 Project Manager: Project Manager	Work Order: 17C0235 Received: 03/01/17 14:50 Reported: 03/16/17
-------------------------------------------------------------------------------------	------------------------------------------------------------------------------	-----------------------------------------------------------------------

3701837-007	17C0235-02 (Water)	Sample Date: 02/22/17 9:00	Sampler: Not Listed						
Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier

Volatile Organic Analyses / EPA 504

Ethylene Dibromide (EDB)	EPA 504.1	ND	ug/L	0.020	0.05	03/08/17	03/08/17	1710098
Dibromochloropropane (DBCP)	EPA 504.1	ND	ug/L	0.010	0.2	03/08/17	03/08/17	1710098

Semi-Volatile Organic Analyses


Alachlor (ALANEX)	EPA 507	ND	ug/L	1.0	2	03/07/17	03/08/17	1710057
Atrazine (AATREX)	EPA 507	ND	ug/L	0.50	1	03/07/17	03/08/17	1710057
Molinate (ORDRAM)	EPA 507	ND	ug/L	2.0	20	03/07/17	03/08/17	1710057
Simazine (PRINCEP)	EPA 507	ND	ug/L	1.0	4	03/07/17	03/08/17	1710057
Thiobencarb (BOLERO)	EPA 507	ND	ug/L	1.0	70	03/07/17	03/08/17	1710057
<i>Surrogate: 1,3-dimethyl-2-nitrobenzene</i>	<i>EPA 507</i>	<i>103 %</i>				<i>03/07/17</i>	<i>03/08/17</i>	<i>1710057</i>
Dalapon	EPA 515.4	ND	ug/L	100	200	03/03/17	03/03/17	1709164
2,4,5-TP (SILVEX)	EPA 515.4	ND	ug/L	10	50	03/03/17	03/03/17	1709164
Bentazon (BASAGRAN)	EPA 515.4	ND	ug/L	20	18	03/03/17	03/03/17	1709164
Picloram	EPA 515.4	ND	ug/L	10	500	03/03/17	03/03/17	1709164
2,4-D	EPA 515.4	ND	ug/L	100	70	03/03/17	03/03/17	1709164
Pentachlorophenol (PCP)	EPA 515.4	ND	ug/L	2.0	1	03/03/17	03/03/17	1709164
Dinoseb (DNBP)	EPA 515.4	ND	ug/L	20	7	03/03/17	03/03/17	1709164
<i>Surrogate: 2,4-Dichlorophenylacetic acid</i>	<i>EPA 515.4</i>	<i>103 %</i>				<i>03/03/17</i>	<i>03/03/17</i>	<i>1709164</i>

Pamela Ybarra

Pamela Ybarra

Project Manager

Clinical Laboratory of San Bernardino, Inc.



EnviroMatrix Analytical, Inc.
4340 Viewridge Ave., Ste. A
San Diego CA, 92123

Project: Routine
Sub Project: 17B0687
Project Manager: Project Manager

Work Order: 17C0235
Received: 03/01/17 14:50
Reported: 03/16/17

3701837-009

17C0235-03 (Water)

Sample Date: 02/22/17 9:00

Sampler: Not Listed

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
---------	--------	--------	-------	------------	-----	----------	----------	-------	-----------

Volatile Organic Analyses / EPA 504

Ethylene Dibromide (EDB)	EPA 504.1	ND	ug/L	0.020	0.05	03/08/17	03/08/17	1710098	
Dibromochloropropane (DBCP)	EPA 504.1	ND	ug/L	0.010	0.2	03/08/17	03/08/17	1710098	

Semi-Volatile Organic Analyses


Alachlor (ALANEX)	EPA 507	ND	ug/L	1.0	2	03/07/17	03/08/17	1710057	
Atrazine (AATREX)	EPA 507	ND	ug/L	0.50	1	03/07/17	03/08/17	1710057	
Molinate (ORDRAM)	EPA 507	ND	ug/L	2.0	20	03/07/17	03/08/17	1710057	
Simazine (PRINCEP)	EPA 507	ND	ug/L	1.0	4	03/07/17	03/08/17	1710057	
Thiobencarb (BOLERO)	EPA 507	ND	ug/L	1.0	70	03/07/17	03/08/17	1710057	
Surrogate: 1,3-dimethyl-2-nitrobenzene	EPA 507	106 %				03 07 17	03 08 17	1710057	
Dalapon	EPA 515.4	ND	ug/L	100	200	03/03/17	03/15/17	1709164	
2,4,5-TP (SILVEX)	EPA 515.4	ND	ug/L	10	50	03/03/17	03/15/17	1709164	
Bentazon (BASAGRAN)	EPA 515.4	ND	ug/L	20	18	03/03/17	03/15/17	1709164	
Picloram	EPA 515.4	ND	ug/L	10	500	03/03/17	03/15/17	1709164	
2,4-D	EPA 515.4	ND	ug/L	100	70	03/03/17	03/15/17	1709164	
Pentachlorophenol (PCP)	EPA 515.4	ND	ug/L	2.0	1	03/03/17	03/15/17	1709164	
Dinoseb (DNBP)	EPA 515.4	ND	ug/L	20	7	03/03/17	03/15/17	1709164	
Surrogate: 2,4-Dichlorophenylacetic acid	EPA 515.4	116 %				03 03 17	03 15 17	1709164	

Pamela Ybarra

Pamela Ybarra

Project Manager

Clinical Laboratory of San Bernardino, Inc.



EnviroMatrix Analytical, Inc.
4340 Viewridge Ave., Ste. A
San Diego CA, 92123

Project: Routine
Sub Project: 17B0687
Project Manager: Project Manager

Work Order: 17C0235
Received: 03/01/17 14:50
Reported: 03/16/17

3701837-010

17C0235-04 (Water)

Sample Date: 02/22/17 9:00

Sampler: Not Listed

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
---------	--------	--------	-------	------------	-----	----------	----------	-------	-----------

Volatile Organic Analyses / EPA 504

Ethylene Dibromide (EDB)	EPA 504.1	ND	ug/L	0.020	0.05	03/08/17	03/08/17	1710098	
Dibromochloropropane (DBCP)	EPA 504.1	ND	ug/L	0.010	0.2	03/08/17	03/08/17	1710098	

Semi-Volatile Organic Analyses


Alachlor (ALANEX)	EPA 507	ND	ug/L	1.0	2	03/07/17	03/08/17	1710057	
Atrazine (AATREX)	EPA 507	ND	ug/L	0.50	1	03/07/17	03/08/17	1710057	
Molinate (ORDRAM)	EPA 507	ND	ug/L	2.0	20	03/07/17	03/08/17	1710057	
Simazine (PRINCEP)	EPA 507	ND	ug/L	1.0	4	03/07/17	03/08/17	1710057	
Thiobencarb (BOLERO)	EPA 507	ND	ug/L	1.0	70	03/07/17	03/08/17	1710057	
Surrogate: 1,3-dimethyl-2-nitrobenzene	EPA 507	104 %				03/07/17	03/08/17	1710057	
Dalapon	EPA 515.4	ND	ug/L	100	200	03/03/17	03/03/17	1709164	
2,4,5-TP (SILVEX)	EPA 515.4	ND	ug/L	10	50	03/03/17	03/03/17	1709164	
Bentazon (BASAGRAN)	EPA 515.4	ND	ug/L	20	18	03/03/17	03/03/17	1709164	
Picloram	EPA 515.4	ND	ug/L	10	500	03/03/17	03/03/17	1709164	
2,4-D	EPA 515.4	ND	ug/L	100	70	03/03/17	03/03/17	1709164	
Pentachlorophenol (PCP)	EPA 515.4	ND	ug/L	2.0	1	03/03/17	03/03/17	1709164	
Dinoseb (DNBP)	EPA 515.4	ND	ug/L	20	7	03/03/17	03/03/17	1709164	
Surrogate: 2,4-Dichlorophenylacetic acid	EPA 515.4	105 %				03/03/17	03/03/17	1709164	

Pamela Ybarra

Pamela Ybarra

Project Manager

Clinical Laboratory of San Bernardino, Inc.



EnviroMatrix Analytical, Inc.
4340 Viewridge Ave., Ste. A
San Diego CA, 92123

Project: Routine
Sub Project: 17B0687
Project Manager: Project Manager

Work Order: 17C0235
Received: 03/01/17 14:50
Reported: 03/16/17

3701837-011

17C0235-05 (Water)

Sample Date: 02/22/17 9:00

Sampler: Not Listed

Analyte	Method	Result	Units	Rep. Limit	MCL	Prepared	Analyzed	Batch	Qualifier
---------	--------	--------	-------	------------	-----	----------	----------	-------	-----------

Volatile Organic Analyses / EPA 504

Ethylene Dibromide (EDB)	EPA 504.1	ND	ug/L	0.020	0.05	03/08/17	03/08/17	1710098	
Dibromochloropropane (DBCP)	EPA 504.1	ND	ug/L	0.010	0.2	03/08/17	03/08/17	1710098	

Semi-Volatile Organic Analyses


Alachlor (ALANEX)	EPA 507	ND	ug/L	1.0	2	03/07/17	03/08/17	1710057	
Atrazine (AATREX)	EPA 507	ND	ug/L	0.50	1	03/07/17	03/08/17	1710057	
Molinate (ORDRAM)	EPA 507	ND	ug/L	2.0	20	03/07/17	03/08/17	1710057	
Simazine (PRINCEP)	EPA 507	ND	ug/L	1.0	4	03/07/17	03/08/17	1710057	
Thiobencarb (BOLERO)	EPA 507	ND	ug/L	1.0	70	03/07/17	03/08/17	1710057	
Surrogate: 1,3-dimethyl-2-nitrobenzene	EPA 507	89 %				03/07/17	03/08/17	1710057	
Dalapon	EPA 515.4	ND	ug/L	100	200	03/03/17	03/15/17	1709164	
2,4,5-TP (SILVEX)	EPA 515.4	ND	ug/L	10	50	03/03/17	03/15/17	1709164	
Bentazon (BASAGRAN)	EPA 515.4	ND	ug/L	20	18	03/03/17	03/15/17	1709164	
Picloram	EPA 515.4	ND	ug/L	10	500	03/03/17	03/15/17	1709164	
2,4-D	EPA 515.4	ND	ug/L	100	70	03/03/17	03/15/17	1709164	
Pentachlorophenol (PCP)	EPA 515.4	ND	ug/L	2.0	1	03/03/17	03/15/17	1709164	
Dinoseb (DNBP)	EPA 515.4	ND	ug/L	20	7	03/03/17	03/15/17	1709164	
Surrogate: 2,4-Dichlorophenylacetic acid	EPA 515.4	124 %				03/03/17	03/15/17	1709164	

Pamela Ybarra

Pamela Ybarra

Project Manager

Clinical Laboratory of San Bernardino, Inc.




EnviroMatrix Analytical, Inc.
4340 Viewridge Ave., Ste. A
San Diego CA, 92123

Project: Routine
Sub Project: 17B0687
Project Manager: Project Manager

Work Order: 17C0235
Received: 03/01/17 14:50
Reported: 03/16/17

QM-02 MS and/or MSD recovery was above the method acceptance limit, ND results are valid.
QL-02 LCS and/or LCS Dup recovery was above the method acceptance limits, ND results are valid.
QCNote QC results above DLR, ND results are valid
ND Analyte NOT DETECTED at or above the reporting limit

Clinical Laboratory of San Bernardino, Inc.



EnviroMatrix Analytical, Inc. 4340 Viewridge Ave., Ste. A San Diego CA, 92123	Project: Routine Sub Project: 17B0687 Project Manager: Project Manager	Work Order: 17C0235 Received: 03/01/17 14:50 Reported: 03/16/17
-------------------------------------------------------------------------------------	------------------------------------------------------------------------------	-----------------------------------------------------------------------

Volatile Organic Analyses / EPA 504 - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%Rec	%Rec Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1710098 Analyst: SK

Blank (1710098-BLK1)

Prepared: 03/08/17 Analyzed: 03/10/17

Dibromochloropropane (DBCP)	ND	0.010	ug/L							
Ethylene Dibromide (EDB)	ND	0.020	ug/L							

LCS (1710098-BS1)

Prepared & Analyzed: 03/10/17


Dibromochloropropane (DBCP)	0.489	0.010	ug/L	0.25		196	70-130			QCNote
Ethylene Dibromide (EDB)	0.396	0.020	ug/L	0.25		158	70-130			QCNote

LCS (1710098-BS2)

Prepared & Analyzed: 03/14/17

Dibromochloropropane (DBCP)	0.350	0.010	ug/L	0.25		140	70-130			QCNote
Ethylene Dibromide (EDB)	0.379	0.020	ug/L	0.25		152	70-130			QCNote

Clinical Laboratory of San Bernardino, Inc.



EnviroMatrix Analytical, Inc.
4340 Viewridge Ave., Ste. A
San Diego CA, 92123

Project: Routine
Sub Project: 17B0687
Project Manager: Project Manager

Work Order: 17C0235
Received: 03/01/17 14:50
Reported: 03/16/17

Semi-Volatile Organic Analyses - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%Rec	%Rec Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1709164 Analyst: RC

Blank (1709164-BLK1)

Prepared & Analyzed: 03/03/17

2,4,5-TP (SILVEX)	ND	10	ug/L							
2,4-D	ND	100	ug/L							
Bentazon (BASAGRAN)	ND	20	ug/L							
Dalapon	ND	100	ug/L							
Dinoseb (DNBP)	ND	20	ug/L							
Pentachlorophenol (PCP)	ND	2.0	ug/L							
Picloram	ND	10	ug/L							
Surrogate: 2,4-Dichlorophenylacetic acid	1000		ug/L	1000		102	70-130			

LCS (1709164-BS1)

Prepared & Analyzed: 03/03/17

2,4,5-TP (SILVEX)	38.2	10	ug/L	40		96	70-130			
2,4-D	320	100	ug/L	400		80	70-130			
Bentazon (BASAGRAN)	60.3	20	ug/L	80		75	70-130			
Dalapon	283	100	ug/L	400		71	70-130			
Dinoseb (DNBP)	76.8	20	ug/L	80		96	70-130			
Pentachlorophenol (PCP)	7.46	2.0	ug/L	8.0		93	70-130			
Picloram	35.8	10	ug/L	40		89	70-130			
Surrogate: 2,4-Dichlorophenylacetic acid	980		ug/L	1000		98	70-130			


Matrix Spike (1709164-MS1)

Source: 17C0071-01

Prepared & Analyzed: 03/03/17

2,4,5-TP (SILVEX)	37.4	10	ug/L	40	ND	94	70-130			
2,4-D	323	100	ug/L	400	ND	81	70-130			
Bentazon (BASAGRAN)	57.4	20	ug/L	80	ND	72	70-130			
Dalapon	279	100	ug/L	400	ND	70	70-130			
Dinoseb (DNBP)	75.7	20	ug/L	80	ND	95	70-130			
Pentachlorophenol (PCP)	7.22	2.0	ug/L	8.0	ND	90	70-130			
Picloram	37.7	10	ug/L	40	ND	94	70-130			
Surrogate: 2,4-Dichlorophenylacetic acid	990		ug/L	1000		99	70-130			

Clinical Laboratory of San Bernardino, Inc.



EnviroMatrix Analytical, Inc. 4340 Viewridge Ave., Ste. A San Diego CA, 92123	Project: Routine Sub Project: 17B0687 Project Manager: Project Manager	Work Order: 17C0235 Received: 03/01/17 14:50 Reported: 03/16/17
-------------------------------------------------------------------------------------	------------------------------------------------------------------------------	-----------------------------------------------------------------------

Semi-Volatile Organic Analyses - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%Rec	%Rec Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1709164 Analyst: RC


Matrix Spike Dup (1709164-MSD1)	Source: 17C0071-01		Prepared & Analyzed: 03/03/17							
2,4,5-TP (SILVEX)	37.6	10 ug/L	40	ND	94	70-130	0.4	30		
2,4-D	328	100 ug/L	400	ND	82	70-130	2	30		
Bentazon (BASAGRAN)	59.7	20 ug/L	80	ND	75	70-130	4	30		
Dalapon	298	100 ug/L	400	ND	75	70-130	7	30		
Dinoseb (DNBP)	75.2	20 ug/L	80	ND	94	70-130	0.7	30		
Pentachlorophenol (PCP)	7.51	2.0 ug/L	8.0	ND	94	70-130	4	30		
Picloram	43.9	10 ug/L	40	ND	110	70-130	15	30		
Surrogate: 2,4-Dichlorophenylacetic acid	820	ug/L	1000		82	70-130				

Batch 1710057 Analyst: RC

Blank (1710057-BLK1)	Prepared & Analyzed: 03/07/17									
Alachlor (ALANEX)	ND	1.0 ug/L								
Atrazine (AATREX)	ND	0.50 ug/L								
Molinate (ORDRAM)	ND	2.0 ug/L								
Simazine (PRINCEP)	ND	1.0 ug/L								
Thiobencarb (BOLERO)	ND	1.0 ug/L								
Surrogate: 1,3-dimethyl-2-nitrobenzene	12	ug/L	13		93	70-130				

LCS (1710057-BS1)	Prepared: 03/07/17 Analyzed: 03/08/17									
Alachlor (ALANEX)	10.2	1.0 ug/L	8.0		127	70-130				
Atrazine (AATREX)	4.94	0.50 ug/L	4.0		123	70-130				
Molinate (ORDRAM)	18.6	2.0 ug/L	16		116	70-130				
Simazine (PRINCEP)	12.3	1.0 ug/L	8.0		154	70-130				QL-02
Thiobencarb (BOLERO)	9.83	1.0 ug/L	8.0		123	70-130				
Surrogate: 1,3-dimethyl-2-nitrobenzene	11	ug/L	13		91	70-130				

Clinical Laboratory of San Bernardino, Inc.



EnviroMatrix Analytical, Inc.
4340 Viewridge Ave., Ste. A
San Diego CA, 92123

Project: Routine
Sub Project: 17B0687
Project Manager: Project Manager

Work Order: 17C0235
Received: 03/01/17 14:50
Reported: 03/16/17

Semi-Volatile Organic Analyses - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%Rec	%Rec Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1710057

Analyst: RC

Matrix Spike (1710057-MS1)

Source: 17C0534-01

Prepared: 03/07/17 Analyzed: 03/08/17

Alachlor (ALANEX)	10.5	1.0	ug/L	8.0	ND	131	65-135			
Atrazine (AATREX)	5.14	0.50	ug/L	4.0	ND	128	65-135			
Molinate (ORDRAM)	19.0	2.0	ug/L	16	ND	119	65-135			
Simazine (PRINCEP)	12.8	1.0	ug/L	8.0	ND	161	65-135			QM-02
Thiobencarb (BOLERO)	10.3	1.0	ug/L	8.0	ND	129	65-135			
Surrogate: 1,3-dimethyl-2-nitrobenzene	11		ug/L	13		90	70-130			


Pamela Ybarra

Pamela Ybarra

Project Manager

Clinical Laboratory of San Bernardino, Inc.

EDT Transfer Confirmation 1



Work Order: 17C0235
Report Date: 03/16/2017
Analyzing Lab: Clinical Laboratory of San Bernardino, Inc. ELAP 1088

Page 1 of 2


WYNOLA WATER DISTRICT		User ID: 37C	System: 3701837		
WELL 03		Station No.: 3701837-003	Sampled: 170222 09:00		
DALAPON (DOWPON)	Result: ND	Units: UG/L	Entry No.: 38432	Analyzed: 170315	
BENTAZON (BASAGRAN)	Result: ND	Units: UG/L	Entry No.: 38710	Analyzed: 170315	
DIBROMOCHLOROPROPANE (DBCP)	Result: ND	Units: UG/L	Entry No.: 38761	Analyzed: 170308	
PENTACHLOROPHENOL	Result: ND	Units: UG/L	Entry No.: 39032	Analyzed: 170315	
ATRAZINE (AATREX)	Result: ND	Units: UG/L	Entry No.: 39033	Analyzed: 170308	
2,4,5-TP (SILVEX)	Result: ND	Units: UG/L	Entry No.: 39045	Analyzed: 170315	
SIMAZINE (PRINCEP)	Result: ND	Units: UG/L	Entry No.: 39055	Analyzed: 170308	
PICLORAM (TORDON)	Result: ND	Units: UG/L	Entry No.: 39720	Analyzed: 170315	
2,4-D	Result: ND	Units: UG/L	Entry No.: 39730	Analyzed: 170315	
ETHYLENE DIBROMIDE (EDB)	Result: ND	Units: UG/L	Entry No.: 77651	Analyzed: 170308	
ALACHLOR (ALANEX)	Result: ND	Units: UG/L	Entry No.: 77825	Analyzed: 170308	
DINOSEB	Result: ND	Units: UG/L	Entry No.: 81287	Analyzed: 170315	
MOLINATE (ORDRAM)	Result: ND	Units: UG/L	Entry No.: 82199	Analyzed: 170308	
THIOBENCARB (BOLERO)	Result: ND	Units: UG/L	Entry No.: A-001	Analyzed: 170308	
WELL 07		Station No.: 3701837-007	Sampled: 170222 09:00		
DALAPON (DOWPON)	Result: ND	Units: UG/L	Entry No.: 38432	Analyzed: 170303	
BENTAZON (BASAGRAN)	Result: ND	Units: UG/L	Entry No.: 38710	Analyzed: 170303	
DIBROMOCHLOROPROPANE (DBCP)	Result: ND	Units: UG/L	Entry No.: 38761	Analyzed: 170308	
PENTACHLOROPHENOL	Result: ND	Units: UG/L	Entry No.: 39032	Analyzed: 170303	
ATRAZINE (AATREX)	Result: ND	Units: UG/L	Entry No.: 39033	Analyzed: 170308	
2,4,5-TP (SILVEX)	Result: ND	Units: UG/L	Entry No.: 39045	Analyzed: 170303	
SIMAZINE (PRINCEP)	Result: ND	Units: UG/L	Entry No.: 39055	Analyzed: 170308	
PICLORAM (TORDON)	Result: ND	Units: UG/L	Entry No.: 39720	Analyzed: 170303	
2,4-D	Result: ND	Units: UG/L	Entry No.: 39730	Analyzed: 170303	
ETHYLENE DIBROMIDE (EDB)	Result: ND	Units: UG/L	Entry No.: 77651	Analyzed: 170308	
ALACHLOR (ALANEX)	Result: ND	Units: UG/L	Entry No.: 77825	Analyzed: 170308	
DINOSEB	Result: ND	Units: UG/L	Entry No.: 81287	Analyzed: 170303	
MOLINATE (ORDRAM)	Result: ND	Units: UG/L	Entry No.: 82199	Analyzed: 170308	
THIOBENCARB (BOLERO)	Result: ND	Units: UG/L	Entry No.: A-001	Analyzed: 170308	
WELL 09		Station No.: 3701837-009	Sampled: 170222 09:00		
DALAPON (DOWPON)	Result: ND	Units: UG/L	Entry No.: 38432	Analyzed: 170315	
BENTAZON (BASAGRAN)	Result: ND	Units: UG/L	Entry No.: 38710	Analyzed: 170315	
DIBROMOCHLOROPROPANE (DBCP)	Result: ND	Units: UG/L	Entry No.: 38761	Analyzed: 170308	
PENTACHLOROPHENOL	Result: ND	Units: UG/L	Entry No.: 39032	Analyzed: 170315	
ATRAZINE (AATREX)	Result: ND	Units: UG/L	Entry No.: 39033	Analyzed: 170308	
2,4,5-TP (SILVEX)	Result: ND	Units: UG/L	Entry No.: 39045	Analyzed: 170315	
SIMAZINE (PRINCEP)	Result: ND	Units: UG/L	Entry No.: 39055	Analyzed: 170308	
PICLORAM (TORDON)	Result: ND	Units: UG/L	Entry No.: 39720	Analyzed: 170315	
2,4-D	Result: ND	Units: UG/L	Entry No.: 39730	Analyzed: 170315	
ETHYLENE DIBROMIDE (EDB)	Result: ND	Units: UG/L	Entry No.: 77651	Analyzed: 170308	
ALACHLOR (ALANEX)	Result: ND	Units: UG/L	Entry No.: 77825	Analyzed: 170308	
DINOSEB	Result: ND	Units: UG/L	Entry No.: 81287	Analyzed: 170315	
MOLINATE (ORDRAM)	Result: ND	Units: UG/L	Entry No.: 82199	Analyzed: 170308	
THIOBENCARB (BOLERO)	Result: ND	Units: UG/L	Entry No.: A-001	Analyzed: 170308	
WELL 10		Station No.: 3701837-010	Sampled: 170222 09:00		
DALAPON (DOWPON)	Result: ND	Units: UG/L	Entry No.: 38432	Analyzed: 170303	
BENTAZON (BASAGRAN)	Result: ND	Units: UG/L	Entry No.: 38710	Analyzed: 170303	

Printed: 03/16/2017 09:27:10 AM Results of 17C0235 FINAL WRITEON ALL_SAMPLES

Post Office Box 329 San Bernardino, CA 92402 (909) 825-7693 Fax (909) 825-7696 ELAP Number 1088

Clinical Laboratory of San Bernardino, Inc.

EDT Transfer Confirmation 1



Work Order: 17C0235

Report Date: 03/16/2017

Analyzing Lab: Clinical Laboratory of San Bernardino, Inc. ELAP 1088

DIBROMOCHLOROPROPANE (DBCP)	Result: ND	Units: UG/L	Entry No.: 38761	Analyzed: 170308
PENTACHLOROPHENOL	Result: ND	Units: UG/L	Entry No.: 39032	Analyzed: 170303
ATRAZINE (AATREX)	Result: ND	Units: UG/L	Entry No.: 39033	Analyzed: 170308
2,4,5-TP (SILVEX)	Result: ND	Units: UG/L	Entry No.: 39045	Analyzed: 170303
SIMAZINE (PRINCEP)	Result: ND	Units: UG/L	Entry No.: 39055	Analyzed: 170308
PICLORAM (TORDON)	Result: ND	Units: UG/L	Entry No.: 39720	Analyzed: 170303
2,4-D	Result: ND	Units: UG/L	Entry No.: 39730	Analyzed: 170303
ETHYLENE DIBROMIDE (EDB)	Result: ND	Units: UG/L	Entry No.: 77651	Analyzed: 170308
ALACHLOR (ALANEX)	Result: ND	Units: UG/L	Entry No.: 77825	Analyzed: 170308
DINOSEB	Result: ND	Units: UG/L	Entry No.: 81287	Analyzed: 170303
MOLINATE (ORDRAM)	Result: ND	Units: UG/L	Entry No.: 82199	Analyzed: 170308
THIOBENCARB (BOLERO)	Result: ND	Units: UG/L	Entry No.: A-001	Analyzed: 170308

WELL 11 Station No.: 3701837-011 Sampled: 170222 09:00

DALAPON (DOWPON)	Result: ND	Units: UG/L	Entry No.: 38432	Analyzed: 170315
BENTAZON (BASAGRAN)	Result: ND	Units: UG/L	Entry No.: 38710	Analyzed: 170315
DIBROMOCHLOROPROPANE (DBCP)	Result: ND	Units: UG/L	Entry No.: 38761	Analyzed: 170308
PENTACHLOROPHENOL	Result: ND	Units: UG/L	Entry No.: 39032	Analyzed: 170315
ATRAZINE (AATREX)	Result: ND	Units: UG/L	Entry No.: 39033	Analyzed: 170308
2,4,5-TP (SILVEX)	Result: ND	Units: UG/L	Entry No.: 39045	Analyzed: 170315
SIMAZINE (PRINCEP)	Result: ND	Units: UG/L	Entry No.: 39055	Analyzed: 170308
PICLORAM (TORDON)	Result: ND	Units: UG/L	Entry No.: 39720	Analyzed: 170315
2,4-D	Result: ND	Units: UG/L	Entry No.: 39730	Analyzed: 170315
ETHYLENE DIBROMIDE (EDB)	Result: ND	Units: UG/L	Entry No.: 77651	Analyzed: 170308
ALACHLOR (ALANEX)	Result: ND	Units: UG/L	Entry No.: 77825	Analyzed: 170308
DINOSEB	Result: ND	Units: UG/L	Entry No.: 81287	Analyzed: 170315
MOLINATE (ORDRAM)	Result: ND	Units: UG/L	Entry No.: 82199	Analyzed: 170308
THIOBENCARB (BOLERO)	Result: ND	Units: UG/L	Entry No.: A-001	Analyzed: 170308

SUBCONTRACT ORDER

EnviroMatrix Analytical, Inc.

17B0687

17C0235

SENDING LABORATORY:

EnviroMatrix Analytical, Inc.
4340 Viewridge Ave., Ste. A
San Diego, CA 92123
Phone: (858) 560-7717
Fax: (858) 560-7763
Project Manager: Dan Verdon

RECEIVING LABORATORY:

Clinical Lab of San Bernardino, Inc.
21881 Barton Rd
Grand Terrace, CA 92313
Phone: (909) 825-7693
Fax: (909) 825-7696

STD TAT

Analysis	Due	Expires	Laboratory ID	Comments
----------	-----	---------	---------------	----------

Sample ID: 3701837 - 003	Water	Sampled: 02/22/17 09:00		
EPA 507 (Alachor/Moninate)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Atrazine/Simazine)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Thiobencarb)	03/03/17 16:00	03/01/17 09:00		
EPA 515	03/03/17 16:00	03/08/17 09:00		
EPA 504.1 (EDB+DBCP)	03/03/17 16:00	03/01/17 09:00		

Containers Supplied:

1L Amber-Na2S2O3 (A) 1L Amber-Na2S2O3 (B) Voa Vial (amber) - NaSO3 Voa Vial (amber) - NaSO3

Sample ID: 3701837 - 007	Water	Sampled: 02/22/17 09:00		
EPA 504.1 (EDB+DBCP)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Alachor/Moninate)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Atrazine/Simazine)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Thiobencarb)	03/03/17 16:00	03/01/17 09:00		
EPA 515	03/03/17 16:00	03/08/17 09:00		

Containers Supplied:

1L Amber-Na2S2O3 (A) 1L Amber-Na2S2O3 (B) Voa Vial (amber) - NaSO3 Voa Vial (amber) - NaSO3

Sample ID: 3701837 - 009	Water	Sampled: 02/22/17 09:00		
EPA 507 (Thiobencarb)	03/03/17 16:00	03/01/17 09:00		
EPA 504.1 (EDB+DBCP)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Atrazine/Simazine)	03/03/17 16:00	03/01/17 09:00		
EPA 515	03/03/17 16:00	03/08/17 09:00		
EPA 507 (Alachor/Moninate)	03/03/17 16:00	03/01/17 09:00		

Containers Supplied:

1L Amber-Na2S2O3 (A) 1L Amber-Na2S2O3 (B) Voa Vial (amber) - NaSO3 Voa Vial (amber) - NaSO3

Released By: *[Signature]* Date: 3/1/17
Received By: *[Signature]* Date: 3/1/17
Released By: *[Signature]* Date: 3/1/17 8:57pm
Received By: *[Signature]* Date: 03.01.17 1450

SUBCONTRACT ORDER
EnviroMatrix Analytical, Inc.
17B0687

17C0235

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: 3701837 - 010	Water	Sampled: 02/22/17 09:00		
EPA 515	03/03/17 16:00	03/08/17 09:00		
EPA 504.1 (EDB+DBCP)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Alachor/Moninate)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Atrazine/Simazine)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Thiobencarb)	03/03/17 16:00	03/01/17 09:00		
<i>Containers Supplied:</i>				
1L Amber-Na2S2O3 (A)	1L Amber-Na2S2O3 (B)	Voa Vial (amber) - NaSO3	Voa Vial (amber) - NaSO3	
Sample ID: 3701837 - 011	Water	Sampled: 02/22/17 09:00		
EPA 504.1 (EDB+DBCP)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Alachor/Moninate)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Atrazine/Simazine)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Thiobencarb)	03/03/17 16:00	03/01/17 09:00		
EPA 515	03/03/17 16:00	03/08/17 09:00		
<i>Containers Supplied:</i>				
1L Amber-Na2S2O3 (A)	1L Amber-Na2S2O3 (B)	Voa Vial (amber) - NaSO3	Voa Vial (amber) - NaSO3	

Released By: *[Signature]* Date: 3/1/17
 Received By: *[Signature]* Date: 3/1/17
 Released By: *[Signature]* Date: 3/1/17 2:52pm
 Received By: *[Signature]* Date: 03-01-17 1450

8

SUBCONTRACT ORDER
EnviroMatrix Analytical, Inc.
17B0687

SENDING LABORATORY:

EnviroMatrix Analytical, Inc.
 4340 Viewridge Ave., Ste. A
 San Diego, CA 92123
 Phone: (858) 560-7717
 Fax: (858) 560-7763
 Project Manager: Dan Verdon

RECEIVING LABORATORY:

Clinical Lab of San Bernardino, Inc.
 21881 Barton Rd
 Grand Terrace, CA 92313
 Phone : (909) 825-7693
 Fax: (909) 825-7696

STD TAT

Analysis	Due	Expires	Laboratory ID	Comments
----------	-----	---------	---------------	----------

Sample ID: 3701837 - 003 **Water** **Sampled: 02/22/17 09:00** [REDACTED]

EPA 507 (Alachor/Moninate)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Atrazine/Simazine)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Thiobencarb)	03/03/17 16:00	03/01/17 09:00		
EPA 515	03/03/17 16:00	03/08/17 09:00		
EPA 504.1 (EDB+DBCP)	03/03/17 16:00	03/01/17 09:00		

Containers Supplied:
 1L Amber-Na2S2O3 (A) 1L Amber-Na2S2O3 (B) Voa Vial (amber) - NaSO3 Voa Vial (amber) - NaSO3

Sample ID: 3701837 - 007 **Water** **Sampled: 02/22/17 09:00** [REDACTED]

EPA 504.1 (EDB+DBCP)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Alachor/Moninate)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Atrazine/Simazine)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Thiobencarb)	03/03/17 16:00	03/01/17 09:00		
EPA 515	03/03/17 16:00	03/08/17 09:00		

Containers Supplied:
 1L Amber-Na2S2O3 (A) 1L Amber-Na2S2O3 (B) Voa Vial (amber) - NaSO3 Voa Vial (amber) - NaSO3

Sample ID: 3701837 - 009 **Water** **Sampled: 02/22/17 09:00** [REDACTED]

EPA 507 (Thiobencarb)	03/03/17 16:00	03/01/17 09:00		
EPA 504.1 (EDB+DBCP)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Atrazine/Simazine)	03/03/17 16:00	03/01/17 09:00		
EPA 515	03/03/17 16:00	03/08/17 09:00		
EPA 507 (Alachor/Moninate)	03/03/17 16:00	03/01/17 09:00		

Containers Supplied:
 1L Amber-Na2S2O3 (A) 1L Amber-Na2S2O3 (B) Voa Vial (amber) - NaSO3 Voa Vial (amber) - NaSO3



Released By	Date	Received By	Date
<i>mi m</i>	<i>3/1/17</i>	<i>[Signature]</i>	<i>3/1/17</i>

Released By	Date	Received By	Date

SUBCONTRACT ORDER
EnviroMatrix Analytical, Inc.
17B0687

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: 3701837 - 010	Water	Sampled:02/22/17 09:00		
EPA 515	03/03/17 16:00	03/08/17 09:00		
EPA 504.1 (EDB+DBCP)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Alachor/Moninate)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Atrazine/Simazine)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Thiobencarb)	03/03/17 16:00	03/01/17 09:00		
<i>Containers Supplied:</i>				
1L Amber-Na2S2O3 (A)	1L Amber-Na2S2O3 (B)	Voa Vial (amber) - NaSO3	Voa Vial (amber) - NaSO3	

Sample ID: 3701837 - 011	Water	Sampled:02/22/17 09:00		
EPA 504.1 (EDB+DBCP)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Alachor/Moninate)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Atrazine/Simazine)	03/03/17 16:00	03/01/17 09:00		
EPA 507 (Thiobencarb)	03/03/17 16:00	03/01/17 09:00		
EPA 515	03/03/17 16:00	03/08/17 09:00		
<i>Containers Supplied:</i>				
1L Amber-Na2S2O3 (A)	1L Amber-Na2S2O3 (B)	Voa Vial (amber) - NaSO3	Voa Vial (amber) - NaSO3	

	3/1/17		3/1/17
Released By	Date	Received By	Date
Released By	Date	Received By	Date