ICD-9-CM	Code	ICD-10	-CM Code(s)
250.00	Diabetes mellitus without mention of complications type II or unspecified type, not stated as uncontrolled		E11.9 Type 2 diabetes mellitus without complications
401.9	Essential hypertension, unspecified	I10 Es	sential (primary) hypertension
272.4	Other and unspecified h	nyperlipi	demia
ICD-10-CM Codes	 E78.4 Other hyperlipidemia E78.5 Hyperlipidemia, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: E78.0 Pure hypercholesterolemia E78.1 Pure hyperglyceridemia E78.2 Mixed hyperlipidemia E78.3 Hyperchylomicronemia E78.6 Lipoprotein deficiency 		
724.5	Backache, unspecified		
ICD-10-CM Codes	 M54.9 Dorsalgia, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: M54.89 Other dorsalgia M54.6 Pain in thoracic spine M54.5 Low back pain M53.3 Sacrococcygeal disorders, not elsewhere classified 		
V70.0	Routine general medical examination at a health care facility		
ICD-10-CM Codes	 Z00.00 Encounter for general adult medical examination without abnormal findings Z00.01 Encounter for general adult medical examination with abnormal findings ** Use additional code to identify abnormal findings 		
496	Chronic airway obstruction, not elsewhere classified		elsewhere classified
ICD-10-CM Codes	 J44.9 Chronic obstructive pulmonary disease, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection **Use additional code to identify the infection J44.1 Chronic obstructive pulmonary disease with (acute) exacerbation ** Code also type of asthma, if applicable (J45) ** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17) Tobacco use (Z72.0) 		
V72.83	Other specified preop- erative examination	Z01.8	18 Encounter for other preprocedural examination
427.31	Atrial fibrillation		
ICD-10-CM Codes	 148.0 Paroxysmal atrial fibrillation 148.1 Persistent atrial fibrillation 148.2 Chronic atrial fibrillation 148.91 Unspecified atrial fibrillation 		

ICD-9-CM C	ode	ICD-10-CM Code(s)	
789.00	Abdominal pain, unspecified site		
ICD-10-CM Codes	 R10.9 Unspecified abdominal pain *There are more specific code choice selections available in ICD-10-CM. These include: R10.0 Acute abdomen R10.10 Upper abdominal pain, unspecified R10.11 Right upper quadrant pain R10.12 Left upper quadrant pain R10.3 Epigastric pain R10.30 Lower abdominal pain, unspecified R10.31 Right lower quadrant pain R10.32 Left lower quadrant pain R10.33 Periumbilical pain R10.34 Generalized abdominal pain 		
786.2	Cough	R05 Cough	
414.00	Coronary atherosclerosis o	of unspecified type of vessel, native or graft	
ICD-10-CM Codes	No map (No ICD-10 code bypass graft must be inc	e exists for unspecified vessel; native or dicated)	
338.4	Chronic pain syndrome		
ICD-10-CM Codes	G89.4 Chronic pain syndrome * Code also related psychological factors associated with pain (F54.42 -)		
V04.81	Need for prophylactic vaccination and inoculation against influenza virus		
ICD-10-CM Codes	Z23 Encounter for immunization **Code first any routine childhood examination		
599.0	Urinary tract infection, site not specified		
ICD-10-CM Codes	 N39.0 Urinary tract infection, site not specified ** Use additional code (B95-B97) to identify infectious agent *There are more specific code choice selections available in ICD-10-CM. These include: N30.00 Acute cystitis without hematuria N30.01 Acute cystitis with hematuria N30.10 Interstitial cystitis chronic without hematuria N30.20 Other chronic cystitis without hematuria N30.20 Other chronic cystitis with hematuria N30.21 Other chronic cystitis with hematuria N30.30 Trigonitis without hematuria N30.31 Trigonitis without hematuria N30.40 Irradiation cystitis without hematuria N30.80 Other cystitis without hematuria N30.81 Other cystitis without hematuria N30.81 Other cystitis with hematuria N30.90 Cystitis, unspecified without hematuria N30.91 Cystitis, unspecified with hematuria N34.1 Nonspecific urethritis N34.2 Other urethritis 		

Copyright © 2013 AAPC all rights reserved — 2480 S. 3850 W. Suite B. Salt Lake City, Utah, 84120 — 800-626-CODE (2633) — www.aapc.com/icd-10/

ICD-9-CM	Code ICC	9-10-CM Code(s)	
300.00	Anxiety state, unspecified		
ICD-10-CM Codes	F41.9 Anxiety disorder, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: F41.1 Generalized anxiety disorder F41.8 Other specified anxiety disorders		
311	Depressive disorder, not else	where classified	
ICD-10-CM Codes	 F32.9 Major depressive disorder, single episode, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: F32.0 Major depressive disorder, single episode, mild F32.1 Major depressive disorder, single episode, moderate F32.2 Major depressive disorder, single episode, severe without psychotic features F32.3 Major depressive disorder, single episode, severe with psychotic features F32.4 Major depressive disorder, single episode, in partial remission F32.5 Major depressive disorder, single episode, in full remission F32.8 Other depressive episodes 		
530.81	Esophageal reflux		
ICD-10-CM Codes	K21.9 Gastro-esophageal reflux disease without esophagitis K21.0 Gastro-esophageal reflux disease with esophagitis		
729.5	Pain in limb		
ICD-10-CM Codes			

ICD-9-CM C	ode	ICD-10-CM Code(s)	
786.50	Chest pain, unspecified		
ICD-10-CM Codes	 R07.9 Chest pain, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: R07.1 Chest pain on breathing R07.2 Precordial pain R07.81 Pleurodynia R07.89 Other chest pain 		
780.79	Other malaise and fatigu	le	
ICD-10-CM Codes	 R53.0 Neoplasm (malignant) related fatigue **Code first associated neoplasm R53.1 Weakness R53.81 Other malaise R53.83 Other fatigue G93.3 Postviral fatigue syndrome 		
465.9	Acute upper respiratory	infections of unspecified site	
ICD-10-CM Codes	J06.9 Acute upper respiratory infection, unspecified J39.8 Other specified diseases of upper respiratory tract		
486	Pneumonia, organism ui	nspecified	
ICD-10-CM Codes	J18.9 Pneumonia, unspecified organism ** Code first associated influenza, if applicable (J09.X1, J10.0- –J11.0-)		
466.0	Acute bronchitis		
ICD-10-CM Codes	 J20.9 Acute bronchitis, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: J20.0 Acute bronchitis due to Mycoplasma pneumoniae J20.1 Acute bronchitis due to Hemophilus influenzae J20.2 Acute bronchitis due to streptococcus J20.3 Acute bronchitis due to coxsackievirus J20.4 Acute bronchitis due to parainfluenza virus J20.5 Acute bronchitis due to respiratory syncytial virus J20.6 Acute bronchitis due to echovirus J20.7 Acute bronchitis due to other specified organisms 		
719.46	Pain in joint, lower leg		
ICD-10-CM Codes	M25.561 Pain in right knee M25.562 Pain in left knee M25.569 Pain in unspecified knee		
428.0	Congestive heart failure, unspecified		
ICD-10-CM Codes	ICD-10-CM. These incluc I50.1 Left ventricular fail I50.21 Acute systolic (cc I50.22 Chronic systolic (I50.23 Acute on chronic	c code choice selections available le: ure ngestive) heart failure	

Copyright © 2013 AAPC all rights reserved — 2480 S. 3850 W. Suite B. Salt Lake City, Utah, 84120 — 800-626-CODE (2633) — www.aapc.com/icd-10/

ICD-9-CM Code ICD-10-CM Code(s) 428.0 (cont.) Congestive heart failure, unspecified ICD-10-CM 150.31 Acute diastolic (congestive) heart failure Codes 150.32 Chronic diastolic (congestive) heart failure (cont.) I50.33 Acute on chronic diastolic (congestive) heart failure **I50.40** Unspecified combined systolic (congestive) and diastolic (congestive) heart failure 150.41 Acute combined systolic (congestive) and diastolic (congestive) heart failure 150.42 Chronic combined systolic (congestive) and diastolic (congestive) heart failure 150.43 Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure **Code first: heart failure complicating abortion or ectopic or molar pregnancy (000-007, 008.8) heart failure following surgery (197.13-) heart failure due to hypertension (I11.0) heart failure due to hypertension with chronic kidney disease (I13-) obstetric surgery and procedures (075.4) rheumatic heart failure (109.81) 780.4 Dizziness and giddiness R42 Dizziness and giddiness 461.9 Acute sinusitis, unspecified ICD-10-CM J01.90 Acute sinusitis, unspecified Codes **Use additional code (B95-B97) to identify infectious agent * There are more specific code choice selections available in ICD-10-CM. These include: J01.00 Acute maxillary sinusitis, unspecified J01.10 Acute frontal sinusitis, unspecified J01.20 Acute ethmoidal sinusitis, unspecified J01.30 Acute sphenoidal sinusitis, unspecified J01.40 Acute pansinusitis, unspecified J01.80 Other acute sinusitis 782.3 Edema ICD-10-CM R60.0 Localized edema Codes R60.1 Generalized edema R60.9 Edema, unspecified 477.9 Allergic rhinitis, cause unspecified ICD-10-CM J30.9 Allergic rhinitis, unspecified Codes * There are more specific code choice selections available in ICD-10-CM. These include: J30.0 Vasomotor rhinitis J30.1 Allergic rhinitis due to pollen J30.2 Other seasonal allergic rhinitis J30.5 Allergic rhinitis due to food J30.81 Allergic rhinitis due to animal (cat) (dog) hair and dander J30.89 Other allergic rhinitis 719.41 Pain in joint, shoulder region ICD-10-CM M25.511 Pain in right shoulder Codes M25.512 Pain in left shoulder M25.519 Pain in unspecified shoulder 784.0 Headache R51 Headache

ICD-10 Top 50 Codes >>> Family Practice

ICD-9-CM C	ode	ICD-10-CM Code(s)	
380.4	Impacted cerumen		
ICD-10-CM Codes	H61.21 Impacted cerumen, right ear H61.22 Impacted cerumen, left ear H61.23 Impacted cerumen, bilateral H61.20 Impacted cerumen, unspecified ear		
462	Acute pharyngitis		
ICD-10-CM Codes	J02.8 Acute pharyngitis due to other specified organisms ** Use additional code (B95-B97) to identify infectious agent J02.0 Streptococcal pharyngitis J02.9 Acute pharyngitis, unspecified		
723.1	Cervicalgia	M54.2 Cervicalgia	
285.9	Anemia, unspecified		
ICD-10-CM Codes	 D64.9 Anemia, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: D64.0 Hereditary sideroblastic anemia D64.1 Secondary sideroblastic anemia due to disease ** Code first underlying disease D64.2 Secondary sideroblastic anemia due to drugs and toxins ** Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6) Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) D64.3 Other sideroblastic anemias (anemia is plural in code descriptor) D64.81 Anemia due to antineoplastic chemotherapy D64.89 Other specified anemias 		
782.1	Rash and other non- specific skin eruption	R21 Rash and other nonspecific skin eruption	
787.91	Diarrhea	R19.7 Diarrhea, unspecified	
493.90	Asthma, unspecified		
ICD-10-CM Codes	J45.909 Unspecified asthma, uncomplicated **Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0) ** There are more specific code choice selections available in ICD-10-CM. These include: J45.20 Mild intermittent asthma, uncomplicated J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 Mild intermittent asthma, uncomplicated J45.31 Mild persistent asthma, uncomplicated J45.31 Mild persistent asthma with status asthmaticus J45.40 Moderate persistent asthma, uncomplicated J45.41 Moderate persistent asthma with (acute) exacerbation J45.42 Moderate persistent asthma with status asthmaticus J45.40 Severe persistent asthma with status asthmaticus J45.50 Severe persistent asthma, uncomplicated		

Copyright © 2013 AAPC all rights reserved — 2480 S. 3850 W. Suite B. Salt Lake City, Utah, 84120 — 800-626-CODE (2633) — www.aapc.com/icd-10/

ICD-9-CM	Code	CD-10-CM Code(s)
493.90	Asthma, unspecified (cont.)	
ICD-10-CM Codes (cont.)	J45.51 Severe persistent asthma with (acute) exacerbation J45.52 Severe persistent asthma with status asthmaticus J45.901 Unspecified asthma with (acute) exacerbation J45.902 Unspecified asthma with status asthmaticus J45.990 Exercise induced bronchospasm J45.991 Cough variant asthma J45.998 Other asthma	
490	Bronchitis, not specified as	s acute or chronic
ICD-10-CM Codes	 Bronchitis, not specified as acute or chronic J40 Bronchitis, not specified as acute or chronic ** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17) Tobacco use (Z72.0) ** There are more specific code choice selections available in ICD-10-CM. These include: J20.0 Acute bronchitis due to Mycoplasma pneumoniae J20.1 Acute bronchitis due to streptococcus J20.3 Acute bronchitis due to coxsackievirus J20.4 Acute bronchitis due to respiratory syncytial virus J20.5 Acute bronchitis due to respiratory syncytial virus J20.7 Acute bronchitis due to other specified organisms J20.9 Acute bronchitis, unspecified J41.0 Simple chronic bronchitis J41.8 Mixed simple and mucopurulent chronic bronchitis J42 Unspecified chronic bronchitis 	
493.00	Extrinsic asthma, unspecified	
ICD-10-CM Codes	J45.902 Unspecified asthr J45.909 Unspecified asthr **Use additional code to it exposure to environmenta exposure to tobacco smol history of tobacco use (Z8	dentify: al tobacco smoke (Z77.22) ke in the perinatal period (P96.81) 7.891) environmental tobacco smoke (Z57.31)

ICD-9-CM Code		ICD-10-CM Code(s)	
244.9	Unspecified hypothyroidism		
ICD-10-CM Codes	 E03.9 Hypothyroidism, unspecified * There are more specific code choice selections available ICD-10-CM. These include: E03.0 Congenital hypothyroidism with diffuse goiter E03.1 Congenital hypothyroidism without goiter E03.2 Hypothyroidism due to medicaments and other exogenous substances ** Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6) Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) E03.3 Postinfectious hypothyroidism E03.4 Atrophy of thyroid (acquired) E03.5 Myxedema coma E03.8 Other specified hypothyroidism 		
788.1	Dysuria	R30.0 Dysuria	
786.05	Shortness of breath	R06.02 Shortness of breath	
309.9	Unspecified adjustment reaction		
ICD-10-CM Codes	 F43.20 Adjustment disorder, unspecified * There are more specific code choice selections available ICD-10-CM. These include: F43.21 Adjustment disorder with depressed mood F43.22 Adjustment disorder with anxiety F43.23 Adjustment disorder with mixed anxiety and depressed mood F43.24 Adjustment disorder with disturbance of conduct F43.25 Adjustment disorder with mixed disturbance of emotions and conduct F43.29 Adjustment disorder with other symptoms 		
719.45	Pain in joint, pelvic region and thigh		
ICD-10-CM Codes	M25.551 Pain in right hip M25.552 Pain in left hip M25.559 Pain in unspecified hip		
786.09	Other symptoms involving respiratory system and other chest symptoms		
ICD-10-CM Codes	R06.83 Snoring R06.00 Dyspnea, unspecified R06.3 Periodic breathing R06.4 Hyperventilation R06.89 Other abnormalities of breathing		

ICD-10 Top 50 Codes >>>

ICD-9-CM Code ICD-10-CM Code(s) 692.9 Contact dermatitis and other eczema, unspecified cause ICD-10-CM L25.9 Unspecified contact dermatitis, unspecified nature Codes ** Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) L30.9 Dermatitis, unspecified * There are more specific code choice selections available ICD-10-CM. These include: L25.0 Unspecified contact dermatitis due to cosmetics L25.1 Unspecified contact dermatitis due to drugs in contact with skin L25.2 Unspecified contact dermatitis due to dyes L25.3 Unspecified contact dermatitis due to other chemical products L25.4 Unspecified contact dermatitis due to food in contact with skin L25.5 Unspecified contact dermatitis due to plants, except food L25.8 Unspecified contact dermatitis due to other agents ** Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)

Family Prac	
ICD-9-CM Code	ICD-10-CM Code(s)

2011

ICD-9-CM Code		ICD-10-CM Code(s)
724.2	Lumbago	M54.5 Low back pain
682.6	Cellulitis and abscess leg, except foot	
ICD-10-CM Codes	 L03.115 Cellulitis of right lower limb L03.116 Cellulitis of left lower limb L03.119 Cellulitis of unspecified part of limb L03.125 Acute lymphangitis of right lower limb L03.126 Acute lymphangitis of left lower limb L03.129 Acute lymphangitis of unspecified part of limb 	
455.5	External hemorrhoids with complication NEC	
ICD-10-CM Codes	K64.4 Residual hemorrhoidal skin tags K64.5 Perianal venous thrombosis	





