Product BT-4100M Revision Date 06/11/20155

Revision 2



Safety Data Sheet

SECTION I: IDENTIFICATION

Product Name BT-4100M Identifier Uses Boiler Treatment

Supplier Clear Water Technologies, LLC

13560 Colombard Court Fontana, California 92337 Tel: 844.429.8234

Contact Person info@clearwatertech.com

Emergency Telephone 24-HOUR EMERGENCY TELEPHONE: INFOTRAC: I-800-535-5053 INTERNATIONAL#: I-

352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

Appearance Liquid.

Color Clear, dark amber liquid.

Odor Bland odor

Pictogram(s)



Signal Word Danger

Hazard Statements H314 Causes severe skin burns and eye damage

Precautionary Statements P280 Wear protective gloves/ protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician

Contains sodium hydroxide

phosphonic acid

GHS Classification

Physical and Chemical HazardsNot classifiedHuman HealthSkin Corr. IA - H314EnvironmentNot classified

OSHA Regulatory Status This product is Hazardous under the OSHA Hazard communication Standard.

Inhalation There may be shortness of breath with a burning sensation in the throat.

Ingestion Do not ingest. Exposure to liquid product may cause moderate to severe irritation to

inner linings of mouth, esophagus and gastrointestinal tract, and possible burns.

Skin contact Corrosive! Can cause redness, pain, and severe skin burns.

Eye contact Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes

serious eye damage.

Routes of Exposure Unknown

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Composition Comments Confidential business information has been removed without affecting the overall safety

information on the safety data sheet.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Information General first aid, rest, warmth and fresh air.

Inhalation Remove victim immediately from source of exposure. Keep the affected person warm and at

rest. Get prompt medical attention.

Ingestion NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth

thoroughly. Get medical attention immediately!

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

the skin immediately with soap and water. Get medical attention promptly if symptoms occur

after washing.

Eye contactDo not rub eye. Make sure to remove any contact lenses from the eyes before rinsing.

Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention

immediately. Continue to rinse. Continue to rinse for at least 15 minutes.

Most important symptoms and effects, both acute and delayed

General Information The severity of the symptoms described will vary dependent of the concentration and the

length of exposure.

Inhalation There may be shortness of breath with a burning sensation in the throat.

Ingestion Do not ingest. Exposure to liquid product may cause moderate to severe irritation to

inner linings of mouth, esophagus and gastrointestinal tract, and possible burns.

Skincontact Corrosive! Can cause redness, pain, and severe skin burns.

Eye contact Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes

serious eye damage.

Routes of Exposure Unknown

Most important symptoms and effects, both acute and delayed

Notes To The Physician Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Auto Ignition Temperature (°C)
Flammability Limit-Lower (%)
Flammability Limit-Upper (%)
Flashpoint

No Information available.
No Information available.
No Information available.

powder or carbon dioxide.

Hazardous combustion products Unusual Fire & Explosion Hazards Special Fire Fighting Procedures No hazardous decomposition products.

Dried residue can thermally decompose, giving off irritating and possibly toxic fumes. Avoid breathing fire vapors. Ventilate closed spaces before entering them. Water spray

should be used to cool containers.

Protective equipment for fire-

fighters

 $Self-contained\ breathing\ apparatus\ and\ full\ protective\ clothing\ must\ be\ worn\ in\ case\ of\ fire.$

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions For personal protection, see section 8. In case of inadequate ventilation, use respiratory

protection. Do not smoke, use open fire or other sources of ignition. In case of spills, beware $% \left\{ 1,2,\ldots ,n\right\} =0$

of slippery floors and surfaces.

Environmental Precautions
Spill Clean Up Methods

Do not discharge into drains, water courses or onto the ground.

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer. Place into chemical waste container for disposal according to local, state or federal regulations. Neutralize residue with lime or soda ash and flush spill area. DO NOT TOUCH SPILLED MATERIAL! Wash thoroughly after dealing with a spillage. Restrict non-

essential personnel from the area.

SECTION 7: HANDLING AND STORAGE

Handling Use proper personal protection when handling. Product for external use - do not swallow.

> Avoid all contact with skin, eyes and clothes. Handle in accordance with user instructions on label. Do not use contact lenses. Avoid inhalation of vapors and mists. Avoid prolonged or repeated contact. Do NOT ingest. Wash thoroughly after handling. Rinse container before

disposal.

Usage Description Use only according to directions.

Storage Precautions The recommended shelf life is two (2) years. It is recommended that products be retested if

stored for more than two (2) years. Under ideal storage conditions, the shelf life is almost indefinite. The recommended storage temperature is above 32°F, preferably at room

temperature (70°F). Keep away from oxidizing agents and strong acids.

Specific End Use(s) The identified uses are in section I of this Safety Data Sheet.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Protective Equipment



Component	STD	TWA (8 I	Hrs.)	STEL (I 5mins)	Notes
sodium hydroxide	OSHA		2mg/m3			

Ingredient Comments OSHA

Process Conditions Provide eyewash, quick drench.

Engineering Measures Provide adequate ventilation, including appropriate local extraction, to ensure that the

defined occupational exposure limit is not exceeded.

Respiratory Equipment Use of respirator protection is not generally required. However, if exposure is above the

> stated limits or ventilation is inadequate, use a NIOSH approved acid gas/organic vapor respirator to reduce potential for inhalation exposure. When using respirator cartridges, they

must be changed frequently to assure breakthrough exposure does not occur.

Hand Protection When handling this product, it is recommended to wear chemical resistant gloves. The

choice of suitable protective gloves depends on work conditions and what chemicals are handled, but we have positive experience with gloves made of Rubber or PVA.

Use equipment for eye protection tested and approved under appropriate government $\,$ **Eye Protection**

standards such as NIOSH (US) or EN 166(EU).

Hygiene Measures DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using, do not eat, drink or

smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Appearance Liauid.

Color Clear, dark amber liquid. Odor

Bland odor.

Odor Threshold -Lower No Information available.

Odor Threshold - Upper No Information available.

pH-Value, Conc. Solution 13.5

Melting point 32.0 °F

Initial boiling point and boiling 212.0 °F

range

Flashpoint No Information available.

Evaporation rate No Information available.

Flammability State No Information available.

Flammability Limit - Lower (%) No Information available.

Flammability Limit - Upper (%) No Information available.

Vapor pressure Not determined.

Vapor Density (air=1) Not determined.

Relative density 1.19 @ 68.0 °F

Bulk Density No Information available.

Solubility Completely soluble in water.

Decomposition temperature No Information available.

Partition coefficient; n-octanol/water No Information available.

Auto Ignition Temperature (°C) No Information available.

Viscosity No Information available.

Explosive Properties No information available.

Oxidizing properties No Information available.

Molecular Weight No Information available.

Volatile Organic Compound Not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Reactions may occur with strong oxidizing materials and strong acids.

Stability This product is stable at ambient temperatures and atmospheric pressures.

Hazardous Polymerization Hazardous polymerization is not expected to occur under normal temperatures and

pressures.

Hazardous Decomposition Products None under normal conditions.

Conditions to Avoid Avoid exposing to heat and contact with strong oxidizing substances.

Materials to Avoid Keep away from strong oxidizing materials and strong acids. Do not mix with other chemicals

unless listed on directions.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological Information No toxicological information for the overall finished product.

Acute Toxicity (Oral LD50) >950.00mg/kg Rat
Acute Toxicity (Dermal LD50) >1307.00mg/kg Rabbit
Acute Toxicity (Inhalation LC50) Not determined.

Skin Corrosion/Irritation No Information available.

Respiratory Sensitization
Skin Sensitization
Reproductive Toxicity:
Germ Cell Mutagenicity:
Genotoxicity - In Vitro

No Information available.
No Information available.

Genotoxicity - In Vivo

Carcinogenicity:

Carcinogenicity No Information available.

NTP - Carcinogenicity

OSHA - Carcinogenicity

IARC Carcinogenicity

The product and its components are not listed.

The product and its components are not listed.

The product and its components are not listed.

Specific Target Organ Toxicity - Single Exposure:

STOT - Single Exposure No Information available.

Specific Target Organ Toxicity - Repeated Exposure:

STOT - Repeated Exposure No Information available.

Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
sodium hydroxide		I 350mg/kg Rabbit	

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity No Information available.

Acute Toxicity - Fish LC50 96 Hours >4820.00ppm Onchorhynchus mykiss (Rainbow Trout)

Acute Toxicity - LC50 48 Hours >6340.00ppm Daphnia magna

Aquatic Invertebrates

Acute Toxicity - Aquatic Plants No Information available.

Degradability No information available.

Bioaccumulative Potential No Information available.

Mobility No Information available.

Results of PBT and vPvB Assessment The product does not contain any PBT or vPvB substances.

Other AdverseEffects None known.

Name	Acute Toxicity (Fish)	Acute Toxicity (Aquatic	Acute Toxicity (Aquatic Plants)
sodium hydroxide		EC50 100.00ppm Daphnia magna	

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Management When handling waste, consideration should be made to the safety precautions applying to

handling of the product. Observe all local, national and international regulations.

Disposal Methods Dispose of waste and residues in accordance with local authority requirements. Do NOT

dump into any sewers, on the ground or into any body of water. Rinse containers before disposal. Since emptied containers contain product residue, follow label warnings even after

container is emptied.

SECTION 14: TRANSPORT INFORMATION

UN No. (DOT/TDG) 3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)

UN No. (IMDG) 3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)

UN No. (ICAO) 3266 - Corrosive liquid, basic, inorganic (Sodium Hydroxide)

DOT Proper Shipping Name 3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)

TDG Proper Shipping Name 3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)

DOT Hazard Class 8

DOT Hazard Label Class 8 - Corrosive

TDG Class 8

TDG Label(s) 8

IMDG Class 8

ICAO Class 8

Transport Labels



DOT PackGroup ||

IMDG Pack Group

Air Pack Group

EMS F-A, S-B

Environmentally Hazardous Substance/Marine Pollutant

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

The Following ingredients are listed

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

No

The Following ingredients are listed sodium hydroxide

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

The Following ingredients are listed

SARA 313 Emission Reporting

The Following ingredients are listed

CAA Accidental Release Prevention

The Following ingredients are listed

OSHA Highly Hazardous Chemicals

The Following ingredients are listed

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

The Following ingredients are listed

California Air Toxics "Hot Spots" (A-I)

The Following ingredients are listed sodium hydroxide

California Air Toxics "Hot Spots" (A-Ii)

The Following ingredients are listed

Massachusetts "Right To Know" List

The Following ingredients are listed sodium hydroxide

Rhode Island "Right To Know" List

The Following ingredients are listed sodium hydroxide

Minnesota "Right To Know" List

The Following ingredients are listed sodium hydroxide

BT-4100M

6

New Jersey "Right To Know" List

The Following ingredients are listed

sodium hydroxide phosphonic acid


Pennsylvania "Right To Know" List

The Following ingredients are listed

sodium hydroxide phosphonic acid

SECTION 16: OTHER INFORMATION

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

Health	3
Flammability	0
Physical Hazard	0
Personal Protection	С

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.