































## SAFETY EQUIPMENT & SUPPLIES



















Eye Protection	394 - 415
Face Protection	416 - 419
Head Protection	420 - 429
Hearing Protection	430 - 447
Communication	448 - 451
Respiratory Protection	452 - 485
Gas Detection	486 - 488
Confined Space Entry	489 - 491
Fall Protection	492 - 527
imited Use General Protective Clothing	528 - 541
Rainwear	542 - 544
High Visibility Safety Apparel	545 - 549
Work Clothing	550 - 555
Flame Resistant, Arc Flash & Electrical Safety	556 - 561
Hand Protection	562 - 634
Foot Protection	635 - 646
Knee Pads, Braces & Supports	647 - 651
Heat Stress Prevention	652 - 656
Fire Protection	657 - 663
Safety Cabinets	664 - 672
Safety Cans & Containers	673 - 676
Spill Control Management	677 - 721
Emergency Eyewash & Shower Equipment	722 - 737
First Aid	738 - 767
Locks & Lockout Devices	768 - 788
Accident Prevention & Lockout Tags	789 - 794
dentification Tags, Stamps & Stencils	795 - 804
Signs & Identification	805 - 827
_abelling Systems & Supplies	828 - 838
WHMIS Requirement & Labels	839 - 846
Vehicle Identification	847 - 853
Traffic Safety Markings & Crowd Control	854 - 877
Mirrors	878 - 880
Ergonomic Matting	881 - 897
Entrance Matting	898 - 903

- Traditional design with integral sideshields
- · Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- · Black frame
- · Compliant with CSA standard Z94.3

Model		Price
No.	Lens Tint	/Each
SEH642	Clear	





## **Z200**

- Superior protection at an economical price
- Polycarbonate lens with UV protection
- Ideal visitor spectacle
- Molded-in nose bridge
- · Distortion-free
- Compliant with CSA standard Z94.3

Model		Price
No.	Lens Tint	/Each
SEF024	Clear	





## **Z400**

- Sporty design with extended wraparound coverage
   Scratch-resistant polycarbonate lens with UV protection
   Adjustable temples provide a superior comfort and fit
   Ultra-soft non-slip nosepiece
- · Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model		Price
No.	Lens Tint	/Each
SAK850	Clear	
SAK851	Grey/Smoke	





- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- · Non-slip rubber head grips
- Distortion-free
- · Compliant with CSA standard Z94.3 and ANSI Z87+



Model		Price
No.	Lens Tint	/Each
SAP877	Clear	
SAS362	Grey/Smoke	
SAS363	Ámber	
SAS364	Blue	
SEB183	Clear Anti-fog	
SEA551	I/O Blue Mirror	
SEE955	Orange	



## **Z600**

- · Frameless design with extended wraparound coverage
- · Scratch resistant polycarbonate lens with UV protection
- · Flexible temple design for added durability
- Near total seal of the eye provides superior protection
- · Distortion-free
- · Compliant with CSA standard Z94.3 and ANSI Z87+

Model		Price
No.	Lens Tint	/Each
SAW920	Clear	





## **Z**700

- Frameless design with extended wrap-around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- · Flexible temple provides added durability
- Distortion-free
- · Compliant with CSA standard Z94.3

Model			Price
No.	Lens Tint	Lens Coating	/Each
SAX442	Clear	Anti-Scratch	
SFU769	Clear	Anti-Fog/Anti-Scratch	
SFU768	Grey/Smoke	Anti-Scratch	





## **Z800**

- · Sporty design with extended wrap-around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Extendable temple provides superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Blue frame
- Compliant with CSA standard Z94.3

Model		Price
No.	Lens Tint	/Each
SAX443	Clear	





## **Z900**

- Modern design with extended wrap-around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Distortion-free
- Beige frameCompliant with CSA standard Z94.3

Model		Price
No.	Lens Tint	/Each
SAX444	Clear	





- Frameless design with extended wrap-around coverage
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model		Price
No.	Lens Tint	/Each
SAX445	Clear	





## Z1200

- Sporty design frame with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip, extremely flexible, rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- · Distortion-free
- Black frame
- Includes a clip for Rx insertsCompliant with CSA standard Z94.3

Model		Price
No.	Lens Tint	/Each
SEC952	Clear	





## Z1300

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- · Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model		Price
No.	Lens Tint	/Each
SEC953	Clear	





## Z1400

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model		Price
No.	Lens Tint	/Each
SEC954	Clear	




SEC955



- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- · Distortion-free
- White frame
- · Compliant with CSA standard Z94.3







## Z1600

- · Modern design with extended wrap around coverage
- · Scratch-resistant polycarbonate lens with UV protection
- · Ultra soft non-slip nosepiece
- · Extendable and ratchet temple provides superior comfort and fit
- Distortion-free
- Black frame
- Compliant with standard CSA Z94.3

Model	Lens	Price
No.	Tint	/Each
SEE817	Clear	



## Z1800

- · Readers Lens
- · Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- · Ultra-soft non slip nosepiece
- · Adjustable temples provide a superior comfort and fit
- Black frame
- Distortion-free
- · Compliant with CSA standard Z94.3

Model	Lens		Price
No.	Tint	Dioptre	/Each
SEH013	Clear	1.0	
SEH014	Clear	1.5	
SEH015	Clear	2.0	
SEH016	Clear	2.5	



## Z1900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- · Ultra soft non-slip nosepiece
- Distortion-free
- Meets or exceeds CSA Z94.3 standard



Model	Lens	Price
No.	Tint	/Each
SEH632	Clear	
SEK286	Grey/Smoke	
SEK287	Amber	
SEK288	Blue	
SEK289	I/O Full Mirror	
SEK290	Clear Anti-Fog	





- Sporty design with extended wraparound coverage
- · Non-slip, extremely flexible temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Green frame
- Compliant with CSA standard Z94.3

Model	Lens	Price
No.	Tint	/Each
SEK291	Clear	
SDN697	Grey/Smoke	
SDN698	Åmber	
SDN699	I/O Mirror	
SDN700	Clear Anti-Fog	





## **Z2100**

- Modern design with extended wraparound coverage
- Ratchet temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Compliant with CSA standard Z94.3

Model	Lens	Price
No.	Tint	/Each
SEK292	Clear	



## **Z2200**

- · Modern design with extended wraparound coverage
- Flexible temples provide superior comfort and fit
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Clear frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint	Price /Each
	<u> </u>	/ Edeli
SEK293	Clear	



## **Z2400**


- Frameless design with extended wraparound coverage
- Flexible temple provides added durability
- Scratch resistant polycarbonate lens with UV protection
- · Distortion-free
- Compliant to CSA standard Z94.3 and ANSI Z87+

Model No.	Lens Tint	Lens Coating	Price /Each
SET315	Clear	Anti-Scratch	
SET316	Grey/Smoke	Anti-Scratch	
SET317	Åmber	Anti-Scratch	
SET318	Blue	Anti-Scratch	
SET319	I/O Blue Mirror	Anti-Scratch	
SET320	Clear	Anti-Fog	



- Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Flexible rubber arms make for a comfortable fit
- · Distortion-free
- · Compliant to CSA standard Z94.3 and ANSI Z87+







## **Z2600 SERIES EYEWEAR**

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- · Flexible temple design for added durability
- Non-slip rubber head grips
- Near total seal of the eye provides superior protection
- Distortion-free
- Narrow fit is suited for smaller facial features
- Standard(s) Met: CSA Z94.3/ANSI Z87+

Model No.	Lens Tint	Lens Coating	Price /Each
SGF150	Clear	Anti-Scratch	
SGF151	Grey/Smoke	Anti-Scratch	
SGF152	Clear	Anti-Fog/Anti-Scratch	



## **GENESIS®**

- · Lightweight, extremely resilient external polycarbonate frame
- · Soft elastomer internal frame
- · Interchangeable dual 9 base wraparound lens
- · Vents the eye socket area
- Soft brow bumper provides comfortable fingers that adjust and wraparound almost any nasal profile
- · Ratchet lens inclination adjustment
- Passed military V0 ballistic (standard MIL-STD-662) test regiment





Model No.	Mfg. No.	Lens Tint	Frame Colour	Price /Each
				/Eatii
SN209	S3200	Clear Ultra-Dura® HC	Black	
SN210	S3200X	Clear Uvextreme® AF	Black	
SAQ907	S3200D	Clear Dura-Streme™HC/AF	Black	
SDL049	S3200HS	Clear Hydroshield™	Black	
SN211	S3201	Espresso Ultra-Dura®	Black	
SN212	S3201X	Espresso Uvextreme® AF	Black	
SDL050	S3201HS	Espresso Hydroshield™	Black	
SN213	S3202	Amber Ultra-Dura® HC	Black	
SAK427	S3207	Infra-Dura®- Shade 3.0 HC	Black	
SAK428	S3208	Infra-Dura® - Shade 5.0 HC	Black	
SN219	S3240	Clear Ultra-Dura® HC	Blue	
SN220	S3240X	Clear Uvextreme® AF	Blue	
SN221	S3241	Espresso Ultra-Dura® HC	Blue	
SN222	S3241X	Espresso Uvextreme® AF	Blue	
SN223	S3242	Amber Ultra-Dura®	Blue	
REPLACEME	NT LENSES			
SN243	S6900	Clear Ultra-Dura® HC		
SN244	S6900X	Clear Uvextreme® AF		
SAQ908	S6900D	Clear Dura-Streme™ HC/AF		
SN245	S6901	Espresso Ultra-Dura® HC		
SN246	S6901X	Espresso Uvextreme® AF		
SN247	S6902	Amber Ultra-Dura® HC		

## **UVEX AVATAR EYEWEAR**

- Designed for maximum all-day comfort and customizable fit
- Soft wire-core ratchet temples help adapt the glasses to face
- Offers protection without hindering peripheral vision
- Flexible nose pads help reduce slippage
- Indirect venting system
- Standard(s) Met: CSA Z94.3/ANSI Z87+



Model No.	Mfg. No.	Frame Color	Lens Tint	Lens Coating	Price /Each
SGG273	S2850HS	Black	Clear	Anti-Fog/Anti-Scratch	
SGG286	S2850	Black	Clear	Anti-Scratch	
SGF600	S2851HS	Black	Grey/Smoke	Anti-Fog/Anti-Scratch	
SGG274	S2852HS	Black	Amber	Anti-Fog/Anti-Scratch	
SGG275	S2854	Black	SCT-Reflect 50	Anti-Scratch	
SGG276	S2853	Black	Blue/Mirror	Anti-Scratch	
SGG277	S2860HS	Red	Clear	Anti-Fog/Anti-Scratch	
SGG287	S2860	Red	Clear	Anti-Scratch	
SGG278	S2861HS	Red	Grey/Smoke	Anti-Fog/Anti-Scratch	
SGG279	S2864	Red	SCT-Reflect 50	Anti-Scratch	
SGG280	S2863	Red	Blue/Mirror	Anti-Scratch	
SGF599	S2870HS	Blue	Clear	Anti-Fog/Anti-Scratch	
SGG288	S2870	Blue	Clear	Anti-Scratch	
SGG281	S2871HS	Blue	Grey/Smoke	Anti-Fog/Anti-Scratch	
SGG282	S2873	Blue	Blue/Mirror	Anti-Scratch	
SGG283	S2880HS	Teal	Clear	Anti-Fog/Anti-Scratch	
SGG289	S2880	Teal	Clear	Anti-Scratch	
SGG284	S2881HS	Teal	Grey/Smoke	Anti-Fog/Anti-Scratch	
SGG285	S2884	Teal	SCT-Reflect 50	Anti-Scratch	

## **GENESIS XC®**

- Extended wraparound lens for extra cheek and extra side coverage (up to 20 % more)
- Soft, flexible nose fingers conform to fit a variety of nasal profiles
- Adjustable two-shot temples for custom fit
- Available with cushioned temples for all-day comfort
- Optional Rx lens insert holds Rx lenses firmly in place
- Available with high-performance Uvextreme® AF anti-fog, Ultra-Dura® anti-scratch, Durastreme® dual anti-fog/anti-scratch, and HydroShield™ anti-fog lens coatings as well as a wide range of lens tints

Note: At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model No.	Mfg. No.		Lens Tint	Price /Each
ULTRA-D	URA° HARD	COAT		
SAK138	\$3300		Clear	
SAK139	S3301		Grey	
SAK403	\$3308		Mirror	
SAK405	S3306		Shade 3.0	
SAK406	S3307		Shade 5.0	
HYDROS	HIELD™ AN	TI-FOG		
SDL051	S3300HS		Clear	
SDL052	S3301HS		Grey	
UVEXTR	EME° AF			
SAK093	S3300X		Clear	
SAK407	S3301X		Grey	
SAK408	S3303X		SCT-Grey	
SAK409	S3304X		SCT-Low IR	
DURA-ST	Γ <b>REME</b> ™			
SAQ909	S3300D	Clear		



Model No.	Mfg. No.	Lens Tint	Price /Each
REPLACE/	MENT LENSES		
SAK411	S6950	Ultra-Dura® HC Clear	
SAK412	S6951	Ultra-Dura® HC Grey	
SAK413	S6958	Ultra-Dura® HC Mirror	
SAK415	S6956	Ultra-Dura® HC Shade 3.0	
SAK416	S6957	Ultra-Dura® HC Shade 5.0	
SAK417	S6950X	Uvextreme® AF Clear	
SAK418	S6951X	Uvextreme® AF Grey	
SAK419	S6953X	Uvextreme® AF SCT-Grey	
SAK420	S6954X	Uvextreme® AF SCT-Low IR	
SAQ910	S6950D	Dura-Streme™ Clear	

## **RX INSERTS**

- Optional Rx insert for Genesis XC<sup>™</sup> eyewear
- Holds prescription lenses securely
- Accommodates a variety of Rx needs including bifocals, trifocal and progressive lenses
- Classic screw closure easily fits, with prescription ranging from +3.0 to -3.0D

Model	Mfg.	Price
No.	No.	/Each
SAK410	S3350	



## **SKYPER®**

- Simple lens replacement system
- Adjustable temple length and lens inclination
- Lifetime frame guarantee
- Available with high performance Ultra-Dura® anti-scratch and Uvextreme® anti-fog coatings

Note: At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model	Mfg.		Price
No.	No.	Lens Tint	/Each
UVEXTREM	E° AF		
SH014	S1900X	Clear	
ULTRA-DUF	RA® HARDCOAT		
SH015	S1900	Clear	
SH016	S1902	Amber	
SH017	S1903	Mirror	
SH018	S1906	Infra-Dura® 2.0	
SH019	S1907	Infra-Dura® 3.0	
SH020	S1908	Infra-Dura® 5.0	
REPLACEME	NT LENSES		
SH021	S6500X	Clear Uvextreme® AF	



## **PROTÉGÉTM**

- $\bullet \ \ Proprietary \ Floating \ Lens^{TM} \ design \ offers \ increased \ flexibility \ for \ better \ fit$
- · Secure wraparound brow expands to fit a wide range of users
- Ultra lightweight design
- · Soft temple tip pads provide a secure, comfortable fit
- · Soft, clear nose pads prevent slipping
- Compliant with ANSI standard Z87+
- · Lifetime frame guarantee
- $\bullet \ \ \text{Available with high performance Ultra-Dura}^{\bullet} \ \text{anti-scratch, Uvextreme}^{\bullet} \ \text{AF anti-fog, and HydroShield}^{\intercal M} \ \text{anti-fog lens coatings}$

**Note:** At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model	Mfg.	Frame	Lens	Price
No.	No.	Colour	Tint	/Each
UVEXTREM	ΛE° AF			
SA0666	S4201X	Black	Grey	
SA0667	S4210X	Sandstone	Clear	
SA0668	S4211X	Sandstone	Grey	
ULTRA-DU	RA® HARDCOAT			
SA0659	S4200	Black	Clear	
SA0660	S4201	Black	Grey	
SA0661	S4202	Black	SCT-Reflect 50	
SA0662	S4210	Sandstone	Clear	
SA0663	S4211	Sandstone	Grey	
SA0664	S4212	Sandstone	SCT-Reflect 50	
HYDROSHI	ELD™ ANTI-FOG			
SDL053	S4200HS	Black	Clear	
SDL054	S4201HS	Black	Grey	







## **SEISMIC®**

- · Protection against impact, sun, wind, dust and debris
- · Soft and flexible nasal pads conform to a variety of facial profiles and minimize slippage
- Soft, high quality face cushioning and padded temple tips offer all-day comfort
- · Adjustable flame-resistant headband provides excellent fit
- · Replaceable flame-resistant, cushion-lined subframe extends the life of the eyewear
- · Headband and cushion-lined subframe are latex-free
- Available with high-performance Uvextreme® AF, anti-fog, Dura-Streme® dual anti-fog/anti-scratch, Uvextra® anti-fog coatings and a scratch-resistant hardcoat

**Note:** At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model No.	Mfg No.	Frame Colour	Lens Tint/Lens	Price /Each
SBA822	S0600	Black	Clear/Hardcoat	
SBA823	S0600X	Black	Clear/ Uvextra® AF	
SBA824	S0600D	Black	Clear/ Dura-Streme® AF	
SBA825	S0601X	Black	Espresso/ Uvextra® AF	
SBA826	S0602X	Black	Amber Uvextra® AF	
SBA827	S0604X	Black	SCT-Reflect 50	
SBA828	S0620	Blue	Clear/ Hardcoat	
SBA829	S0620X	Blue	Clear/ Uvextra® AF	
SBA830	S0622X	Blue	Amber/ Uvextra® AF	
SBA831	S0624X	Blue	SCT-Reflect 50	





## **TIRADE**<sup>TM</sup>

- · Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes
- Frameless, unilens design allows for wide-field peripheral vision
   Quick-release hinge system converts easily from temples to headband
- · Removable temples and standard adjustable headband included
- Hypoallergenic latex-free option available
- 100% non-conductive dielectric design
- · Uvextra anti-fog coated lens reduces fogging, keeping lenses clear
- Ideal for use in oil, gas & chemical, utility, construction and manufacturing operations
- Meets ANSI Z87.1-2010 (with and without foam subframe in place)

**Note:** At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model	Mfg.	Lens	Price
No.	No.	Tint	/Each
SDL044	S4040	Clear	
SDL045	S4041	Grey	
SDL046	S4042	Amber	
SDL047	S4043	Silver Mirror	
SDL048	S4044	SCT-Reflect 50	

# Price /Each

## **FALCON®**

- Frameless design with patented dual 9-base unilens
- Weightless comfort and superior coverage providing complete and unobstructed vision
- Impact-resistant polycarbonate lens absorbs > 99.9 % of harmful UVA and UVB radiation
- Available with high performance Ultra-Dura® anti-scratch and Uvextreme® anti-fog coatings

Note: At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.



## Honeywell UVEX

Model	Mfg.		Price
No.	No.	Lens Tint	/Each
ULTRA-DURA®	BLACK TEMPLES		
SAJ061	S4500	Clear	
UVEXTREME® A	AF - BLACK TEMPLES		
SAJ062	S4500X	Clear	
REPLACEMENT	LENSES		
SAJ079	S6700	Clear Ultra-Dura®	
SAJ080	S6700X	Clear Uvextreme® AF	

## ASTRO OTG® 3001

- Same features as the Astrospec 3000° with attractive OTG (over-the-glass) styling
- An economical alternative to expensive Rx eyewear
- · Lifetime frame guarantee
- Available with high performance Ultra-Dura® anti-scratch and Uvextreme® anti-fog coatings

Note: At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.



## Honeywell UVEX

No.	Colour	Lens Tint	/Each
A.F			
S2500C	Black	Clear	
S2504C	Black	Grey	
S2510C	Blue	Clear	
S2514C	Blue	Grey	
HARDCOAT			
S2500	Black	Clear	
S2504	Black	Grey	
	\$2500C \$2504C \$2510C \$2510C \$2514C <b>HARDCOAT</b> \$2500	AF  \$2500C Black \$2504C Black \$2510C Blue \$2514C Blue  HARDCOAT  \$2500 Black	AF  \$2500C

## **UVEX SVP 200 SERIES EYEWEAR**

- Dielectric, 10 base wraparound lens offers optimum protection
- · Frameless, very lightweight and low-profile at 15 grams perfect for all-day wear and fits most facial profiles
- Temple tips are flexible and comfortable
- Molded nosepiece
- Polycarbonate lens
- Standard(s) Met: CSA Z94.3/ANSI Z87+







Model No.	Mfg. No.	Frame Color	Lens Tint	Lens Coating	Price /Each
SGG290	SVP200	Clear	Clear	Anti-Scratch	
SGG291	SVP201	Clear	Clear	Anti-Fog	
SGG292	SVP202	Grey	Grey/Smoke	Anti-Scratch	
SGG293	SVP203	Grey	Grey/Smoke	Anti-Fog	
SGG294	SVP204	Amber	Amber	Anti-Fog	
SGG295	SVP205	Blue	Clear	Anti-Fog	
SGG296	SVP206	Blue	Blue/Mirror	Anti-Scratch	
SGG297	SVP207	Blue	Indoor/Outdoor	Anti-Scratch	
SGG298	SVP208	Pink	Clear	Anti-Fog	

## ASTROSPEC 3000®

- Lightweight unilens offers panoramic vision
- Easy and economical lens replacement system
- Adjustable lens inclination and temple length
- Molded side shields
- Black frame
- · Lifetime frame guarantee
- · Available with high performance Ultra-Dura® anti-scratch and Uvextreme® anti-fog coatings

Note: At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.



## Honeywell UVEX

Model No.	Mfg. No.	Lens Tint	Price /Each
ULTRA-DU	RA° HARDCOAT		
SE633	S1359	Clear	
SE634	S1369	Grey	
SE635*	S1360	Light Grey	
SE636*	S145	Amber	
SE637	S1379	Silver Mirror	
SE638*	S112	SCT- Low IR	
SE639*	S1361	SCT-Grey	
SE641	S111029	Infra-Dura® 2.0	
SE642*	S1111	Infra-Dura® 3.0	
SE643*	S1112	Infra-Dura® 5.0	
UVEXTREM	ΛE° AF		
SE622	S1359C	Clear	
SE623*	S136C	Grey	
SE624*	S1362C	SCT-Vermilion	
REPLACEM	ENT LENSES		
SE652	\$535	Clear Ultra-Dura® HC	
SE653	S536	Grey Ultra-Dura® HC	
SE404	S535C	Clear Uvextreme® AF	
SE650	S536C	Grey Uvextreme® AF	

<sup>\*</sup> Does not feature Duoflex® temples

## MILLENNIA®

### HIGH STYLE FULL COVERAGE!

- · Lightweight frame with superior side and brow protection
- · High impact dual 9-base wraparound unilens
- Comfortable universal nose bridge
- Includes adjustable breakaway FlexiCord<sup>™</sup> for added security and convenience
- · Frame Colour: Black

**Note:** At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model			Price
No.	Mfg. No.	Lens Tint	/Each
SG990	11150350CSA	Clear	
SG993	11150351CSA	TRS® Grey	



## **IGNITETM**

- Sleek, sporty, unisex lightweight frameless design appeals to a broad range of workers
- Offers 180° of distortion-free, unobstructed vision
- A 9-base, wrap-around lens design provides close-to-the-face protection and superior coverage
- · Adjustable nose piece reduces slippage and provides a personalized, comfortable fit
- · Soft temple tip pads ensure a fit that is both comfortable and secure
- · Available with Uvextra® AF, anti-fog coating

**Note:** At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
SAQ725	S4400	Black & Silver	Clear/Hardcoat	
SAQ726	S4400X	Black & Silver	Clear/Uvextra® AF	
SAQ728	S4401X	Black & Silver	Grey/Uvextra® AF	
SAQ729	S4402	Black & Silver	SCT-Reflect 50/Hardcoat	
SAQ730	S4403	Black & Silver	Silver Mirror/Hardcoat	



## **Honeywell**UVEX

SE614

## **ULTRASPEC®**

### **ULTRASPEC® 1000**

- · Ideal visitor spec
- Uncoated 100 % polycarbonate wrap around unilens design with solid side shields

### ULTRASPEC® 2000

- · Coated 100% polycarbonate wraparound unilens design
- · Adjustable temple length

**Note:** At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
ULTRASPEC	C° 1000 UNCOATED			
SAG310	S300CS	Clear	Clear	
ULTRASPEC	C° 2000 UVEXTREME°	AF		
SE614	S0250X	Clear	Clear	
SE615	S0280X	Grey	Grey	
SE616	S0290X	Amber	Amber	





## **AMBIENT OTG**

- · Exceptional peripheral vision and coverage in a lightweight, wraparound uni-lens design
- Highest available impact protection
- Soft, flexible nasal fingers conform to a variety of facial profiles and minimize slippage
- Adjustable and bendable, wire-core temples offer complete flexibility with secure, customized fit
- Offered in two lens sizes (medium and large) to fit a variety of users and prescription eyewear styles
- The medium version has a 13% smaller lens than the larger version and extends the life of the eyewear
- Available with high-performance Uvextreme® AF anti-fog, Ultra-Dura® anti-scratch and Durastreme® dual anti-fog/anti-scratch coatings, as well as a wide range of lens tints

**Note:** At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model	Mfg.		Price
No.	No.	Description	/Each
SAS560	S3150	Blue/Large Clear Ultra-Dura®	
SAS561	S3150X	Blue/Large Clear Uvextreme® AF	
SAS562	S3150D	Blue/Large Clear Dura-Streme™	
SAS563	S3160	Blue/Medium Clear Ultra-Dura®	





## **VAPOR**<sup>TM</sup>

- · Affordably priced, shiny smooth design
- Metallic blue, lightweight frame for all-day wear
- Sport temple provides a secure and comfortable wraparound fit
- Soft nose bridge prevents slipping and conforms to varying nose bridge shapes
- 9-base polycarbonate hardcoat lenses provide distortion-free 180° field of vision
- Includes: Breakaway Flexicord™ with every pair

Note: At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model	Mfg.		Price
No.	No.	Lens Tint	/Each
SAK393	11150900	Clear/Hardcoat	
SAK394	11150901	TSR® Grey/Hardcoat	
SAK395	11150904	Silver Mirror/Hardcoat	
SAK396	11150905	Clear Fog-Ban®	
SAK397	11150906	Grey Fog-Ban®	





## **FUSE**<sup>TM</sup>

- Affordably priced, sporty gunmetal double bridge styling
- Soft adjustable saddle nose bridge prevents slipping and provides comfort and grip
- 9-base polycarbonate lenses provide distortion-free 180° field of vision
- Frame with nickel-free top-coat to prevent skin reactions for people sensitive to nickel
- Hinge-stoppers prevent temple tips from touchingthe lenses when folded
- Includes: breakaway Flexicord™ with every pair

Note: At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model	Mfg.		Price
No.	No.	Lens Tint	/Each
SAK398	11150800	Clear/Hardcoat	
SAK399	11150801	TSR® Grey/Hardcoat	
SAK400	11150804	Silver Mirror/Hardcoat	
SAK401	11150805	Clear Fog-Ban®	
SAK402	11150806	TSR® Grey Fog-Ban®	



## A700 SERIES

- Lightweight design with sport temples
- Soft temple tip pads provide a secure, comfortable fit
- Moulded universal nose bridge
- 9-base polycarbonate hard coated lenses provide 180° field of distortion-free vision
- Provides 99.9 % UV protection

Note: At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
SA0669	A700	Clear	Clear/Hardcoat	
SA0670	A701	Grey	TSR® Grey/Hardcoat	
SA0671	A702	Clear	Amber/Hardcoat	
SA0672	A703	Grey	Blue Mirror/Hardcoat	
SA0673	A704	Grey	I/O Silver Mirror/Hardcoat	
SA0674	A705	Clear	Clear Fog-Ban®	







## **TORNADO F5**

- Unique dual lens styling in a single piece lens design gives maximum protection and comfort for greater user acceptance
- Available with fully adjustable curved temples or straight extensible non-pivoting temple ends
- · Anti-fog, anti-scratch, anti-static and anti-UV
- Certified to CSA standard Z94.3



Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
CURVED TE	MPLES			
SEF128	T57505B	Black with Red Trim	Clear	
SEC323	T57505BS	Black with Red Trim	Smoke	
SEB098	T57505BA	Black with Red Trim	Amber	
SEC320	T57505BL	Black with Grey Trim	Clear	
STRAIGHT	TEMPLES			
SEB099	T58505B	Black with Red Trim	Clear	
SEC326	T58505BS	Black with Red Trim	Smoke	
SEC324	T58505BA	Black with Grey Trim	Amber	
SEC325	T58505BL	Blue with Grey Trim	Clear	

## THE EDGE™

- Single-piece polycarbonate lens with a 9-based curve for maximum peripheral vision
- Lens is anti-fog, anti-scratch, anti-UV 99.9% and anti-static
- · Comes complete with both straight and curved temple ends
- · Available in black or grey frame colours
- Certified to the requirements of the CSA Z94.3 standard



Model	Mfg.	Frame	Lens	Price
No.	No.	Colour	Tint	/Each
SH060	T56005B	Black	Clear	
SH061	T56005BS	Black	Smoke	
SH062	T56005BA	Black	Amber	
SH066	T56005GRY	Grey	Clear	

## **ADAPTEC®**

- Adjustable nose bridge keeps eyes centered in lens for clearer optics and reduced eye fatigue
- Vented, cushioned frame allows optimum air circulation and reduces fogging
- · Ratcheting temple hinges adjust lens angle for greater protection and reduced fogging
- · Proprietary temple design adjusts temple
  - tvension for personal comfort and non-slip security
- Temple inserts slide from front to back for firmer fit, – or in opposite direction for looser fit
- Soft, flexible material covers frame compo nents for comfortable, secure fit
- The North Adaptec™ 4A lens coating ensures excellent anti-fog, anti-static and scratch resistant properties plus 99.9% UV protection

**Note:** At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.



Model	Mfg.			Price
No.	No.	Colour	Lens	/Each
NARROW				
SED448	T5900NTK	Black	Clear	
SED450	T5900NTKS	Black	Smoke	
SED451	T5900NTKA	Black	Amber	
REGULAR				
SED456	T5900LTK	Black	Clear	
SED458	T5900LTKS	Black	Smoke	
SED459	T5900LTKA	Black	Amber	
WIDE				
SED464	T5900WTK	Black	Clear	
SED466	T5900WTKS	Black	Smoke	
SED467	T5900WTKA	Black	Amber	

Other frame colours and lens tint also available. Contact us for more details.

## N-VISIONTM T5650 SERIES


## UNIVERSAL COMFORT BRIDGE SYSTEM

- · Modern ergonomic design for comfort and fit
- Easy lens replacement system
- Frame made of new Elasto LT chemical-resistant material
- Lenses are protected by North's exclusive 4A coating, anti-fog, anti-scratch, anti-static and anti-UV at 99.9 %
- Comfortable straight and curved temple ends supplied with all N-Vision<sup>TM</sup> series eyewear
- Black frame
- Certified to CSA standard Z94.3









## N-VISIONTM T5655 SERIES

### **FLEXI-FIT SOFT NOSEPIECE SYSTEM**

- · Flexi-Fit soft nosepiece for comfort and adaptability
- Easy lens replacement system
- Frame made of new Elasto LT chemical-resistant material
- Lenses are protected by North's exclusive 4A coating, anti-fog, anti-scratch, anti-static and anti-UV at 99.9%
- Comfortable straight and curved temple with all N-Vision™ series eyewear
- · Black frame
- Certified to CSA standard Z94.3

Model No.	Mfg. No.	Lens Tint	Price /Each
SAK195	T56555B	Clear	
SAK196	T56555BS	Smoke	



## LIGHTNING & LIGHTNING PLUS

- High base panoramic lens for a wide unobstructed field of vision
- Frame made of chemical and heat resistant Elasto LT material
- Flexi-Fit three-point non-slip nosepiece eliminates excessive pressure on the nose
- Exclusive 4A coating: anti-fog, anti-scratch, anti-UV, anti-static
- Fast and easy lens replacement with unique Rapid-Change system
- Soft-Touch comfort pads
- Lightning models: Self-adjusting temples to insure a secure and comfortable fit
- Lightning Plus models:
- Bowed temples designed to fit virtually anyone
- Certified to CSA standard Z94.3









Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
LIGHTNING		Colour	HIIL	/EdCII
LIGHTNING	1			
SAJ221	T65005	Black	Clear	
SAJ222	T65005S	Black	Smoke	
SAJ230	T65005A	Black	Amber	
SAP515	T65015TCG	Black	I/O Mirror*	

Model	Mfg.	Frame	Lens	Price /Each
No.	No.	Colour	Tint	
LIGHTNING	G PLUS			
SAJ223	T65505B	Black	Clear	
SAJ224	T65505BS	Black	Smoke	
SAJ232	T65505BA	Black	Amber	
SAP516	T65515BTCG	Black	I/O Mirror*	

## 3MTM PRIVOTM

- · Euro-styled safety eyewear: look good while being safe!
- Excellent coverage and world-class fit
- Soft-tipped temples
- Soft comfort nose bridge
- Certified to CSA standard Z94.3





Model No.	Mfg. No.	Frame Colour	Accent Colour	Lens Tint	Price /Each
SAP456	12261	Black	Orange	Clear AF	
SAP457	12262	Black	Orange	Grey AF	
SAP458	12263	Black	Orange	Amber AF	
SAP459	12264	Black	Orange	I/O Mirror	
SAP460	12265	Silver	Red	Clear AF	
SAP461	12266	Silver	Red	Grey AF	
SAP463	12268	Silver	Red	I/O Mirror	

<sup>\*</sup> Lenses are not anti-fog

## 3MTM SOLUS PROTECTIVE EYEWEAR

- The Scotchgard<sup>™</sup> anti-fog lens will resist fogging under most conditions, offering an unobstructed view of tasks, free from debris, withstanding up to 25 washes without losing performance
- Clear lens is ideal for indoor applications requiring impact protection
- · Contemporary styling
- · Removable temples enable the use of the optional strap (SFM411)
- Optional foam gasket helps reduce eye exposure (SFM410)
- Polycarbonate lenses absorb 99.9% of UVA and UVB rays
- Meets the requirements of CSA Z94.3 and ANSI Z87.1







Model	Mfg.		Price
No.	No.	Description	/Each
SFM405	S1101SGAF	Clear Lens	
SFM406	S1102SGAF	Grey/Smoke Lens	
SFM407	S1103SGAF	Amber Lens	
SGF129	S1107SGAF	Indoor/Outdoor Lens	
SFM408	S1101SGAF-KT	Kit, Includes Clear Lens Eyewear, Foam Gasket and Elastic Headband	
SGF130	S1102SGAF-KT	Kit, Includes Grey/Smoke lens, Foam Gasket and Elastic Headband	
SGF131	S1107SGAF-KT	Kit, Includes Indoor/Outdoor lens, Foam Gasket and Elastic Headband	
SFM410	SOLUS-FOAM	Replacement Foam Gasket	
SFM411	SOLUS-STRAP	Replacement Strap	

## 3MTM VIRTUATM CCS WITH FOAM GASKET

- Comfortable, lightweight frame features the Cord Control System (CCS) with an optional foam gasket attachment
- CCS is designed to keep a corded earplug attached, untangled, and ready for use
- Foam gasket helps limit eye exposure to nuisance dust while providing additional cushioning
- Anti-fog polycarbonate lens absorb 99.9% UV

Mfg. No.

11872-00000-20

11873-00000-20

11874-00000-20

VC215AF

VC220AF

VC225AF

Certification(s): Meets the requirements of CSA Z94.3-07 and is Impact Rated to ANSI Z87.1-2010

Jact Nated to ANSI 267.1-2010	
	Price
Lens Tint	/Each
Clear	
Grey	
I/O Mirror	
Clear, Diopter +1.5	

Clear, Diopter +2.0 Clear, Diopter +2.5





## 3MTM BXTM EYEWEAR

- High impact resistant polycarbonate lens provides 99.9 % UV protection
- · Soft, universal-fit nose bridge

Model

SEH156

SEH157

**SEH158** 

SDN363

SDN364

SDN365

- Three lens angles for custom fit
- Adjustable temple lengths
- · Soft tip temples feel good even after extended wear
- Certified to CSA standard Z94.3







Model	Mfg.		Price
No.	No.	Lens Tint Control of the Control of	/Each
SA0648	11380-00000-20	Clear	
SA0649	11381-00000-20	Grey	

## 3MTM BXTM EYEWEAR W/READER LENS

- Anti-fog, reader lenses + 1.5, + 2.0, + 2.5
- Universal-fit nose bridge
- · Sliding temple lengths with soft tips for comfort even after extended wear
- High impact polycarbonate lenses with 99.9 % UV protection
- Silver/black frame
- Certified to CSA standard Z94.3
- Meets ANSI standard Z87.1







Model	Mfg.			Price
No.	No.	Lens Tint	Dioptre	/Each
SAN521	11374	Clear	+1.5	
SAN522	11375	Clear	+2.0	
SAN523	11376	Clear	+2.5	
SAN524	11377	Grey	+ 1.5	
SAN525	11378	Grey	+2.0	
SAN526	11379	Grey	+2.5	

## 3MTM SECUREFITTM PROTECTIVE EYEWEAR

- Patent-pending  $3M^{\text{TM}}$  Pressure Diffusion Temple Technology
- Versatile design is suited for a wide variety of faces
- Automatically self-adjust to provide a secure, comfortable fit each time
- Contemporary design weighs less than 1 oz. for lightweight comfort
- Available in 200 or 400 series
- 400 series features soft adjustable nosepads for an even greater personalization of fit
   Polycarbonate lens absorbs 99.9% UVA & UVB
- Meets the requirements of CSA Z94.3 and ANSI Z87.1-2010





Model	Mfg.	Lens	Lens	Price
No.	No.	Tint	Coating	/Each
200 SERIES				
SEK244	SF201AF-CA	Clear	Anti-Fog	
SEK245	SF202AF-CA	Grey	Anti-Fog	
SEK246	SF203AF-CA	Amber	Anti-Fog	
SDL952	SF201AS-CA	Clear	Anti-Scratch	
400 SERIES				
SDL528	SF401AF-CA	Clear	Anti-Fog	
SDL551	SF402AF-CA	Grey	Anti-Fog	
SDL530	SF403AF-CA	Amber	Anti-Fog	
SDL953	SF404AF-CA	Light Blue	Anti-Fog	
SDL529	SF410AS-CA	Indoor/Outdoor Mirror	Anti-Scratch	





### **400 SERIES - READERS**

Model No.	Mfg. No.	Lens Tint	Lens Coating	Diopter	Price /Each
SGF126	SF415AF	Clear	Anti-Fog	+1.5	
SGF127	SF420AF	Clear	Anti-Fog	+2.0	
SGF128	SF425AF	Clear	Anti-Fog	+2.5	



## SECUREFIT™ 600 SERIES SAFETY EYEWEAR

- Designed to defuse pressure over the ears, enhancing frame comfort
- Weighs less than an ounce
- Features proprietary 3M™ Pressure Diffusion Temple Technology
- Self-adjusting fit
- Polycarbonate lens absorbs 99.9% UVA and UVB rays
- Rugged anti-scratch coating helps extend lens life
- Standard(s) Met: ANSI Z87+/CSA Z94.3













Model No.	Mfg. No.	Lens Tint	Lens Coating	Price /Each
SGF087	SF601RAS	Clear	Anti-Scratch	
SGF088	SF602RAS	Grey	Anti-Scratch	
SGF089	SF601SGAF	Clear	Anti-Fog	
SGF090	SF602SGAF	Grey	Anti-Fog	
SGF091	SF603SGAF	Amber	Anti-Fog	
SGF092	SF607SGAF	Grey Indoor/Outdoor	Anti-Fog	
SGF096	SF617AS	Low IR	Anti-Scratch	
SGF097	SF630AS	Shade 3.0 IR	Anti-Scratch	
SGF098	SF650AS	Shade 5.0 IR	Anti-Scratch	
SGF105	SF611AS	Grey	Anti-Scratch/Polarized	
SGF106	SF613AS	Photochromic	Anti-Scratch	
WITH FO	AM GASKET			
SGF093	SF601SGAF-FM	Clear	Anti-Fog	
SGF094	SF602SGAF-FM	Grey	Anti-Fog	
SGF095	SF607SGAF-FM	Grey Indoor/Outdoor	Anti-Fog	

Model	Mfg.				Price
No.	No.		Description		/Each
ACCESSO	ORIES				
SGF107	SF6000FI	Repla	acement Foam Gasket		
Model	Mfg.	Lens	Lens		Price
No.	No.	Tint	Coating	Diopter	/Each
READERS	5				
SGF099	SF615SGAF	Clear	Anti-Fog	+1.5	
SGF100	SF620SGAF	Clear	Anti-Fog	+2.0	
SGF101	SF625SGAF	Clear	Anti-Fog	+2.5	
SGF102	SF615GSGAF	Grey	Anti-Fog	+1.5	
SGF103	SF620GSGAF	Grey	Anti-Fog	+2.0	
SGF104	SF625GSGAF	Grey	Anti-Fog	+2.5	

## 3MTM OXTM 2000 PROTECTIVE EYEWEAR

- Sturdy, durable OX protective eyewear delivers high impact protection
- Wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage
- · Its lightweight frame and anti-fog hard coat lens deliver clarity
- Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003







## HAWK SERIES SAFETY EYEWEAR

- · Beautiful, base 9 Lens
- · Flexi-Fit adjustable nose bridge system
- Dual-shot temples
- Standard(s) Met: ANSI Z87+, CSA Z94.7

Frame Color: Red/Black

LYNAMIC



Model	Mfg.	Lens	Lens	Price
No.	No.	Tint	Coating	/Each
SFZ472	EP825C	Clear	Anti-Fog	
SFZ499	EP82510	Indoor/Outdoor Mirror	Anti-Fog	
SFZ419	EP825A	Amber	Anti-Fog	
SFZ525	EP825S	Smoke	Anti-Fog	

## SPIDER SERIES SAFETY EYEWEAR

- · Lightweight base 9 wrap-around lens
- Flexi-Fit adjustable nose bridge system
- Famous EZ-ON temple system
- Standard(s) Met: ANSI Z87+, CSA Z94.7

Frame Color: Red/Black





Model No.	Mfg. No.	Lens Tint	Lens Coating	Price /Each
SFZ474	EP875C	Clear	Anti-Fog	
SFZ501	EP87510	Indoor/Outdoor Mirror	Anti-Fog	
SFZ421	EP875A	Amber	Anti-Fog	
SFZ527	EP875S	Smoke	Anti-Fog	

## FALCON SERIES SAFETY EYEWEAR

- Wrap-around, 9 base, lightweight lens
- · Nose bridge with 3-position adjustment
- · Ratchet temples
- Dual-shot temples
- Ultra-soft silicone nose pad
- Standard(s) Met: ANSI Z87+, CSA Z94.3

Frame Color: Red/Black





Model No.	Mfg. No.	Lens Tint	Lens Coating	Price /Each
SFZ471	EP810C	Clear	Anti-Fog	
SFZ498	EP810I0	Indoor/Outdoor	Anti-Fog	
SFZ418	EP810A	Amber	Anti-Fog	
SFZ524	EP810S	Smoke	Anti-Fog	

## OTG EXTRA SERIES SAFETY EYEWEAR

- Extra-large sized lens to fit over the largest prescription spectacles
- Extra soft, adjustable nose piece that will accommodate all kinds of nose configurations
  Adjustable temples give you the possibility to adjust the lens up and down for better vision
- New, unique, highly-comfortable EZ-ON temple system
- Standard(s) Met: ANSI Z87+, CSA Z94.3

Temple Color: Black





Model No.	Mfg. No.	Lens Tint	Lens Coating	Price /Each
SFZ480	EP750C	Clear	Anti-Fog/Anti-Scratch	
SFZ522	EP75010	Indoor/Outdoor Mirror	Anti-Fog/Anti-Scratch	
SFZ416	EP750A	Amber	Anti-Fog/Anti-Scratch	
SFZ533	EP750S	Smoke	Anti-Fog/Anti-Scratch	

## **Z300**

- · Impact proof polycarbonate lens with UV protection
- Adjustable elastic headband
- Indirect ventilation on models SEF219 and SAN430 protects against dust, fumes and chemical splash
- Anti-fog lens on model **SAN430** is ideal for high humidity applications
- · Distortion-free
- Compliant with CSA standard Z94.3









Model		Price
No.	Description	/Each
SEF218	Direct vent	
SEF219	Indirect vent	
SAN430	Indirect vent anti-fog	

## Z1100

- Wrap-around style provides excellent 180° panoramic vision
- Extremely flexible soft PVC goggle body for greater comfort
- Impact resistant polycarbonate lens
- Antifog lens is ideal for high humidity applications
- Indirect vent increases air flow and protects against dust, fumes and chemical splash
- Adjustable elastic headband
- Compliant with CSA standard Z94.3
- Lens Tint: Clear





Model	Price
No.	/Each
SEK294	

## **GOGGLES W/SAFETY SHIELD**

- Indirect ventilation and a polycarbonate shield for full face protection
- Face shield detaches from the goggles
- Curved face shield conforms to the shape of the users face for added protection
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3







Can't find what you're looking for? Call us today!



## STEALTH®

- · Futuristic, low profile design for chemical splash and impact protection
- · Toric lens provides superior optics and peripheral vision
- · Rx insert available
- · Easiest lens replacement system available
- Uvextreme AF® and HydroShield™ AF coatings, and indirect ventilation system minimizes fogging
- Durastreme<sup>™</sup> dual anti-fog/anti-scratch coating minimizes fogging while protecting the lens
- Impact resistant polycarbonate lenses absorb 99.9% of UV light
- · Neoprene headband
- Quick adjust headband

**Note:** At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model	Mfg.	Lens	Price
No.	No.	Tint	/Each
SE790	S3960C	Clear/Uvextreme® AF	
SE791*	S3960CI	Clear/Uvextreme® AF	
SE792	S3961C	Grey/Uvextreme® AF	
SE793	S3962C	Amber/Uvextreme® AF	
SAQ911	S3960D	Clear/Dura-Streme™	
SDL055	S3960HS	Clear/HydroShield™ AF	
SDL056	S3961HS	Grey/HydroShield™ AF	
REPLACEMENT L	ENSES		
SE794	S700C	Clear/Uvextreme® AF	
SE795	S701C	Grey/Uvextreme® AF	
SE796	S702C	Amber/Uvextreme® AF	
SAQ912	S700D	Clear/Dura-Streme™	

<sup>\*</sup> Fabric headband

## **Honeywell**UVEX





## FLEX SEALTM

- $\bullet \ \ Lightweight, silicone \ body \ conforms \ to \ assure \ the \ highest \ level \ of \ comfort \ and \ eye \ protection$
- Cured silicone body stays soft and supple in extreme temperatures
- Low profile and optically correct polycarbonate lens provides full field of vision
- Uvextreme® anti-fog coating and indirect venting system minimizes fogging
- Fits over most prescription eyewear
- Pivoting clips permit the wearer to position the goggle on
- a hard hat or position the neoprene headband above the ears

**Note:** At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model	Mfg.	Lens	Price
No.	No.	Tint	/Each
SAK386	S3400X	Clear	
SAK387*	S3405X	Clear	
REPLACEMEN	IT LENSES		
SAK391	S710X	Clear	

<sup>\*</sup> Fabric headband

## V-MAXX®

- Sleek wrap-around styling
- Direct vent for impact resistance and indirect vent for chemical splash applications
- Peel-off goggle covers available to extend useful life of the lens
- OTG compatible
- 180° clear field of vision
- Lenses coated with Fog-ban® anti-fog coating
- Pivoting headband clips to adjust strap around hardhats or hearing protection
- · Adjustable elastic or neoprene headband

**Note:** At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.

Model	Mfg.		Lens	Price
No.	No.	Description	Tint	/Each
SA1905	11250800	Direct vent, red elastic headband	Clear Fog-Ban®	
SAI906	11250810	Indirect vent, black neoprene headband	Clear Fog-Ban®	
SAI907	11250830	Indirect vent, black frame and elastic headband	Shade 3.0	
SAI908	11250850	Indirect vent, black frame and elastic headband	Shade 5.0	
SA1909	11250860	Goggles covers, 10/Pkg	-	









## **CARBONVISION**<sup>TM</sup>

- Flexible soft frame adapts perfectly to the face to ensure a perfect fit and seal around the eyes for high-performance protection and all-day comfort
- The soft, flexible body is permanently fixed to the frame, making it easy to clean and maintain
- · Convenient clip makes it easy to remove headband before cleaning
- Ideal for protection from impact, dust/airborne particles as well as chemical splash hazards
- · Low profile, compact design is ideal for wearing with disposable respirators and protective caps
- Dura-Streme dual anti-fog/anti-scratch coating

Note: At the time of printing, this product does not bear the CSA logo and has not been CSA certified. Honeywell has informed us that that this product meets the requirement of CSA Z94.3 standard. Please consult our website for updates.





SEH176



Model	Mfg.	Lens		Price
No.	No.	Tint	Headband	/Each
SEH176	S1650D	Clear	Neoprene	
SDL471	S1651D	Grey	Neoprene	
SDL472	S1650DF	Clear	Fabric	
SDL473	S1651DF	Grey	Fabric	

## 3M™ GOGGLE GEAR SPLASH GOGGLE

- 3M<sup>™</sup> Goggle Gear 500 Series Protective Eyewear are a low profile splash goggle featuring Scotchgard<sup>™</sup> clear anti-fog lens coating which helps keep lenses clear - providing longer lasting fog resistance than traditional anti-fog coatings
- Additionally, the Scotchgard<sup>TM</sup> anti-fog coating retains its anti-fog effectiveness through at least 25 washings with water
- Low-profile design with removable strap
- Lens, frame, and strap can be quickly disassembled for cleaning
- · Indirect venting
- · Polycarbonate lenses absorb 99.9% of UVA and UVB rays
- Meets the requirements of CSA Z94.3 and ANSI Z87.1
- · Lens Coating: Anti-Fog





Model	Mfg.	Lens	Description	Price
No.	No.	Tint		/Each
SFM409	GG501SGAF	Clear	Low-profile design with removable strap	
SGC399	GG500-PI	Clear	Prescription lens insert	

## CENTURION™ SAFETY IMPACT GOGGLE

- Wide-angle wraparound lens and frame for good peripheral vision
- · Direct venting system to minimize fogging
- Accommodates prescription eyewear
- Standard(s) Met: CSA Z94.3/Ansi Z87+
- · Lens Tint: Clear







Model No.	Mfg. No.	Ventiliation Type	Headband	Lens Coating	Price /Each
SGC400	40301-0000-10	Direct	Elastic	Anti-Fog	
SGC402	40305-0000-10	Indirect	Neoprene	Anti-Fog	
SGC403	40321-0000-80	Indirect	Fabric	Anti-Fog	

## EYEWEAR CASES

- Extends the life of eyewear by protecting the lens from scratches and abrasions
- · Zipper closure
- Accommodates all Zenith eyewear
- Attached belt clip offers multiple attachment options
- Colour: Black

Model No. SEF180 Price/Each \$





## **GOGGLES CASES**

- Extends the life of goggles by protecting the lens from scratches and abrasions
- · Zipper closure
- · Accommodates all Zenith goggles
- Attached belt clip offers multiple attachment options
- Colour: Black

Model No. SEF181 Price/Each \$





## EYEWEAR CASES

- Offers protection for your Wolf Peak glasses
- Hard carrying case

Model No. SEI538 Price/Each \$





## LENS CLEANING BAG

 Can be used for all safety eyewear

Model No. SEI539 Price/Each \$





## PRINZING SAFETY GLASSES DISPENSERS WITH LID

- Compact unit designed to hold up to six pairs of glasses
- Dust cover to isolate glasses
- Wall or table mount
  9" W x 6" D x 3" H

Model No. SED048 Mfg. No. PD211L-F

Price/Each \$

BRADY<sub>®</sub>



## DELUXE VISITOR SPEC DISPENSERS

- Bottom door that keeps glasses in and folds down for easy dispensing
- Supplied with two top holes making them ideal for wall-mounting
- Holds approximately 20-25 glasses
- 8" W x 4" D x 18" H

Model No. SED050 Mfg. No. MVSD Price/Each \$










- · Lightweight and durable
- Fits a wide range of eyewear
- · Colour: Black

Model No. SEF183 Price/Each \$







Model No. SEF182 Price/Fach \$





## SKULLERZ® COTTON EYEWEAR LANYARDS

- 100% cotton
- · Adjustable barrel slide
- Durable, cool, comfortable
- · Machine washable
- · Fits standard frames
- · Colour: Black

### 3200 SERIES

No.	No.	/Each
SAK847	19152	
3215 SFR	IFS DUAL BREAKAWAY DESIGN	

3213 3EN	5215 SERIES DUAL BREAKAWAT DESIGN					
Model	Mfg.	Price				
No.	No.	/Each				
SAK848	19212					




## SKULLERZ® BREAKAWAY ROPE EYEWEAR LANYARDS

- 3 mm nylon rope construction
- Breakaway connection
- Slip-style attachment fits a variety of temple sizes
- · Colour: Black

Model No. SDM707 Mfg. No. 19324 Price/Each \$





## SKULLERZ® ELASTIC COIL EYEWEAR LANYARDS

- Stretchable nylon/elastic construction
- Low-profile design
- Slip-style attachment fits a variety of temple sizes
- Colour: Black

Model No. SDM708 Mfg. No. 19280 Price/Each \$







## LENS CLEANING PRODUCTS

- · Anti-fog, anti-static lens cleaning solution
- Safe for all types of glass, plastic or polycarbonate eyeglasses, safety glasses, goggles, faceshields and computer monitors
- Silicone free

## DISPOSABLE LENS CLEANING STATIONS

- SEE380 contains 600 interfolded 5" x 8" tissues and one 237 ml bottle of fluid
- SEE382 contains 1200 interfolded 5" x 8" tissues and one 473 ml bottle of fluid



**SEE382** 



Model No.	Description	Price/Each
SEE380	One 237 ml/8 oz. bottle w/pump and 600 tissues	
SEE382	One 473 ml/16 oz. bottle w/pump and 1200 tissues	

## LENS CLEANING TOWELETTES

- Excellent cleaning with no streaking
- 5" x 8" individually wrapped towelettes permeated with anti-fog, anti-static formula
- 100 towelettes per dispenser

Model No. SEE379 Price/Each \$





## RESPIRATORS & PPE CLEANING TOWELETTES

- For rubber or latex face and mouth pieces, respirators, etc.
- Alcohol-free
- Avoids "drying-out" associated with alcohol based cleaners
- 5" x 8" individually wrapped towelettes
- 100 towelettes per dispenser

Model No. SEE383 Price/Each \$





## LENS CLEANER



Model No.	Size	Description	Price/Each
SEE377	237 ml/8 oz.	Modern round bottle w/pump	
SEE378	473 ml/16 oz.	Boston round bottle w/pump	
SEE381	3.78 L/1 gallon	Refill	



## METAL LENS CLEANING STATIONS

- · Rugged, long-wearing steel dispenser
- Comes with two boxes of 5" x 8" interfolded wipes and one 16 oz./473 ml pump bottle of lens cleaning solution

Model No. SEE397 Mfg. No. 860DFP Price/Each \$



## LENS CLEANING TISSUES

- For general lens cleaning and wiping needs
- Fits SEE380 and SEE382 lens cleaning stations
- 300 interfolded 5" x 8" wipes

Model No. SEE398 Price/Each \$





## **UVEX CLEAR®**

- Specially formulated for anti-fog and scratch resistant hardcoats and is completely silicone-free and alcohol-free
- Refillable lens cleaning station model SR366 comes complete
  with one 16-oz. Uvex Clear® cleaning solution, 4 boxes of
  500 non-abrasive tissues, a 3.5" x 4.5" mirror and screw
  mounts and adhesive foam for quick wall mounting

SR366



## Honeywell UVEX

Model	Mfg.		Price
No.	No.	Description	/Each
SR366	S461	Refillable lens cleaning station (22.5" x 12.5")	
SN287	S463	473 ml/16 oz. refillable spray solution	
SM798	S464	3.78 L/1 gallon solution refill	
SN144	S462	Box of 500 non-abrasive tissues	

## **FACE PROTECTION**

## HIGH PERFORMANCE® FACESHIELDS

- Exclusive overlay designs; heat and scratch resistant
- Oversized 7" heat resistant crown for extra protection
- Lifetime limited warranty
- Meets ANSI Z87.1 and CSA Z94.3 standards

Headgear and faceshields sold separately



## Honeywell FIBRE-METAL

Model	Mfg.		Price
No.	No.	Description	/Each
SAJ463	F-500	Headgear	
SAP369	4199CL	Clear, 19" x 9 3/4"	
SAR046	4199IRUV3	IR 3.0, 19" x 9 3/4"	

## HIGH PERFORMANCE® FACESHIELDS

- High performance faceshields are stronger, more durable and more heat-resistant than ordinary faceshields
- Made from Noryl®, the same material used in Fibre-Metal®'s welding helmets
- Exclusive channel grip system mounts windows and locks them in place to form a perfect seal from dust, dirt and debris
- · Deeper 4" crown protector extends protection without increasing weight
- Wide vision 8" x 16.5" wraparound visors provide 40% more protection area than standard size faceshields
- Visors are 0.060" thick for an extra margin of protection

Headgear and faceshield sold separately

## Honeywell



Model No.	Mfg. No.	Description	Price /Each
SAM376	F-400	Headgear	
SAM377	4178	Clear faceshield	
SAM403	4178IR/UV5	IR/UV5 Shade 5.0 faceshield	

## **UVEX TURBOSHIELD FACESHIELDS**

- · Features hardcoat/anti-fog polycarbonate
- Protection from debris impact and chemical splash, must be used in conjunction with primary eye protection
- Provides superior comfort for longer wear, the easiest visor exchange available, and optimal balance when used with a hard hat
- Perfect for workers exposed to falling or flying objects, impact, splash, and airborne debris; it can also be comfortably worn with most goggles, respirators and earmuffs
- Provides superior comfort for longer wear, the easiest visor exchange available, and optimal balance when used with a hard hat
- Standard(s) Met: CSA Z94.3/ANSI Z87+

Headgear and faceshield sold separately

## Honeywell UVEX

Model No.	Mfg. No.	Description	Price /Each
SEJ801	S9510	Hard Hat Adaptor	/ Lucii
SEJ802	\$9555	Clear, 12 1/2" x 8 1/2"	

## ARC FLASH SERIES FACESHIELDS

### **DUAL CROWN HIGH PERFORMANCE FACESHIELD SYSTEMS**

- · Full face and neck protection
- Broader, deeper 4" headgear and chin protector, molded from Noryl®
- Available in dual crown ratchet headgear model or duel channel cap peak mounting bracket with chin protector
- High performance injection molded, preformed optically correct propionate faceshield with 25 cal ratings when used as tested

Meets ANSI standard Z87.1-2010 and is certified to the requirements of CSA standard Z94.3



Honeywell IBRE-METAL

Model	Mfg.		Price
No.	No.	Description	/Each
SAP523	FM400DCAF25	Dual crown protective mask and faceshield	
SAP524	FM70DCAF25	Dual crown protective mask, faceshield and safety cap	

## **FORESTRY KITS**

### **CONTAINS:**


- 1 SFM519 hard hat, orange
- 1 SAM365 forestry screen
- 1 SAH731 Intruder muff, NRR 27 dB

Model No. SDM247 Mfg. No. SDM247-KIT Price/Each \$

## Honeywell

NORTH





Honeywell

## BIONICTM SHIELDS

- · Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- · Excellent optics and increased visibility
- Easy-to-set ratcheting headgear locking mechanism assures comfortable, secure fit
- Highly adjustable headgear tilts visor nearer or farther from face depending on preference and application
- Easily replaceable visor with dual position choices
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators
- Meets ANSI standard Z87.1-2010 and is certified to the requirements of CSA standard Z94.3



UVEX

Model No.	Mfg. No.	Pr Description /Ea			
BIONIC™					
SAK421	\$8500	Clear uncoated faceshield			
SAK422	\$8510	Clear anti-fog hardcoat faceshield			
REPLACE/	MENT FACESHIE	LDS			
SAK423	\$8550	Clear uncoated			
SAK424	\$8555	Clear anti-fog hardcoat			
SAK425	\$8560	Shade 3.0, uncoated			
SAK426	\$8565	Shade 5.0, uncoated			
ACCESSO	RIES				
SA0774	\$8580	Replacement headband			
SA0775	\$8570	Hard hat adapter			
SA0776	\$8595	Ratchet suspension			

## PROTECTO-SHIELD® PROLOK® FACESHIELDS

- · Impact and splash protection
- · Constructed of tough thermoplastic
- Heat resistant brow guard
- · Easy sizing and tension adjustment for individual visor positioning
- Faceshields easily attach with no snaps, posts or levers
- Specially designed with a chemical splash drip edge to prevent fluids from splashing down inside the visor



### **FACESHIELDS**

- Universal hole pattern allows visors to be used with other popular manufacturers' headgear
- · Easy attachment without snaps, posts or levers
- Reinforced edge to resist cracking from abuse
- Popular industry sizes and thicknesses
- Aluminum-bound acetate visors form
- easily for a contoured, customized fit
- Faceshields offer secondary protection and must be worn with spectacles or goggles
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z84.3

Model No.	Mfg. No.	Description	Price /Each
HEADGE	ARS		
SG413	11380048	Ratchet Adjustment	

Model	Mfg.		Dimensions	Price
No.	No.	Description	H" x W" x D"	/Each
FACESHIE	LDS - MOLDED			
SG418	11390044	Clear, Triton	8 1/2 x 15 x 0.060	
SG419	11390047	Clear, Polycarbonate	8 1/2 x 15 x 0.060	
SAK431	11390066	Shade 3.0	8 1/2 x 15 x 0.060	
SAK432	11390067	Shade 4.0	8 1/2 x 15 x 0.060	
SAK433	11390068	Shade 5.0	8 1/2 x 15 x 0.060	
SAK434	11390069	Shade 6.0	8 1/2 x 15 x 0.060	





## JACKSON SAFETY\* 170-SB HEADGEARS

- · Enables attachment of all faceshields
- · Spark deflector
- Ratchet suspension

Faceshields sold separately



Model No. 138-1613 Mfg. No. 29077 Price/Each \$



## JACKSON SAFETY\* MODEL K HEADGEARS

- Spark deflector
- Soft, absorbent wraparound foam cushioned sweatband gently hugs the natural shape of the head
- Ratchet suspension

Faceshields sold separately



Model No. 141-1425 Mfg. No. 14381 Price/Each \$



## **FACE PROTECTION**

## JACKSON SAFETY\* FACESHIELDS

- Impact performance
- Good performance against heat
- Excellent cold flexibility
- Meets ANSI standard Z87.1
- Compliant with CSA standard Z94.3



Model	Mfg.	Dimensions				Price
No.	No.	W" x D" x	L"	Description	Binding	/Each
138-1070	29087	15.5 x 0.060 x	8	F20, Clear - Polycarbonate	Unbound	
138-1035	29079	15.5 x 0.040 x	9	F30, Clear - Acetate	Aluminum Bound	
138-1072	26262	15.5 x 0.060 x	8	F50, IR/UV 3.0 - Polycarbonate	Unbound	
138-1074	29080	15.5 x 0.060 x	8	F50, IR/UV 5.0 - Polycarbonate	Unbound	

## ZENITH GOGGLES WITH SAFETY SHIELD

- Indirect ventilation and a polycarbonate shield for full face protection
- Face shield detaches from the goggles
- Curved face shield conforms to the shape of the users face for added protection
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3

Model No. SEL095 Price/Each \$





## RATCHET FACESHIELDS

- ABS material: Plastic resin forms shell of the headgear
- 5-cam locking system for added impact resistance
- Crown is made of nylon 66
- 4" Sparkgard made of HDPE Plastic
- · Large ratchet handle is easy to adjust for optimum fit
- Washable cotton sweatband for better fit and durability
- Meets or exceeds ANSI Z87.1+ standards

Headgear and faceshield sold separately



Main								
Model	Mfg.			Di	mensio	ns		Price
No.	No.	Description	H"	X	W"	X	D"	/Each
SA388	103	Ratchet Headgear			-			
SA301	181540	Clear Polycarbonate Faceshield	8	Х	15 1/2	Х	0.040	



## JACKSON SAFETY\* CAPSHIELDS

· Ideal for attachment of Jackson Safety\* faceshields

### 137 CAPSHIELDS

- Metal device for non-slotted caps
- Curved aluminum channel and coil spring attachment



### **437 CAPSHIELDS**

- · All plastic, totally dielectric device for slotted caps
- Curved plastic channel fits over the bill of the cap and includes pivoting blades which snap easily into cap slots
- Faceshields are secured with integral plastic lugs



(3) Kimberly-Clark
PROFESSIONAL*

Model No.	Mfg. No.	Description	Price /Each
138-1550	14948	137 Capshield, Cap Coil Spring Attachment	
138-1775	14947	437 Capshield, Blade Mounted	

## 3MTM H8A HEADGEAR WITH **WP96 FACESHIELD**

- Combination headgear and faceshield safety system
- Includes H8A ratchet headgear and WP96 polycarbonate faceshield with adjustable ratchet suspension
- Molded faceshield provides impact protection
- Five position crown strap
- Shield tint: Clear
- Certification(s): Meets the requirements of ANSI Z87.1-2003





Model Mfg. Dimensions			;	Price				
No.	No.	Description	H"	X	W"	X	D"	/Each
SDA135	82783-00000	Headgear w/WP96 Faceshields	9	χ	14.5	Х	0.08	
SM817	82701-00000	Replacement WP96 Faceshields	9	Х	14.5	Х	0.08	



## **FACE PROTECTION**

## **FACESHIELDS**

Choose from a wide variety of faceshields that fit easily on MSA faceshield frames. Nitrometer faceshields and chin-guards incorporate an additional guard to help protect chin and neck and reduce the chance of upsweep of particles and splash. Faceshields should always be worn with primary eye protection such as high impact resistant spectacle or goggles. All MSA faceshields meet or exceed applicable requirements of ANSI 287.1.







Model	Mfg.		Window	Dime	ensions	Price
No.	No.	Description	W"	x	D"	/Each
POLYCA	RBONAT	E				
SEK030	10115836	Clear, Side Contour	8	χ	17	
SEL088	10115842	Green Tint, Molded, AF/AS	8	Х	17	
SEL098	10115853	Clear, Molded	10.375	χ	17	
PROPIO	NATE					
SEL084	10115855	Clear, Molded	8	χ	17	
SEL085	10115851	Clear, Molded	9.25	χ	18	
MESH						
SEL099	10116557	Mesh w/Plastic Edge	-		-	
SEL013	10158822	V-Gard, Epoxy-Coated Steel Mesh	-		-	
ARC FLA	SH					
SEL107	10115847	Molded, Rated 12.9 Cal/cm <sup>2</sup>	29.25	χ	18	
SEL108	10118480	Molded, Nitrometer, Chin Protector	8	χ	7.25	
FRAME						
SEJ998	10115730	V-Gard, for Slotted Caps, w/Debris Control				
SEL103	10121266	V-Gard, for Slotted Caps				
SEL104	10115821	V-Gard, for Slotted Caps, High Temp, w/Debris Co	ntrol			
SEL105	10121267	V-Gard, for Slotted Caps, High Temp, w/o Debris C	ontrol			
SEL106	10116552	V-Gard, Universal Frame, High Temp, w/Debris Co	ontrol			
SEL012	10115822	V-Gard, Universal Frame, w/Debris Control				
SEK014	10124426	V-Gard, Universal Frame, High Temp, w/o Debris C				
SEK015	10121268	V-Gard, Universal Frame, w/o Debris Contro				

## HEAD & FACE PROTECTION SYSTEMS

### **CONTAINS:**

- 1 SAF960 V-Gard® hard hat, yellow
- 1 **SEJ998** V-Gard®, for Slotted Caps, w/Debris Control
- 1 SFK030 Clear
- polycarbonate faceshield 1 **SEL083** Sound Blocker muffs, 21 NRR

Model No. SAM400 Price/Each \$



SAM400

### **CONTAINS:**

Price/Each \$


- 1 SAF960 V-Gard® hard hat, yellow
- SEJ998 V-Gard®, for Slotted Caps, w/Debris Control
- 1 SEK030 Clear

polycarbonate faceshield Model No. SAM401





SAM401



## WHISTLER HARD HAT - TYPE 1

- · Sleek & modern style
- Lightweight high density polyethylene
- Rain trough & slotted design shell to accommodate all the latest accessories such as hearing protection, face shields, forestry kits or welding protection
- Attachment points for chin straps
- Comfortable 4-point nylon webbing suspension
- Large printing surfaces for company logo's on front, sides & back
- Certification(s): ANSI Type I/CSA Type 1



## YNAMIC

Model	Mfg.	Colour	Price
No.	No.	Colour	/Each
PIN LOCK			
SFY466	HP241/01	White	
SFY580	HP241/02	Yellow	
SFY547	HP241/03	Orange	
SFY570	HP241/07	Sky Blue	
SFY540	HP241/08	Navy Blue	
SFY478	HP241/11	Black	
SFY558	HP241/15	Red	
SFY553	HP241/20	Pink	
SFY522	HP241/31	High Visibility Orange	
SFY517	HP241/44	High Visibility Yellow	
"SURE-LOG	CK" RATCHET		
SFY722	HP241R/01	White	
SFY730	HP241R/02	Yellow	
SFY685	HP241R/03	Orange	
SFY712	HP241R/07	Sky Blue	
SFY678	HP241R/08	Navy Blue	
SFY607	HP241R/11	Black	
SFY698	HP241R/15	Red	
SFY691	HP241R/20	Pink	
SFY657	HP241R/31	High Visibility Orange	
SFY651	HP241R/44	High Visibility Yellow	

## DOM HARD HAT - TYPE 1

- Smooth dome shape is ideal for welding applications & attachments
- · Rain trough & slotted design high density polyethylene shell to accommodate all the latest accessories such as hearing protection, face shields, forestry kits or welding protection
- Attachment points for chin straps
- Comfortable 4-point nylon webbing suspensions with pin-lock
- Large printing surfaces for company logo's on front, sides & back
  - Certification(s): ANSI Type I/CSA Type 1





Model	Mfg.		Price
No.	No.	Colour	/Each
PIN LOCK			
SFY577	HP341/01	White	
SFY582	HP341/02	Yellow	
SFY549	HP341/03	Orange	
SFY572	HP341/07	Sky Blue	
SFY542	HP341/08	Navy Blue	
SFY480	HP341/11	Black	
SFY560	HP341/15	Red	
"SURE-LOCI	K" RATCHET		
SFY724	HP341R/01	White	
SFY732	HP341R/02	Yellow	
SFY687	HP341R/03	Orange	
SFY714	HP341R/07	Sky Blue	
SFY675	HP341R/08	Navy Blue	
SFY609	HP341R/11	Black	
SFY700	HP341R/15	Red	
SFY858	HP341RCAM/74	Camo	
SFY446	HP341RCAN/11	Canadian Graphics	
SFY448	HP341RQUE/01	Fleur de Lys	

## LOGAN HARD HAT - TYPE 1

- Sleek european design
- Lightweight high density polyethylene shell
- No rain trough, chin straps attachments, universal slots for accessories
- Short peak for better vision
- Top ventilation
- "Sure-Lock II" comfortable 4-points nylon suspension
- CSA Z94.1 Certified Type 1,Class E
- Certification(s): ANSI Type I/CSA Type 1





## **YNAMIC**

Model	Mfg.		Price
No.	No.	Colour	/Each
"SURE-LOC	CK" RATCHET		
SGC519	HP1141RSP/01	White	
SGC516	HP1141RSP/02	Yellow	
SGC520	HP1141RSP/03	Orange	
SGC518	HP1141RSP/07	Sky Blue	
SGC521	HP1141RSP/08	Navy Blue	
SGC524	HP1141RSP/31	High Visibility Orange	

### STROMBOLI HARD HAT - TYPE 1

- · Safety helmet designed primarily for welders and high heat applications
- Shell is made of lightweight polycarbonate offering exceptional protection against heat, radiation and impacts
- The rain trough free shell is narrower than other models and allows the addition of all types of welding helmets available on the market without any restrictions
- Attachment points for chin straps
- "Sure-Lock" ratchet adjustment to properly fit all head sizes large or small
- Large printing surfaces for company logo's on front, sides & back
- Foam liner adds lateral side, front & rear impact protection
- Certification(s): ANSI Type I/CSA Type 1



## YNAMIC

Model	Mfg.		Price
No.	No.	Colour	/Each
"SURE-LOC	CK" RATCHET		
SFY748	HP841R/01	White	
SFY749	HP841R/02	Yellow	
SFY745	HP841R/03	Orange	
SFY741	HP841R/04	Dark Green	
SFY743	HP841R/09	Grey	
SFY740	HP841R/11	Black	
SFY746	HP841R/15	Red	
SFY747	HP841R/71	Steel Blue	
SFY445	HP841RCAM/74	Camo	
SFY447	HP841RCAN/11	Canadian Graphics	
SFV449	HP841ROUE/01	Fleur de Lys	

## STROMBOLI HARD HAT - TYPE 2

- Safety helmet designed primarily for welders and high heat applications
- Shell is made of lightweight polycarbonate offering exceptional protection against heat, radiation and impacts
- The rain trough free shell is narrower than other models and allows the addition of all types of welding helmets available on the market without any restrictions
- Attachment points for chin straps
- "Sure-Lock" ratchet adjustment to properly fit all head sizes large or small
- Large printing surfaces for company logo's on front, sides & back
- Foam liner adds lateral side, front & rear impact protection
- Certification(s): ANSI Type II/CSA Type 2



## **YNAMIC**

Model No.	Mfg. No.	Colour	Price /Each
"SURE-LOC	K" RATCHET		
SFY821	HP842R/01	White	
SFY824	HP842R/02	Yellow	
SFY810	HP842R/03	Orange	
SFY791	HP842R/04	Dark Green	
SFY794	HP842R/09	Grey	
SFY786	HP842R/11	Black	
SFY815	HP842R/15	Red	
SFY777	HP842R/71	Steel Blue	
SFY780	HP842RCAM/74	Camo	
SFY859	HP842RCAN/11	Canadian Graphics	
SFY781	HP842RQUE/01	Fleur de Lys	
ACCESSOR	IES		
SFY905	HP842FM	Replacement Foam	

## KILIMANJARO HARD HAT - TYPE 1

- Added sun protection to ears & neck from harmful UV rays and protection from falling materials & debris
- Sleek & attractive design
- High density polyethylene shell
- · Large printing surfaces for great custom logos on front, sides & back
- Accessory slots & chin strap attachments
- CSA certified Z94.1 Type 1, Class E
- Certification(s): ANSI Type 1/CSA Type 1



## **YNAMIC**

Model	Mfg.		Price
No.	No.	Colour	/Each
PIN LOCK			
SFY578	HP641/01	White	
SFY584	HP641/02	Yellow	
SFY551	HP641/03	Orange	
SFY573	HP641/07	Sky Blue	
SFY543	HP641/08	Navy Blue	
SFY481	HP641/11	Black	
SFY561	HP641/15	Red	
SFY520	HP641/44	High Visibility Yellow	
"SURE-LOC	K" RATCHET		
SFY726	HP641R/01	White	
SFY734	HP641R/02	Yellow	
SFY689	HP641R/03	Orange	
SFY715	HP641R/07	Sky Blue	
SFY676	HP641R/08	Navy Blue	
SFY610	HP641R/11	Black	
SFY701	HP641R/15	Red	
SFY654	HP641R/44	High Visibility Yellow	
ACCESSOR	IES		
SFY886	HP641S	Replacement Suspension - Pin Lock	
SFY887	HP641RS	Replacement Suspension - Ratchet	

## MONT-BLANC HARD HAT - TYPE 2

- Foam liner to offer added lateral front, side & back protection
- Sleek & attractive design
- High density polyethylene shell
- Shell has rain trough for extra convenience
- Large printing surfaces for great custom logos on front, sides & back
- Accessory slots & chin strap attachments
- CSA Z94.1 certified Type 2, Class E
- Certification(s): ANSI Type II/CSA Type 2



## **YNAMIC**

Model	Mfg.		Price
No.	No.	Colour	/Each
PIN LOCK			
SFY766	HP542/01	White	
SFY767	HP542/02	Yellow	
SFY761	HP542/03	Orange	
SFY765	HP542/07	Sky Blue	
SFY760	HP542/08	Navy Blue	
SFY751	HP542/11	Black	
SFY763	HP542/15	Red	
SFY762	HP542/20	Pink	
SFY768	HP542/31	Hi-Viz Orange	
SFY757	HP542/44	High Visibility Yellow	
"SURE-LOC	CK" RATCHET		
SFY860	HP542R/01	White	
SFY822	HP542R/02	Yellow	
SFY808	HP542R/03	Orange	
SFY818	HP542R/07	Sky Blue	
SFY806	HP542R/08	Navy Blue	
SFY806	HP542R/08	Navy Blue	
SFY784	HP542R/11	Black	
SFY813	HP542R/15	Red	
SFY811	HP542R/20	Pink	
SFY801	HP542R/31	Hi-Viz-Orange	
SFY799	HP542R/44	High Visibility Yellow	
ACCESSOR	RIES		
SFY884	HP542S	Replacement Suspension - Pin Lock	
SFY885	HP542RS	Replacement Suspension - Ratchet	

## KILIMANJARO HARD HAT - TYPE 2

- Added sun protection to ears & neck from harmful UV rays and protection from falling materials & debris
- Sleek & attractive design
- · High density polyethylene shell
- · Large printing surfaces for great custom logos on front, sides & back
- Accessory slots & chin strap attachments
- CSA certified Z94.1 Type 2, Class E
- Certification(s): ANSI Type II/CSA Type 2



## TNAMIC

Model	Mfg.		Price
No.	No.	Colour	/Each
"SURE-LOC	K" RATCHET		
SFY820	HP642R/01	White	
SFY823	HP642R/02	Yellow	
SFY809	HP642R/03	Orange	
SFY819	HP642R/07	Sky Blue	
SFY807	HP642R/08	Navy Blue	
SFY785	HP642R/11	Black	
SFY814	HP642R/15	Red	
SFY802	HP642R/31	High Visibility Orange	
SFY800	HP642R/44	High Visibility Yellow	

## **ROCKY HARD HAT - TYPE 1**

- Ultra light shell made out of polycarbonate/ABS while offering you superior protection
- Shell has no front peak providing you a clear upward vision
- Attractive ergonomic shell with fluid curves that do not interfere with the users ears
- · Large printing surface for logos
- Redesigned suspension for maximum comfort
- · Maximum suspension adjustment to fit small and large heads
- Comfortable 4-point chin strap with easy adjustment
- Universal slots for ear muffs
- CSA certified Z94.1 Type 1, Class E
- Certification(s): ANSI Type I/CSA Type 1



## TNAMIC

Model No.	Mfg. No.	Colour	Price /Each
"SURE-LOC	K" RATCHET		
SFY721	HP141R/01	White	
SFY729	HP141R/02	Yellow	
SFY683	HP141R/03	Orange	
SFY619	HP141R/04	Dark green	
SFY668	HP141R/06	Light blue	
SFY638	HP141R/09	Grey	
SFY605	HP141R/11	Black	
SFY696	HP141R/15	Red	

## GRAN SLAM BUMP CAP

- · For low hazard area protection against minor bumps and lacerations
- Hard shell with crown foam pads for maximum comfort and fit
- Super lightweight
- Well vented for increased comfort during hot, sunny days
- Adjustable to fit most head sizes
- Customizable with your company logo, for an additional charge



## TURMIC

Model	Mfg.		Price
No.	No.	Colour	/Each
SGC422	HP946/08	Navy Blue	
SGC423	HP946/15	Red	
SGC424	HP946/09	Grey	
SGC425	HP946/11	Black	

## **ROCKY HARD HAT - TYPE 2**

- Ultra light shell made out of polycarbonate/ABS while offering you superior protection
- Shell has no front peak providing you a clear upward vision
- Attractive ergonomic shell with fluid curves that do not interfere with the users ears
- Large printing surface for logos
- Redesigned suspension for maximum comfort
- Maximum suspension adjustment
- to fit small and large heads Comfortable 4-point chin
- strap with easy adjustment
- Universal slots for ear muffs
- CSA certified Z94.1 Type 2, Class E Certification(s): ANSI Type II/CSA Type 2





Model	Mfg.		Price
No.	No.	Colour	/Each
"SURE-LOC	K" RATCHET		
SFY778	HP142R/01	White	
SFY779	HP142R/02	Yellow	
SFY775	HP142R/03	Orange	
SFY770	HP142R/04	Dark green	
SFY774	HP142R/06	Light blue	
SFY772	HP142R/09	Grey	
SFY769	HP142R/11	Black	
SFY776	HP142R/15	Red	

## **BUMP CAP**

- Super-lightweight
- Well ventilated
- · Flat printing surfaces for great custom logos
- Suspension Type: Pinlock





Model	Mfg.		Price
No.	No.	Colour	/Each
SFY875	HP940/01	White	-
SFY876	HP940/02	Yellow	
SFY874	HP940/07	Sky Blue	
SFY873	HP940/15	Red	



### LIBERTY SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- · Molded from high density polyethylene for maximum comfort and protection
- · Features short peak, trim profile, and functional rain trough
- · Accessory slots accommodate a wide
- variety of eye, face and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- · Low nape strap helps eliminate
- unnecessary shifting on the wearer's head
- · Comfortable, 4-point impact-absorbing nylon woven suspension
- · Easy Quick-Slide or Secure-Fit ratchet suspension adjustment
- Reverse headband certified
- Certified to CSA standard Z94.1 type 1, Class E







Model	Mfg.		Price
No.	No.	Colour	/Each
EASY QUI	CK-SLIDE SUSPENSION		
SAX840	14LS79822-YEL	Yellow	
SAX841	14LS79826-BLU	Blue	
SAX842	14LS79821-WHT	White	
SAX844	14LS79823-ORG	Orange	
SAX849	14LS79801-DBL	Dark Blue	
SAX845	14LS79835-HV0	Hi-Viz Orange	
SECURE-F	IT RATCHET SUSPENSION	N	
SAX850	14LR79622-YEL	Yellow	
SAX851	14LR79626-BLU	Blue	
SAX852	14LR79621-WHT	White	
SAX854	14LR79623-ORG	Orange	
SAX859	14LR79601-DBL	Dark Blue	
SAX855	14LR79635-HV0	Hi-Viz Orange	

### **REPLACEMENT 4-POINT SUSPENSION**

Model No.	Mfg. No.	Description	Price /Each
SAX884	14A79800	Easy Quick-Slide suspension	
SAX885	14A79600	Secure-Fit ratchet suspension	

## **OMEGA II SAFETY CAPS CSA TYPE 1**

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Accessory slots accommodate a wide variety of eye, face, and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Comfortable, 6-point impactabsorbing nylon woven suspension
- Easy Quick-Slide or Secure-Fit ratchet suspension adjustment
- Reverse headband certified
- Certified to CSA standard Z94.1 type 1, Class E







SAX787	Model No.	Mfg. No.	Colour	Price /Eacl
SAX788         140S69136-BLU         Blue           SAX789         140S69131-WHT         White           SAX793         140S69129-HVP         Hi-Viz Pink           SAX790         140S69133-ORG         Orange           SAX799         140S699301-DBL         Dark Blue           SAX795         140S69135-HVO         Hi-Viz Orange           SECURE-FIT RATCHET SUSPENSION           SAX800         140R69952-YEL         Yellow           SAX801         140R69956-BLU         Blue           SAX802         140R69951-WHT         White           SAX803         140R69953-ORG         Orange	EASY QUI	CK-SLIDE SUSPENSION		
SAX789         140S69131-WHT         White           SAX793         140S69129-HVP         Hi-Viz Pink           SAX790         140S69133-ORG         Orange           SAX799         140S69301-DBL         Dark Blue           SAX795         140S69135-HVO         Hi-Viz Orange           SECURE-FIT RATCHET SUSPENSION           SAX800         140R69952-YEL         Yellow           SAX801         140R69952-WH         Blue           SAX802         140R69951-WHT         White           SAX803         140R69953-ORG         Orange	SAX787	140S69132-YEL	Yellow	
SAX793         140S69129-HVP         HI-Viz Pink           SAX790         140S69133-0RG         Orange           SAX799         140S69301-DBL         Dark Blue           SAX795         140S69135-HV0         Hi-Viz Orange           SECURE-FIT RATCHET SUSPENSION           SAX800         140R69952-YEL         Yellow           SAX801         140R69956-BLU         Blue           SAX802         140R69951-WHT         White           SAX803         140R69953-0RG         Orange	SAX788	140S69136-BLU	Blue	
SAX790         140S69133-0RG         Orange           SAX799         140S69301-DBL         Dark Blue           SAX795         140S69135-HVO         Hi-Viz Orange           SECURE-FIT RATCHET SUSPENSION           SAX800         140R69952-YEL         Yellow           SAX801         140R69956-BLU         Blue           SAX802         140R69951-WHT         White           SAX803         140R69953-ORG         Orange	SAX789	140S69131-WHT	White	
SAX799         140S69301-DBL         Dark Blue           SAX795         140S69135-HV0         Hi-Viz Orange           SECURE-FIT RATCHET SUSPENSION           SAX800         140R69952-YEL         Yellow           SAX801         140R69956-BLU         Blue           SAX802         140R69951-WHT         White           SAX803         140R69953-ORG         Orange	SAX793	140S69129-HVP	Hi-Viz Pink	
SAX795         140S69135-HV0         Hi-Viz Orange           SECURE-FIT RATCHET SUSPENSION           SAX800         140R69952-YEL         Yellow           SAX801         140R69956-BLU         Blue           SAX802         140R69951-WHT         White           SAX803         140R69953-ORG         Orange	SAX790	140S69133-ORG	Orange	
SECURE-FIT RATCHET SUSPENSION           SAX800         140R69952-YEL         Yellow           SAX801         140R69956-BLU         Blue           SAX802         140R69951-WHT         White           SAX803         140R69953-ORG         Orange	SAX799	140S69301-DBL	Dark Blue	
SAX800         140R69952-YEL         Yellow           SAX801         140R69956-BLU         Blue           SAX802         140R69951-WHT         White           SAX803         140R69953-ORG         Orange	SAX795	140S69135-HV0	Hi-Viz Orange	
SAX801         140R69956-BLU         Blue           SAX802         140R69951-WHT         White           SAX803         140R69953-ORG         Orange	SECURE-F	IT RATCHET SUSPENSION	l .	
SAX802         140R69951-WHT         White           SAX803         140R69953-ORG         Orange	SAX800	140R69952-YEL	Yellow	
<b>SAX803</b> 140R69953-ORG Orange	SAX801	140R69956-BLU	Blue	
	SAX802	140R69951-WHT	White	
SAX812 140R69901-DBL Dark Blue	SAX803	140R69953-0RG	Orange	
	SAX812	140R69901-DBL	Dark Blue	
SAX806 140R69989-HVP Hi-Viz Pink	SAX806	140R69989-HVP	Hi-Viz Pink	
<b>SAX808</b> 140R69955-HVO Hi-Viz Orange	SAX808	140R69955-HV0	Hi-Viz Orange	

Note: Other colours available upon request

### **REPLACEMENT 6-POINT SUSPENSION**

Model Mfg.			Price
No.	No.	Description	Each
SAX880	14A19141	Easy Quick-Slide suspension	
SAX881	14A19945	Secure-Fit ratchet suspension	

## OMEGA II SAFETY CAPS CSA TYPE 2

- · Crown and lateral impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Accessory slots accommodate a wide variety of eye, face, and hearing products
- · Cushioned brow pad absorbs moisture and is removable and washable
- Comfortable, 4-point impact-
- absorbing nylon woven suspension Easy Quick-Slide or Secure-Fit ratchet
- suspension adjustment Reverse headband certified
- Certified to CSA standard Z94.1 type 2, Class E







Model	Mfg.		Price
No.	No.	Colour	/Each
EASY QUI	CK-SLIDE SUSPENSION		
SAX813	140SC49132-YEL	Yellow	
SAX815	140SC49131-WHT	White	
SAX819	140SC49129-HVP	Hi-Viz Pink	
SAX814	140SC49136-BLU	Blue	
SAX816	140SC49133-ORG	Orange	
SAX825	140SC49301-DBL	Dark Blue	
SAX821	140SC49135-HV0	Hi-Viz Orange	
SECURE-F	IT RATCHET SUSPENSION	I	
SAX826	140RC49932-YEL	Yellow	
SAX827	140RC49936-BLU	Blue	
SAX828	140RC49931-WHT	White	
SAX829	140RC49933-0RG	Orange	
SAX838	140RC49901-DBL	Dark Blue	
SAX832	140RC49929-HVP	Hi-Viz Pink	
SAX834	140RC49935-HV0	Hi-Viz Orange	

Note: Other colours available upon request

### **REPLACEMENT 4-POINT SUSPENSION**

Model Mfg. No. No.		Description	
SAX882	14A69141	Easy Quick-Slide suspension	
SAX883	14A69945	Secure-Fit ratchet suspension	

## OMEGA II FULL BRIM SAFETY CAPS CSA TYPE 1

- · Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Cushioned brow pad absorbs moisture and is removable and washable
- Low nape strap helps eliminate unnecessary shifting on the wearer's head Comfortable, 6-point impact-absorbing
- nylon woven suspension • Easy Quick-Slide or Secure-Fit ratchet suspension adjustment
- Certified to CSA standard Z94.1 type 1, Class E







Safety	Products for LIFE.	•	
Model No.	Mfg. No.	Colour	Price /Each
EASY Q	UICK-SLIDE SUSPENSION		
SAX860	14FS69502-YEL	Yellow	
SAX861	14FS69506-BLU	Blue	
SAX862	14FS69501-WHT	White	

SAX862	14FS69501-WHT	White
SAX865	14FS69503-ORG	Orange
SAX864	14FS69510-HVL	Hi-Viz Lime
SEJ178	14FS69505-BLK	Black
SECURE	-FIT RATCHET SUSPENSION	
SAX867	14FR69812-YEL	Yellow
SAY868	14FR69816_RLII	Rlue

SEJ179	14FR69821-BLK	Black
SAX871	14FR69823-HVL	Hi-Viz Lime
SAX872	14FR69813-ORG	Orange
SAX869	14FR69811-WHT	White
SAX868	14FR69816-BLU	Blue
JAKOUI	141 N030 12-1 LL	ICIIOW

Note: Other colours available upon request

### **REPLACEMENT 6-POINT SUSPENSION**

Model	Mfg.		Price
No.	No.	Description	/Each
SAX880	14A19141	Easy Quick-Slide suspension	
SAX881	14A19945	Secure-Fit ratchet suspension	

## **BUMP CAPS**

- Ideal for protecting head from lacerations, minor bumps and bruises
- Molded from high density polyethylene for maximum comfort and protection
- Perforated sides allow cross ventilation for maximum air circulation
- Cushioned brow pad absorbs moisture and is removable and washable
- 4-point injection-moulded suspension
- "Pin-lock" sizing adjustment Not certified





Model	Mfg.		Price
No.	No.	Colour	/Each
SAX874	14B19112-YEL	Yellow	
SAX876	14B19111-WHT	White	
SAX877	14B19114-RED	Red	
SAX879	14B19161-DBL	Dark Blue	

Note: Other colours available upon request

### REPLACEMENT BUMP CAP SUSPENSION

Model	Mfg.		Price
No.	No.	Description	/Each
SAX886	14A19120	Replacement suspension	

## LIBERTY FULL BRIM TYPE 2 SAFETY CAPS

- · Crown and lateral impact and penetration
- Lightest weight CSA Type 2 certified full brim on the market
- Remarkable styling, low profile design providing added stability and comfort
- Full brim provides sun and rain protection
- Accommodates chin strap
- Moisture wicking brow pad is removable, washable, and replaceable
- Goggle retaining slots on suspension
- Mega Ratchet<sup>TM</sup> 4-point woven nylon suspension fits head sizes 6 1/2 8
- Foam lined ratchet housing provides added comfort and increased traction
- Certified to CSA standard Z94.1 type 2, Class C, E and G





Model	Mfg.		Price
No.	No.	Colour	/Each
SDL923	14LFRC69771-WHT	White	
SDL924	14LFRC69772-YEL	Yellow	
SDL925	14LFRC69773-ORG	Orange	
SDL926	14LFRC69774-RED	Red	
SDL927	14LFRC69770-DBL	Dark Blue	
SDL928	14LFRC69776-BLK	Black	
SDL929	14LFRC69775-HV0	Hi-Viz Orange	
SDL112	14LFRC69778-HVL	Hi-Viz Lime	
CDI 030	1/I FRC60770_HVP	Hi_Viz Dink	


Note: Other colours available upon request

### **REPLACEMENT 4-POINT SUSPENSION**

Model	Mfg.		Price
No.	No.	Description	//Each
SAX885	14A79600	Replacement Suspension	

## CREATE-A-CAP - BUMP CAPS

- 100% cotton ball cap
- ABS shell cap insert with foam padding
- Hook & loop size adjustment
- Vent holes for breathability
- Protects against lacerations, minor bumps and bruises in areas that do not require certified safety helmets
- Ideal for meat packing, food/beverage processing, warehousing, auto repair, pest control and home inspection





Model		Price
No.	Colour	/Each
SEJ182	Dark Blue	
SEJ183	Camo	
SEJ184	Orange	
SEJ185	Red	

create 2 cap

## NORTH ZONE™ HARD HATS

- Slots for cap-mounted earmuffs, face shields and other PPE accessories
- 3-level height adjustment (Low, Medium, High) for greater stability, balance and retention
- Removable, replaceable rear comfort cradle for improved fit and comfort
- Easy-grip ratchet for smooth and precise headband adjustment, even when wearing gloves
- Ergonomic headband for easy adjustment to 3 different sizes (S, M/L and XL)
- · Moisture-wicking, breathable sweatband; easily removable, washable and replaceable
- Short brim and low-profile design for increased field of vision and user mobility

Honeywell

SFM509 N10110000

SFM510 N10120000

SFM511 N10130000

SFM512 N10150000

SFM513 N10170000

SFM514 N10200000

SFM515 N10440000

SFM516 N10460000

- Approved to be worn in the reverse position
- Certification(s): ANSI Type I/CSA Z94.1 Type 1



Model	Mfg.		Price
No.	No.	Colour	/Each
PINLO	CK SUSPENSI	ON	
SFM500	N10010000	White	
SFM501	N10020000	Yellow	
SFM502	N10030000	Orange	
SFM503	N10040000	Green	
SFM504	N10050000	Hi-Viz Red	
SFM505	N10070000	Sky Blue	
SFM506	N10080000	Navy Blue	
SFM507	N10090000	Grey	
SFM508	N10100000	Tan	

Black

Brown

Gold

Red

Royal Blue

Hot Pink

Hi-Viz Yellow


Hi-Viz Orange

Model	Mfg.		Price
No.	No.	Colour	/Eacl
RATCH	ET SUSPENSI	ON	
SFM517	N10R010000	White	
SFM518	N10R020000	Yellow	
SFM519	N10R030000	Orange	
SFM520	N10R040000	Green	
SFM521	N10R050000	Hi-Viz Red	
SFM522	N10R070000	Sky Blue	
SFM523	N10R080000	Navy Blue	
SFM524	N10R090000	Grey	
SFM525	N10R100000	Tan	
SFM526	N10R110000	Black	
SFM527	N10R120000	Brown	
SFM528	N10R130000	Gold	
SFM529	N10R150000	Red	
SFM530	N10R170000	Royal Blue	
SFM531	N10R200000	Hot Pink	
SFM532	N10R440000	Hi-Viz Yellow	
SFM533	N10R460000	Hi-Viz Orange	

## MATTERHORN **CSA TYPE 2**

- Foam liner for extra protection from lateral impacts
- Rain trough
- Slotted for attachments
- Ratchet or Quick Fit suspension
- Quick Fit suspension is ultralightweight with locking action, simply squeeze buckle and loosen
- Certified to standard CSA Z94.1 type 2, Class E





## THE EVEREST A49 CSA TYPE 1

- · High-density polyethylene outer shell
- 6-point ratchet web suspension or 4-point pinlock suspension
- Full all around brim for UV ray and rain protection
- Side slots for easy attaching/detaching of accessories
- Sliding mechanism on rear tabs allows self-centering of the helmet on the head
- Crown pad and sweatband for user comfort
- · Sizing adjustment from 6 1/2 to 8
- Certified to CSA standard Z94.1 type 1, Class E





Model	Mfg.			Wt.	Price
No.	No.	Suspension	Colour	oz.	/Each
SE928	A49R010000	Ratchet	White	15.4	
SE929	A49R020000	Ratchet	Yellow	15.4	
SE930	A49R070000	Ratchet	Sky Blue	15.4	
SE931	A49R110000	Ratchet	Black	15.4	
SE932	A49R150000	Ratchet	Red	15.4	
ACCESSO	ORIES				

Safety Cap 4-Point Chin Strap

4-Point pinlock Suspension

## THE EVEREST A119R CSA TYPE 2

- Provide protection from top, sides, front and back
- High-density polyethylene outer shell

A99C100

A491S

Universal slots

SJ317

**SI919** 

- Full all around brim for UV ray and rain protection
- Expanded polystyrene inner shell Ergonomically designed 6-point
- suspension with 2 adjustment levels
- Sliding mechanism on the rear for centering of the helmet on the head
- Ratchet mechanism fits head sizes 6 to 8
- Crown pad and sweatband for user comfort
- Weighs 17.4 oz.
- Certified to standard CSA Z94.1 type 2, Class E





Model	Mfg.		Price
No.	No.	Colour	/Each
SE933	A119R010000	White	
SE934	A119R020000	Yellow	
SE935	A119R030000	Orange	
SE936	A119R070000	Sky Blue	
SE937	A119R110000	Black	
SE938	A119R150000	Red	
SAN168	A119R080000	Navy	



A89S2

A89RS2

SA0538

SAN022

4-Point Ratchet Suspension

## THE SUMMIT A99R **CSA TYPE 2**

- · High-density polyethylene provides all-around limited impact and penetration protection
- Universal slots will accept all attachments
- · Expanded polystyrene inner shell prevents injuries from lateral, side and back impacts
- · 6-point ratchet suspension system comes with 2 adjustment levels for headband
- · Rear tab sliding mechanism allows centering of helmet on head
- Crown pad and sweatband for user comfort
- Weighs less than 17.1 oz.
- · Certified to CSA standard Z94.1 type 2, Class E



## Honeywell



Model	Mfg.			Price
No.	No.	Suspension	Colour	/Each
SA651	A99R010000	Ratchet	White	
SA652	A99R020000	Ratchet	Yellow	
SH146	A99R030000	Ratchet	Orange	
SA650	A99R070000	Ratchet	Sky Blue	
SH147	A99R040000	Ratchet	Green	

Note: Other colours available upon request

### **ACCESSORIES**

Model	Mfg.		Price
No.	No.	Description	/Each
SJ317	A99C100	Safety Cap 4-Point Chin Strap	

## **V-GARD® PROTECTIVE CAPS**

### OFFER COMFORTABLE. LIGHTWEIGHT PROTECTION

- · V-Gard® protective caps from MSA consist of a polyethylene shell and suspension system working together as a protection system.
- V-Gard® headwear features slotted sides and advanced styling in standard (6 1/2 - 8) size.
- Available with Fas-Trac® or 1-Touch™ suspension.
- Caps meet or exceed the applicable requirements for a type I helmet (top impact) as outlined in ANSI Z89.1 and CSA Z94.1, class E.





Model	Mfg.		Price
No.	No.	Colour	/Each
FAS-TRAC®	SUSPENSION		
SAF970	475358	White	
SAF971	475359	Blue	
SAF972	475360	Yellow	
SAF973	475361	Orange	
SAF974	475363	Red	
SAF975	475362	Green	
SAF976	475364	Grey	
SAF977	488146	Hi-Viz Orange	
SAF978	815565	Hi-Viz Lime Green	
SDL113	10061512	Hi-Viz Yellow Green	
SAF981	492559	Black	
1-TOUCH™	SUSPENSION		
SAM578	10057441	White	
SAM579	10057442	Blue	
SAM580	10057443	Yellow	
SAM581	10061514	Hi-Viz Lime Green	

## **BUMP CAPS BC86**

- · For low hazard area protection against minor bumps and lacerations
- · Cool, well-ventilated and lightweight polyethylene construction resists cracking and chipping (not for use in areas requiring hard hat protection)
- One size fits all
- · Available in various colours



Model	Mfg.		Price
No.	No.	Colour	/Each
SAI586	BC86010000	White	
SAI587	BC86020000	Yellow	
SAI588	BC86070000	Sky Blue	
SAI589	BC86080000	Dark Blue	
SEK326	BC86030000	Orange	
SAQ555	BC86040000	Green	

## SUPEREIGHT™ P2A ROUGHNECK

- Exceptional impact and crack resistance plus durability
- · All day comfort under tough working conditions Strip proof ratchet headband
- Exclusive Supereight<sup>TM</sup> suspension, eight load bearing points balance
- and stabilize the cap's weight and dissipate force upon impact · Meets ANSI standard Z89.1,
- Type 1, Classes C and G P2A is high heat resistant to 370°F



## Honeywell

## FIBRE-METAL

Model	Mfg.		Price
No.	No.	Colour	/Each
SAM404	P2AQRW09A000	Grey	
SAM405	P2AQRW74A000	Green	
SAM406	P2AQRW71A000	Blue	

## **V-GARD® FULL BRIM HARDHAT**

- · Polyethylene shell provides superior impact protection
- Self-adjusting crown straps ensure a comfortable fit
- Fas-Trac® III suspension
- Slotted design works with MSA accessories
- Third party tested to meet ANSI/ISEA Z89.1 and CSA Z94.1, Class E requirements



Model No.	Mfg.		Price
	No.	Colour	/Each
SDL493	475366	Yellow	
SDL494	475367	Navy Grey	
SDL495	475368	Blue	
SDL496	475369	White	
SDL497	475370	Green	
SDL498	475371	Red	

## MSA SUSPENSION TYPES:





Fas-Trac' III

## **TOPGARD® PROTECTIVE CAPS**

### UNI-RIDGE DESIGN PROTECTS WEARER FROM FALLING OBJECTS

Lightweight, durable Topgard® slotted caps are built for use by utilities and other industries, where head protection from falling objects is necessary, along with good dielectric properties (non-conduction of electrical current). Limited resistance to top impact or penetration is retained through a wide range of temperatures.

Available in standard (6 1/2 - 8) size with 1-TouchTM or Fas-Trac® suspension. Topgard® caps meet or exceed the applicable requirements for a type I helmet (top impact) as outlined in ANSI Z89.1 and CSA Z94.1, class E.



Model	Mfg.		Price
No.	No.	Colour	/Each
1-TOUCH™	SUSPENSION		
SAM569	454728	White	
SAM571	454723	Blue	
SAM572	454721	Yellow	
SAM573	454725	Orange	
SAM574	454727	Red	
SAM575	454726	Green	
SAM576	454722	Grey	
FAS-TRAC°	SUSPENSION		
SAG002	475385	White	
SAG003	475380	Blue	
SAG004	475378	Yellow	
SAG005	475382	Orange	

### REPLACEMENT SUSPENSIONS

Model No.	Mfg. No.	Description	Price /Each
SAM577	10061127	1-Touch™ Suspension	
SEL240	10153384	Fas-Trac® III Suspension	

## TOPGARD® FULL BRIM HARDHAT

- Built for use by utilities and other industries where head protection with dielectric protection is necessary
- Withstands radiant heat loads up to 275°F
- · Fas-Trac III suspension
- Non-slotted hardhat
- Third party tested to meet ANSI/ISEA Z89.1 and CSA Z94.1, Class E requirements



## MSA

Model	Mfg.		Price
No.	No.	Colour	/Each
SDL487	475387	Yellow	
SDL488	475388	Grey	
SDL489	475389	Blue	
SDL490	475391	Green	
SDL491	475392	Red	
SDL492	475394	Black	

## FREEDOM SERIES<sup>TM</sup> HARD HATS

- V-Gard helmet with distinctive "all Canadian" graphics
- Fas-Trac suspension
- Meet requirements of ANSI Z89.1 for a type I helmet, class E and CSA Z94.1 Type 1, class E
- · Canadian Maple Leaf design

Model No. SAM667 Mfg. No. 10050613 Price/Each \$





## WORKER STARTER KITS

- · Ideal for outfitting temporary workers
- Kit includes:

Hard hat: CSA type 1 with ratchet suspension Safety glasses: I/O blue mirror compliant with CSA standard Ear plugs: Corded CSA class AL with NRR rating of 32 dB Gloves: Split cowhide patch palm leather Respirator: NIOSH N95 approved



Model	Hard Hat	Price
No.	Colour	/Each
SEH890	Yellow	
SEH891	White	
SEH892	Blue	



## WINTER LINERS

### FLAME RESISTANT OUTER SHELL

Winter liners give you added protection in cold conditions or on windy days. Can be worn with caps, hats, welding helmets, hard hats or alone. One size fits all.



### **SEVERE COLD**

Twill outer layer, sheep thermal lined and full neck flap for severe cold. Model No. SAM455 Price/Each \$



**MODERATE COLD** 

Twill outer layer and polyfiber/cotton lined for moderate to severe cold.





MILD COLD

Single twill layer with napped inside for mild cold. Model No. SAJ553 Price/Each \$



**SAJ553** 

## **HEAD PROTECTION**

#### SEPTOR® HEADLAMPS

- · Hands-free headlamp features LEDs lighting that amply illuminate the task at hand
- 90° tilting head for task targeting
- 7 bright white LEDs that have a 100 000 hour lifetime and never needs to be replaced
- XC389: 3 brightness levels 7 LEDs, 3 LEDs, 1 LED
- XE488: 7 LEDs with high and low brightness levels
- Water resistant
- XE488: Class I. Div. I
- Includes: 3 AAA alkaline batteries, elastic headstrap and rubber hard hat strap

Model	Mfg.		Price
No.	No.	Description	/Each
XC389	61052	Industrial Headlamp	
XE488	61024	Hazardous Location	





#### TRIDENT® HEADLAMPS

- 3-way headlamp with rubber and elastic straps
- Features 1 high powered LED and 3 ultra bright white LEDs within the same reflector all with 100 000 hour lifetimes
- 90° tilting head
- XC388: Low Battery Indicator Red LED flashes when battery voltage is low
- Water resistant, lightweight thermoplastic construction with push-button switch
- XE487: Class I. Div. I
- Includes: 3 AAA alkaline batteries and both elastic and rubber hard hat straps

Model No.	Mfg. No.	Description	Price /Each
XC388	61050	Industrial Headlamp	
XE487	61025	Hazardous Location	





#### ARGO® HEADLAMPS

- Long-range headlamp with a far reaching beam of 190 meters (high)
- **SEI181:** 150 lumens
- XE489: 90 lumens
- 3 lighting modes: High for maximum output long-range beam distance, medium for intense brightness, and low for extended run times
- Run time: High: 3 hours
- Low Battery Indicator Red LED flashes when battery voltage is low
- Water resistant, lightweight thermoplastic construction with push-button switch
- XE489: Class I. Div. I
- Includes: 3 AAA alkaline batteries and both elastic and rubber hard hat straps

Model	Mfg.	Description	Price
No.	No.		/Each
SEJ181	61301	Industrial Headlamp	
XE489	61026	Hazardous Location	







#### 3AA HAZ-LO® HEADLAMPS

- Streamlight®'s first safety approved LED headlamp for Class 1, Div 1 hazardous locations
- Contains a 1 Watt super high-flux LED
- LED has a 50 000 hour lifetime and never needs to be replaced
- Brightness: 120 lumens
- Run time: Up to 11 hours of continuous use
- O-ring sealed for weather-resistance
- 90° tilting head
- UL Classified for Class I, Division 1, Groups A, B, C, D, Temperature Code T4

· Totally enclosed, chemical resistant light

· Fits comfortably directly on worker's head

Weight with batteries: 7.6 oz

REPLACEMENT BATTERIES AA

1.5 V, 24/pkg. - Priced per Package

Model No. XA036

Model No. XB872

Mfg. No. EN91

Price/Each \$

Mfg. No. HL-X

Price/Each \$

Lamp housing swivels 45° for accurate aim

Includes: 3 AA Alkaline batteries; 2 head straps - rubber and elastic

Model No. XC391 Mfg. No. 61200 Price/Each \$





#### LED HEADLAMP

- · 3 settings: High, Low and Strobe
- Head angle is adjustable Adjustable in/out zoom
- Water resistant
- Batteries Required: 3 AAA
- Lumens (High): 120
- Run Time Hrs. (High): 6
- Lamp Colour: Black
- Beam Distance (High): 120 m
- Batteries Not Included
- Run Time Hrs. (Low): 20 · Lumens (Low): 30

Model No. XE887 Price/Each \$



# XE887

#### ENERGIZER® HD VISION INDUSTRIAL HEADLAMP

• Three light modes: White spot light, white flood light and spot and flood together

LIND EQUIPMENT

- Dimmable to control brightness and runtime
- Powerful beam: Up to 4X brighter than standard LED technology

EXPLOSION-PROOF HEADLIGHTS

· Operates for approximately 4 hours on four AA batteries (not included)

· Includes adjustable strap that mounts the light on a hard hat

- Beam distance: 40 m
- Pivots to direct light where you need it
- Durable light is water resistant with a shatterproof lens
- Includes 3 AAA Energizer® MAX® batteries
- · Non slip rubber grip (holds tight on helmets)
- Lumens (high): 180
- Run time hrs.: High: 8, Low: 50

Model No. SDM001 Mfg. No. HDBIN32E Price/Each \$



## LED HEADLAMP

- 7 ultra bright LED lights
- 3 brightness levels 7 LEDs, 3 LEDs, 1 LED
- Water resistant Lightweight design
- Tilting head and adjustable head strap
- Battery type: AAA Batteries required: 3 AAA
- Lumens: 21

428

Model No. XC658 Price/Each \$









## **HEAD PROTECTION**

#### HARD HAT **MOUNTING RACKS**

Two models of racks are available to store your hard hat: **SEAT MOUNT RACK** 

· Hangs over the front or back of a car or truck seat

#### WALL MOUNT RACK

Can be permanently mounted in a vehicle or office

#### WINDOW KIT

- Attaches to the wall rack
- Includes 3 suction cups & hardware







Model	Mfg.		Price
No.	No.	Description	/Each
SA660	STR-1-SM	Seat Mount Rack	
SA664	STR-2-WM	Wall Mount Rack	
SA665	STR-3-WMK	Window Kit	

#### SQUIDS® HARD HAT LANYARDS

- Comfortably attaches to hard hats and other headwear to prevent the item from falling
- Buckle connecting lanyards feature a double lock plastic buckle that attaches to your fall protection
- Maximum safe working capacity: 2 lbs. (0.9 kg)
- Third party tested using a 2:1 safety factor
- Hard hat not included

#### SQUIDS' 3150 & 3155 STANDARD LANYARDS

High-stretch elastic material allows workers to move their head freely

#### SQUIDS' 3157 & 3158 COIL LANYARDS

Coil design reduces lanyard length and prevents snag and tangle hazards while maintaining the workers range of motion





Model	Mfg.		Connection	Price
No.	No.	Colour	Type	/Each
STANDARI	DLANYARDS			
SED573	19150	Lime	Buckle	
SED574	19155	Lime	Clamp	
COIL LANY	'ARDS			
SDL089	19156	Black	Buckle	
SDL090	19157	Lime	Buckle	
SDL091	19158	Black	Clamp	
SDL092	19159	Lime	Clamp	

#### **SWEATBANDS**

**SAI910** 

- Cool and comfortable solution for hot workplace environments
- Soft, reinforced sponge to absorb perspiration
- Waffled sponge provides added durability with gauze scrim-reinforced design
- Durable 14" nylon elastic band "box-stitched" into sponge material helps keep sweatband in place
- For workers who wear head or face protection all day Dimensions: 8 5/8" x 1 3/4"

Priced per Package Mfg. Model Oty/ Price Description Pka

Sweathand

#### VANTAGE™ HELMET-MOUNTED LIGHTS

- Fits both traditional and modern style helmets easily attaches above or below full brim fire and industrial helmets
- Constructed of anodized aircraft aluminum with high impact, chemically resistant engineering polymer LED housing and reflective strip
- Features a new generation C4 LED and a 470 nm ultra-bright blue taillight LED
- · C4 LED is impervious to shock and has a 50 000 hour lifetime
- Textured parabolic reflector produces a smooth beam hotspot with optimum peripheral illumination
- Swivel clamp and insertable 5° angle adjuster to optimize beam location
- Dual-direction, easy-access "On/Off" switch
- Up to 115 lumens/7000 candelas peak central intensity
- 6 hours of continuous run time to the 10% output level
- IPX7 rated waterproof to 1 meter for 30 minutes
- · Includes: high-temperature, shock-mounted, impact-resistant Borofloat® glass lens and two 3V Lithium batteries

Model No. XC387 Mfg. No. 69140 Price/Each \$



#### **HEADGEAR PADS & SWEATBANDS**

- Field tested to improve helmet grip with maximum perspiration absorption
- Headgear pads are flame retardant for added safety Made of an absorbent air cushioned layer lined with 10% fleece cotton
- Velcro fastening system is designed to fit all major brands of headgear
- Sweatbands come with elastic strap
- Sold per package of 2







Model No.	
620-3200V	Susne

Description Suspender Pads for Use with Hard Hats Sweatbands Non-Suspender Pads for Use with Welding Helmets

16750

25

**SAI910** 

SAM548

620-3100V


Price

/Each

## **DISPOSABLE EARPLUGS**

#### MAX® FOAM

- The world's most-used polyurethane foam earplug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert,
- resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- NRR 33 dB. CSA Class AL



Model No.			Qty/Box (Pairs)	Price /Each
SD630	MAX-1	Uncorded	200	
SD631	MAX-30	Corded	100	

#### **MATRIX**<sup>TM</sup>

- · Patented no roll design makes insertion easy
- Smooth outer skin and reduced diameter provide long-term comfort
- Delivers instant protection no need to wait for foam to expand
- Screens harmful noise out, but lets voice pass through
- NRR 29 dB, CSA Class AL



# Honeywell

**Priced per Box** 

Model No.	Mfg. No.	Description	Qty/Box (Pairs)	Price /Each
ORANGE				
SAK057	MTX-1-OR	Uncorded	200	

#### FIRMFIT™ SINGLE USE EARPLUGS

· Low pressure foam

Honeywell

- Exerts low expansion pressure on the ear canal
- Slow recovery rate gives you plenty of time to correctly insert in ear canal
- Distinct warning orange color makes compliance checks easy
- NRR 30 dB, CSA Class AL



#### HOWARD L FIGHT

Model	Mfg.		Qty/Box	Price
No.	No.	Description	(Pairs)	/Each
SEK003	FF-1	Uncorded, Poly Bag	200	
SEK004	FF-30	Corded	100	
SEK067	FF-1-PB	Uncorded, Paper Bag	100	
SEK068	FF-30-PB	Corded, Paper Bag	100	

#### FOAM EAR PLUGS

- · Smooth foam ear plugs fit comfortably while blocking out unwanted noise
- Each pair is packaged for convenient access
- Brightly coloured for enchanced visibility
- Disposable
- One-size fits all
- Certification(s): ANSI S3.19-1974/CSA Class AL





**Priced per Box** 

Model		NRR	Qty/Box	Price
No.	Description	dB	(Pairs)	/Each
SFM648	Corded	32	100	
SFM649	Uncorded	32	200	
SFM650	Corded	30	100	
SFM651	Uncorded	30	200	

## LASER LITE® MULTI-COLOUR FOAM

- · Vibrant colours make protection visible
- · Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant skin prevents dirt build-up
- · Attenuation tested in accordance with ANSI S3.19-1974
- NRR 32 dB, CSA Class AL



P	r	ıc	ec	1	oe	r	В	0	)

Model	Mfg.		Qty/Box	Price
No.	No.	Description	(Pairs)	/Each
SM562	LL-1	Uncorded, Poly Bag	200	
SM563	LL-30	Corded, Poly Bag	100	

#### MAX LITE® LOW PRESSURE FOAM

- · Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant skin prevents dirt build-up Available in poly or paper bags

Attenuation tested in accordance with ANSI S3.19-1974 NRR 30 dB, CSA Class AL





Priced per Box

Model	Mfg.		Qty/Box	Price
No.	No.	Description	/(Pairs)	/Each
SM558	LPF-1	Uncorded, Poly Bag	200	
SM559	LPF-30	Corded, Poly Bag	100	
SM560	LPF-30-PB	Corded, Paper Bag	100	
SM561	LPF-30-P	Cotton Cord, paper bag	100	

Priced per Box

## **DISPOSABLE EARPLUGS**

#### **MULTI MAX® MULTI-SIZED FOAM**

- Multi Max® offers flexibility, protection and economy in hearing protection with its two-sizes-in-one design
- Improves individual fit while simplifying inventory
- Smooth, soil-resistant polyurethane foam skin prevents dirt build-up
- Expands to fit virtually every wearer
- Available in poly or paper bags
- Attenuation tested in accordance with S.3.19-1974
- NRR 31 dB, CSA Class AL



Honeywell HOWARD LEIGHT

Model Mfg. Otv/Box Price Description No. No. (Pairs) /Each SM556 MM-1 Poly Bag 200

#### E-A-RSOFTTM YELLOW NEONSTM **& BLASTS™EARPLUGS**

#### THE SOFTEST, SMOOTHEST, HIGHEST NRR EARPLUGS AVAILABLE TODAY!

- Advanced foam formulation that provides low-pressure comfort
- Available uncorded or with breakaway cord
- Two sizes available for optimum comfort and protection
- Yellow E-A-R™ trademark colour assures proven protection and high quality
- Laboratory tested NRR 33 dB
- Also available in Yellow Neons<sup>TM</sup> metal detectable
- Both the cord and the plugs are metal detectable








**Priced per Box** 

SI427

					•
Model No.	Mfg. No.	Description	Size	Qty/Box (Pairs)	Price /Each
UNCORDED	)				
SJ423	312-1250	Yellow Neons™	Regular	200	
SJ425	312-1251	Yellow Neons™	Large	200	
SJ427	312-1252	Blasts™	Regular	200	
CORDED					
SJ424	311-1250	Yellow Neons™	Regular	200	
SJ426	311-1251	Yellow Neons™	Large	200	
SJ428	311-1252	Blasts™	Regular	200	
CORDED M	ETAL DETECTAB	LE			
SAF802	311-4106	Yellow Neons™	Regular	200	

#### LASER-TRAK® METAL DETECTABLE EARPLUGS

- Self-adjusting foam expands to fit virtually every wearer
- Non-ferrous metal and bright colours are easily detected by visual and automated inspections
- Blue metalized cord offers additional protection in highly sensitive production areas
- Contoured T-shape for easy handling and wear
- Comfortable long term wear
- NRR 33 dB, CSA Class AL



#### Honeywell HOWARD L FIGHT

			• • • • • • • • • • • • • • • • • • • •	eeu pei ben
Model	Mfg.		Qty/Box	Price
No.	No.	Description	(Pairs)	/Each
SAK189	LT-30	Corded, Polybag	100	

#### 3MTM E-A-RTM CLASSICTM FOAM EARPLUGS

- Slow recovery PVC foam provides comfort with low pressure
- Moisture resistant and the foam will maintain its comfort, fit and critical recovery characteristics
- Shape equalizes pressure throughout the ear canal as it expands
- · Flame retardant and dermatologically safe foam is not irritating
- The Classic<sup>™</sup> Plus offers the highest NRR, 33 dB, has a longer high performance foam plug for increased protection and fits more deeply into the ear canal.
- The Classic<sup>™</sup> Small has a more narrow design for smaller ear canal
- One size fits all
- Colour: Yellow
- CSA Class AL





311-1105

311-1106



Model	Mfg.		NRR	Qty/Box	Price
No.	No.	Description	dB	(Pairs)	/Each
UNCORDED					
SA681	310-1001	Foam - Pillow	29	200	
SH106	313-5555	Foam - Paper Pak	29	200	
SH107	310-1101	Plus Foam	33	200	
SH109	310-1103	Small Foam	29	200	
SAJ486	312-1201	Polybag	29	200	
CORDED					
SE649	311-1101	Foam	29	200	

Plus Foam

33

SH108

SH110

200

200

**Priced per Box** 

## **DISPOSABLE EARPLUGS**

#### 1100 FOAM EARPLUGS

- Individually packaged for convenience
- Smooth, dirt resistant surface
- Soft hypo-allergenic polyurethane foam offers superior comfort
- NRR 29 dB, CSA Class AL
- · Bright orange for visibility





Model No.	Mfg. No.	Description	Qty/Box (Pairs)	Price /Each
SI762	1100	Uncorded	200	
SAG359	1110	Corded	100	

#### E-A-RTM TAPERFITTM 2 FOAM

- Self-adjusting polyurethane foam provides low-pressure comfort with excellent attenuation
- Dermatologically safe and non-irritating foam
- NRR 32 dB, CSA Class AL
- Available in two sizes: Regular and Plus









Model No.	Mfg. No.	Description	Size	Qty/Box (Pairs)	Price /Each
SE393	312-1219	Uncorded	Regular	200	
SE918	312-1221	Uncorded	Plus	200	
SE917	312-1223	Corded	Regular	200	
SE919	312-1224	Corded	Plus	200	

Model	Mfg.			Qty/Box	Price
No.	No.	Description	Size	(Pairs)	/Each
SE393	312-1219	Uncorded	Regular	200	
SE918	312-1221	Uncorded	Plus	200	
SE917	312-1223	Corded	Regular	200	
SE919	312-1224	Corded	Plus	200	

#### E-A-R<sup>TM</sup> E-Z-FIT<sup>TM</sup> **COMFORTABLE FIT FOR SMALLER EAR CANALS!**

- · Low pressure, soft smooth polyurethane foam is easy to roll and self-adjusting for increased user comfort, with no full feeling in the ear
- Bell-shaped design with a wide flange allows for easy insertion and removal
- Designed to fit medium and small ear canals with increased comfort
- Safe and non-irritating to the ear canal
- Laboratory tested NRR 28 dB
- Available one pair per poly bag uncorded or with breakaway cord





**Priced per Box** 

Model No.	Mfg. No.	Description	NRR dB	Qty/Box (Pairs)	Price /Each
SH114	312-1208	Uncorded	28	200	
SH115	312-1222	Corded	28	200	

#### E-A-RTM PUSH-INSTM EARPLUGS

- · Easy fit with no roll down required
- E.A.R.form<sup>™</sup> yellow foam tip for ultimate comfort
- Blue stem allows for hygienic insertion and removal
- CSA Class AL





Priced per Box

SAJ489

Model No.	Mfg. No.	Description	Qty/Box (Pairs)	Price /Each
SAJ489	318-1002	Uncorded	200	
SAJ575	318-1003	Corded	200	
METAL DET	ECTABLE			
SAP857	318-3000	Corded	200	

#### SKULL SCREWS™ EARPLUGS

- Easy grip for clean insertion
- Look of metal, soft feel of foam
- The screw "threads" help achieve an optimum noise seal
- NRR 32 dB, CSA Class AL





**Priced per Box** 

Model No.	Mfg. No.	Description	Qty/Box (Pairs)	Price /Each
SAP424	P1300	Uncorded	120	
SAP425	P1301	Corded	120	



## **REUSABLE EARPLUGS**

#### E-A-RSOFT<sup>TM</sup> FX<sup>TM</sup> SHAPED EARPLUGS

- Made of a custom polyurethane formulation for slow recovery and increased softness in the ear canal
- NRR 33 dB
- CSA Class AL



Model	Mfg.		Qty/Box	Price
No.	No.	Description	(Pairs)	/Each
SAH584	312-1260	Corded	200	
SAH585	312-1261	Uncorded	200	

#### NO-TOUCH™ FOAM EAR PLUGS

- · Hands off the foam
- Softness and comfort of a foam earplug without the hassle of rolling it down
- LiveWire<sup>™</sup> stem for the ultimate in comfort and convenience
- Ensures hygiene and ensures solid insertion of the foam
- Available with new LiveWire<sup>TM</sup> cord for a high-octane look and convenient storage
- Noise jamming protection NRR 29 dB
- CSA Class AL



CIV

	Priced	per	Box
--	--------	-----	-----

Priced per Box

Model	Mfg.		Qty/Box	Price
No.	No.	Description	(Pairs)	/Each
SAK145	P2000	Uncorded	100	
SAK146	P2001	Corded	100	

#### **PURA-FIT® FOAM EARPLUGS**

- Longer length for easy fitting and removal
- Tapered for easy insertion in any size ear canal Non-irritating, smooth surface for added comfort
- Bright green colour as a symbol of Moldex® quality
- NRR 33 dB, CSA Class AL



			•	ricca per box
Model	Mfg.		Qty/Box	Price
No.	No.	Description	(Pairs)	/Each
SR831	6800	Uncorded	200	
SAG837	6900	Corded	100	

#### E-A-R<sup>TM</sup> SOFTOUCH<sup>TM</sup> EARPLUGS

#### SAFETY NEVER FELT THIS GOOD

- · Made of specially formulated foam for added softness
- Once the plugs are in the ear canals, the comfort lasts
- · Pistol-grip handle gives fingertip control and eliminates dirt transfer for better hygiene
- SofTouch™ plugs require no roll-down
- · Tapered cones slide in-and-out of the ears quickly, easily and fit correctly
- Soft seal helps provide an impressive NRR of 31 dB



Model	Mfg.		Qty/Box	Price
No.	No.	Description	(Pairs)	/Each
SAS461	318-4000	Uncorded	200	
SAS462	318-4001	Corded	200	

#### GLIDE™ FOAM EAR PLUGS

- · Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion and removal
- · Cord can be attached at any desired length
- 100% PVC-free, like all Moldex products and packaging, for a greener alternative
- NRR 30 dB, CSA Class AL



Model No.	Mfg. No.	Description	Qty/Box (Pairs)	Price /Each
SEH047	6940	Uncorded	100	_
SEH048	6945	Corded	100	

#### SPARKPLUGS® MULTI-COLOURED FOAM EARPLUGS

- Different colours in every package
- · Fun coloured to spark up hearing protection program
- · Tapered for easy insertion in any size ear canal
- · Non-irritating, smooth surface for added comfort
- NRR 33 dB, CSA Class AL





Priced p	er Box
----------	--------

**Priced per Box** 

Mfg.		Qty/Box	Price
No.	Description	(Pairs)	/Each
6604	Uncorded	200	
6654	Corded	100	
6615	Corded, metal detectable	100	
	<b>No.</b> 6604 6654	No. Description  6604 Uncorded  6654 Corded	No. Description (Pairs)  6604 Uncorded 200  6654 Corded 100

MOLDEX

## **DISPOSABLE EARPLUGS & DISPENSERS**

#### **HL400 EARPLUG DISPENSER**

- · Durable plastic design is an economical choice for dispensing earplugs
- Can be free-standing, or mounted to a wall or tabletop
- Easy-twist knob with 180° of access, makes dispensing earplugs easy
- Catch basin prevents earplugs from falling onto the ground
- Holds 400 pairs of Howard Leight disposable earplugs: MAX °, MAX ° Small, MAXLite °, Laser Lite °, FirmFit ° and Multi Max °
- · Dispenser can be refilled by either inserting a new prefilled canister, or reusing the empty canister and filling with earplugs by using the zip top bag
- Earplugs sold separately





REFILL C	ANISTERS			Pri	ced per Bag
Model No.	Description	NRR db	Pairs /Refill	Qty /Case	Price /Each
SGC415	Max® Single-Use Earplugs	33	400	2	
SGC416	Max® Small Single-Use Earplugs	30	400	2	
SGC417	Max Lite® Single-Use Earplugs	30	400	2	
SGC418	Laser Lite® Single-Use Earplugs	32	400	2	
SGC419	FirmFit® Single-Use Earplugs	30	400	2	
SGC420	Multi Max® Single-Use Earplugs	31	400	2	
BULK RE	FILLS			Pri	ced per Box

DOLKKL	TILLS			111	teu pei box
Model		NRR	Pairs	Qty	Price
No.	Description	db	/Refill	/Case	/Each
SA0209	Max® Single-Use Earplugs	33	200	10	
SA0210	Max Lite® Single-Use Earplugs	30	200	10	
SA0211	Laser Lite® Single-Use Earplugs	32	200	10	
SEK070	FirmFit® Single-Use Earplugs	30	200	10	
SA0212	Multi Max® Single-Use Earplugs	31	200	10	

#### ONE TOUCH<sup>TM</sup> **EARPLUG DISPENSERS**

- Patented "No Waste Funnel" allows users to reuse base and dispenser
- Can be used as a table top or wall mounted
- Easy access for the user from all sides





Model	Mfg.		Price
No.	No.	Description	/Each
SDP096	391-0000	One Touch™ Pro Dispenser	

<b>BULK REFI</b>	LLS			Sold p	er Bottle
Model No.	Mfg. No.	Description	Size	Pairs /Refill	Price /Each
SAP387	391-1001	Classic™	One Size	500	
SAH873	391-1004	Yellow Neons™	Regular	500	
SAH874	391-1005	Yellow Neons™	Large	400	
SAI104	391-1010	Blasts™	Regular	500	
SFU681	391-1012	E-A-Rsoft™	One Size	500	
SFU682	391-1100	1100	One Size	500	

#### LS-500 LEIGHT® SOURCE **EARPLUG DISPENSERS**

- Ear Plug Capacity: 500 pairs
- Heavy-duty anodized aluminum construction withstands constant use
- Mount on wall for easy access
- · Crank handle to dispense earplugs
- · Ideal for large factories and process industries that have zero tolerance for packaging waste
- Earplugs not included



#### **Honeywell** HOWARD LEIGHT

Model	District	Price
No.	Description	/Each
SAK347	LS-500 Leight® Source Earplug Dispenser	

<b>BULK REFIL</b>	LS			Priced	l per Box
Model No.	Description	NRR db	Pairs /Refill	Qty /Case	Price /Each
SAF828	Max® Single-Use Earplugs	33	500	4	
SAK343	Max Lite® Single-Use Earplugs	30	500	4	
SAF827	Laser Lite® Single-Use Earplugs	32	500	4	
SAK346	Multi Max® Single-Use Earplugs	31	500	4	

#### PLUGSTATION® EARPLUG DISPENSERS

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand Each dispenser is sealed and disposable plus completely recyclable
- Mounting bracket with hardware included with every PlugStation®
- All rated at NRR 33 dB





## MOLDEX

Model	Mfg.		Pairs	Price
No.	No.	Description	/Dispenser	/Each
SE924	6644	SparkPlugs®, Uncorded	250	
SE925	6645	SparkPlugs®, Uncorded	500	
SDL452	6881	Metal Detectable SparkPlugs®, Corded	150	
SDL453	6880	SparkPlugs*, Corded	150	
SE847	6844	Pura-Fit®, Uncorded	250	
SF624	6845	Pura-Fit®, Uncorded	500	
SDL454	6882	Pura-Fit*, Corded	150	
SAK439	6648	Camo Plugs®, Uncorded	500	
SDS773	6883	Glide®, corded	150	

## **REUSABLE EARPLUGS**

#### AIR SOFT® EARPLUGS

- Advanced air pocket design features internal noise-blocking fins
- Four-flange rounded tapered profile creates better seal in the ear canal resulting in less pressure
- Firm stem facilitates easy insertion and removal
- Attenuation tested in accordance with ANSI S3.19-1974
- NRR 27 dB, CSA Class AL





Н	loneywell	
	HOWARD LEIGHT	

Model No.	Mfg. No.	Description	Qty/Box (Pairs)	Price /Each
POLYBAGS				
SD582	DPAS-1	Uncorded	100	
SD583	DPAS-30R	Corded, Red Vinyl	100	
SD584	DPAS-30W	Corded, White Nylon	100	
REUSABLE	CASE			
SD585	AS-1	Uncorded	50	
SD586	AS-30R	Corded, Red Vinyl	50	
SD587	AS-30W	Corded, White Nylon	50	

#### **SMARTFIT® EARPLUGS**

- Patented Conforming Material Technology™ uses body heat to adapt to the individual shape of each wearer's ear canal
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control a single product fits almost every wearer
- Detachable cord system and HearPack® storage case
- NRR 25 dB, CSA Class AL



# Honeywell

Model	Mfg.	Description	Qty/Box	Price
No.	No.		(Pairs)	/Each
SAK348	SMF-30	Corded	100	

#### TRUSTFIT™ POD PUSH-IN FOAM EARPLUG

- · No roll-down foam reduces hygiene concerns and makes for easy insertion
- The ergonomically contoured paddle fits naturally between the finger and thumb, even while wearing work gloves
- Dimpled foam tip with ergonomic stem are easy to fully insert and remove
- Replace earplugs every 5 days, or if foam tip is not soft and pliable, if it is damaged or detached from stem
- NRR dB- 28
- Certification(s): CSA Class AL



Model	Mfg.		Qty/Box	Price
No.	No.	Description	(Pairs)	/Each
SFQ516	TRUSTFITPOD-1	Uncorded	100	
SF0517	TRUSTFITPOD-30	Corded	100	

#### FUSION® EARPLUGS

- · Patented dual material design combines firm core for easy handling with soft flanges for comfort and fit
- FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection
- Unique detachable nylon cord system adapts to virtually any application
- Two sizes fine-tune fit for personal comfort and safety
- NRR 27 dB, CSA Class AL



Honeywell

Priced per Box

Model	Mfg.		Qty/Box	Price
No.	No.	Description	(Pairs)	/Each
SAK349	FUS30-HP	Regular, HearPack™	100	
SAK350	FUS30S-HP	Small, HearPack™	100	

#### QUIET® EARPLUGS

- · Patented no-roll design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in insertion stem makes insertion quick and easy
- NRR 26 dB, CSA Class AL





			г	riceu pei box
Model No.	Mfg. No.	Description	Qty/Box (Pairs)	Price /Each
SAK351	QD1	Uncorded, Polybag	100	
SE359	OD30	Poly Cord, Polybag	100	

#### E-A-R<sup>TM</sup> ULTRAFIT<sup>TM</sup> PREMOLDED REUSABLE EARPLUGS

**SAK351** 

- · Patented triple flange design to fit a wide variety of ear canal sizes
- Washable, promotes worker hygiene
- Breakaway cord protects in case of machine entanglement
- Model SH113 has a metal detectable steel ball securely positioned in the stem and non-food blue for visual detectability in the food processing industry

Rating: NRR 25 dB, CSA Class AL





Priced	ner	Ros
rriceu	per	DU

Model	Mfg.		Qty/Box	Price
No.	No.	Description	(Pairs)	/Each
W/O CARR	YING CASE			
SE920	340-4003	Uncorded	100	
SE405	340-4004	Corded	100	
METAL DE	TECTABLE			
SH113	340-4007	Corded	100	
W/ CARRY	ING CASE		Price	ed per Pair
SH111	340-4001	Uncorded	50	
SH112	340-4002	Corded	50	

#### EXPRESSTM POD PLUGSTM

#### THE EASIEST EARPLUG TO USE!

- · Quick, clean and hygienic
- Laboratory tested NRR 25 dB
- · Reusable or disposable for cost-effective hearing protection
- Simple to clean and comes in a handy, resealable pack for easy storage
- Dispenser package in uncorded and corded blue grips or assorted colour grips (red, yellow, green, blue, purple) with matching cords
- Colour: Yellow
- CSA Class AL





SAP858

Priced per Box

Model	Mfg.		NRR	Qty/Box	Price
No.	No.	Description	dB	(Pairs)	/Each
UNCORDED					
SH116	321-2100	Blue Grips	25	100	
SH117	321-2200	Assorted Colour Grips	25	100	
CORDED					
SH118	311-1114	Blue Grips	25	100	
SH119	311-1115	Assorted Colour Grips	25	100	



#### E-A-RTM ULTRAFITTM 27 EARPLUGS





			P	riced per Box
Model No.	Mfg. No.	Description	Qty/Box (Pairs)	Price /Each
SAP858	340-8001	Uncorded	100	
SAP859	340-8002	Corded	100	

## GLIDE® TRIO REUSABLE EARPLUGS

- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion & removal
- Soft triple flange plug can be washed and reused
- Cord can be attached at any desired length
- 100% PVC-free
- NRR 27 dB, CSA Class AL



## MOLDEX

#### Priced per Box

			Friceu per Box
Model	Mfg.	Qty/Box	Price
No.	No.	(Pairs)	/Each
SFH046	6445	50	

#### TRI-FLANGE™ PLUGS

- · Customized comfort reusable value
- · Soft, pliable flanges conform to the shape of your ear canal for a custom fit
- · Afterglow stem allows for quick clean insertion
- Available with new LiveWire<sup>™</sup> cord for a high-octane look and convenient storage
- Also available with a new cloth cord
- Noise jamming protection NRR 26 dB
- CSA Class AL





**Priced per Box** 

Mfg. No.	Description	Qty/Box (Pairs)	Price /Each
P3000	Corded	100	
P3001	With cloth cord	100	
	No. P3000	No. Description P3000 Corded	No. Description (Pairs) P3000 Corded 100

#### **ROCKETS® REUSABLE EARPLUGS**

- · Easy grip handle allows for easy insertion
- Air bubble in the tip provides cushioned comfort
- Can be washed and reused
- · Each pair comes with a Pocket-Pak® carrying case to store plugs between uses
- Slips easily into the pocket
  NRR 27 dB, CSA Class AL






**Priced per Box** 

Model	Mfg.		Qty/Box	Price
No.	No.	Description	(Pairs)	/Each
SAN317	6400	Uncorded	50	
SAN318	6405	Vinyl Corded	50	

#### **QUIET BANDS**

- Ergonomic design keeps the pads suspended so they don't become contaminated
- One free pair of replacement pods included with each Quiet Band



Model No.	Mfg. No.	Description	NRR dB	Price /Each
SN615	QB1HYG	QB1°HYG Inner-Aural	27	
SN616	QB2HYG	QB2®HYG Supra-Aural	25	
SN281	QB3HYG	QB3°HYG Semi-Aural	23	
REPLACEM	ENT PODS			
SN617	QB100HYG	QB1®HYG 1 pair per pkg	-	_
SN618	QB200HYG	QB2®HYG 1 pair per pkg	-	
SN279	QB300HYG	QB3®HYG 1 pair per pkg	-	

#### PERCAP® FOLDABLE 3-POSITION **BANDED EARPLUGS**

- Super soft pods rest outside the ear canal opening
- Ideal for workers who do not like to put earplugs in their ears
- Wear over the head, under the chin or behind the neck
- Compact, fits easily in a pocket
- Comfortable for both short term and long term wear

NRR 21 dB



Honeywell HOWARD LEIGHT

Priced per Box

Model	Mfg.		Qty	Price
No.	No.	Description	/Box	/Each
SA0692	PERCAP	Ear band	10	
SA0744	PCAP100	Replacement pods	50	

#### 3MTM HEARING BANDS

#### E-A-RFLEX™ PREMOLDED TIPS

- · Highest protection available in a semi-insert hearing protector
- Comfortable, effective, lightweight alternative to earmuffs
- Dermatologically safe plugs are non-irritating
- Band helps prevent loss and is ideal for intermittent use
- NRR 24 dB when worn over the head or behind the neck, and 27 dB when worn under the chin
- · CSA Class AL

Model	Mfg.		Price
No.	No.	Description	/Each
SH124	350-1100	Premolded Tips	

#### $E-A-RFLEX^{TM}$


- Soft, E-A-Rform<sup>™</sup> foam tips
- · Pivoting tips for optimum fit
- · Hi-Viz band
- Dermatologically safe plugs are non-irritating
- NRR 28 dB Higher than any semi-aural product available
- · CSA Class AL

Model No.	Mfg. No.	Description	Price /Each
SAK169	320-1000	Foam tips	
SAK170	320-1001	Replacement tips, 5 pairs	

#### E-A-R CAPS

- · Non-invasive, comfortable hearing protection
- · No hinged band
- · Dermatologically safe plugs are non-irritating
- Band helps prevent loss and is ideal for intermittent use
- NRR 17 dB
- CSA Class BL

Model No.	Mfg. No.	Description	Price /Each
SR852	321-2101	Foam caps	
SH126	321-2103	Replacement caps, 5 pairs	



## **HEARING BANDS**

#### 3MTM E-A-RTM SWERVETM BANDED HEARING PROTECTORS

- Ultimate banded hearing protector
- Adjustable comfort, excellent attenuation
- Exceptional ergonomics with unmatched performance
- Contoured design that typically floats around the neck
- Durable lightweight band that rebounds well for frequent use
- NRR 28 dB (E-A-Rflex<sup>TM</sup> 28 tips)
- CSA Class AL







Model	Mfg		Price
No.	No.	Description	/Each
SAR645	322-2000	Ear band	
SAK170	320-1001	Replacement pods, 5 pairs	

#### JAZZ BAND® HEARING PROTECTORS

- Extra soft tapered foam pods gently conform to the ear canal
- Band pressure is reduced by 50%
- A cooler and lighter alternative to earmuffs
- 100% PVC-free
- · Higher NRR 25 dB
- · Includes an extra pair of pods





Model No.	Mfg. No.	Description	Price /Each
SE922	6506	Jazz Band® w/ cord and replacement pods	
SE923	6504	Replacement pods, 5 pairs and 1 cord per bag	

#### **EARPLUG TRAYS**

- Clear acrylic earplug dispenser tray holds a standard box of earplugs
- · Front section catches spills and protects the corrugated dispenser
- Dimensions: 10 5/8" H x 10 5/8" W x 10 5/8" D
- Use on table top or wall mount





Model	Mfg.	Price
No.	No.	/Each
SED049	PD228E	

#### LARGE CAPACITY **EARPLUG DISPENSERS**

- Visually striking green glow front pocket draws attention to earplugs
- Dispenser features a removable inner slanted shelf to direct plugs toward pocket
- Comfortably holds a standard box of 200 disposable earplugs and can be wall or table mounted
- Dimensions: 13" H x 12" W x 8" D





Model	Mfg.	Price
No.	No.	/Each
SED051	PD439G	

#### THUNDER® EARMUFFS

- Non-deforming comfort headband fits all head sizes
- · Ventilated inner headband and soft pads for maximum comfort
- · Quick-Click height adjustments
- · Dielectric design safe for electrical environments
- Features patented Air Flow Control<sup>™</sup> technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- · Hygiene kits available





Honeywell
HOWARD I <b>FIGH</b> T

Model	Mfg.		NRR	Price
No.	No.	Description	dB	/Each
SAK150	1010928	T1, Over-Head Hearband	26	
SAK151	1010929	T2, Over-Head Hearband	28	
SA0694	1011601	T1H, Cap Mount	23	

#### **VIKING® EARMUFFS**

- Three-position headband offers more wearing options and works with helmets, shields and other equipment
- Super soft ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments
- · Headband straps for multiple-position wear
- Features patented Air Flow Control<sup>™</sup> technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy



Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAK154	1010926	V2, Multi-Position Headband	27	
SAK155	1010927	V3, Multi-Position Headband	29	

#### **LEIGHTNING® EARMUFFS**

- · Maximum protection from an earmuff
- Robust steel headband withstands demanding use
- Padded foam headband and super-soft ear cushions deliver longwearing comfort
- Contemporary design improves wearer compliance
- Telescoping height adjustment
- Hygiene kits available



Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAK147	1010922	L1, Over-Head Hearband	25	
SAK149	1010924	L3, Over-Head Hearband	30	

#### LEIGHTNING® HIGH VISIBILITY EARMUFFS

- Bright green earcups provide additional visibility and contrast on the job
   Features patented Air Flow Control<sup>TM</sup> technology
- Features patented Air Flow Control<sup>1M</sup> technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Robust design withstands demanding use, especially in tough environments
- Ideal for roadway construction, utility workers, survey engineers, ferry service operators, emergency response workers, railroad workers, and many others



#### Honeywell HOWARD LEIGHT

Model	Mfg.		NRR	Price
No.	No.	Description	dB	/Each
SA0695	1013941	Over-Head	30	
SA0696	1013942	Foldable	27	

#### **LEIGHTNING® EARMUFFS**

- Easy storage when not in use
- Exremely lightweight design rests comfortably on the head
- Lower attenuation provides reliable protection against marginal noise or intermittent exposure
- Makes cushion replacement quick and easy
- LON can be worn with welding shields, hardhats and other PPE
- Robust design withstands demanding use, especially in tough environments



Model No.	Mfg. No.	Style	NRR dB	Price /Each
NO.	NO.	Style	ub	/EdCII
SA0690	1013460	LON, Neckband	22	
SA0697	1013461	LOF, Foldable	23	

#### **CLARITY® EARMUFFS**

- Patented Sound Management Technology<sup>TM</sup> (SMT) design blocks low and medium frequencies while higher frequencies (voice, signals, alarms) and can be heard more naturally with less distortion
- Prevents worker isolation by enhancing communication
- Improves safety in environments where overprotection is a danger
- Ventilated headband and ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments
- Hygiene kits available



Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAK157	1011142	C1, Over-Head Headband	20	
SAK159	1011146	C3, Over-Head Headband	27	

#### **IMPACT® SPORT EARMUFF**

- Amplifies ambient sound to safe 82 dB
- · Allows wearers to hear important communications, including environmental sounds
- Directionally-placed stereo microphones amplify and enhance sound for more natural hearing
- Low-profile design
  Features patented Air Flow Control technology
- Snap-in ear cushions make replacement quick and easy
- AUX input allows connection to external MP3 players or other audio devices
- CSA Class: B





Model	Mfg.	Style	NRR	Price
No.	No.		dB	/Each
SGG272	1030942	Headband	22	

#### IMPACT® PRO INDUSTRIAL EARMUFFS

- Amplifies ambient sound to safe 82 dB response technology revert to passive hearing protector when noise reaches 82 dB
- All-in-one up and down, on/off and volume control
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Quick-Click height adjustment remains fixed during wear
- Sound amplification allows wearers to hear important communication -alarms/warning signals, co-workers' voices
- Snap-in ear cushions make replacement quick and easy
- Features 3.5mm audio jack and cable for connection to personal devices
- Hygiene kit available
- CSA Class: AL



## Honeywell



Model	Mfg.		NRR	Price
No.	No.	Style	dB	/Each
SFU874	1030943	Headband	30	

#### THUNDER® CAP MOUNTED EARMUFF

- New design allows for attachment of North Face shield visors for complete integrated protection on the job
- Easily and securely attaches earmuffs to several models of North Hard Hats
- Simply press down on the fork to snap earmuffs into place
- Sleek design; lower profile cups attract less dirt for better hygiene
- Easy height adjustment provides a better fit for greater wearer comfort
- Ear cups snap in place during use and swing back when not in use
- CSA Class: A



## **Honeywell**

Model	Mfg.	Style	NRR	Price
No.	No.		dB	/Each
SFU603	EM2177-HL	Cap Mount	23	

#### LEIGHTNING® CAP MOUNTED EARMUFF

- Unique cup design gives first class comfort at all time
- Large, flexible and comfortable cushions offering equal distribution of pressure
- Robust steel construction withstands demanding use, especially in tough environments
- Features patented Air Flow Control™ technology for optimal attenuation
- Colour: Black/White
- Hygiene kits available
- Compatible with most standard hardhats, excluding full brim hardhats.
- Robust steel construction withstands demanding use, especially in tough environments
- Features patented Air Flow Control™ technology for optimal attenuation
- CSA Class A

## Honeywell



Model	Mfg.		NRR	Price
No.	No.	Description	dB	/Each
SAH731	EM7206-HL	Cap Mount	27	

#### · Soft cushion-ribbed open air headband for cool comfort all day long

Larger ear cushions allow freedom to fit \almost all ears comfortably

**MX-5 EARMUFF** 

- Extra soft foam/low pressure cushions and headband are PVC-free
- Glossy surface for easy cleaning and longer wear
- CSA Class AI



## MOLDEX

Model No.	Mfg. No.	Description	NRR dB	Price /Each
SDK993	6120	Headband	27	
SDK995	6125	Hygiene Kit	-	

#### QM24+ EARMUFF

- Soft foam cushions are easy to clean with soap and water, and can be replaced for extended use
- Ultra lightweight design. Weighing only 6 oz
- Alternative to cap-mounted earmuffs wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments
- · Multiple-position headband allows wearer to select position over the head, behind the head or under the chin
- NRR dB: 25



FIGHT D

## Honeywell

Model	Mfg.		NRR	Price
No.	No.	Description	dB	/Each
154-1205	QM24PLUS	Headband	25	

#### **MX-6 EARMUFF**

- Soft cushion-ribbed open air headband for cool comfort all day long
- · Larger ear cushions allow freedom to fit almost all ears comfortably
- Extra soft foam/low pressure cushions and headband are PVC-free
- Exclusive waffled cup foam for superior NRR protection
- CSA Class AL





	Price
escription dB	/Each
Headband 30	
lygiene Kit -	
	Headband 30

#### SYNC® WIRELESS EARMUFF

- Easy push button connectivity pair with mobile device via Bluetooth®
- Volume control buttons
- · Flashing colored lights to indicate different settings
- Robust boom mic, for rugged industrial use
- Boom mic with windsock, for voice clarity in high noise environments
- USB charging cable & wall charger included (full length of charge time is 5 hours)
- Lithium Ion battery built in with 12+ hours of battery life while streaming
- CSA Class: AL



## Honeywell

Model	Mfg.		NRR	Price
No.	No.	Description	dB	/Each
SFU875	1030945	Headband	25	
SFU876	1015280	Hygiene Kit	-	

#### SYNC® RADIO HI-VISIBILITY EARMUFFS

- Limits sound radio volume to 82 dB
- Bright green ear cups and reflective headband provide high visibility
- Built-in AM/FM radio provides high sounds quality, excellent stereo reception
- AUX input jack for connection to MP3 players or other audio devices (includes 3.5 mm connection cable)
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- 140-hour battery life from 2 AA batteries (included)
- Hygiene kits available





Model No.	Mfg. No.	Description	NRR dB	Price/Each
SEI616	1030390	Headband, Hi-Vis	25	

#### 3MTM PELTORTM OPTIMETM 95 SERIES EARMUFFS







- Slim tapered dome for use with hardhat and face protection equipment
- Ultra light with liquid/foam filled ear cushions
- Exclusively engineered for the computer industry
- Also suitable for technical training schools, printing facilities, textile industries and home power equipment use
- CSA Class: B
- Colour: White









Model	Mfg.		NRR	Wt.	Price
No.	No.	Description	dB	oz.	/Each
SC175	H6A/V	Headband	21	5.8	
SC176	H6B/V	Neckband	21	5.3	
SC177	H6P3E/V	Cap Mount	21	6.9	
SAG847	H6F/V	Foldable	21	6.5	



#### 3M<sup>TM</sup> PELTOR<sup>TM</sup> OPTIME<sup>TM</sup> 98 SERIES EARMUFFS

- Slim tapered upper dome, excellent for use with hard hat and face protection equipment
- Broad foam cushions give low, comfortable surface pressure
- Pressure equalization air openings, quickly ensure the correct pressure to the eardrum
- Suitable for factories, sheet metal works, schools, printing offices, textile industries and power equipment
- CSA Class A
- · Colour: Yellow
- Hygiene kits available

## PELTOR\* 3M



Mfg.		NRR	Wt.	Price
No.	Description	dB	oz.	/Each
H9A	Headband	25	5.1	
H9P3E	Cap Mount	23	6.2	
	H9A	H9A Headband	H9A Headband 25	H9A Headband 25 5.1

## PTL™, PUSH-TO-LISTEN EARMUFFS

#### THE ONLY MUFF THAT LETS WORKERS LISTEN SAFELY WITHOUT REMOVING THEIR EARMUFFS

- · With the touch of a button, hear co-workers more clearly
- Padded, wide headband with four-point steel suspension improves hold with less pressure
- On/Off listening button with fingertip control
- Patented liquid and foam-filled cushions for optimum seal and comfort
- Pivoting ear cups tilt to easily fit most facial profiles
- · Push-to-listen feature in one ear cup only, other cup is standard protective style
- CSA Class A
- Hygiene kits available



# PELTOR"

Model	Mfg.		NRR	Price
No.	No.	Description	dB	/Each
SAM366	H7A-PTL	Headband	26	
SAM367	H7P3E-PTL	Cap Mount	25	

#### 3MTM PELTORTM OPTIMETM 101 SERIES EARMUFFS

- · Designed for maximum attenuation in a severe noise environment
- Soft sealing cushions easily replaceable by press-and-snap function
- Suitable for agriculture, construction equipment, heavy industry and airports
- CSA Class A
- Colour: Green
- Hygiene kits available





Model	Mfg.		NRR	Wt.	Price
No.	No.	Description	dB	oz.	/Each
SC165	H7A	Headband	27	7.8	
SC166	H7B	Neckband	26	7.2	
SC167	H7P3E	Cap Mount	24	8.8	

#### 3M™ PELTOR™ OPTIME™ 105 SERIES EARMUFFS

- Dual cup ultra high attenuating hearing protector for extremely high noise environments
- Wide ear cushions are filled with a foam which provides excellent sealing properties, good fit, and low surface pressure
- Ear cushions are easily replaceable with a simple press-and-snap function
- The outer layer consists of a specially developed hygienically textured plastic, allowing for ventilation and durability
- · CSA Class AL
- · Colour: Black with red trim
- Hygiene kits available



Model	Mfg.		NRR	Wt.	Price
No.	No.	Description	dB	OZ.	/Each
SC161	H10A	Headband	30	9.3	
SC162	H10B	Neckband	29	8.8	
SC163	H10P3E	Cap Mount	27	10.4	



#### 3M<sup>™</sup> PELTOR<sup>™</sup> HIGH VISIBILITY OVER-THE-HEAD EARMUFFS

- · High visibility, international orange colour for easy identification
- · Comfortable for continuous use
- Broad ear cushions with combined liquid and foam filling gives the sealing advantages of the liquid ring and good comfort of the foam ring in warm and cold conditions
- Especially suitable for forestry and airport environments
- CSA Class A
- Hygiene kits available



Model No.	Mfg. No.	Description	NRR dB	Wt. oz.	Price /Each
SC169	H31A	Headband	24	7.2	
SC170	H31P3E	Cap Mount	23	8.3	



#### **TACTICALPROTM**

#### FOLDING INDUSTRIAL AND PROFESSIONAL SHOOTER ELECTRONIC AMBIENT LISTENING HEADSET

- When clear ambient sound and voice recognition is required in your noisy environment, rely on the latest line of electronic headsets from Peltor\*
- Designed with a unique frequency response that amplifies signals, voices and warning sirens while at the same time instantaneously suppressing dangerous impulse noises
- Perfect choice for a wide variety of applications including: gun ranges, forklift drivers, airport ground personnel, maintenance mechanics and hearing-impaired workers
- Hygiene kits available

#### **BLACK FOLDING HEADBANDS**

- Audio input jack
- Two AA batteries for 270 hours of operation





#### **TACTICAL 6 SLIM LINE**

- · Electronic headset
- Individual cup volume control
- Four AAA batteries for 200 hours of operation







Model No.	Mfg. No.	Description	CSA Class	NRR dB	Price/Each
SAK591	MT15H7FSV	Headband	A	26	
SAK592	MT15H7BSV	Neckband	A	25	
SED671	MT15H67FB-01	Tactical 6	В	20	
SAK700	88009-00000	Rechargeable Ni-MH Battery Pack Kit	-	-	

#### 3MTM PELTORTM X SERIES EARMUFFS

- The X-Series earmuffs are 3M's latest advancement in hearing conservation
- · This low-profile earmuff is designed for protection against low-level industrial noise and other loud sounds
- · Earcup pivot points tilt for optimum comfort and efficiency
- · Hygiene kit available







Model No.	Mfg. No.	Description	CSA Class	NRR dB	Price/Each
SEJ034	X1A	Peltor™ X1, Over-Head Headband	A	22	
SEJ035	X2A	Peltor™ X2, Over-Head Headband	A	24	
SEJ036	X3A	Peltor™ X3,Over-Head Headband	AL	28	
SEJ037	X4A	Peltor™ X4, Over-Head Headband	AL	27	
SEJ038	X5A	Peltor™ X5, Over-Head Headband	AL	31	
SGC394	X1P5E	Peltor™ X1P, Cap Mount	-	21	
SGC395	X2P5E	Peltor™ X2P, Cap Mount	-	24	
SGC396	X3P5E	Peltor™ X3P, Cap Mount	-	25	
SGC397	X4P5E	Peltor™ X4P, Cap Mount	-	25	
SGC398	X5P5E	Peltor™ X5P, Cap Mount	-	31	

#### **HT SERIES**

#### LISTEN-ONLY HEADSETS DESIGNED FOR USE WITH SPEAKER MICROPHONES, VHF/UHF RADIOS OR PERSONAL ENTERTAINMENT DEVICES

Peltor® listen-only headsets come with a variety of connector plugs and will fit most portable stereos, UHF/VHF two-way radios, CD players, FM radios and voice page systems. In addition to offering high quality audio these headsets also provide excellent noise attenuation.

#### **FEATURES:**

- · Mono versions
- Three headband configurations available: over-the-head, neckband or hard hat mount
- Excellent protection
- Lightweight design
- Soft, liquid and foam cushions for excellent seal and low pressure
- 2.5 mm 3.5 mm speaker plugs sold separately
- Hygiene kit available











Model No.	Mfg. No.	Description	NRR dB	Price/Each
HN384	HTM79A	Headband Mono	25	
HN386	HTM79B	Neckband Mono	24	
HN387	HTM79P3E	Cap Mount Mono	23	

#### WORKTUNES™ PRO EARMUFFS

- Offers 10 AM/FM presets
- · Integrated antenna (no snagging)
- Voice guided menu
- Lightweight
- · Uses 3.5 mm jack for audio input
- Provides excellent reception with no interference, even in harsh conditions
- Comfortable for extended use, with soft cushions for low pressure
- · 1 year warranty
- · CSA Class: A



#### PELTOR



#### XLS, CSA CLASS A

- The XLS has been specifically designed to offer quality, comfort and protection at an affordable price
- The space age plastic provides rugged durability in harsh environments
- May be adjusted to six different positions
- Extra wide headband provides secure fit
- Hygiene kits available



## MSA

Model	Mfg.		NRR	Wt.	Price
No.	No.	Description	dB	oz.	/Each
SAN234	10061535	Cap Mount	22	6	

#### EXC, CSA CLASS A

- Wide headband with ventilated padding provides a firm fit and a high level of comfort with maximum protection
- Two point mounting system ensures pressure is distributed evenly around the cushion
- Press-and-snap function makes it easy to replace ear cushion
- Contoured sealing ring feature provides the best possible seal
- Also suitable for dielectric applications
- Hygiene kits available



## MSA


Model	Mfg.		NRR	Wt.	Price
No.	No.	Description	dB	oz.	/Each
SAN237	10061230	Cap Mount	24	7.6	

#### **EARMUFFS FOR V-GARD® HARD HATS**





Model	Mfg	Description	NRR	Price
No.	No.	Description	dB	/Each
SEL083	10087439	Left/Right White Helmet Mounted Ear Muffs	21	
SEK032	10087429	Left/Right Blue Helmet Mounted Ear Muffs	25	
SEL102	10087422	Left/Right Yellow Helmet Mounted Ear Muffs	28	



#### **SOUND DETECTORS SD-200**

- · Compact, lightweight and user friendly
- LED Alert screen provides a quick visual reference of sound levels
- · Provides average sound pressure level and delivers a steadier reading in environments such as manufacturing facilities or machine shops where noise levels are often highly variable

#### Temperature ranges:

- Operating temperature: 32 °F to 104 °F (0 °C to 40 °C)
- · Relative humidity: 0%- 90%, non-condensing

#### Specifications:

- Size: 6.5" x 2.4" x 0.9" / 16.5 cm x 6.1 cm x 2.3 cm
- Weight: 4.4 oz (125 g) approx.
- Battery: Lithium polymer (1000 mAh), rechargeable
- Run-time: 50+ hours without LEDs activated
- · Low battery indicator

#### Measurements:

- · Sound Pressure Level (SPL), Average value (LEQ /LAVG), LED Alert (with Hearing Protection icon), Maximum value (MAX), Minimum value (MIN), Run-Time, Overload (OL), and Under-Range (UR)
- Linearity range: 45 to 130 dB (Dynamic Range)
- Weighting: A or C
- Exchange Rate (ER): 3 dB or 5 dB
- LED Alert Levels:

Green LED Flashes when noise measurements are between 80 to 85 dB Yellow LED Flashes when noise measurements are between 85 to 105 dB Red LED Flashes when noise measurements are above 105 dB

Model No.	Mfg. No.	Description	Price/Each
IA848	SD-200	Sound Detector	

#### SOUND LEVEL METERS

- Measures sound levels in accordance with IEC61672 Class 2 specifications
- A/C frequency weighting
- Peak hold, data hold and max./min. record
- Fast/slow time weighting
- Real time data logger with integral 2GB SD memory card (optional)
- RS232 and USB interface
- Measuring Range: 30 to 80 dB, 50 to 100 dB, 80 to 130 dB
- Frequency Weighting: A/C
- Measuring Range: 30 130dB
- Data Logging / Not Data Logging: Data Logging

#### **MODEL HN408**

- Wind shield hall for sound level microphones
- Size: 65 mm dia.





Model No.	Mfg. No.	Description	Price/Each
IA799	SD-4023	Datalogging Sound Level Meter	
HN408	SB-01	Wind Shield Ball	

#### SOUND CALIBRATORS

- Two outputs levels 94 dB and 114 dB (at 1 kHz)
- Diecasting aluminum alloy housing case
- Two 9 V batteries
- Size: 50 mm dia. x 82 mm

Model No. IA661 Mfg. No. R8090 Price/Each \$





#### NOISE INDICATOR BADGES NI-100

- · Designed to alert users when noises in an area reach potentially hazardous levels
- Small size and lightweight design make it ideal for workers in a variety of industries
- Clips to clothing using LED light to offer real-time noise detection
- Red flashing LED: Indicates noise levels are above 85 dBA and hearing protection may be required
- Green flashing LED: Indicates noise levels are below 85 dBA and hearing protection may not be necessary
- Rechargeable lithium polymer battery operates up to 200 hours between charges





31

Model No.	Mfg. No.	Description	Price/Each
IA849	NI-100	Noise Indicator Badge	

#### SOUND LEVEL METER/DATA LOGGERS

- Measuring Range: Low: 30 to 90 dB; Med: 50 to 110 dB; High: 70 to 130 dB Auto: 30 to 130 db
- Dynamic Range: 60 dB Accuracy: ±1.4 dB
- Resolution: 0.1 dB
- Sample Rate: Digital: 0.5 sec. Analog: 50 mS
- Frequency Range: 20 Hz to 8 kHz
- Frequency Weighting: A and C
- Microphone: 1/2" electret condenser
- Power Supply: 4 x AAA batteries
- Meets IEC 61672-1 Class 2 requirements
- Records up to 64000 datapoints (1 MB)
- 60 dB dynamic space in each range
- Real time clock and calendar
- Fast/slow time weighting
- Min/Max function USB Interface
- Analog digital bar graph Backlit LCD display
- Tripod mount design for long-term monitoring
- Includes windscreen, USB cable, Windows software, batteries and hard carrying case





Model No.	Mfg. No.	Description	Price/Each
IB749	R8080	Sound Level Meter/Data Logger	

#### SOUND LEVEL METERS

- Dual range measurement (Hi/Lo)
- A and C frequency weighting
- Large, easy-to-read LCD display
- Electret condenser microphone for high accuracy and longterm stability
- AC/DC output signal for use with dataloggers
- Data Hold, Max Hold functions and low battery indication
- Meets IEC651 Type 2 requirements
- Measuring range: Low: 35 to 100 dB; High: 65 to 135 dB (A and C)
- Includes carrying case and battery





Model No.	Mfg. No.	Description	Price/Each
HX387	R8050	Sound Level Meter	

# auroratools

**Canada's Best Value in Industrial Tools** 

**Contact us today!** 

#### MOTOROLA BUSINESS TWO-WAY RADIOS

These radios are designed for heavy-duty, everyday industrial use. Environments such as construction, manufacturing and retail, along with many others, require this type of radio in order to function efficiently and productively.



#### CLS SERIES™ 4-CHANNEL 1 W

- Up to 8 km range, 200 000 sq. ft. or 15 floors
- 1 watt UHF transmit power
- 2 frequencies
- Up to 4-channel operation
- 121 interference eliminator with 83 digital and 38 analog codes
- LCD display with battery meter, signal strength indicator
- VibraCall® alert feature
- Call Alert button with 3 call tones
- · Double pin accessory jack
- Compatible with XTN Series audio accessories
- VOX Voice activated with select audio accessories

#### **INCLUDED ACCESSORIES:**

- · Lithium ion battery, up to 12 hours battery life
- 3-hr drop-in charger
- Swivel holster
- Industry Canada Licence required

Model No. HX166 Mfg. No. CLS1413 Price/Each \$



MOTOROLA SOLUTIONS

Business Radio Reseller

#### RMU SERIES™ 4-CHANNEL 2 W

- 2 watt UHF provides coverage up to 250 000 sq.ft./20 floors
- Up to 4 channels operation
- Operates on two UHF frequencies (IC license required)
- 219 PL/DPL codes, including six customizable codes
- Channel Announcement with Voice Alias
- Meets military 810 C, D, E, F, G and IP54/55 specifications
- Antimicrobial protection
- Two programmable buttons give quick 1-touch access to features; Advanced features via Customer Programming Software (CPS)
- Single unit drop in charger provides charging and battery level status via tri-colour LED
- Easy cloning with single unit charger cloning cable or multi-unit charger (sold separately)
- Repeater capable
- Weighing 8.6 oz. with battery
- · 2-pin accessory plug

#### **INCLUDED ACCESSORIES:**

- 2100 mAh 3.7 V lithium ion rechargeable battery
- Standard drop in charging tray w/ wall adaptor
- Swivel belt holster with 3.5" spring clip
- Quick reference leaflet and RF safety booklet

Model No. SEI689 Mfg. No. RMU2043 Price/Each \$





#### RDX SERIES™ MULTI-CHANNEL 4 W

- 39 analog and 83 digital interference eliminator codes
- · Designed to IP-55 and MIL-SPEC specifications
- 3 voice-inversion scramble settings to minimize eavesdropping
- · Channel scan with selectable scan list
- 3 audible call tones
- 2-pin accessory plug (compatible with XTN/CLS Series)
- VOX (hands-free use with accessories) with 3 sensitivity levels
- Tri-colour LED with Transmit, Receive and Low Battery indication
- Up to 4-watt power (2 W low power setting)
- 18.5 hrs. battery life (4 W, 5/5/90, battery save enabled)
- Pre-programmed channels/code combinations
- Repeater capable
- · Programmable direct input frequency
- · Bandwidth: 438-470 MHz

#### **INCLUDED ACCESSORIES:**

- 2400 mAh Li-ion rechargeable battery
- 12-hour drop-in charging tray with wall adaptor
- Spring belt clip
- User's guide, safety leaflet and Canadian license application form



Model No.	Mfg. No.	Description	Price/Each
SAR570	RDU4103	4 W, 10 channels	
SAR571	RDU4163D	4 W, 16 channels	

#### **SAR570 ADDITIONAL FEATURES:**

- · Up to 10 channels
- · Two programmable buttons
- · Auto-scan

#### **SAR571 ADDITIONAL FEATURES:**

- · Up to 16 channels with aliasing (up to 8 characters)
- · Battery gauge
- Signal strength indicator
- Keypad lock
- Five programmable buttons
- iVOX





#### TALKABOUT® T400 FRS/GMRS TWO-WAY RADIOS

- Perfect for outdoor excursions as well as life's everyday adventures
- Features 22 channels, each with 121 Privacy codes
- Built-in flashlight
- iVOX/VOX Hands-free
- 11 weather channels (7 NOAA) with alert feature
- Other key features include dual power, 20 call tones, Quiet Talk, Eco Smart, Scan, Talk Confirmation Mode, low battery alert, batter meter, battery save, keypad lock, auto squelch, time-out timer, and channel buys
- · Output watts: 2 W
- Radio band type: FRS/GMRS
- Range: 56.327 km
- No. of channels: 22
- Bandwidth: 462 467 MHz

Model No. SDN656 Mfg. No. T400 Price/Each \$





#### MOTOROLA RECREATIONAL TALKABOUT® RADIOS

These radios are designed to provide affordable and dependable communication, ideal for outdoor lightusage or included in an emergency preparedness kit. Our radios work in remote areas, are rugged and convenient to use and provide instant access without using up your cell phone minutes.



#### T200 TWO-WAY TALKABOUT RADIOS

- · Radio Band Type: FRS/GMRS/UHF
- Range of up to 32kms under favorable conditions
- · 22 Channels, each with 121 privacy codes
- 20 call tones
- · Low Battery Alert
- Keypad & Talk Confirmation Tone
- · Backlit display
- Monitor
- Single Pin Accessory Connector

Includes: 2 x T200 Radios, 1 x Y Cable Charging Adaptor with Dual Micro-USB Connectors, 2 x Belt Clips, 2 x (AA) NiMH Rechargeable Battery Packs, User Guide

Model No. SFU791 Mfg. No. T200 Price/Each \$





#### T600 H2O TWO-WAY TALKABOUT RADIOS

- Radio Band Type: FRS/GMRS/UHF
- Range of up to 56kms under favorable conditions
- 22 Channels, each with 121 privacy codes
- 11 weather channels (7 NOAA) with alert feature
- IP67 Waterproof and floats
- Water-activated flashlight (turns on when dropped into water)
- Emergency Alert button andd Flashlight with both red and white LEDs
- iVOX hands-free communication without the need of an audio accessory
- QT™ (Quiet Talk) interruption filter
- Backlit display
- LCD battery meter
- Battery save feature
- Audible low battery alert
- Keypad lock
- 20 call tones
- Time-out timer
- Micro-USB charging

Includes: 2 x T600 H2O Radios, 1 x Y Cable Charging Adaptor with Dual Micro-USB Connectors, 2 x Whistle Belt Clips, 2 x NiMH Rechargeable Batteries, User Guide Accessory Guide

Model No. SFU792 Mfg. No. T600 Price/Each \$





#### INDUSTRIAL GRADE PORTABLE RADIOS

#### **VERTEX 260 SERIES**

- · Delivers the ideal combination of features and performance for efficiency, reliability and interoperability
- Excellent audio performance allows for better message clarity so you can be heard loud and clear in all situations
- Lone worker and emergency alerts can be programmed to instantly notify help with a press of a button
- VOX capable with accessory
- · Universal battery system
- 2 customizable kevs
- Superior audio quality
- 5 watt power output • Range: 300 000 sq.ft. or 30 stories
- Radio comes with antenna, belt clip, battery and desktop rapid charger



Model No.	Mfg. No.	Display Screen	Number of Channels	Number of Programmable Keys	Price /Each
SDN355	VX-261	None	16	2	
SDN356	VX-264	8 Character Alphanumeric	128	6	



## **COMMUNICATION**



Model No.	Mfg. No.	Description	Compatible with Series	Price /Each
SED302	RLN6309A	Charging station, holds 6 radios	RDX	
SE1690	PMLN638A	Charging station, holds 6 radios	RMU	
HX180	56553	3-hr drop-in charger	CLS	
HX181	56531	CCS multi-charging station	CLS	

#### **BATTERIES**





MOTOROLA SOLUTIONS Business Radio Reseller

Model	Mfg.		Compatible	Price
No.	No.	Description	with Series	/Each
SED308	RLN6351A	Standard capacity lithium-ion battery	RDX	
SED310	RLN6308A	Ultra capacity lithium-ion battery	RDX	
HX186	56557	Lithium-ion rechargeable battery	CLS	

#### **AUDIO ACCESSORIES**



Model No.	Mfg. No. Description		Compatible with Series	Price /Each
AUDIO	ACCESSORIES			
SED303	RKN4155A	CPS programming cable	RDX	
SEI691	HKKN4027A	Programming cable kit	RMU	
SED304	HKLN4604	Ear hook swivel earpiece	CLS, XTN, RDX, DTR	
SED305	HKLN4601	Surveillance earpiece with microphone	CLS, XTN, RDX, DTR	
HM015	HKLN4606	Remote speaker/microphone	XTN, CLS, RDX	
HM017	53866	Earbud with in-line push-to-talk button	XTN, CLS, RDX	



Model No.	Mfg. No.	Description	Compatible with Series	Price /Each
CARRY	CASES & HOL	STERS		
SED306	RLN6302A	Leather carrying case with 3" swivel	RDX	
SED307	RLN6307A	Spring action belt clip	RDX	
HX071	53821	Replacement swivel belt holster	XTN	
HX184	HCLN4013	Replacement swivel belt holster	CLS	

#### ADJUSTABLE RADIO HOLSTER AND TETHERING KIT

- Adjusts to the fit virtually any hand-held radio, cell phone and many other portable devices
- Includes a micro D-ring that can be placed on the device and then tethered to the radio holster
- Can be worn from a belt or harness
- Radio/Phone Holster
   Tether Included: Single Coil Lanyard
- Tether Connector Type: Clip/Loop
- Tether Length: 34"
- Tether Length Relaxed: 7"
- · Tether Load Rating: 2 lbs.

Model No. SDP343 Mfg. No. 1500089 Price/Each \$







## **COMMUNICATION**

#### **MEGAPHONES**

- Features pistol grip and trigger for 1-hand operation
- Includes piercing siren sound for emergency situations
- 25-W peak, 15 W RMS power output
- Requires eight "C" batteries (not included)



Model	Power		Dim	ensi	ons	Wt.	Price
No.	Output	Range	L"	X	Н"	lbs.	/Each
SEE894	25 W peak	1 mile	15	Х	9	2	

#### REPLACEMENT BATTERIES

Model		Qty	Price
No.	Description	/Pkg.	/Each
XB874	Replacement "C" battery	12	

#### **VOICE GUNS® MEGAPHONES**

- · Electronic megaphone
- Powerful and lightweight
- Manufactured with rugged, high-impact Cycolac™ parts for long service life
- Ideal for industry, fire, marine, athletics, law enforcement and many other applications
- Made of Lexan<sup>™</sup> high-impact, selfextinguishing plastic making it appropriate for hazardous environments
- Operates on eight "AA" batteries (not included)
- Includes a special noise concealing microphone to improve voice reproduction





#### **FEDERAL SIGNAL CORPORATION**

Model	Power			- 1	imensior	15		Wt.	Price
No.	Output	Range	L"	X	Н"	X	D"	lbs.	/Each
HM738	16 W peak	1/4 mile	10 1/8	χ	10 1/2	Х	7 1/4	3	

#### REPLACEMENT BATTERIES

Model		Qty	Price	
No.	Description	/Pkg.	/Each	
XB872	Replacement "AA" battery	24		

#### **SONIC BLASTS**

#### SONIC BLAST SAFETY HORN WITH PLASTIC TRUMPET

- · Specially formulated non-flammable propellant that has an ultra-low global warming potential (GWP)
- · High impact white plastic trumpet
- Provides a 120 dB sound level at 10'
- · The 5 oz. Sonic Blast horn provides up to 56 blasts per can
- Size: 5 oz.

Model No. SFV118 Mfg. No. FSB5 Price/Each \$

#### REFILL

Model No. SFV119 Mfg. No. FSB5R Price/Each \$





#### SONIC BLAST MINI SIGNAL HORN

- WITH HOOK AND LOOP STRAP
- · Specially formulated non-flammable propellant that has an ultra-low global warming potential (GWP)

  High impact white plastic trumpet
- Provides a 112 dB sound level at 10'
- The 1 oz. Sonic Blast horn provides up to 12 blasts per can
- Size: 1 oz.

Model No. SFV120 Mfg. No. FSB1V Price/Each \$







#### SELECTION OF PARTICULATE RESPIRATORS & FILTERS **FILTER EFFICIENCY** The higher the efficiency the lower the filter leakage ex: 95%, 99%, 99.97% (100%) NO YES OR NOT SURE? Does the aerosol contain oil? Will the filter be used more than 8 hours NO (continuous or intermittent)? YES USE N, R, **USE P-SERIES USE R OR P-SERIES OR P-SERIES FILTERS FILTERS FILTERS** Limited by considerations of hygiene, Limited by considerations of hygiene, Limited by considerations of hygiene, damage, and breathing damage, and breathing damage, and breathing

#### **N-SERIES FILTERS**

These filters are restricted to use in atmospheres free of oil aerosols. They may be used for any solid or liquid airborne particulate hazard that does not contain oil.

#### **R-SERIES FILTERS**

These filters may be used for solid or liquid airborne particulate hazards including oil aerosols.

#### **P-SERIES FILTERS**

These filters may be used for solid or liquid particulate airborne hazards including oil aerosols. In environments containing oil aerosols, P-Series filters can be used longer than R-Series filters. Refer to each product's time use limitation.



#### **NUISANCE DUST MASKS**

- Provides protection against nuisance dusts such as pollen, animal dander, saw dust, and other non-toxic dusts
- Lightweight construction
- Adjustable nose clip provides a secure fit
- Latex straps



Priced per Box

Model	Qty	Price
No.	/Box	/Box
SAS499	50	

#### **FACE MASKS**

- 3-ply non-woven polypropylene construction
- Adjustable nose clip provides a custom fit

Latex-free



Priced per Package

Model	Qty	Price
No.	/Pkg.	/Pkg.
SDN589	50	

#### N95 PARTICULATE FLAT FOLD RESPIRATORS

- · Low breathing resistance for increased wearer comfort
- Adjustable plastic nose clip and soft foam nosepiece provide a custom fit

Medium/large









Priced per Box

Model		Qty	Price
No.	Description	/Box	/Box
SDN711	Without valve	20	
SDN712	With valve	12	

#### N100 PARTICULATE RESPIRATORS

- · Contoured facial seal, fully adjustable head straps, and adjustable nose clip offer a comfortable secure fit
- Exhalation valve reduces hot air build up to facilitate breathing in humid environments
- Cup style
- Medium/Large
- Certification: NIOSH N100



**Priced per Box** 

SAS497

Model	Description	Qty	Price
No.		/Box	/Box
SDN713	With valve	5	

#### P100 PARTICULATE RESPIRATORS

- Contoured facial seal, fully adjustable head straps, and adjustable nose clip offer a comfortable secure fit
- Exhalation valve reduces hot air build up to facilitate breathing in humid environments

SDN712

- Medium/Large
- Certification: NIOSH P100



Priced per Package

		•	_
Model		Qty	Price
No.	Description	/Pkg.	Pkg.
SDN714	With valve	5	

#### N95 PARTICULATE RESPIRATORS

- Provides excellent worker protection
- Lightweight construction for enhanced comfort
- · Adjustable nose clip with soft foam nose piece provides a secure fit
- Dual rubber strap design
- · Latex free
- · SAS498 comes with exhalation valve for reduced humidity build up
- NIOSH approved N95



**Priced per Box** 

Model No.	Description	Qty /Box	Price /Box
SAS497	Without valve	20	
SAS498	With valve	12	

#### 8200 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Lightweight construction enhances comfort and wear time
- Two-strap design with dual point attachment for secure fit
- Adjustable nose clip
- NIOSH approved N95
- 20 respirators per box



Priced per Box

Model	Mfg.	Price
No.	No.	/Each
SA0777	8200	

#### 8110S & 8210 N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- Lightweight construction
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Welded strap attachment no staples to irritate the user's face
- NIOSH approved N95
- 20 respirators per box



**c** : [V]

			Priced per Box
Model	Mfg.		Price
No.	No.	Size	/Each
SAM402	8110S	Small	
SE260	8210	Regular	

#### 8210 PLUS N95 PARTICULATE RESPIRATORS

- Advanced electret media
- Two braided straps
- Adjustable nose clip with soft nose foam
- NIOSH approved N95
- 20 respirators per box





Model	Mfg.	Price
No.	No.	/Each
SA0778	8210PLUS	

#### 8210V N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- 3M<sup>™</sup> Cool Flow<sup>™</sup> Exhalation Valve reduces heat build up inside the respirator
- Lightweight construction
- Adjustable nose clip and cushioning nose foam provide a custom fit an reduce fogging
- Welded strap attachment no staples to irritate the user's face
- NIOSH approved N95
- 10 respirators per box





		Priced per Box
Model	Mfg.	Price
No.	No.	/Each
SEF203	8210V	

#### 8511 N95 PARTICULATE RESPIRATORS

- · Proprietary filter media helps make breathing easier
- 3M<sup>TM</sup> Cool Flow<sup>TM</sup> Exhalation Valve reduces heat build up inside the respirator
- Adjustable M-nose clip allows fewer pressure points and greater comfort
- Braided comfort straps
- Lightweight construction
- NIOSH approved N95

Model

SE261

• 10 respirators per box



Priced per Box Mfg. Price No. /Each

#### 9105 & 9105S N95 V-FLEXTM PARTICULATE RESPIRATORS

8511N95

- V-shaped pleats flex with mouth movement for easier talking and expand to help ease of breathing
- Uniquely designed tabs help position the respirator on the face
- Adjustable nose clip provides a custom fit and secure seal
- Elastic headband
- Model SED599 fits small faces
- NIOSH approved N95
- 50 respirators per box



			com per box
Model	Mfg.		Price
No.	No.	Size	/Each
SED599	9105S	Small	
SED600	9105	Regular	

#### 9210+ & 9211+ N95 AURATM PARTICULATE RESPIRATORS

- Three-panel respirator
- Soft, conformable nose clip
- Lightweight, collapse-resistant design
- 3M<sup>™</sup> Cool Flow<sup>™</sup> Exhalation Valve on model SR616
- NIOSH approved N95



		Priceu per b		
Model	Mfg.		Qty	Price
No.	No.	Description	/Box	/Each
SEJ983	9210+	Without valve	20	
CD616	0211⊥	With valve	10	



#### 8212 & 8214 N95 PARTICULATE RESPIRATORS

- 3M<sup>TM</sup> Cool Flow<sup>TM</sup> Exhalation Valve reduces heat build up inside the respirator
- Caking resistant filter media provides longer respirator life and is designed for ease of breathing
- Fits easily under a welding hood
- Adjustable straps
- Comfortable foam face seal
- Flame resistant as per ASTM D2859-96 testing
- NIOSH approved N95
- 10 respirators per box



Priced per Box

Model	Mfg.		Price
No.	No.	Description	/Each
SE262	8212	N95	
SE883	8214	N95 w/Nuisance Level Organic Vapour Relief	

#### 8515 N95 WELDING PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- 3M<sup>™</sup> Cool Flow<sup>™</sup> Exhalation Valve reduces heat build-up inside the respirator
- Adjustable M-nose clip allows fewer pressure points and greater comfort
- Lightweight construction
- Braided comfort straps
- NIOSH approved N95
- 10 respirators per box



Priced per Box

Model	Mfg.	Price
No.	No.	/Each
SA0788	8515	

#### 8233 N100 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- 3M<sup>™</sup> Cool Flow<sup>™</sup> Exhalation Valve reduces heat build-up inside the respirator
- Adjustable nose clip
- Lightweight construction
- Comfortable foam face seal
- Adjustable straps
- NIOSH approved N100
- 1 respirator per bag



Priced per Bag

Model	Mfg.	Price
No.	No.	/Each
SF268	8733	

#### **8512 N95 WELDING** PARTICULATE RESPIRATORS



- · Designed for applications in which metal fumes may be present
- Lightweight construction
- Caking resistant filter media provides longer respirator life and is designed for ease of breathing
- 3M<sup>TM</sup> Cool Flow<sup>TM</sup> Exhalation Valve reduces heat build up inside the respirator
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Adjustable straps
- NIOSH approved N95
- 10 respirators per box



		rriceu per box
Model	Mfg.	Price
No.	No.	/Each
CVIVVS	8517	

#### 8246 & 8247 R95 PARTICULATE RESPIRATORS

· Proprietary filter media helps make breathing easier

Constructed with carbon filter material for nuisance level vapour relief

Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging

- Lightweight construction
- NIOSH approved R95
- · 20 respirators per box



**Priced per Box** 

SF263

Model No.	Mfg. No.	Description	Price /Each
SE263	8246	R95 w/Nuisance Level Acid Gas Relief	
SE264	8247	R95 w/Nuisance Level Organic Vapour Relief	

#### 8271, 8576 & 8577 P95 PARTICULATE RESPIRATORS

- · Proprietary filter media helps
- make breathing easier

   3M™ Cool Flow™ Exhalation Valve reduces heat build-up inside the respirator
- · Adjustable M-nose clip allows fewer
  - pressure points and greater comfort Lightweight construction
- Braided comfort straps
- NIOSH approved P95
- 10 respirators per box





Priced per Box

Model	Mfg.		Price
No.	No.	Description	/Each
SE267	8271	P95	
SE265	8576	P95 w/ Nuisance Level Acid Gas Relief	
SE266	8577	P95 w/ Nuisance Level Organic Vapour Relief	

#### 8293 P100 PARTICULATE RESPIRATORS

- · Lightweight construction
- Proprietary filter media helps make breathing easier
- 3M<sup>™</sup> Cool Flow<sup>™</sup> Exhalation Valve reduces heat build up inside the respirator
- Comfortable foam face seal
- Adjustable straps
- NIOSH approved P100
- 1 respirator per bag





		Priced per Bag
Model	Mfg.	Price
No.	No.	/Each
142-8293	8293	

#### 1200 N95 PARTICULATE RESPIRATORS

- · Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Softspun® lining gives added comfort and durability
- NIOSH approved N95
- 20 respirators per box



MOL			Priced per Bo
Model	Mfg.		Pric
No.	No.	Description	/Eacl
SAQ182	1200N95	Medium/Large	

#### 2200 N95 PARTICULATE RESPIRATORS

- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Flame retardants are added to the shell to help decrease flammability
- NIOSH approved N95
- 20 respirators per box



PVC FREE	
MOL	DEX

			-	ca per ben
Model	Mfg.			Price
No.	No.	Description	Colour	/Each
SE451	2200N95	Medium/Large	White	
SE452	2201N95	Small	White	
SE848	2207N95	Low Profile	White	
SAQ183	2200N95HV	Medium/Large	High-Visibility	

#### 2300 N95 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build up
- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Soft foam nose cushion
- Available in three sizes to fit most faces
- NIOSH approved N95
- 10 respirators per box



MOL	DEX TOP		Priced per Box
Model	Mfg.		Price
No.	No.	Description	/Each
SE849	2300N95	Medium/Large	
SE850	2301N95	Small	
SE851	2307N95	Low Profile	

#### 2400 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- Exhale valve reduces hot air build-up
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95

Mode

SE852

No.

· 10 respirators per bag







## 2500 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps to filter nuisance levels of acid gas irritants (less than OSHA PEL)
- Exhale valve reduces hot air build-up

No.

2400N95

- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95
- 10 respirators per bag



Mfg.

No.

2500N95

Mode

SE853

No.



Price per Bag Price /Each

Medium/Large

Description

Medium/Large

#### 2700 N95 PARTICULATE RESPIRATORS

HandyStrap® with buckle allows the respirator to hang down around neck when not in use

Description

- Cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Soft foam nose cushion
- · Dura-Mesh® shell resists collapsing
- Available in two sizes to fit most workers
- NIOSH approved N95
- 10 respirators per box









Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SJ902	2700N95	Medium/Large	
SJ903	2701N95	Small	

#### 2800 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- HandyStrap® cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95
- 10 respirators per box





- Handy personal supply with hygienic storage
- Separate chamber stores respirator-in-use during breaks
- 4 respirators per locker









Priced per Package

Model No.	Mfg. No.	Description	Price /Each
SJ904	2800N95	Medium/Large	
SJ905	2801N95	Small	
RESPIRA	TOR LOCKER®		Priced per Locker
SAG158	2850	Medium/Large	

#### AIRWAVE™ RESPIRATORS

- Exclusive easy-breathing wave design
- FlexFit<sup>™</sup> comfort wave flexes with you
- Dura-Mesh® shell adds lasting durability

#### **N95 RESPIRATORS**

- Less resistance, better breathability Cool inside, without a valve
- Ideal where unvalved respirators are preferred
  - 10 respirators per box

#### N95 RESPIRATORS + **NUISANCE ORGANIC VAPOURS**

- Smart Strap particulate respirator plus nuisance organic vapors
- Less resistance, better breathability
- Cool inside, without a valve
- · Ideal where unvalved respirators are preferred
- Less cost than valved respirators
- Longer wear means less cost
- 8 respirators per box

#### N100 RESPIRATORS

- · 99.97% efficient against non-oil based particulates
- FlexFit design moves easily with your face and stays in place
- Dura-Mesh® shell resists collapsing in heat and humidity
- Ventex® valve lets the hot air out faster so workers breathe easier and stay cooler
- Foam face cushion for added comfort and no pressure points
- Softspun® lining for increased comfort and durability
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1
- Metal-free
- 5 respirators per box



**SEE821** 



## MOLDEX PYC FREE



#### Priced per Box

Mfg. No.	Description	Straps	Certification	Price /Each
4200	Medium/Large	Standard	NIOSH N95	
4201	Small	Standard	NIOSH N95	
4600N95	Medium/Large	Adjustable*	NIOSH N95	
4601N95	Small	Adjustable*	NIOSH N95	
ISANCE ORGAN	NIC VAPOURS			
4800	Medium/Large	Adjustable*	NIOSH N95	
4700N100	Medium/Large	Adjustable*	NIOSH N100	
	4200 4201 4600N95 4601N95 ISANCE ORGAN	No.         Description           4200         Medium/Large           4201         Small           4600N95         Medium/Large           4601N95         Small           ISANCE ORGANIC VAPOURS           4800         Medium/Large	No. Description Straps  4200 Medium/Large Standard 4201 Small Standard 4600N95 Medium/Large Adjustable* 4601N95 Small Adjustable* ISANCE ORGANIC VAPOURS 4800 Medium/Large Adjustable*	No. Description Straps Certification  4200 Medium/Large Standard NIOSH N95 4201 Small Standard NIOSH N95 4600N95 Medium/Large Adjustable* NIOSH N95 4601N95 Small Adjustable* NIOSH N95 ISANCE ORGANIC VAPOURS 4800 Medium/Large Adjustable* NIOSH N95

<sup>\*</sup>SmartStrap® allows the Airwave to hang from neck when not in use

#### SPECIAL OPSTM SERIES PARTICULATE RESPIRATORS

- Solid black colour stays cleaner looking longer to prevent premature disposal
- HandyStrap® with buckle
- Stretch cloth strap feels cool and comfortable against the skin



			JAINIOJO	Pric	ea per Box
Model No.	Mfg. No.	Size	Туре	Qty /Box	Price /Each
SAM858	M2600N95	Medium/Large	N95	15	
SAM859	M2601N95	Small	N95	15	
RESPIRAT	ORS WITH VEN	TEX° VALVE			
SAM860	M2700N95	Medium/Large	N95	10	
SAM861	M2701N95	Small	N95	10	
SAM862	M2740R95	Medium/Large	R95	10	
CAMOCO	MAZZITOGE	CII	DOL	10	

#### 2310/2315 N99 PARTICULATE **RESPIRATORS**

- · Exhale valve reduces hot air build up
- · Dura-Mesh® shell resists collapsing
- · Contour molded nose bridge and soft foam nose cushion
- SAG155 has adjustable cloth straps for a more comfortable fit
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N99
- · 10 respirators per bag







Price per Bag

SE854

Model No.	Mfg. No.	Description	Price /Each
SE854	2310N99	Standard Straps	
SAG155	2315N99	Adjustable Straps	

#### 2730 N100 PARTICULATE RESPIRATORS

- Handystrap® with buckle
- Ventex® valve lets the hot air out faster
- Soft foam face cushion
- · Dura-Mesh® shell resists collapsing
- Available in two sizes to fit most workers
- · Meets heat and flame resistance in accordance with ANSI/ISFA 110-2003 section 7.11.1
- NIOSH approved N100
- 5 respirators per box

MOLDEX







Model No.	Mfg. No.	Description	Price /Each
SAG149	2730N100	Medium/Large	
SAG150	2731N100	Small	


#### 2740 R95 PARTICULATE RESPIRATORS

- · Handystrap® with buckle
- Ventex® valve lets the hot air out faster
- Soft foam nose cushion
- Dura-Mesh® shell resists collapsing
- Flame retardants are added to the shell to help decrease flammability
- Available in two sizes to fit most workers
- Meets heat and flame resistance in accordance with ANSI/ISFA 110-2003 section 7.11.1
- NIOSH approved R95
- 10 respirators per box









**Priced per Box** 

Model No.	Mfg. No.	Description	Price /Each
SAF825	2740R95	Medium/Large	
SAF826	2741R95	Small	

#### 2360 P100 PARTICULATE RESPIRATORS

- Adjustable straps allow a snug, comfortable fit
- Molded nose bridge with face foam cushion
- Ventex® valve lets the hot air out faster
- Dura-Mesh® shell resists collapsing
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved P100
- 5 respirators per box







Model	Mfg.	Description	Price
No.	No.		/Each
SAI323	2360P100	Medium/Large	

SAM858

Dricad nor Pay

#### N95 FOLDING PARTICULATE RESPIRATORS

- Fits a small face as well as a large one
- Wide cushion offers a better sealing
- Latex free
- One size fits all
- Individually packed and sealed
- NIOSH certified N95

#### Honeywell NORTH



Model No.	Mfg. No.	Description	Qty/Box	Price/Eacl
SAS475	7230N95	Without valve	12	
SAS476	7240N95	With valve	10	

#### ONEFIT™ MOLDED CUP PARTICULATE RESPIRATORS

- Universal, one-size design
- Fits most face sizes and shapes
- Provides outstanding
- respiratory protection NIOSH approved N95

#### Honeywell





Model No.	Mfg. No	Description	Qty /Box	Price /Each
SAQ180	14110444	Without exhalation valve	20	
SA0181	14110445	With exhalation valve	10	

#### SAF-T-FIT® PLUS N1105 PARTICULATE RESPIRATORS

- · Economical respiratory protection
- Lightweight, humidity resistant, hypoallergenic filter media
- Three colour-coded sizes for a better fit on a wider range of facial features
- NIOSH approved N95
- 20 respirators per box

## Honeywell



#### SAF-T-FIT® PLUS N1125 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Three colour-coded sizes for a better fit on a wider range of facial features
- Boomerang nose seal adapts to different faces for better protection
- NIOSH approved N95
- 20 respirators per box

#### Honeywell





#### CFR-1™ LIMITED USE RESPIRATORS

- Reusable face piece with easy to replace disposable filters
- A perfect compromise between comfort, protection and value
- Soft face piece seal
- Built-in exhalation valve
- · Face piece design prevents filters from collapsing
- Adjustable harness
- Welding version features a stainless steel mesh cover to catch sparks and slag
- Both versions are shipped with N95 filters, but R95 replacement filters are available for environments where oil may be present



#### Honeywell NORTH

Model No.	Mfg. No.	Description	Size	Price /Each
SAG360	4200S	Standard	Small	
SAG361	4200M	Standard	Medium	
SAG362	4200L	Standard	Large	
SAG363	4200SW	Welding	Small	
SAG364	4200MW	Welding	Medium	
SAG365	4200LW	Welding	Large	



? F	PΙ	AC	FN	\FNT	FII	TFRS

Model No.	Mfg. No.	Description	Qty /Box	Price /Box
SAG366	42N95	N95	20	
SAM585	42R95	R95	20	

#### SAF-T-FIT® PLUS N1115 PARTICULATE RESPIRATORS

- · Lightweight, humidity resistant, hypoallergenic filter media
- Three colour-coded sizes for a better fit on a wider range of facial features
- Boomerang nose seal adapts to different faces for better protection
- NIOSH approved N95
- 20 respirators per box



#### Honeywell

	NORTH		Priced per Box
Model	Mfg.		Price
No.	No.	Size	/Each
SAM238	14110390	Small	
SAM239	14110391	Medium/Large	
SAM240	14110392	X-Large	

#### SAF-T-FIT® PLUS N1125 OV PARTICULATE RESPIRATORS

- · Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Provides relief from nuisance level organic vapours
- Three colour-coded sizes for a better fit on a wider range of facial features
- Boomerang nose seal adapts to different faces for better protection
- NIOSH approved N95
- 10 respirators per box



## Honeywell

NORTH

Model	Mfg.		Price
No.	No.	Size	/Each
SAM244	14110396	Small	
SAM245	14110397	Medium/Large	
SAM246	14110398	X-Large X	

Priced per Box

#### SAF-T-FIT® PLUS N1139 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Three colour-coded sizes for a better fit on a wider ranger of facial features
- Full sealing flange maximizes protection and wearer comfort
- NIOSH approved N99
- 10 respirators per box



#### **Honeywell**

NORTH

**Priced per Box** 

Model	Mfg.		Pric
No.	No.	Size	/Eac
SAM250	14110402	Small	
SAM251	14110403	Medium/Large	
SAM252	14110404	X-Large	

#### **NUISANCE DUST MASKS**

- Suitable for nuisance dusts such as animal dander or pollen
- This mask is not NIOSH approved
- 50 masks per box



#### Honeywell

	NORTH	Priced per Box
Model	Mfg.	Price
No.	No.	/Each
SAM286	14110094CC	

#### **RESPIRATOR DISPENSERS**

- Convenient clear acrylic dispenser has a unique cut-out design that allows you to reach in the opening to easily remove even the last respirator
- Fits any disposable respirator model
- · Holds more than 30 respirators
- Dimensions: 6" W x 6" D x 12 1/2" H

Model No. SAM878 Mfg. No. M420 Price/Each \$

**BRADY** 





#### SAF-T-FIT® PLUS P1135 PARTICULATE RESPIRATORS

- · Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort
- when working in hot environmentsThree colour-coded sizes for a better fit
- on a wider ranger of facial features
   Full sealing flange maximizes
- protection and wearer comfort

   NIOSH approved N95
- 10 respirators per box



#### Honeywell

NORTH

Priced per Box

			•
Model	Mfg.		Price
No.	No.	Size	/Each
SAM255	14110428	Medium/Large	
SAM256	14110429	X-Large	



#### **MAINTENANCE-FREE PAINT** SPRAY/PESTICIDE RESPIRATORS

- · Offers workers greater comfort, convenience and performance
- Pre-assembled so there are no spare parts to replace
- Cradle suspension holds the respirator in place with minimal pressure to the back of the neck and the bridge of the nose
- · Low profile organic vapour cartridges for a wider field of vision and greater comfort while wearing glasses or goggles
- Easy-to-install prefilter is approved for paint spray, pesticides and particulites
- Packaged with one pair of P95 prefilters and one pair of prefilter retainers
- NIOSH approved





Model	Mfg.		Price
No.	No.	Size	/Each
SE884	51P71	Small	
SE406	52P71	Medium	
SE885	53P71	Large	

#### MAINTENANCE-FREE GAS & VAPOUR RESPIRATORS

- · Pre-assembled so there are no spare parts to replace
- Cradle suspension holds the respirator in place with minimal pressure to the back of the neck and the bridge of the nose
- · Low profile organic vapour cartridges for a wider field of vision and greater comfort while wearing glasses or goggles
- NIOSH/MSHA approved
- · Organic Vapour/Acid Gas





Model	Mfg.		Price
No.	No.	Size	/Each
SI940	5103	Small	
SI941	5203	Medium	
SI942	5303	Large	

#### 6000 SERIES HALF FACEPIECE LOW-MAINTENANCE RESPIRATORS

- · Soft, thermoplastic facepiece is extremely comfortable and easy to adjust
- · Low profile design gives workers better visibility and permits comfortable wearing of safety glasses
- Includes reclosable storage bag
- · NIOSH/MSHA approved



Model	Mfg.		Price
No.	No.	Size	/Each
SE886	6100	Small	
SE887	6200	Medium	
SE888	6300	Large	

REPLACEMENTS PARTS			Priced per Pa	
Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SR188	6893	Inhalation Valves	40	
SAI579	6889	Exhalation Valves	10	
SAI583	6281	Head Harness	5	
SR190	6895	Inhalation Gaskets	20	

#### 6500 SERIES HALF FACEPIECE RESPIRATORS

- · Provides comfort and stability with a soft but firm silicone faceseal
- Resilient material extends product life
- · Maintains its shape in high heat environments
- Overmolded, low-profile design simplifies cleaning and maintenance with fewer parts and crevices, and provides a wide field of view
- Valve cover design directs exhaled breath and moisture downwards,
- and facilitates a positive pressure seal check
  3M™ Cool Flow™ Exhalation Valve enhances comfort by reducing heat and moisture, and allows for easier breathing
- · Adjustable head harness assembly provides optimum fit and comfort with a three-size adjustable head cradle
- Long-lasting polyester spandex straps
- Optional quick-latch drop-down mechanism allows for easy on and off as workers move in and out of contaminated areas - no need to remove your hard hat or faceshield
- NIOSH approved



Model No.	Mfg. No.	Size	Price /Each
SEJ779	6501	Small	
SEJ780	6502	Medium	
SEJ781	6503	Large	
W/QUICK-	LATCH DROP-DOWN F	EATURE	
SEJ782	6501QL	Small	
SEJ783	6502QL	Medium	
SEJ784	6503QL	Large	

7500 SERIES REUSABLE HALF FACEPIECE RESPIRATORS

- Advanced silicone material provides a softer feel on the face
- Unique adjustment design helps reduce pressure points on the face
- Dual-mode head harness, option of wearing in traditional or drop-down mode
- 3M<sup>TM</sup> Cool Flow<sup>TM</sup> Exhalation Valve helps reduce heat and moisture build-up for easier breathing
- NIOSH approved



Model No.	Mfg. No.	Size	Price /Each
SAG264	7501	Small	
SAG265	7502	Medium	
SAG266	7503	Large	

REPLACEMENT PAR	LTS.
-----------------	------

#### Priced per Package

Model	Mfg.		Qty	Price
No.	No.	Description	/Pkg.	/Each
SAI636	7582	Inhalation Valves	10	
SAI637*	7583	Exhalation Valves	10	
SAI635	7581	Head Harness	5	
SAI638	7586	Cartridge Filter Holders	5	

<sup>\* 7500 &</sup>amp; 6000 Series

#### 6000 SERIES FULL FACEPIECE RESPIRATORS

- Lightweight, well balanced, low maintenance facepiece provides user comfort, convenience, and ease of breathing
- Unique centre adapter directs exhaled breath and moisture downward
- Smooth surfaces allow for quick an easy cleaning
- 3M<sup>TM</sup> Cool Flow<sup>TM</sup> Exhalation Valve reduces heat and moisture build-up inside the facepiece, making breathing easier and providing cool, dry comfort
- Lens with integrated optical correction limits distortion as you look from side to side
- Wide field of vision provides excellent visibility
- NIOSH approved



Model No.	Mfg. No.	Size	Price /Each
SE889	6700	Small	
SE890	6800	Medium	
SE891	6900	Large	

ACCESSORIES		Priced	er Package	
Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAI578	6878	Spectacle Kit	1	
S1946	6885	Clear Lens Covers	25	
SI947	6886	Tinted Lens Covers	25	

#### REPLACEMENT PARTS Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAI579	6889	Exhalation Valves	10	
SAN499	6864/37000	Centre Adapter Assembly	1	
SR188	6893	Inhalation Valves	40	
SAI581	6894	Nosecup Assembly	1	
SR190	6895	Inhalation Gaskets	20	
SR189	6897	Head Harness Assembly	1	
SAI584	6898	Lens Assembly	1	
SAI585	6899	Lens Frame Kit	1	

#### 7800 SERIES FULL FACEPIECE RESPIRATORS

- Silicone facepiece with large face shield for excellent visibility
- Versatile use with particulate filters, gas/vapour cartridges, supplied air systems or Powered Air Purifying Respirators (PAPR)
- Double-flap face seal
- 3M<sup>TM</sup> Cool Flow<sup>TM</sup> Exhalation Valve helps make breathing easier
- Speaking diaphragm for easy, clear communications
- Scratch-resistant polycarbonate lens
- Six adjustable straps
- NIOSH approved





Cartridge not included

Model No.	Mfg. No.	Size	Price /Each
SG534	7800S(S)	Small	
SG535	7800S(M)	Medium	
SG536	7800S(L)	Large	

SG536	7800S(L)	Large		
REPLACI	EMENT PARTS		Priced pe	er Package
Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAI640	7282	Inhalation Valves	50	
SAI641	7283	Exhalation Valves	10	

No.	No.	Description	/Pkg.	/Each
SAI640	7282	Inhalation Valves	50	
SAI641	7283	Exhalation Valves	10	
SAI639	701	Cartridge Filter Adapters	2	
SR190	6895	Inhalation Gaskets	20	
SAI642	7884	Lens	1	
SAI643	7885	Frame Kit for Lens	1	
SAI644	7887	Gaskets for Inhalation Valves	2	
SAF820	7893S	Head Strap Assembly	1	

#### **ACCESSORIES**

#### Priced per Package

Model	Mfg.		Qty	Price
No.	No.	Description	/Pkg.	/Each
SAI645	7894	Spectacle Kit	1	
SI948	7899-25	Clear Lens Covers	25	
SI949	7986	Tinted Lens Covers	25	

# ULTIMATE FX FF-400 SERIES FULL FACEPIECE RESPIRATORS

- Engineered for maximum comfort, durability, and visibility
- Provides rugged flexibility in extreme environments while still delivering superior comfort
- The only respirator with Scotchgard<sup>™</sup> Protector for easier cleaning and maintenance
- 3M<sup>TM</sup> Cool Flow<sup>TM</sup> Exhalation Valve for easier breathing and cool, dry comfort
- Features soft yet durable silicone faceseal and head harness
- Long-lasting head harness straps pulled over one million times in durability testing
   Large lens for superior peripheral vision
- Low profile bayonet cartridge attachments, designed for improved balance and better weight distribution
- NIOSH approved



Model No.	Mfg. No.	Size		Price /Each
SEB184	FF-401	Small		
SEB185	FF-402	Medium		
SEB186	FF-403	Large		
ACCESSO	RIES	Description	Qty/Pkg.	
SDS857	FF-400-15	Standard Lens Covers	25	
SED319	FF-400-17	Semi-Permanent Lens Cover	5	
SDP385	FF-400-25	Nylon Storage Bag	1	

#### 6000 SERIES GAS/VAPOUR RESPIRATOR CARTRIDGES

$\leftarrow$		
	Priced per Package	

	Series State William Control of C			Priced per Package		
Cartridges	Description	Approved For	Model No.	Mfg. No.	Qty Price /Pkg. /Each	
	Organic Vapours	Organic Vapours	SE892	6001	2	
	Acid Gas	Chlorine/Hydrogen Chloride/ Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Sulfide	SE893	6002	2	
	Organic Vapours/ Acid Gas	Organic Vapours/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide	SE894	6003	2	
	Ammonia/ Methylamine	Ammonia/Methylamine	SE895	6004	2	
	Formaldahyde	Formaldehyde and certain organic vapours	SE896	6005	2	
	Multi-Gas/ Vapour	Organic Vapours/Chlorine/Chlorine Dioxide/ Hydrogen Chloride/Sulfur Dioxide/ Hydrogen Fluoride/Hydrogen Sulfide/ Ammonia/Methylamine/Formaldehyde	SE897	6006	2	
	Mercury Vapour/ Chlorine Gas	Mercury Vapour/Chlorine or Sulfur Dioxide	SDL115	6009S	2	
	N95 Prefilter	Use with 6000 series cartridges or SEH649 prefilter adapter	SE913	5N11	10	
8	P95 Prefilter	Use with 6000 series cartridges or SEH649 prefilter adapter	SE914	5P71	10	
9	Prefilter Retainer	For use with SE913 or SE914	SE915	501	1	
	Prefilter Adapter	For use with SE913 or SE914	SEH649	603	2	

#### 6000 SERIES COMBINATION GAS/VAPOUR/P100 FILTER RESPIRATOR CARTRIDGES



						er i aemage
Cartridges	Description	NIOSH Approved For	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
	Organic Vapours/ P100	Organic Vapours/Permanently pre-attached P100 prefilter*	SE899	60921	2	
	Acid Gas/P100	Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Sulfide/ Permanently pre-attached P100 prefilter*	SE900	60922	2	
	Organic Vapour/ Acid Gas/P100	Organic Vapours/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/ Permanently pre-attached P100 prefilter*	SE901	60923	2	
	Ammonia/ Methylamine/ P100	Ammonia/Methylamine/Permanently pre-attached P100 prefilter*	SE902	60924	2	
	Formaldehyde/ P100	Formaldehyde and certain organic vapours with P100 particulate filter*	SE903	60925	2	
	Multi-Gas/ Vapour/P100	Organic Vapours/Chlorine/ Chlorine Dioxide/Hydrogen Chloride/Ammonia/Methylamine/ Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/Formaldehyde/Permanently pre-attached P100 prefilter*	SE904	60926	2	
	Mercury Vapour/ Chlorine/P100	Mercury Vapour/Chlorine or Sulfur Dioxide/Permanently pre- attached P100 prefilter*	SDL116	60929S	2	

\*At least 99.97% efficient against solid and liquid aerosols including oils

#### 2000 SERIES RESPIRATOR PREFILTERS

- · Light weight and easy to breathe through
- · Suited for a wide range of oil and non-oil based particulate contaminants



#### Priced per Package

Filters	Description	Used For (Possible Applications)	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
182	P95 Filter	Grinding, sanding, bagging, welding, other oily/dusty operations	SE906	2071	2	
	P95 Filter w/Hydrogen Fluoride and Nuisance Level Acid Gas	Aluminum smelting, glass etching, chemical manufacturing	SE907	2076	2	
	P95 Filter w/Nuisance Level Organic Vapour and Acid Gas	Chemical manufacturing, welding, aluminum smelting	SE908	2078	2	
	P100 Filter	Welding, pharmaceutical manufacturing	SE909	2091	2	
3111 128 (2) 20 (3)	P100 Filter w/Acid Gas	Utility operations, chemical manufacturing aluminum smelting	SE910	2096	2	
	P100 Filter w/Organic Vapour	Welding, metal foundry, chemical manufacturing undercoating operations, pharmaceutical manufacturing	SE911	2097	2	

#### 2200 SERIES RESPIRATOR PREFILTERS

- Features  $3M^{\text{TM}}$  advanced electret filter media making it easier to breathe
- Suited for a wide range of oil and non-oil based particulate contaminants

#### Priced per Package

Filters	Description	Used For (Possible Applications)	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
10 m	P100 Advanced Filter	Welding, Pharmaceutical Manufacturing	SEI738	2291	2	
	P100 Advanced Filter w/ Nuisance Level Acid Gas	Utility Operations, Chemical Manufacturing, Aluminum Smelting	SE1739	2296	2	
9 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	P100 Advanced Filter w/ Nuisance Level Organic Vapour Relief	Welding, Metal Foundry, Chemical Manufacturing, Undercoating Operations, Pharmaceutical Manufacturing	SE1740	2297	2	
· ·	Prefilter Adaptor	Filter adaptor for use with 2000 and 2200 series filters	SE916	502	1	

#### 7093 P100 RESPIRATOR PARTICULATE FILTERS

- Unique, spring-loaded filter cover design simplifies negative pressure user seal checks
- Swept-back design provides enhanced field of view and greater comfort

Hard Shell

#### Priced per Package

Filters	Description	Used For (Possible Applications)	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
-	P100 Filter	Welding, pharmaceutical manufacturing	SE912	7093	2	
	P100 Filter w/Hydrogen Fluoride and Nuisance Level Acid Gas	Welding, metal pouring, abatement OSHA substance specific particle exposures, pharmaceuticals chemical manufacturing, undercoating	SAQ696	7093C	2	

#### 7700 SERIES HALF-MASK RESPIRATORS

- Non-allergenic silicone facepiece material conforms to facial features and doesn't harden with age
- Easy to clean, extremely durable and resists distortion, ensuring a better fit
- Contoured sealing flange and cradle suspension system eliminates discomfort caused by pressure points on facial nerves
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance
- Can be adapted to North PAPR or supplied air to offer flexibility in the workplace

Cartridges sold separately



#### Honeywell

NORTH

Model	Mfg.		Price
No.	No.	Size	/Each
ZC352	770030S	Small	
SM802	770030M	Medium	
SA788	770030L	Large	

#### **REPLACEMENT PARTS**

Model	Mfg.		Qty	Price
No.	No.	Description	/Pkg.	/Each
SAS478	770017	Inhalation valve	6	
<b>SΔS479</b>	770018	Exhalation valve	4	

### 5500 SERIES LOW MAINTENANCE HALF-MASK RESPIRATORS

- · Non-allergenic thermoplastic elastomer for comfort and fit
- Contoured sealing flange eliminates discomfort
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- · Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance
- · Latex-free straps stretch and move with the worker while providing optimum support
- Can be adapted to North PAPR or supplied air to offer flexibility in the workplace



#### Honeywell

NORTH

Model	Mfg.		Price
No.	No.	Size	/Each
SM890	550030S	Small	
SM891	550030M	Medium	
SM892	550030L	Large	

#### REPLACEMENT PARTS

Model	Mfg.		Qty	Price
No.	No.	Description	/Pkg.	/Each
SAS478	770017	Inhalation valve	4	
SAS479	770018	Exhalation valve	4	

#### **RU8500 SERIES HALF MASKS**

- Silicone facepiece is soft and flexible to provide workers with a comfortable fit for hours of use
- Speech diaphragm offers better speech clarity for improved communications
- Dual sealing flange provides excellent facepiece seal
- Woven straps retain shape for secure fit and better comfort; straps are easy to adjust with no excess slack
- Standard industrial exhalation valve cover
- Compatible with Honeywell N-Series cartridges, filters, and cartridge/filter combinations
- NIOSH approved

### RU8800 HALF-MASK RESPIRATORS

Triple flange design = superior fit, comfort and protection. The RU8800 is our top-of-the-line half-mask respirator. Made of soft silicone, it is extremely comfortable, flexible and durable.

- · A triple flange fits a wide variety of facial types and provides the ultimate in comfort and superior fit
- Wide, wraparound, pleated silicone facepiece fits a large variety of facial types
- · Lateral placement of exhalation valve and cartridge ports enhances field of vision
- Cradle suspension with four-point floating yoke eliminates pressure points to enhance comfort



NORTH







SFE051 SFE054

Model No.	Mfg. No.	Size	Colour	Price /Each
SFE051	RU85001S	Small	Royal Blue	
SFE052	RU85001M	Medium	Royal Blue	
SFE053	RU85001L	Large	Royal Blue	
SFE054	RU85002S	Small	Light Green	
SFE055	RU85002M	Medium	Light Green	
SFE056	RU85002L	Large	Light Green	
SFE057	RU85003S	Small	Lilac	
SFE058	RU85003M	Medium	Lilac	
SFE059	RU85003L	Large	Lilac	



#### Honeywell

Model	Mfg.		Price
No.	No.	Size	/Each
SFU942	RU88001S	Small	
SFU943	RU88001ML	Medium/Large	

### 5400 SERIES LOW MAINTENANCE **FULL FACEPIECE RESPIRATORS**

- · Elastomer material with high chemical resistance
- Oral nasal cup reduces fogging and lessens dead air space to improve comfort
- Hard-coated polycarbonate lens provides over 200° field vision
- Can be adapted to North PAPR or supplied air to offer flexibility in the workplace

Cartridges



### Honeywell

	NORTH

Model No.	Mfg. No.	Size	Price /Each
SAH792	54001S	Small	
SAH791	54001	Medium/Large	

#### REPLACEMENT PARTS

Model	Mfg.		Qty	Price
No.	No.	Description	/Pkg.	/Each
SAS478	770017	Inhalation valve	4	
SAS479	770018	Exhalation valve	4	

### 7600 SERIES FULL FACEPIECE RESPIRATORS

- · Silicone facepiece material conforms to facial features and doesn't harden with age
- · Easy to clean and resists distortion
- Protects the wearer's eyes and face against irritating gases, vapours and flying objects
- Oral nasal cup reduces fogging and lessens dead air space to improve comfort
- Speaking diaphragm makes communication easy
- Five-strap harness provides an effective and comfortable facepiece to face seal
- Hard-coated polycarbonate lens provides over 200° field vision
- · Can be adapted to North PAPR or supplied air to offer flexibility in the workplace

#### Honeywell NORTH



#### Cartridges sold separately

Model No.	Mfg. No.	Size	Price /Each
STANDAR	D		
SM893	760008AS	Small	
S1777	760008A	Medium/Large	
WITH WEL	DING ADAPTOR		
SEN150	760008ASW	Small	
SEN151	760008AW	Medium/Large	

#### REPLACEMENT PARTS

Model	Mfg.		Qty	Price
No.	No.	Description	/Pkg.	/Each
SAS478	770017	Inhalation valve	4	
SAS479	770018	Exhalation valve	4	

#### RU6500 SERIES FULL FACEPIECE RESPIRATORS

- · Wide viewing area for distortion-free visibility and optical clarity
- Polycarbonate lens with 200° field of vision
- Silicone nose cup provides excellent facepiece seal and offers a soft, comfortable fit ideal for all day use
- · Enhanced head harness offers quick and easy adjustments
- Deep threaded cartridge connector virtually eliminates accidental disconnections and worker exposure to contaminants
- Facepiece material: Silicone
- · Certification: NIOSH

Model	Mfg.		Head	Price
No.	No.	Size	Harness	/Each
SDN448	RU65001S	Small	5-pt Strap	
SDN449	RU65001M	Medium	5-pt Strap	
SDN450	RU65001L	Large	5-pt Strap	
SDN451	RU65002S	Small	Mesh Headnet	
SDN452	RU65002M	Medium	Mesh Headnet	
SDN453	RU65002L	Large	Mesh Headnet	



#### **BACKPACK ADAPTERS**

- Backpack adapter allows users to locate cartridges and filters out of the work zone
- Is easily adaptable to all North® full facepiece and half mask air-purifying respirators
- Attaches to the facepiece cartridge connector
- Ideal for tight or highly heated work places
- · Like an extension cord for cartridges

Model No. SAO679 Mfg. No. BP1002 Price/Each \$



\* Shown here with half mask and cartridges (sold separately)



### 7900 EMERGENCY **ESCAPE RESPIRATORS**

- · Easy to use, emergency escape mouthpiece respirators
- Disposable, no need for a maintenance program





### PARTICULATE PREFILTERS & ACCESSORIES

Priced per Package

		Descriptions	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
一	N95 Filter	N95 Particulate Filter	SM915	7506N95	10	
	N95 Filter Assembly	Includes: N95 Particulate Filter, Filter Cover, and Filter Holder	SM907	7531N95	2	
亚	N99 Filter	N99 Particulate Filter	SM916	7506N99	10	
	N99 Filter Assembly	Includes: N99 Particulate Filter, Filter Cover, and Filter Holder	SM909	7531N99	2	
	P100 Filter	P100 Particulate Filter	SM914	75FFP100	2	
	P100 Filter W/Nuisance Vapour Relief	P100 Particulate Filter With Nuisance Relief From Organic Vapours, Acid Gas, and ozone	SE1643	75FFP100NL	2	
	Hard Shell P100 Filter	P100 Particulate Filter	SM913	7580P100	2	
	Filter Adaptor	For Use With N Series Cartridges and SM907, SM909 or SM914 Filters	SM917	N750035	1	
	Filter Retainer	For SM915 and SM916 filters when used directly on facepiece	SEK140	N750037	2	
	Shower Cap	For SM913 Hardshell P100 Filter	SM919	N750029	1	



### N SERIES GAS/VAPOUR RESPIRATOR CARTRIDGES

Sleek, low profile design provides better balance and a wider field of vision

#### **Honeywell**

NORTH

#### Priced per Package

Cartridges	Description	Approved For	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
THE STATE OF	Defender™ Multi-Gas	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde	SEI595	75SCL	2	
	Organic Vapour	Organic Vapours	SEI596	N75001L	2	
0 -11	Acid Gas	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde	SEI597	N75002L	2	
T A W P	Organic Vapour and Acid Gas	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide	SE1598	N75003L	2	
	Ammonia / Methylamine	Ammonia, Methylamine	SE1599	N75004L	2	
	Mercury Vapour / Chlorine with Mercury ESLI (End of Service Life Indicator)	Mercury Vapour, Chlorine Gas	SEI600	N750052L	2	

### N SERIES COMBINATION GAS/VAPOUR/ P100 FILTER RESPIRATOR CARTRIDGES

Sleek, low profile design provides better balance and a wider field of vision



#### Priced per Package

Cartridges	Description	Approved For	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
	Defender™ Multi-Gas w/P100 Filter	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde, P100 Particulate Filter	SEI601	75SCP100L	2	
	Organic Vapour w/P100 Filter	Organic Vapours, P100 Particulate Filter	SEI602	7581P100L	2	
	Acid Gas w/P100 Filter	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde, P100 Particulate Filter	SEI603	7582P100L	2	
	Organic Vapour and Acid Gas w/P100 Filter	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, P100 Particulate Filter	SEI604	7583P100L	2	
	Ammonia / Methylamine w/P100 Filter	Ammonia, Methylamine, P100 Particulate Filter	SEI605	7584P100L	2	
	Mercury Vapour / Chlorine with Mercury ESLI w/P100 Filter	Mercury Vapour, Chlorine Gas, P100 Particulate Filter	SEI606	75852P100L	2	

### **COMFORT AIR® 100 SERIES** HALF-FACEPIECE RESPIRATORS

- · Molded from pure silicone the wide interior flange, deep chin cup and rolled edges offer long-term comfort and fit
- Low profile design fits under most grinding or welding helmets and provides extended field of vision
- Large inhalation valves provide maximum surface area, reducing inhalation resistance while increasing user comfort and productivity
- Patented corrugated exhalation valve design and minimized "dead air" space provide low breathing resistance and added comfort
- Patented multi-position cartridge placement allows maximum compatibility with other PPE
- Textured no-slip face seal and swivel retainers ensure proper placement and provide a comfortable seal on a wide variety of faces
- Enhanced harness assembly features metal tabs finishes on nylon straps to prevent fraying allow easy adjustment when wearing gloves
- Ultimate Comfort

/Each
/ Lucii



### **COMFORT AIR® 300 SERIES** HALF-FACEPIECE RESPIRATORS

- Molded from a custom engineered thermoplastic blend that provides comfort and compatibility without compromise
- Low profile design fits under most grinding or welding helmets and provides extended field of vision
- Large inhalation valves provide maximum surface area, reducing inhalation resistance while increasing user comfort and productivity
- Patented corrugated exhalation valve design and minimized "dead air" space provide low breathing resistance and added comfort
- Patented multi-position cartridge placement allows maximum compatibility with other PPE
- Textured no-slip face seal and swivel retainers ensure proper placement and provide a comfortable seal on a wide variety of faces
- Enhanced harness assembly features metal tabs finishes on nylon straps to prevent fraying allow easy adjustment when wearing gloves
- Combine economy & function
- Facepiece Material: Thermoplastic



<b>DENIEC</b> SAFETY SPECIALISTS				
Model	Mfg.		Price	
No.	No.	Size	/Each	
SFU911	15R300-SM-00	Small/Medium		
SFU912	15R300-ML-00	Medium/Large		

# **COMFORT AIR® 120 SERIES FULL-FACEPIECE RESPIRATORS**

- · Silicone facepiece provides the wearer soft, pliable protection with maximum comfort
- Large panoramic anti-fog treated polycarbonate lens provides extended field of vision
- Large inhalation valves provide maximum surface area, reducing inhalation resistance while increasing user comfort and productivity
- Patented corrugated exhalation valve design and minimized "dead air" space provide low breathing resistance and added comfort
- Patented multi-position cartridge placement allows maximum compatibility with other PPE
- 5 point quick release buckles allows the user to quickly and easily don and doff the respirator
- Rugged construction built for long life
- Ultimate Comfort



Model No.	Mfg. No.	Size	Description	Price /Each
SFU915	15RF120-0-00	One Size	Without Inner Mask	
SFII916	15RF120_M_00	One Size	With Inner Mack	

### **COMFORT AIR® 400 SERIES** HALF-FACEPIECE RESPIRATORS

- · Limited use series designed for short term users or applications while providing excellent value
- Low profile design fits under most grinding or welding helmets and provides extended field of vision
- Large inhalation valves provide maximum surface area, reducing inhalation resistance while increasing user comfort and productivity
- Patented corrugated exhalation valve design and minimized "dead air" space provide low breathing resistance and added comfort
- Patented multi-position cartridge placement allows maximum compatibility with other PPE
- Textured no-slip face seal and swivel retainers ensure proper placement and provide a comfortable seal on a wide variety of faces
- Enhanced harness assembly features metal tabs finishes on nylon straps to prevent fraying allow easy adjustment when wearing gloves
- Economy priced for limited use





### **COMFORT AIR® 520 SERIES FULL-FACEPIECE RESPIRATORS**

- · Neoprene facepiece provides economical, lightweight protection
- Large panoramic anti-fog treated polycarbonate lens provides extended field of vision
- Large inhalation valves provide maximum surface area, reducing inhalation resistance while increasing user comfort and productivity
- Patented corrugated exhalation valve design and minimized "dead air" space provide low breathing resistance and added comfort Patented multi-position cartridge placement allows
- maximum compatibility with other PPE 5 point quick release buckles allows the user to
- quickly and easily don and doff the respirator
- Combine economy & function





Model No.	Mfg. No.	Size	Description	Price /Each
SFU917	15RF520-00	One Size	Without Inner Mask	
CFIIQ18	15RE520_M_00	One Size	With Inner Mack	

# PARTICULATE PREFILTERS, FILTERS, AND ACCESSORIES



Priced per Package

	Description	Model No.	Mfg. No.		Qty /Pkg.	Price /Each
	P100 Filter	SFU919	15FDISKITP100		2	
<b>99</b>	P100 Filter/Organic Vapor	SFU920	15FDISKIP1000V		2	
	P100 Filter	SFU921	15F158-T-LP0		2	
	P100 Filter	SFU922	15F14494		2	
	N95 Filter	SFU923	15F158-D-N5		16	
	R95 Filter	SFU924	15F158-D-R5		16	
	Respiration Prefilter Retainer	SFU935	15F14879		2	
	Respiratior Cartiridge Retainer	SFU936	15F14881		2	
	Respirator Filter Cover	SFU937	15F159-T-61		2	
(B)	Repirator Filter Holder	SFU938	15F14880		2	

## COMBINATION GAS/VAPOUR/P100 FILTER RESPIRATOR CARTRIDGES



Priced per Package

	Description	Model No.	Mfg. No.		Qty /Pkg.	Price /Each
	P100 Filter/Organic Vapor	SFU930	15F158-T-20LPO		2	
30	P100 Filter/Acid Gas/ Chlorine Gas	SFU931	15F158-T-21LP0		2	
	P100 Filter/Ammonia/ Mthylamine	SFU932	15F158-T-22LP0		2	
	P100 Filter/Organic Vapor/ Acid Gas	SFU933	15F158-T-26LPO		2	
	P100 Filter/Formaldehyde	SFU934	15F158-T-29LP0		2	

### GAS/VAPOUR RESPIRATOR CARTRIDGES



Priced per Package

	Description	Model No.	MTg. No.		/Pkg.	/Each
	Organic Vapor	SFU925	15F158-T-20		2	
20	Gas/Vapour Cartridge	SFU926	15F158-T-21		2	
	Ammonia/Methylamie	SFU927	15F158-T-22		2	
	Organic Vapor/Acid Gas	SFU928	1F158-T-26		2	
	Formaldehyde	SFU929	15F158-T-29		2	

OFFICE INSTRUMENTS
RODUCTS SCALES &

SHIPPING & PACKAGING

TOOLS & EQUIPMEN

WELDING & NETALWORKING SAFETY EQUIPMENT & SUPPLIES MAINTENANCE

HANDLING &

Price

/Each

### ADVANTAGE® 200 LS HALF FACEPIECE RESPIRATORS







- · Clear blue facepiece subtracts 25% of the weight and adds noticeable softness to give workers more comfort and stability than ever
- AnthroCurve<sup>™</sup> sealing surface, which instantly conforms to each wearer's unique facial characteristics
- The unmatched fit and comfort start with a soft, pliable combination of rubber and plastic that provides a virtually customized fit

Size

Small

Medium

Large

• Patented MultiFlex® system equalizes pressure on the face-seal area while delivering exceptional stability

Mfg.

No.

815696

815692

815700

2-PIECE NECK STRAP

Model

SAG058

**SAG059** 

**SAG060** 

No.

			_
Model	Mfg.		Price
No.	No.	Size	/Each
SINGLE N	ECK STRAP	1	
SAG061	815448	Small	
SAG062	815444	Medium	

Large

•	Full-face respirator features a wraparound lens
	11 1 11 6 11 11 11 6

- combined with a soft, pliable silicone facepiece For the utmost in convenience, Advantage® 3000 uses the same
- cartridges and filters as the Advantage® 200 LS respirator
- Lower breathing resistance; includes a standard nosecup that reduces fogging in low temperatures or high humidity conditions
- Scratch-resistant coating has been engineered to be optically correct, giving you superior visibility and peripheral vision
- Pre-adjustable straps for a consistent fit, time after time
- Choose between standard rubber harness or Advantage® harness that dons like a catcher's mask
- · Cover lenses available

Model No.	Mfg. No.	Size	Price /Each
RUBBER I	HEAD HARNE	SS	
SAG064	10028996	Small	
SAG065	10028995	Medium	
SAG066	10028997	Large	

Model	Mfg.		Price
No.	No.	Size	/Each
ADVANT	AGE® HEAD H	IARNESS	
SAM909	10031340	Small	
SAM910	10031309	Medium	
SAM911	10031341	Large	

#### ADVANTAGE GAS/VAPOUR RESPIRATOR CARTRIDGES

815452

**SAG063** 

- Lightweight, low-profile performance
- Fits MSA Advantage" respirators

#### Priced per Package

Cartridges	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.	Price /Each
	SAG094	815355	Organic Vapours	Organic Vapours	2	
90	SAG096	815356	Acid Gas	Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide(Escape Only)	2	
-	SAG098	815357	Organic Vapours/Acid Gas	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Chloride/Hydrogen/Sulfide(Escape Only)	2	
iles -	SAG102	815359	Multi-Gas	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Sulfide(Escape Only)/Formaldehyde/Hydrogen Fluoride	2	
9	SAG100	815358	Ammonia/Methylamine	Ammonia/Methylamine	2	
60	SAG105	815361	Mercury Vapour/Chlorine Gas	Mercury Vapour/Chlorine Gas	2	

#### ADVANTAGE COMBINATION GAS/VAPOUR/P100 RESPIRATOR CARTRIDGES

- Lightweight, low-profile performance
- Fits MSA Advantage respirators

• Co	Combines gas/vapour protection with a permanently attached P100 filter						Priced per Package	
	Cartridges Model Mfg. No. No.		Description	Approved For	Qty /Pkg.	Price /Each		
	<b>6</b> %	SAG095	815362	Organic Vapours/P100	Organic Vapours Permanently Preattached P100 Filter	2		
		SAG097	815363	Acid Gas/P100	Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)/Permanently Preattached P100 Filter	2		
		SAG099	815364	Organic Vapours/Acid Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only) Permanently Preattached P100 Filter	2		
	P	SAG103	815366	Multi-Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)/Formaldehyde/Hydrogen Fluoride Permanently Preattached P100 Filter	2		
	<b>€</b> %	SAG101	815365	Ammonia/Methylamine/P100	Ammonia/Methylamine/P100	2		
		SAG106	815368	Mercury Vapour/Chlorine Gas/P100	Mercury Vapour/Chlorine Gas/P100	2		

#### ADVANTAGE RESPIRATOR CARTRIDGE FILTERS & PREFILTERS


· For use with Advantage" respirators and cartridges



					Pricea pe	r Package
Filters	Model No.	Description Approved For		Approved For	Qty /Pkg.	Price /Each
	SAG107	815369	P100 Hard Shell Filter	99.97% Efficiency Against Patriculate Aerosols	2	
P) di	SAG108	816357	N95 Prefilter	95% Efficiency Against Non-Oil Patriculate Aerosols	10	
	SAG110	815392	N95 Prefilter Retainer	Use with N95 Prefilter	2	
	SAG109	815397	R95 Prefilter	95% Efficiency Against Patriculate Aerosols	2	
	SAG111	815401	R95 Prefilter Retainer	Use with R95 Prefilter	2	

#### FLEXI-FILTER® RESPIRATOR FILTERS

- Low profile flexible filters fit well under a welding hood or with other personal protection equipment
- · Great balance and weight distribution for maintaining a good face seal





Priced per Package

Filters	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.	Price /Each
	SAG112	818342	P100	99.97% Efficiency Against Patriculate Aerosols	2	
	SAG113	818343	P100 w/Nuisance Level Organic Vapour & Ozone Relief	99.97% Efficiency Against Patriculate Aerosols	2	
	SAG114	818344	P100 w/Nuisance Level Acid Gas Relief	99.97% Efficiency Against Patriculate Aerosols	2	
	SAG116	818346	N95	95% Efficiency Against Non-Oil Patriculate Aerosols	2	
	SAG117	818347	N95 w/Nuisance Level Organic Vapour Relief	95% Efficiency Against Non-Oil Patriculate Aerosols	2	
	SAG120	818354	P95	95% Efficiency Against Patriculate Aerosols	2	
	SAG121	818355	P95 w/Nuisance Level Organic Vapour Relief	95% Efficiency Against Patriculate Aerosols	2	

# COMFO CLASSIC® HALF FACEPIECE RESPIRATORS

- Comfo Classic' respirators feature SoftFeel' facepiece material, which is an MSA-exclusive formulation that improves pliability and softness
- Unique face seal design gives wearers an exceptional fit
- NIOSH approved





Model	Mfg.		Price
No.	No.	Size	/Each
SOFTFEE	L° HYCAR™ RI	UBBER	
SAG070	808075	Small	
SAG071	808074	Medium	
SAG072	808076	Large	
SOFTFEE	L° SILICONE		
SAG073	808072	Small	
SAG074	808071	Medium	
SAG075	808073	Large	

# MSA

#### COMFO® GAS/VAPOUR RESPIRATOR CARTRIDGES

Priced	l per	Pac	kage
--------	-------	-----	------

Cartridges	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.	Price /Each
	SAG124	464031	Organic Vapours	Organic Vapours	1	
	SAG127	464032	Acid Gas	Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)	1	
	SAG129	464046	Organic Vapours/Acid Gas	Organic Vapours/Chlorine/Sulfur Dioxide/ Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)	1	
	SAG134	492790	Multi-Gas	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only), Formaldehyde/Hydrogen Fluoride	1	
	SAG132	464033	Ammonia/Methylamine	Ammonia/Methylamine	1	

#### COMFO® COMBINATION GAS/VAPOUR/P100 RESPIRATOR CARTRIDGES



•	Combines gas/vapour protection with a permanently attached P100 filter	
---	--	--

Priced	per	Package

Cartridges	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.	Price /Each
	SAG125	815178	Organic Vapours/P100	Organic Vapours Permanently Preattached P100 Filter	1	
8	SAG128	815179	Acid Gas/P100	Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only) Permanently Preattached P100 Filter	1	
8	SAG130	815180	Organic Vapours/ Acid Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only) Permanently Preattached P100 Filter	1	
<b>S</b>	SAG135	815182	Multi-Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide(Escape Only)/Formalde- hyde/Hydrogen Fluoride Permanently Preattached P100 Filter	1	
	SAG133	815181	Ammonia/Methylamine/P100	Ammonia/Methylamine/P100	1	
8	SAG138	815185	Mercury Vapour/Chlorine Gas/P100	Mercury Vapour/Chlorine Gas/P100	1	

### COMFO® RESPIRATOR CARTRIDGE FILTERS & PREFILTERS



<ul> <li>For use w</li> </ul>	vith Comfo	" respirators	and cartridges		Priced per	r Package
Filters	Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.	Price /Each
	SAG142	816661	N95 Prefilter	95% Efficiency Against Non-Oil Patriculate Aerosols	10	
	SAG144	489353	N95 Prefilter Retainer	Use with N95 Prefilter	1	
	SAG143	816287	R95 Prefilter	95% Efficiency Against Patriculate Aerosols	2	
	SAG145	489219	R95 Prefilter Retainer	Use with R95 Prefilter	1	

#### 7000/7800 SERIES RESPIRATORS

- Designed to be the most user friendly respirator on the market
- Features fewer parts, minimal maintenance, and a wider field of vision
- · Ultra lightweight, durable, and economical

#### 7000/7800 HALF-MASK RESPIRATORS

- Low profile, angled cartridge placement for wider field of vision
- Easy mount bayonet cartridge/filter attachment
- Adjustable head harness for a custom fit
- Contoured neck buckles for comfort and quick attachment
- Compact, fits under welding helmets
- Wide flange fits more facial shapes comfortably
- Attached exhale cover for easy inspection







Model No.	Mfg. No.	Size	Facepiece Material	Price /Each
7000 SERIES				
SEC563	7001	Small	Thermoplastic	
SEC564	7002	Medium	Thermoplastic	
SEC565	7003	Large	Thermoplastic	
7800 SERIES				
SGC366	7801	Small	Silicone	
SGC367	7802	Medium	Silicone	
SGC368	7803	Large	Silicone	

### 9000 FULL FACEPIECE **RESPIRATORS**

- · Lightweight facepiece weighs less than 12.7 oz.
- Stand away head harness for easy donning
- Over-molded buckles for secure strap attachment with one finger strap release
- Panoramic lens with peripheral vision side panels is scratch resistant and includes a tear away lens protector
- Integrated exhale area with attached cover has fewer parts for simple maintenance and inspection







Model	Mfg.		Price
No.	No.	Size	/Each
SEC567	9001	Small	
SEC568	9002	Medium	
SEC569	9003	Large	

#### **ACCESSORIES**

Model	Mfg.			Price
No.	No.	Description	Qty/Pkg.	/Pkg.
SEC574	0093	Faceshield Protectors	15	

PRE-ASSEMBLED PAINT/SPRAY PESTICIDE 7000 HALF-MASK **RESPIRATORS** 



Model	Mfg.			Price
No.	No.	Size	Description	/Each
SEC566	7112	Medium	Includes 7000 half-mask respirator, organic vapour cartridges, N95 Prefilters and prefilter retainers	

#### 7000/9000 SERIES GAS/VAPOUR CARTRIDGES





Priced per Package

	Description	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
<b>385</b>	Organic vapour cartridge	SEC576	7100	2	
	Acid Gas cartridge	SEC575	7200	2	
100 X 100	Organic vapour/acid gas cartridge	SEC577	7300	2	
	Multi-gas/vapour smart cartridge	SEC578	7600	2	

#### 7000/9000 SERIES PARTICULATE FILTERS & RETAINERS

Priced per Package

	Description	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
MODES NOS	N95 Prefilter	SEC570	8910	10	
	P100 Prefilter	SEC571	7940	2	
	Prefilter Retainer	SEC572	7020	2	
	Piggyback Adapter	SEC573	7920	2	

#### **ULTRA SWIPES**

- Disposable cloths clean, disinfect and deodorize hard surfaces and instruments
- Ethanol formulation provides hospital-level disinfection to destroy a wide range of pathogens, including HIV-1 (AIDS) and TB in just 1 minute
- 160 sheets per canister

Model No. JA984 Price/Each \$



### **RESPIRATOR CLEANING WIPES**

- · Used to clean elastomeric facepiece respirators.
- 8" x 10" towelettes are alcohol-free and will not damage the facepiece materials.
- · Individually packaged.
- 100 per box.

Priced per Box. Model No. SAI530 Mfg. No. 504 Price/Each \$





#### **FIT TEST KITS**

#### **IRRITANT SMOKE FIT TEST KITS**

- Facilitates testing required under CSA standard Z94.4-02
- Includes: Six irritant smoke tubes (15 tests/tube), aspirator bulb, tube tip breaker, record form, instruction manual and a hard shell plastic case

**Note:** The irritant smoke test protocol requires that the test be conducted in a well-ventilated area. The use of a tent or hood is prohibited and will not comply with OSHA regulations.

Misuse of these products may result in serious injury or death.



### RESPIRATORS & PPE CLEANING TOWELETTES

- For rubber or latex face and mouth pieces, respirators, etc.
- Alcohol-free
- Avoids "drying-out" associated with alcohol based cleaners
- 5" x 8" individually wrapped towelettes
- 100 towelettes per dispenser

Model No. SEE383 Price/Each \$





### **Honeywell**



Model	Mfg.		Price
No.	No.	Description	/Each
SAM213	140090	Irritant Smoke Fit Test Kit	
SAQ164	140038	Replacement Tubes, Irritant Smoke (6/box)	

#### **FIT TEST KITS**

- Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection and CSA Standard Z94-4
- · A fast, easy method for performing qualitative fit testing
- Can be used with any particulate respirator or any gas and vapour respirator with a particulate filter
- Helps satisfy respiratory program requirementsCan be used during respirator training programs
- Convenient, reliable, and economical to use
- · Determines employee's taste threshold to fit test solution
- · Allows exercises to be performed in a test atmosphere

#### QUALITATIVE FIT TEST KIT WITH SWEET TESTING SOLUTION

Model No. SAK078 Mfg. No. FT-10 Price/Each \$

#### FT-30 QUALITATIVE FIT TEST KIT WITH BITTER TESTING SOLUTION

Model No. SAK085 Mfg. No. FT-30 Price/Each \$



### VERSAFLOTM V-SERIES SUPPLIED AIR VALVES

- Allows workers to set supplied air flow at the most comfortable level
- Includes valve and waist belt



# 3M

Model	Mfg.		Price
No.	No.	Description	/Each
SN039	V-300	High Pressure Valve Assembly	
SAI394	V-400	Low Pressure Valve Assembly	

### VORTEMP™ SUPPLIED AIR **HEATING VALVE ASSEMBLY**

- Regulates both airflow and temperature of the supplied air system
- Keeps workers comfortable by heating the air as much as 10°C
- · Includes heating tube, waist belt, and holder

Model No. SN037 Mfg. No. V-200 Price/Fach \$



### **VORTEX SUPPLIED** AIR COOLING VALVE

- · Regulates both airflow and temperature of the supplied air system
- Keeps workers comfortable by cooling the air as much as 10°C
- Includes cooling tube, waist belt, and holder

Model No. SN035 Mfg. No. V-100 Price/Each \$



### PORTABLE COMPRESSED AIR FILTER & REGULATOR PANELS

- 4-stage air purification system filters and monitors carbon monoxide\*
- Features an adjustable regulator and gauge
- For maximum efficiency air temperature should be 20 to 65°C and relative humidity of the compressed air should be between 20 and 70%
- Packaged in a protective carrying case for total portability
- Includes particulate and nuisance odour filters for worker protection and comfort



Model No.	Mfg. No.	No. of Outlets	Capacity CFM	Price /Each
SN050	256-02-00	4	50	
SN051	256-02-01	8	100	



### **COMPRESSED AIR FILTER** AND REGULATOR PANELS



- Filters and regulates air being delivered to a supplied air respirator\*
- Economical system that provides single step filtration
- Designed to be permanently mounted to a wall
- · Includes particulate and nuisance odour filters for worker protection and comfort
- Features five outlets • Capacity: 50 CFM
- · Note: This unit will NOT remove carbon monoxide (CO) from a compressed air source

Model No. SN052 Mfg. No. W-2806 Price/Each \$

\*It is the employer's responsibility to ensure that compressed air used with any supplied air respirator system meets the requirements of CSA standard Z-180.1



#### **ACCESSORIES**

Model No.	Mfg. No.	Description	Price /Each
SDS606	W-2808	Retrofit CO Monitor Kit	
SDS607	W-2811-10	Filter Cartridge	

#### AMBIENT AIR PUMPS

- · Low pressure pump used to deliver air to the worker
- Includes a sound reducing chamber, pressure gauge and an adjustable pressure relief valve
- Driven by a 3/4 horse power motor
- · Operates on a standard 115 volt, 15 amp electrical supply

Model	Mfg.	Description	Price
No.	No.		/Each
SAI367	8050501	Ambient Air Pump	

#### **SPARE PARTS & ACCESSORIES**

Mfg.

Model

Model No.	Mfg. No.	Description	Price /Each
SAI368	8050901	25' Inlet Hose	
SAI369	8050902	Additional 25' Hose	
SAI370	80496-5	Outlet Filter	
SAI371	80515-5	Inlet Muffler	

### **DUAL AIRLINE BREATHING TUBES & ADAPTORS**

**SAN190** 



_	
	Price
Adaptor	/Each
gh Pressure	
gh Pressure	
gh Pressure	
w Pressure	
w Pressure	
w Pressure	
A.I.	

No.	No.	Туре	Mounting	Adaptor	/Each
SAN186	SA-1000	Standard	Front	High Pressure	
SAN190	SA-2000	Standard	Back	High Pressure	
SAN192	SA-2100	Combination	Back	High Pressure	
SAN187	SA-1000LP	Standard	Front	Low Pressure	
SAN191	SA-2000LP	Standard	Back	Low Pressure	
SAN193	SA-2100LP	Combination	Back	Low Pressure	
SAI398	SA-1500	Standard	Front	None	
SAI400	SA-1600	Combination	Front	None	
SAI399	SA-2500	Standard	Back	None	
SAI401	SA-2600	Combination	Back	None	
SEJ092	SA-1007	High Pressure Regulator	_	_	
SAI402	SA-1027	Low Pressure Regulator	_	_	

#### SUPPLIED AIR HOSES


00.		, «II. I I O O E O			
Model No.	Mfg. No.	For Use With	Length'	Price /Each	
STAND	ARD HIGH I	PRESSURE			
SN043 SN042 SN041	W-9435-25 W-9435-50 W-9435-100	High Pressure, Vortemp™ Heating, o Vortex Cooling Valves	25 r 50 100		
COILED HIGH PRESSURE					
SN046 SN045 SN044	W-2929-25 W-2929-50 W-2929-100	High Pressure, Vortemp™ Heating, o Vortex Cooling Valves	r 25 50 100		
LOW PRESSURE					
SN049 SN048 SN047	W-3020-25 W-3020-50 W-3020-100	Low-Pressure Valve Only	25 50 100		











OFFICE PRODUCTS SCALES & ELECTRICAL SHIPPING & PACKAGING

TOOLS & EQUIPMENT

WELDING & METALWORKIN SAFETY EQUIPMENT & SUPPLIES JANITORIAL & MAINTENANCE

HANDLING &

### **BUILDING DUAL AIRLINE SUPPLIED AIR SYSTEMS**



**START!** 

RESPIRATOR FACEPIECE **CHOOSE YOUR** 

SEE PAGES 460-461

**CHOOSE YOUR BREATHING TUBE & REGULATOR** 

SEE PAGE 474


SEE PAGE 474

ADD A SUPPLY HOSE

FILTER OR PUMP THE AIR SUPPLY SEE PAGE 474

THE AIR SUPPLY CONNECT TO





\*IT IS THE EMPLOYER'S RESPONSIBILITY TO ENSURE THAT COMPRESSED AIR USED WITH ANY SUPPLIED AIR RESPIRATORY SYSTEM MEETS THE REQUIREMENTS OF CSA STANDARD Z-180.1

**FINISH!** 

#### AMBIENT AIR PUMP

- · For two workers with a tight fitting facepiece or one worker with loose fitting hood
- Lightweight unit featuring carry handle
- 3/4 horse power supplies up to 10 CFM
- · Ideal for a variety of work environments including painting and refinishing booths

### Honeywell

#### **COMPLETE KITS**

Model No.	Mfg. No.	Description	Price /Each
SAI411	APPA	Includes: Portable ambient air pump, North 7600 series full facepiece, breathing tube, coupler and hose	
SAI412	APPB	Includes: Portable ambient air pump, North Primair Plus hood, breathing tube, coupler and hose	

#### **INDIVIDUAL PARTS**

Model No.	Mfg. No.	Description	Price /Each
SAK090	86610	Ambient Air Pump	
SAI417	CF2007	Breathing Tube	
SAI416	88800H	Quick Connect 1/2" Coupler (Hansen)	



#### **HEAD GEAR**

Model	Mfg.			Price
No.	No.	Description	Size	/Each
SEJ094	PA131	Primair Plus Hood	Universal	
ZC352	770030S	Half Facepiece	Small	
SM802	770030M	Half Facepiece	Medium	
SA788	770030L	Half Facepiece	Large	
SM893	76008AS	Full Facepiece	Small	
S1777	76008A	Full Facepiece	Medium/Large	

### **PORTABLE AIR** FILTRATION PANELS

- Portable filtration panel supports up to four workers
- Lightweight and portable equipment
- Equipped with carbon monoxide detector, includes an audible and visible alarm
- Fully completes the airline products
- Meets the CSA Z180.1-00 standard

Potential Applications: Painting, confined space, abatement (Asbestos), cleaning, maintenance, sandblasting, construction, municipal, chemical products and climatisation.

Model	Mfg.	Price
No.	No.	/Each
SAR384	RPFP60C	



Honeywell

#### COUGAR<sup>TM</sup> SCBA

- Silicone rubber facepiece provides unsurpassed comfort and durability, even in extreme heat or cold
- Better sealing ability for improved comfort and fit
- First stage regulator has minimal moving parts, dramatically enhancing reliability while reducing maintenance costs
- Second stage regulator has compact, low profile; Survivair Air Klic<sup>™</sup> fastening system; first-breath-on; and better downward vision for less chance of damage
- · Regulator holder on waist strap allows regulator to be kept in stand-by mode
- Mighty-Light<sup>™</sup> backpack is one of the lightest, easiest to use, and most comfortable backpacks in the industry
- 2216 PSIG, 30-minute aluminum cylinder
- Bell alarm
- Medium facepiece with silicone head strap

### Honeywell

\*Sperian is now Honeywell

Model No. SAP507 Mfg. No. 888888 Price/Each \$



#### PUMA<sup>TM</sup> SCBA

• The PUMA SCBA is a Cougar $^{\text{TM}}$  SCBA with a tight-fitting hood with a neoprene neck seal and is rated for entry into environments that are Immediately Dangerous to Life or Health (IDLH)

- No need for spectacle kits the user can wear normal street glasses
- An SCBA designed for hard to fit users
- Hood is made from Challenge® NXT barrier fabric for excellent permeation resistance
- Lens is made from 10-mil FEP Teflon
- · Factory-installed silicone nose cup reduces fogging and CO, build-up in hood
- · First stage regulator has minimal moving parts, dramatically enhancing reliability while reducing maintenance costs
- Second stage regulator has compact, low profile; Survivair Air Klic™ fastening system; first-breath-on; and better downward vision for less chance of damage
- Regulator holder on waist strap allows regulator to be kept in stand-by mode
- Mighty-Light™ backpack is one of the lightest, easiest to use, and most comfortable backpacks in the industry
- 2216 PSIG, 30-minute aluminum cylinder
- Bell alarm

Model No. SEJ078 Mfg. No. 777777 Price/Each \$









### VERSAFLO™ POWERED AIR PURIFYING **RESPIRATOR TR-600 EASY-CLEAN KITS**

- Ready-to-use kits offer a simple way to purchase a complete powered air system that includes everything you need to get started: headtop, breathing tube, PAPR and more all in one convenient purchase
- Lightweight, user-friendly design with intuitive, colour-indicated touch points
- Fully submersible with a smooth surface design to allow quick and easy cleaning and decontamination
- Easy tool-free maintenance and adjustable airflow options
- Features particulate filter loading and battery charge status indicators with visual, vibratory, and audible low-flow and low-battery alarms
- · Lithium-ion battery
- Meets IP53 rating while in use in decontamination shower
- Meets IP67 rating when used with cleaning and storage plugs to enable full submersion
- Pre-calibration makes product ready to use, directly out of the box
- Kit includes: Polypropylene laminated headtop hood assembly, PAPR assembly, HE filter, filter cover, single station battery charger, breathing tube, and breathing tube cover

Model No. SDK930 Mfg. No. TR-600-ECK Price/Each \$





### VERSAFLO™ POWERED AIR PURIFYING RESPIRATOR TR-600 HEAVY INDUSTRIAL KITS

- · Ready-to-use kits offer a simple way to purchase a complete powered air system that includes everything you need to get started: headtop, breathing tube, PAPR and more all in one convenient purchase
- Lightweight, user-friendly design with intuitive, colour-indicated touch points
- Fully submersible with a smooth surface design to allow quick and easy cleaning and decontamination
- Easy tool-free maintenance and adjustable airflow options
- · Features particulate filter loading and battery charge status indicators with visual, vibratory, and audible low-flow and low-battery alarms
- Lithium-ion battery
- Meets IP53 rating while in use in decontamination shower
- Meets IP67 rating when used with cleaning and storage plugs to enable full submersion
- Pre-calibration makes product ready to use, directly out of the box
- Kit includes: Hard hat headtop assembly, PAPR assembly, HE/OV/AG/HF combination filter/cartridge, filter cover, single station battery charger, breathing tube, and breathing tube cover

Model No. SDK931 Mfg. No. TR-600-HIK Price/Each \$





### VERSAFLO™ POWERED AIR PURIFYING **RESPIRATOR TR-600 ASSEMBLY**

- Lightweight, user-friendly design with intuitive, colour-indicated touch points
- Fully submersible with a smooth surface design to allow quick and easy cleaning and decontamination
- Easy tool-free maintenance and adjustable airflow options
- Features particulate filter loading and battery charge status indicators with visual, vibratory, and audible low-flow and low-battery alarms
- Lithium-ion battery
- Meets IP53 rating while in use in decontamination shower
- Meets IP67 rating when used with cleaning and storage plugs to enable full submersion
- Pre-calibration makes product ready to use, directly out of the box
- Includes: Motor/blower, standard battery, length-adjusting breathing tube, high durability belt, and airflow indicator
- Headtops, filters, cartridges, and battery charger sold separately



			•		
Model No.	Mfg. No.	Description	Battery Type	Price /Each	
		<u> </u>		/ Luci	
SDK932	TR-613N	3M™ Versaflo™ TR-613N Assembly	Standard		
SDK933*	TR-614N	3M <sup>™</sup> Versaflo <sup>™</sup> TR-614N Assembly	Standard		
SDK934	TR-616N	3M <sup>™</sup> Versaflo <sup>™</sup> TR-616N Assembly	High Capacity		
SDK935*	TR-617N	3M™ Versaflo™ TR-617N Assembly	High Capacity		

<sup>\*</sup> For use with SDK930

### VERSAFLO™ POWERED AIR PURIFYING **RESPIRATOR TR-600 MOTOR/BLOWER**

- Replacement motor/blower for Versaflo™ Powered Air Purifying Respirator TR-600
- Battery Type: Not Included



Model	Mfg.		Price
No.	No.	Description	/Each
SDK936	TR-602N	Powered Air Purifying Respirator Unit	

### VERSAFLO™ POWERED AIR PURIFYING **RESPIRATOR TR-600 FILTER COVERS**

- Will help to protect cartridges from physical damage
- · Also used to hold the SDK954 prefilter or SDK955 spark arrestor in place
- May be cleaned and reused, and should be replaced when worn or damaged



Model No.	Mfg. No.	Description	For Use For	Price /Each
SDK962	TR-6300FC	Versaflo™ Filter Cover	TR-6300 Filters	
SDK963	TR-6500FC	Versaflo™ Filter Cover	TR-6500 Filters	
SDK964	TR-6700FC	Versaflo™ Filter Cover	TR-6700 Filters	
SDK965	TR-6800FC	Versaflo™ Filter Cover	TR-6800 Filters	

### VERSAFLO™ POWERED AIR PURIFYING RESPIRATOR TR-600 BATTERIES

- Light weight, standard capacity, lithium-ion battery for use with TR-600 series Powered Air Purifying Respirators
- Will charge in less than 4 hours
- Runtime based on new standard battery and filter or cartridge at standard flow setting.





Model No.	Mfg. No.	Battery Type	Run Time	Price /Each
SDK946	TR-630	Standard	4-12 Hours	
SDK947	TR-632	High Capacty	8-18 Hours	

### VERSAFLO™ POWERED AIR PURIFYING **RESPIRATOR TR-600 CARTRIDGES**

- May also be suitable for operations where the primary hazard is particulate or certain
- acid gases, such as in mold remediation, acid cleaning, or plating operations 3M recommends the use of the **SDK962** filter cover to help protect the filter/cartridge from physcial damage
- Filter cover is also used to hold the **SDK954** prefilter or SDK955 spark arrestor in place
- For maximum PAPR system run time, select the SDK947 High Capacity Battery when using the this cartridge





Model No.	Mfg. No.	Туре	NIOSH Approval	Qty /Pkg.	Price /Each
SDK937	TR-6320N	Acid Gas/HE	SD/HC/CL/CD/HS/HE	1	
SDK938	TR-6350N	Formaldehyde/HE	FM/HE	1	
SDK939	TR-6360N	Ammonia/Methylamine/HE	AM/MA/HE	1	
SDK940	TR-6510N	Organic Vapour/HEPA	OV/HE	1	
SDK941	TR-6530N	Organic Vapour/Acid Gas/HEPA	OV/SD/HC/CL/HF/HE	1	
SDK943	TR-6710N-40	High Efficiency Filter - HEPA	-	40	
SDK944	TR-6710N-5	High Efficiency Filter - HEPA	-	1	

### VERSAFLO™ POWERED AIR PURIFYING **RESPIRATOR TR-600 BATTERY CHARGERS**

- Will charge a standard or high capacity battery in less than 4 hours
- Batteries may be stored on the charger, fully charged, ready for immediate use



Model No.	Mfg. No.	Description	Price /Each
SDK948	TR-641	Single Station Battery Charger Kit	
SDK949	TR-644	4-Station Battery Charger Kit	

### VERSAFLO™ POWERED AIR PURIFYING RESPIRATOR TR-600 BELTS

- Ergonomic design makes it comfortable to wear
- Motor/blowers attach simply yet securely to the belt
- Will accomodate waist sizes up to 52'
- Belt lead may be secured using the integrated belt keeper and trimmed to remove excess length
- Model SDK950 leather leads make it suitable for challenging work such as grinding
- · Model SDK952 has smooth surfaces and is submergible to enable easier cleaning





Model	Mfg.	Description	Price
No.	No.		/Each
SDK950	TR-626	Versaflo™ High Durability Belt	
SDK952	TR-627	Versaflo™ Easy Clean Belt	

### VERSAFLO™ POWERED AIR PURIFYING **RESPIRATOR TR-600 BELT EXTENDERS**

- Model SDK951 for use with SDK950 high durability belt to allow it to be worn comforably when additional length is needed
- Model SDK953 for use with SDK952 easy-clean belt to allow it to be worn comforably when additional length is needed
- Extends belt length by 20"

SDK951

SDK953

Multiple extenders may be connected in series



Versaflo™ Belt Extender for **SDK950** Versaflo™ Belt Extender for **SDK952** 



TR-626X

TR-627X

### BUILDING VERSAFLOTM TR600 PAPR SYSTEMS

**START!** 

SEE PAGE 483

**CHOOSE YOUR HEADGEAR** 

SEE PAGE 483

**CHOOSE YOUR BREATHING TUBE** 

ADD YOUR PAPR ASSEMBLY

SEE PAGE 481

**FINISH!** 



M-Series Headgear















**DON'T FORGET** TO ORDER YOUR **CARTRIDGES!** 

480

### VERSAFLO™ TR-300 POWERED AIR PURIFYING RESPIRATORS (PAPR)

- Significantly smaller and lighter than existing  $3M^{\text{\tiny TM}}$  belt-mounted PAPR's
- Weight is kept close to the users back, reducing the leverage effect that can cause PAPRs to feel heavier
- Slim profile is designed for use in tight spaces
- Simple, 1-button operation
- Two types of alarms one audible and one LED alert the user to either a low battery or low airflow
- Battery and filter can be changed quickly and easily by hand
- Smooth surfaces are less prone to snagging on objects, and facilitate fast wipe downs for easy cleaning
- Air inlet design helps make sitting possible without compromising air intake
- Window on the filter cover allows easy identification of the type of filter installed
- Lightweight lithium ion battery charges quickly and has no memory effect or heavy metals
- · LED lights on the battery indicate its charge status both on and of the charger

#### **ORDER A COMPLETE ASSEMBLY**

Model No.	Mfg. No.	Description	Price/Each
SEF242	TR-305N	Includes: Versaflo™ PAPR Assembly with Standard Belt,	
		Economy Battery, Single-Station Charger and HE Filter	
SEF243	TR-306N	Includes: Versaflo™ PAPR Assembly with High Durability Belt,	
		High Capacity Battery, Single-Station Charger and HE Filter	
SEF244	TR-307N	Includes: Versaflo™ PAPR Assembly with Easy Clean Belt,	
		High Capacity Battery, Single-Station Charger and HE Filter	

#### CREATE A CUSTOMIZED PAPR ASSEMBLY - STEP BY STEP

#### 1. START WITH:

Model No.	Mfg. No.	Description	Price/Each
SEI821	TR-302N	Includes: Versaflo™ PAPR Assembly	

#### 2. THEN ADD ONE OF THE FOLLOWING FOUR BELT/BACKPACK OPTIONS:

Model No.	Mfg. No.	Description	Price/Each
SEI822	TR-325	Standard Belt	
SEI823	TR-326	High Durability Belt	
SEH940	TR-327	Easy Clean Belt	
SEI824	BPK-01	Backpack	

#### 3. NOW CHOOSE ONE OF THE FOLLOWING TWO BATTERY OPTIONS:

Model No.	Mfg. No.	Description	Price/Each
SE1825	TR-330	Economy Battery	
SEI826	TR-332	High Capacity Battery	

#### 4. NEXT, SELECT FROM THESE TWO CHARGING OPTIONS:

Model No.	Mfg. No.	Description	Price/Each
SEI827	TR-341N	Single-Station Charger	
SEI828	TR-344N	4-Station Charger	

#### 5. FINALLY, CHOOSE ONE OF THE FOLLOWING FILTER OPTIONS:

Model No.	Mfg. No.	Description	Qty/Pkg.	Price/Each
SDL057	TR-3712N-5	High Efficiency (HE) Filter	5	
SDL058	TR-3712N-40	High Efficiency (HE) Filter	40	



**HEADGEAR AND BREATHING TUBES SOLD SEPARATELY** 

**SEE PAGE 483 FOR SELECTION** 







#### VERSAFLO™ COMPLETE PAPR SYSTEMS

#### **HEAVY INDUSTRY PAPR KIT**

- A complete particulate PAPR system for industrial applications where combined respiratory, head, eye and face protection is required or desired
- Includes: respiratory hard hat, PAPR assembly with high durability belt, a heat resistant neoprene rubber breathing tube, a single-station battery charger, an HE filter, and a spark arrestor prefilter

Model No. SEF201 Mfg. No. TR-300-HIK Price/Each \$

#### **FASY CLEAN PAPR KIT**

- · Perfect for many food and beverage, pharmaceutical, and healthcare applications
- Includes: hood assembly with single shroud, PAPR assembly, easy clean belt, a self-adjusting length breathing tube, single-station battery charger, an HE filter and a prefilter

Model No. SEJ057 Mfg. No. TR-300-ECK Price/Each \$





#### **HEADCOVER PAPR KIT**

- The easiest way to select a complete system for hospital, healthcare, and pharmaceutical applications
- Includes: headcover w/ integrated comfort suspension, PAPR assembly, easy clean belt, a self-adjusting length breathing tube, single-station battery charger, an HE filter and a storage bag



### BUILDING VERSAFLOTM TR300 PAPR SYSTEMS

**START!** 

**CHOOSE YOUR HEADGEAR** 

SEE PAGE 483

SEE PAGE 483

**CHOOSE YOUR BREATHING TUBE** 

ADD YOUR PAPR ASSEMBLY

SEE PAGE 481

**FINISH!** 















**DON'T FORGET** TO ORDER YOUR **CARTRIDGES!** 

482

#### M-SERIES HEADGEAR

· All M-Series headgear must be used with BT-Series breathing tubes

#### M-100 RESPIRATORY FACESHIELDS

- · Provides respiratory and limited eye protection
- Lightweight, ventilated shell offers maximum comfort
- · Recommended for most powder handling, paint spraying, and general maintenance applications where an approved level of head protection is not required
- Optional SEF030 head inserts provide head coverage from dirt and debris, as well as minimal protection from contact with stationary object ("bump" protection)



**SEE414** 

Model No.	Mfg. No.	Description	Price/Each
SEE414	M-105	Faceshield Assembly With Standard Visor and Faceseal	
SEE415	M-107	Faceshield Assembly With Premium Visor and Faceseal	
SEF030	M-170	Faceshield Head Inserts	

#### M-300 RESPIRATORY HARD HATS

- · Provides respiratory protection plus limited head and eye protection
- 6-strap textile suspension offers maximum comfort
- Recommended for most powder handling, paint spraying and general maintenance applications where hard hat protection is required or desired



Model No.	Mfg. No.	Description	Price/Each
SEE416	M-305	Hard Hat Assembly With Standard Visor and Faceseal	
SEE417	M-307	Hard Hat Assembly With Premium Visor and Faceseal	

#### M-400 RESPIRATORY HELMETS

- · Provides respiratory protection plus limited head and eye protection
- 6-strap textile suspension offers maximum comfort
- Recommended for most powder handling, paint spraying, and general maintenance applications where the highest level of respiratory protection is required or desired, as well as hard hat protection



Model No.	Mfg. No.	Description	Price/Each
SEE418	M-405	Respiratory Helmet Assembly With Standard Visor and Shroud	
SEE419	M-407	Respiratory Helmet Assembly With Premium Visor and Shroud	

### L-SERIES HEADGEAR

- Can be used with 3M<sup>™</sup> PAPR and supplied air systems
- Features a liftable wide-view faceshield
- May be used with L-122 breathing tube, or requires an adaptor to be used with BT series breathing tubes



SM944

Model No.	Mfg. No.	Description	Price/Each
SM981	L-705SG	Hard Hat w/ Speedglas™ Welding Shield and Wide-view Faceshield	
SEE420	L-901SG	Helmet w/ Wide-view Faceshield and Shroud	
SEE421	L-905SG	Helmet w/ Speedglas™ Welding Shield, Wide-view Faceshield and Shroud	
SM991	L-122	L-122 Breathing Tube	

#### **BREATHING TUBES**





#### S-SERIES HOODS & HEADCOVERS

· All S-Series hoods and headcovers must be used with BT-Series breathing tubes





Model No.	Mfg. No.	Description	Price/Each
SEJ089	S-955	Adaptor for BT-Series Breathing Tubes	

#### INTEGRATED SUSPENSION **HOODS AND HEADCOVERS**

- · Offer the advantage or being fully assembled and ready to use straight out of the box
- · Suitable for applications that require frequent replacement of the entire headgear assembly, such as pharmaceutical or manufacturing
- Also suitable in situations where there is less soiling of the outer fabric



Model No.	Mfg. No.	Description	Fabric Price/Each
SEJ049	O49 S-013 Economy Headcover w/ Fabric Suspension White General P		White General Purpose
SEJ050	S-133	Headcover w/ Comfort Suspension White General Purpose	
SEJ052 S-403		Economy Hood w/ Inner	White General Purpose
		Shroud and Fabric Suspension	
SEJ053	S-533	Hood w/ Inner Shroud and Comfort Suspension	White Low-Linting

#### PREMIUM REUSABLE SUSPENSION HOODS

- · Cost effective choice for high disposal rate environments just the soiled hood fabric is replaced, while the suspension and air ducting can be reused Rigid ducting provides a consistent air path
- Externally adjustable airflow control allows
- wearers to modify the airflow distribution to suit personal comfort needs While wearing, the airflow may be
- directed primarily to the front visor or split to provide more airflow to the top of the head
- Independent adjustments for the crown and head circumference, allowing a comfortable custom fit for a wide range of head sizes



Model No.	Mfg. No.	Description	Fabric	Price/Each
SEC670	S-655	Hood Assembly w/ Single Shroud	White General Purpose	
SEF220	S-657	Hood Assembly w/ Double Shroud	White General Purpose	
SEJ054	S-757	Hood Assembly w/ Double Shroud	White w/ Paint Overspray Capture Design	
SEJ055	S-855	Hood Assembly w/ Single Shroud and Sealed Seams	Kappler® Zytron® 200	
SEJ056	S-857	Hood Assembly w/ Double Shroud and Sealed Seams	Kappler® Zytron® 200	

#### **BT-SERIES BREATHING TUBES**

- Feature the innovative Quick Release Swivel (QRS) connection
- QRS connects quickly to the head gear and swivels to minimize loops and kinks in the breathing tube







6000 & 7000 Series Tight Fitting Facepieces

520-02-77 For Use With Breathe Easy PAPRs and

### **COMPACT AIR SERIES 200 POWERED** AIR PURIFYING RESPIRATORS (PAPR)

- · Triple alarm system creates an audible, vibratory, and visual alarm to warn workers of battery life and/or clog
- Vibratory alarm can be felt even through jackets; warns workers who are hearing impaired or in high noise environments
- Two visual alarms: one for low battery and a separate one for a clogged filter; workers will know the alarm reason and maintain the PAPR accordingly
- · Lightweight for improved comfort and longer wear
- The same unit can be used for either tight fitting facepieces or loose fitting hoods to accommodate different needs and preferences
- Airflow is automatically adjusted to meet OSHA and CSA CFM requirements
- Complete assemblies include motor blower, battery assembly, back pad and belt (breathing tube, head gear, and cartridges sold separately)

# Honeywell



#### COMPLETE ASSEMBLIES

Model No.	Mfg. No.	Belt Type	Price/Each
SEJ079	CA201	Nylon	
SEJ080	CA201D	PVC	



#### **BREATHING TUBES**

**CARTRIDGES & FILTERS** 

Model No.	Mfg. No.	Туре	Length"	Price/Eacl
SEJ081	CA127	Straight for Loose-Fitting Hoods and Head Covers	34	
SEJ082	CA127L	Straight for Loose-Fitting Hoods and Head Covers	40	
SEJ083	CA229	"Y" for Tight-Fitting Facepieces	34	
31,003	ChZZJ	1 for right-ritting racepieces	J+	

#### PRIMAIR 100 SERIES HEAD COVERS

- · Ideal for pharmaceutical and other light duty industries
- Manifold directs air flow to the front lens, not in workers eyes
- Multiple size adjustments for a comfortable and personal fit
- · Durable and lightweight spun bond polypropylene construction
- Less bulky than full hoods, sealing under the chin without covering the ears

# Honeywell



Model No.	Mfg. No.	Size	Price/Each
model No.	mig. No.	Size	T TICC/ Euch
SA0038	PA101S	Small	
SA0039	PA101M	Medium	

#### PRIMAIR PLUS SERIES HOODS

- · Adjustable bib length or cotton seal; workers can customize to their liking or need
- Manifold directs air flow to the front lens, not in worker's eyes
- Multiple size adjustments for comfortable and personal fit
- · Durable and lightweight spun bond polypropylene construction





Model No.	Mfg. No.	Description	Price/Each
SA0046 PA111 Hood; Standard Suspension			
SEJ087 PA131 Hood w/ Cotton		Hood w/ Cotton Neck Assembly; Standard Suspension	
SEJ088 PA231E01 Hood w/ Cotton Neck Assembly; Suspension Includes		Hood w/ Cotton Neck Assembly; Suspension Includes	
		Fibre-Metal Hard Hat and Carbtex Cover for Welding and Grinding	

# Honeywell

	Model No.	Mfg. No.	Description	
	SA0119	40HE	HEPA Filter	
Legal	SA0120	4001	Organic Vapour Cartridge	
20	SA0121	4003	Organic Vapour, Acid Gas Cartridge	
Law	SA0122	4004	Ammonia/Methylamine Cartridge	
	SA0123	4001HE	Organic Vapour Cartridge & HEPA Filter	
-	SA0124	4003HE	Organic Vapour, Acid Gas Cartridge & HEPA Filter	
	SA0125	4004HE	Ammonia/Methylamine Cartridge & HEPA Filter	

#### 3MTM POWERED AIR RESPIRATORS

- High efficiency particulate respiratory protection system for welders
- Welding helmet 9100-Air with auto-darkening filter offers the welder compact, lightweight respiratory protection and quality filter optics all-in-one
- SideWindows: Shade 5 side filters that increase peripheral vision
- · Ergonomic, adjustable head suspension for increased comfort, helmet stability and weight distribution
- Selectable shades 5, 8-13 and Shade 3 light state; grinding and tack modes
- 5-position sensitivity control
- · Adjustable recovery delay
- Solar panel
- Storage bag, do-rag and starter kit included
- Meets ANSI Z87.1 and approved to CSA Z94.3 for eye and face protection
- · Approved for use in all stick, MIG and TIG applications
- Breathing tube is SG-30W
- Offers assigned protection factor (APF) of 25 when used as a NIOSH-approved system



Model No.	Mfg. No.	Lens Type	Viewing Ar L" x W		Solar Cell	Price /Each
SDM014	35-1101-10SW-CA	٧	1.8 x 3.	7 2800	Yes	
SDM016	35-1101-30SW-CA	V	2.8 x 4.	2 2000	Yes	





#### REPLACEMENT FILTERS & CARTRIDGES

Model	Mfg.		Price
No.	No.	Description	/Each
SAN357	15-0009-99X02	2-pack Adflo™ Spark Arrestor	
SAN358	15-0099-99X06	6-pack Adflo <sup>™</sup> Prefilter	
SAN359	15-0099-99X12	12-pack Adflo™ Prefilter	
SAN361	15-0299-99X06	1-pack Adflo™ HE Particle Filter	
SAN360	15-0299-99X02	2-pack Adflo™ HE Particle Filter	
SAN362	15-0299-99X36	36-pack Adflo™ HE Particle Filter	
SAN363	15-0499-99X02	2-pack Adflo™ OV/SD/CL/HC Cartridge	
SAN364	15-0499-99X06	6-pack Adflo™ OV/SD/CL/HC Cartridge	

#### JACKSON SAFETY\* AIRMAX ELITE\* PAPR WITH BH3\*

- BH3\* Air welding helmet features variable auto-darkening filter with Balder Technology
- The Balder Technology provides superior optical viewing clarity from any angle along with largest ADF viewing area of 3.78" x 2.70"
- Variable ADF with grind mode, with adjustable shades 6-8 (grind) and 9-13 via external knob
- Flame-retardant face seal around welding helmet protects against sparks
- Lightweight blower with advanced control system to maintain constant air flow rate throughout the charge of the battery
- Audible and vibrating alarms signal welder when need for new filter or battery change.
   Blower unit display also provides visual status of the battery charge and level of filter clogging.
- Three-layer filter provides NIOSH approved HE filtration from particulate contaminants. The
  pre-filter extends the operating life of the main filter by capturing coarse particles. The spark
  arrester helps protect the main filter from damage by sparks and welding spatter
- Flame-retardant breathing hose is protected against sparks and flexes with the welder during use
- Rechargeable lithium ion battery is the newest battery technology that provides 8 hours of power.
- Smart Battery Charger indicates when charging and when complete without overcharging the battery
- Adjustable belt accommodates personal sizing from 25" to 62"
- Battery Type: Lithium Ion

Mfg.

Mode





#### POWERED AIR PURIFYING RESPIRATOR ASSEMBLY

NO.	NO.	vestription	Type	/ Eacii
SDN572	40839	Jackson Safety* Airmax Elite* PAPR	Lithium Ion	
BLOWER				
Model	Mfg.			Price
No.	No.	Description		/Each
SDN574	40880	Blower Unit Kit		

#### REPLACEMENT BATTERY & CHARGER

Model No.	Mfg. No.	Description	Price /Each
SDN584	40864	Battery Life: 8 Hours	
SDN585	40863	Charging Time: 2 Hours	

#### **ACCESSORIES**

Price

Model	Mfg.		Price
No.	No.	Description	/Each
SDN573	40840	Headpiece	
SDN575	40885	Grand GDS ADF	
SDN576	40884	Helmet Shell	
SDN577	40887	Flexi Face Seal (2 pack)	
SDN578	40882	Replacement headgear	
SDN579	40881	Sweatband (2 pack)	
SDN580	40879	Blower Unit	
SDN581	40878	HE Filter (6 pack)	
SDN582	40876	Filter Cover and Spark Arrestor	
SDN583	40877	Pre-Filter (10 pack)	
SDN586	40846	Breathing Hose 36 1/2" long	
SDN587	40841	Waist Belt (25" to 62")	
SDN588	41345	Airflow Indicator	

**Battery** 

### **ALTAIR® MAINTENANCE-FREE** SINGLE-GAS DETECTORS

- Factory-calibrated detector with warranted two-year service life (1080 alarm minutes)
- Sensor options for CO, H<sub>2</sub>S, and O<sub>2</sub>
   Maintenance-free; no sensor or battery change necessary
- Easy bump check and built-in calibration feature

Mfg. No.

10092521

10092522

10092523

- Event recorder stores last 25 events automatically in instrument memory
- MSA Link<sup>TM</sup> software-ready
- · High capacity battery
- Rated to IP67 for dust and water ingress
- Weight: 4 oz.

Model

SA0781

HX990

No. HX989



Hazard

H,S CO

0,



### **ALTAIR® 4X MULTIGAS DETECTORS**

- Dependable multigas detector for LEL, CO, H,S and O,
- Large buttons and bright display enable quick and easy operation, even when wearing gloves Withstands extreme impacts with rugged polycarbonate housing
- Laser-welded sensor housings eliminate opportunities for leaks
- End-of-sensor-life warning gives advance notice to user, reducing service outages
- If a user becomes disabled due to unforeseen hazards, MotionAlert feature will activate after 30 seconds
- InstantAlert feature enables users to manually alert others of a potentially hazardous situation with the push of a button
- MSA Link™ software-ready
- Full three-year warranty supports the entire instrument, including the sensors and battery
- · Lithium-polymer battery charges in less than 4 hours

Model	Mfg.			Price /Each	
No.	No.	Hazard	Colour		
HX991	10107602	LEL, CO, H <sub>2</sub> S, O <sub>2</sub>	Charcoal		
HZ164	10107603	LEL, CO, H,S, O,	Phosphorescent		
HZ165	10110443	LEL, CO, O,	Charcoal		
HZ167	10110445	LEL, CO, 0,	Phosphorescent		
HZ166	10110444	LEL, O,	Charcoal		
HZ168	10110446	LEL, 0,	Phosphorescent		

#### **ACCESSORIES**

Model	Mfg.		Price	
No.	No.	Description	/Each	
HZ200	10152669	ALTAIR® Pump Probe 50'		
HZ201	467895	Fixed Flow Regulator		
HZ202	10048280	Calibration Testing Gas		
HZ203	10153103	ALTAIR® Pump Probe 10'		
HZ204	10153104	ALTAIR® Pump Probe 25'		
HZ198	10128630	Galaxy® GX2 Automated Test System		

#### ALTAIR' 4X REPLACEMENT SENSORS

Model	Mfg.		Price
No.	No.	Hazard	/Each
HZ238	10106722	Ex Combustible (LEL)	
HZ241	10106729	0,	
HZ242	10106725	CO/Ĥ,S	
HZ246	10121213	CO/H,S-LC Hydrogen Sulfide (Low Concentration)	
HZ244	10121214	H,S/CO H, RES Carbon Monoxide (Hydrogen-Resistant)	
HZ248	10121215	H,S/SO, Sulfur Dioxide	
HZ249	10121217	CO/NO, Ńitrogen Dioxide	

#### GALAXY' GX2 MULTI-UNIT CHARGER FOR ALTAIR 4X

- The multi-unit tray charger provides charging for 1-4 Altair 4X Detectors
- Additional units may be purchased and added on simply by connecting to the other charging module
- This unit can also be used as a stand alone charging station without being connected to the GX2 Test Station

Model No. HZ212 Mfg. No. 10127422 Price/Each \$







HZ198





HZ212

### **ALTAIR® 5X MULTIGAS DETECTORS**

- Can be customer configured for up to 6 gases
- Large buttons and bright display enable quick and easy operation, even when wearing gloves
- Withstands extreme impacts with rugged polycarbonate housing
- End-of-sensor-life warning gives advance notice to user, reducing service outages
   If a user becomes disabled due to unforeseen hazards,
- MotionAlert feature will activate after 30 seconds
- InstantAlert feature enables users to manually alert others of a potentially hazardous situation with the push of a button
- Integral pump, 10' sampling line, and 1' probe for confined space applications MSA Link  $^{\text{TM}}$  software-ready
- Rechargeable lithium-ion battery
- Rated to IP65 for dust and water ingress
- Weight: 1 lb

Model	Mfg.			Price
No.	No.	Hazard	Description	/Each
HY008	10115141	LEL, CO, H,S, O,, SO,	Monochrome Display	
HY009	10115143	LEL, CO, H,S, O, SO,	Colour Display	
HZ205	10115118	LEL, CO, H,S, O,	Monochrome Display	
HZ206	10116928	LEL, CO, H <sup>2</sup> <sub>2</sub> S, O <sup>2</sup> <sub>2</sub>	Colour Display	

#### **ACCESSORIES**

Model	Mfg.		Price		
No.	No.	Description	/Each		
HZ202	10048280	Calibration Testing Gas			
HZ208	710288	Demand Regulator			
HZ209	10042621	1' Gas Detection Sample Probe			
HZ210	10105756	Galaxy® GX2 Smart Cylinder Holder			
HZ211	10125135	Galaxy® GX2 Non-Electronic Smart Cylinder Holder			
HZ213	10127427	Galaxy® GX2 Multi-Unit Charger			
HZ214	10128627	Galaxy® GX2 Automated Test System			

#### ALTAIR' 5X REPLACEMENT SENSORS

Model No.	Mfg. No.	Hazard	Price /Each
HZ252	10080222	CIO, Chlorine dioxide	
HZ253	10080224	NO, Nitrogen dioxide	
HZ254	10106375	HCN Hydrogen Cyanide	
HZ238	10106722	Ex Combustible (LEL)	
HZ242	10106725	CO/H <sub>s</sub> S	
HZ250	10106726	NH, Ammonia	
HZ247	10106727	SO, Sulfur Dioxide	
HZ251	10106728	<sup>2</sup> CI, Chlorine	
HZ241	10106729	0,	



HY008







HZ206



XCELL SENSOR APPLICATIONS

	Combustible		e	Oxygen	C	arbon Mon	oxide	Hydrog	en Sulfide	Sulfu	e Dioxide	Nitrogen Dioxide	Ammonia	Chlorine
	Ex	Ex-M	Ex-H	0,	CO/H <sub>2</sub> S	СО-НС	H <sub>2</sub> S/CO H <sub>2</sub> RES	CO/H <sub>2</sub> S	CO/H <sub>2</sub> S LC	SO <sub>2</sub>	H <sub>2</sub> S/SO <sub>2</sub>	CO/NO <sub>2</sub>	NH <sub>3</sub>	CL <sub>2</sub>
Aeropace	Х			Х										
Agriculture	Х			Х	Х			Х	Χ			Х	Χ	
Automotive	Х			Х						Х	Χ	Х		
Aviation	Х			Х								Х		
Chemical	Х		Χ		Х			Х	Χ	Х	Χ	Х	Χ	Х
Fire	Х			Х	Х			Х	Χ					
Food/Beverage	Х			Х	Х			Х	Χ	Х	Х	Х	Χ	Х
Foundries	Х			Х	Х			Х	Χ	Х	Χ	Х		
Hazmat	Х			Х	Х			Х	Χ	Х	Χ		Χ	
Heavy Manufacturing	Х			Х	Х			Х	Χ	Х	Χ	Х	Χ	
HVAC	Х			Х								Х	Χ	
Indoor Air Quality	Х			Χ										
Marine	Х				Х			Х	Χ			Х	Χ	X
Medical	Х												Χ	
Mining		Χ		Х	Х	Χ		Х	Χ			Х		
Oil/Gas/Petroleum	Х	Χ	Χ	Х	Х			Х	Χ	Х	Х		Χ	
Paper/Pulp	Х									Х	Χ	Х	Χ	Х
Pharmaceutical	Х									Х	Χ		Χ	Х
Power	Х									Х	Χ	Х	Χ	
Semiconductor	Х											Х	Χ	Х
Steel	Х				Х	Χ	Χ	Х	Χ	Х	Χ	Х	Χ	
Water/Wastewater	Х				Χ			Х	Χ	χ	Χ		Χ	Х
Welding	Х											Х	Χ	

#### COMBUSTIBLE GAS DETECTORS

- Following is a partial list of the more common gases detected: natural gas; propane; butane; methane; acetone; alcohol; ammonia; steam; carbon monoxide; gasoline; jet fuel; hydrogen sulfide; smoke; industrial solvents; lacquer thinner; naphtha
- Audible and visible alarms
- Low power semi-conductor sensor
- Includes: Soft carrying case and batteries

Sensitivity: Warm-up Time: **Response Time: Alarm Limit: Power Supply: Battery Life: Probe Length:** 

50 ppm methane Approx. 5 minutes < 2 seconds At 10% LEL for methane 3 x "C" batteries 8 hours of continuous use

Model No. IA394 Mfg. No. GD-3300 Price/Each \$





### **CARBON MONOXIDE** METER W/TEMPERATURE

- · Large LCD dual display shows both carbon monoxide (CO) and temperature measurements
- Adjustable alarm limits
- Low Level battery indicator
- · Auto power off
- Automatic zero point adjustment
- Max/Data hold functions
- Stabilized electrochemical CO specific sensor, thermistor temp sensor
  - Includes: batteries and soft carrying case

Temperature Range:

4°F to 158°F (-20°C to

70°C)

Resolution: 1 ppm, 0.1°F Accuracy: ±0.8°C (±1.5°F) **Battery Life:** 200 hrs. Measuring Range: 1 - 1000 ppm CO Accuracy: 5 ppm ± 15% ±

CO Reading Accuracy: Weight:

Model No. IB731 Mfg. No. R9400 Price/Each \$





# COMBUSTIBLE GAS DETECTORS

- Sensitivity thumbwheel aids in pinpointing leak location
- Sensitivity: 10 ppm useable sensitivity (methane) Audible alarm: variable speed ticking sound
- Visual alarm: 10 ultra-bright LED's
- Patented solid state plug-in sensor (5-year typical life)
- 20" flexible probe for
- hard-to-reach locations Operational status LEDs in English
- and international symbols
- 30-hour battery life with easily replaced "C" cells
- Warm-up time: Automatic, self-check, 10 sec. to operational condition
- Safety ratings: Intrinsically safe for use in Class 1, Div. 1, Groups A, B, C and D, UL listed, CE Mark

Model No. HM816 Mfg. No. 19-7083 Price/Each \$







### **AIR QUALITY METERS**

Measures CO,, CO, O,, humidity and temperature

0.5 lbs

- Non-dispersive infrared CO, sensor
- Galvanic cell CO and O<sub>2</sub> sensors
- Precision capacitance humidity sensor
- Records readings from three probes simultaneously
- Audible alarm setpoint
- Temperature is measured in °C or °F
- Easy to read LCD with backlight
- Data hold and Max/Min record
- Real time data logger with integral 2GB SD memory card (optional)
- RS-232 and USB computer interface
- Auto or manual power off
- Includes: humidity probe, CO probe, CO, probe, O, probe, and hard carrying case

CO, Range: 0 to 4000 ppm Resolution: 1 ppm

±40 ppm (<1000 ppm), Accuracy: ±5% (>1000 ppm

0 to 1000 ppm CO Range: Resolution: 1 ppm Accuracy:  $\pm(5\% + 2 ppm)$ O, Range:  $0 - 30\% O_{3}$ Resolution: 0.1% O. Accuracy:  $\pm (1\% + 0.2\% O_3)$ Alarm Threshold: <18.0% O 5 to 95% RH **Humidity Range:** 

Resolution: 0.1% RH >70%RH: ±(3% rdg + 1%RH); Accuracy:

<70%RH: ±3%RH 0 to 50.0°C (32 to 122.0°F) Temperature Range:

Resolution: 0.1°C/°F Accuracy: ±0.8°C (±1.5°F)

Dew Point Temp. Range: -25.3 to 48.9°C (-13.5 to 120.1°F) Wet Bulb Temp. Range: -21.6 to 50°C (-6.9 to 122.1°F) Power Supply: 6 x 1.5V UM3/AA batteries

**Dimensions:** 177 x 68 x 45 mm; RH Probe: 197 mm L; CO & O Probe: 150 x 38 x 38 mm; CO<sub>2</sub> Probe: 190 x 38 x 28 mm

Weight:

Model No. IA800 Mfg. No. SD-9901 Price/Each \$



# **CONFINED SPACE VENTILATION**

### 8" PLASTIC COM-PAX-IAL BLOWERS

- 1/3 HP. 115 V motor
- Lightweight, corrosion, UV and chemical resistant polyethylene housing offers a superior design with durable construction
- · Integrated carry handle is molded into the blower
- · Compact, super quiet unit
- Features a polypropylene nine blade fan, a steel/powder coated grill
- Bottom enclosure ensures safe and
- convenient storage of electrical components
- Designed to work separately or with canister and ducting
   Explosion proof models feature statically conductive ducting
- Quick-connect clipping system allows tool-free attachment of canister to input side for powerful extraction or output side for ventilation
- Electric, explosion-proof single-phase motor includes NEMA rated 115 V plug for use with explosion-proof socket (sold separately). Meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G Hazardous



Model No.	Mfg. No.	Description	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. lbs.	Price /Each
EA494	9533-C	w/out Canister	831	709	506	17	
EA495	9533-15C	w/Canister & 15' Ducting	831	709	506	25	
EA496	9533-25C	w/Canister & 25' Ducting	831	709	506	30	
EXPLO	SION-PRO	OF					
EA497	9538	w/out Canister	900	650	625	20	
EA498	9538-15	w/Canister & 15' Ducting	900	650	625	31	
EA499	9538-25	w/Canister & 25' Ducting	900	650	625	36	

### 8" AC METAL AXIAL BLOWERS

- 1/3 HP. 3.3 A. 115 V motor
- Lightweight, compact unit offers the highest output available from an 8" axial blower
- Tough steel construction with a durable grill, convenient carry handle and rubber feet
- Design with canister allows ducting to collapse into a built-in canister for easy storage, and can be stored vertically to use a minimum amount of space
- Designed to work separately or with canister and ducting
- · Explosion proof models feature statically conductive ducting
- The explosion proof blower has an explosion-proof single phase motor with a NEMA rated 115 V plug for use with an explosion proof socket (sold separately), meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G
- · Certified to C22.2 No.113 standard by cETL



**ALLEGRO** 



Model No.	Mfg. No.	Description	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. lbs.	Price /Each
BB139	9513	w/out Canister	1275	661	582	19	
BB140	9514	w/ Canister & 15' Ducting	1275	661	582	32	
BB141	9514-25	w/Canister & 25' Ducting	1275	661	582	46	
EXPLOS	SION-PRO	OF					
BB142	9513-05	w/out Canister	890	825	770	31	
BB143	9514-05	w/Canister & 15' Ducting	890	825	770	49	
EA500	9514-06	w/Canister & 25' Ducting	890	825	770	57	

#### **8" DC AXIAL BLOWERS**

- 1/4 HP, 22 A, 12 V DC motor with thermal protector, single speed performance
- · Perfect for location where electricity is not available
- Blower may be operated off a truck battery
- Extremely light weight and portable
- Includes 15' cord with alligator clips

Model No.	Mfg. No.	Description	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. Ibs.	Price /Each
COM-PA	X-IAL PLASTIC	BLOWER					
EA504	9536	Blower w/out Canister	816	526	442	17	
EA505	9536-15	Blower w/Canister & 15' Ducting	816	526	442	25	
EA506	9536-25	536-25 Blower w/Canister & 25' Ducting	816	526	442	30	
METAL A	XIAL BLOWER	R					
BB136	9506	Blower w/out Canister	1150	595	530	18	
BB137	9506-01	Blower w/Canister & 15' Ducting	1150	595	530	31	
BB138	9506-25	Blower w/Canister & 25' Ducting	1150	595	530	37	



#### "AIR BAG" BLOWER SYSTEMS

- 8" and 12" blower system with 15' duct built into a heavy duty bag
- Zippered ends allow blower use without removing from bag
- Super quiet, lightweight
- Polypropylene nine blade fan
- Carry handle with molded-in 2-speed switch
- Steel/powder coated housing and grills
- Unique bag with openings for plug/cord, inlet outlet
- Both carrying handle and shoulder strap allows for easy transportation
- Single-ply lightweight vinyl/polyester,
   PVC coated duct is heat resistant to 150°F
- Non-collapsible retractable design
- 20' AWG cord with NEMA 5-15 P 125 V plug
- 3300 max. RPM (loaded at 120 V, 60 Hz)



#### 8"

- 1/4 HP 115 V AC single phase motor
- Weight: 25 lbs.
- Dimensions: 27" L x 15" W x 12" H
- Flow rate: 760 CFM

Model No. EA380 Mfg. No. 9535-08 Price/Each \$

#### 12"

- 1/2 HP 115 V AC single phase motor
- Weight: 35 lbs.
- Dimensions: 28" L x 16" W x 14" H
- Flow rate: 1840 CFM

Model No. EA381 Mfg. No. 9535-12 Price/Each \$

# **CONFINED SPACE VENTILATION**

### HIGH OUTPUT AXIAL BLOWERS

- 16-gauge cold rolled steel housing
- Interchangeable flange for intake or exhaust mounting
- Integrated carry handles on all four sides for easy transport
- Powder coat safety orange finish
- High Output: For maximum output applications, offers a 2 HP motor and 3 blade impeller
- Includes: Steel/Zinc-plated grill, four rubber feet, an integrated on/off switch and a voltage change switch



Model No.	Mfg. No.	Motor	Size"	No.of Impeller Blades	Free Air CFM	CFM at One 90° Bend	CFM at 90° Bends	Wt. Ibs.	Price /Each
BB146	9516	2 HP, 21 A/115, 230 V	16	3	5500	4950	4400	74	



#### 8" CENTRIFUGAL BLOWERS

- Designed with tough polyethylene housing, metal safe guards and a steel fan
- Two 8" ports offer positive ventilation or fume extraction
- Metal base with feet, offering greater stability
- Electric motor is cage-enclosed for protection
- Built-in carry handle for increased portability
- Explosion proof models offer an intrinsically safe motor and NEMA rated plug with explosion proof socket (included). ABS housing provides non-sparking safety. Meets Class I, Divisions 1 and 2, Group D, Class II Divisions 1 & 2, Groups F & G



Model No.	Mfg. No.	Description	Motor	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. Ibs.	Price /Each
BB148	9504	Standard	1/3 HP, 3.6 A/115 V	1066	839	745	38	
BB152	9504-50	High Output	3/4 HP, 12 A/115 V, 230 V	1570	1100	900	45	
BB150	9503	Explosion Proof	3/4 HP, 11 A/115 V, 230 V	1570	1100	900	76	



#### CONFINED SPACE ACCESSORIES

#### **DUCTING**

- · Lightweight, retractable and designed for maximum air handling capabilities
- Built for dual direction flow with minimum friction loss
- Statically conductive ducting provides a safe positive means of discharging static buildup
- Vinyl and polyester materials
- Single-ply
- Heat resistant up to 150°F
- Retractable, non-collapsible design
- Class 1 hard drawn spring steel wire helix
- Statically conductive ducting features integrated extended solid grounding wires at each end, and are rated to 100 000 OHMS or less per square inch
- Meets ASTM 227 specs
- Statically conductive ducting meet requirements of UL-94-VO



er"	Len	gtl	h'						-	ric ac	-
						1	_				
		1	Ν	D	U	S	т	R	ï	Е	s
<b>TEN</b>		4	4	L	L	E	C	7	R	C	)

Model No.	Mfg. No.	Coating	Diameter"	Length'	Price /Each
DUCTING	S				
BB163	9500-06	PVC	8	6	
BB164	9500-15	PVC	8	15	
BB166	9500-25	PVC	8	25	
BB168	9600-15	PVC	16	15	
BB170	9600-25	PVC	16	25	
STATICAL	LY CONDUCT	IVE DUCTINGS			
BB165	9500-15EX	Neoprene	8	15	
BB167	9500-25EX	Neoprene	8	25	
BB169	9600-15EX	Neoprene	16	15	
BB171	9600-25EX	Neoprene	16	25	
STORAGI	CANISTER				
EA492	9500-55	-	8	-	

#### MVP MANHOLE VENTILATION PASS THRUS

- · Designed to maintain and re-direct air flow with minimal restriction into manholes, sewers and tanks
- Combines the low profile manhole air vent, 90° elbow and built-in mounting all into one easy assembly
- Air vent and elbows made from recyclable bright yellow linear low density polyethylene (LLDPE)
- Vinyl polyester duct with PVC coating is heat resistant up to 180°F
- · Low profile elbow fits underneath the lower cross bar of the guardrail
- · Manhole cover fits into flat channeled corners for stabilization
- Small storage bag holds ducting
- Quick release draw string to drop ducting into manhole
- Collapsible duct for easy entry springs back into shape once worker is down into the manhole
- Combines three components, the low profile manhole air vent, 90° elbow and built-in mounting all into one easy assembly
- · Reducing overall size, storage and shipping cost



Model No.	Mfg. No.	Dia."	Width"	Duct Stored Height"	Duct In-Use Length"	Length"	Price /Each
EA480	9510-50	8	16	25	32	62	

Note: Other sizes available upon request

# **CONFINED SPACE VENTILATION**

#### MANHOLE GUARD RAILS

- · Simple one-piece construction offers easy, no-tools assembly
- · Rail locks open and two hooking chains provide protected entry and exit
- Rail accommodates signs, flags or lights, and it can be used with guard rail tents, umbrellas or a winch
- Designed to protect an area 33" L x 33" W, this 42" high guard rail collapses to only 44" L x 44" W x 4" H for easy storage
- Strong, one-inch tubular 0.078 gauge steel construction is powder coated in safety yellow for a durable finish and for high visibility
- Weight: 34 lbs

Model No. BB195 Mfg. No. 9401 Price/Each \$





#### MANHOLE SHIELDS

- · Constructed of rugged polyethylene
- 12" high shield uniquely designed to fit 28", 30" or 32" manholes with an inflatable seal that ensures a positive fit
- Protects against street level water and mud up to 12"
- Shield weighs 50% less than metal shields and will not dent, nick or rust
- Bright yellow body resist fading

Model No. BB202 Mfg. No. 9401-12 Price/Each \$

## MANHOLE LID LIFTERS

- Toughest manhole covers are easy to move with this one-piece lifter
- Features a long all-steel handle that provides the leverage necessary to fit the heaviest manhole lids
- For safe storage, the alloy steel hook recesses and locks into the pole
- Rubber grips on the handle and foot prevent slips, and cadmium plating fights rust
- 42" long, 9 lbs.

Model No. BB204 Mfg. No. 9401-20 Price/Each \$





#### **TENT HEATERS**

- Rugged, heavy-duty design with an all-steel housing, enclosed heating elements and a sealed motor
- Powerful heater raises the temperature by 50°F (10°C) in a work tent
- by 50 °F (10 °C) in a work tent
  Requires 110 V AC and has an output of
  1500 W of 5000 BTU with 115 CFM airflow
- Dimensions: 12" x 8" x 12"
- Weight: 14 lbs.

Model No. BB194 Mfg. No. 9401-50 Price/Each \$





#### **DELUXE WORK TENTS**

- · Easy to use and very durable
- Feature quick set-up from the inside or outside, with the fibreglass rod frame
- · Frames uniquely designed to not pull out or poke through the fabric
- · A handy attached roll-up flap provides compact storage and easy transport
- One-door design with zipper closure, or two-door design with one zipper closure and one roll-up door
- Pitch roof style provides extra headroom, structural strength and repels snow and water
- Frame rods are bolted for increased stability and the unbreakable hinges are made of rolled steel
- Free-standing structural stability excellent in windy conditions
- Includes: Blower duct tube in the rear of the tent and a covered window



Model	Mfg.		Dimensions				
No.	No.	Doors	W' x D' x H'	/Each			
BB187	9401-66	1	6 x 6 x 61/2				
BB189	9401-88	1	8 x 8 x 71/2				
BB190	9402-66	2	6 x 6 x 61/2				
BB192	9402-88	2	8 x 8 x 71/2				

#### CONFINED SPACE RESCUE SYSTEMS

- DBI Sala has an extensive line of rescue and retrieval systems to suit your confined space entry and rescue needs
- High-quality, rugged systems meet applicable industry standards, and can be customized to suit your needs
- Ease-of-use ensures you have the ability to handle a crisis simply, flawlessly, and immediately
- Made from quality materials strong enough to endure rough handling and exposure to the elements
- Systems are adjustable and adaptable to extreme environments and uneven terrain
- Modular design allows you to add to the system over time
- Portable systems are easy to transport, set-up, and store





#### DAVIT ARM SYSTEM COMPONENTS

#### ADVANCED ADJUSTABLE OFFSET DAVIT MAST

- · Adjustable length of Davit ensures lifelines are always centred over confined space
- Combine with up to two lower mast extensions to increase anchorage height

Model	Mfg.		Price
No.	No.	Description	/Each
SEB442	8518001	Davit Mast, 11 1/2" - 27 1/2" Adjustable Offset	
SEE775	8518006	Davit Mast, 23 1/2" - 42 1/2" Adjustable Offset	
SEE776	8518509	Mast Extension, 21"	
SEE777	8518002	Mast Extension, 33"	
SEE778	8518003	Mast Extension, 45"	
SEE779	8518004	Mast Extension, 57"	

#### ADVANCED PORTABLE BASES

- Work with a variety of advanced davit arm and mast extensions
- Ideal when you need to move and access various confined space areas
- · Lightweight, easy to transpot, set-up, and use

Model	Mfg.		Price
No.	No.	Description	/Each
SEE780	8518005	For 27 1/2" Maximum Offset Davit Mast	
SEE781	8518008	For 42 1/2" Maximum Offset Davit Mast	

#### **ADVANCED PERMANENT FIXED BASES**

- · Works with a variety of advanced davit arm and mast extensions
- · Fixed bases are ideal for work areas where frequent set-up and tear-down is required
- Base can be permanently installed to an existing structure

Model No.	Mfg. No.	Description	Material	Mounts to	Price /Each
SEJ393	8516190	Floor Mount	Zinc Plated	Concrete or Steel	
SEJ394	8510316	Floor Mount	Steel	Concrete or Steel	
SEJ395	8512831	Center Mount	Zinc Plated	Steel, Welding, or Bolting	
SEJ396	8518348	Wall Mount	Stainless Steel	Concrete or Steel	
SEJ397	8510109	Core Mount	Zinc Plated	Concrete or Steel	
SEJ398	8515162	Deck Mount	Zinc Plated	Flooring	



### **ADVANCED 5-PIECE HOIST SYSTEM**

- offset upper mast, 33" lightweight lower mast, and 3-piece lightweight base
- Includes winch mounting bracket



### PRO™ CONFINED SPACE SYSTEMS

- Complete confined space systems
- Easily transportable
- Can be set-up by one worker
- All kits include 8' aluminum tripod, 50' galvanized winch, pulley for confined space entry, quick-mount bracket, and Rebel<sup>™</sup> 50' galvanized self retracting lifeline
- Tripod features locking legs, simple adjustment, quick-mount mechanical device bracket, skid resistant tread plate soles on feet, and safety chain to prevent movement







## **FALL PROTECTION**

#### BANTAMLIFT™ DAVIT SYSTEMS

#### **ANCHORAGE CONNECTORS & DAVITS**

- · Ideal for applications where a temporary anchorage is required
- Assemble and disassemble quickly with the ability to transport from site to site
- Built tough to provide a safe and secure anchorage for confined space entry, exit, rescue and/or suspension work
- Components are made of strong aluminum alloy (except for the bases)
- Rated for working loads up to 450 lbs. (204.5 kg)
- Provide a proof-tested 5000 lbs. (2273 kg) anchor (in most configurations) or at least a 2:1 safety factor when used with approved fall arrest devices
- Booms reach up to 48" (122 cm)
- Various masts to meet your requirements
- Comply with current OSHA requirements for confined space entry and egress



Honeywell

NORTH

Model No.	Mfg. No.	Description	Application	Price /Each	SAK562	-
SAK562	FP6660/00	Davit Fixed Base	General Purpose Base		4800	
SAK563	FP6663/00	Portable Davit Base for Davit System	Where Temporary Anchorage is Required			
SAK564	FP6670/24	Davit mast 12" to 24"	Standard Davit Mast			T II.
SAK565	FP6680/24	Davit boom 12" to 24"	Standard Boom			1 400
						Sold Separately

### INNOVA XTIRPA™ CONFINED SPACE RESCUE SYSTEMS

- · Versatile system can be configured to meet many confined space/rescue applications
- Made of lightweight aluminum composite
- Maximum capacity of 4200 lbs.
- Ergonomic design allows this system to be easily transported and installed by one person; set-up within five minutes for one person
- Easy storage No vehicle modifications required
- · Corrosion resistant, durable system is built to last
- Meets or exceeds applicable CSA, ANSI, and OSHA requirements

#### **DAVIT ARMS**

- · Fall protection and retrieval davit arm will facilitate your access to underground chambers and any other confined space
- Equipped with a 5000 lbs. anchor point
- Capacity is 360 lbs. when used with a mast system, and 420 lbs. when used with a manhole guard: safety factor of 10:1
- · Weighs just 23 lbs.
- Meets or exceeds applicable CSA, ANSI, and OSHA requirements







Mast

Base

(SAO161)

(SAQ159)



Weight: 29 lbs. Integrated mast used in conjunction with a 24" davit arm for confined spaces fall protection and retrieval

· Designed to be used in conjunction with davit arm

Made of aircraft industry aluminum


· Weighing only 22 lbs., the unit can be used in

confined spaces where a versatile and reliable

and is very light and durable

(SAQ158) and fits all of the permanent or mobile adapters

- Comes with adjustable feet for simple levelling of system
- Meets or exceeds ANSI, CSA, OSHA & CE
- Material: Steel



Model No.	Mfg. No.	Description	Price /Each
SEC112	IN-2210	Davit Arm	_
SAQ159	IN-2003	Mast	
SAQ160	IN-2013	Stainless Steel Wall Base	
SAQ161	IN-2005	Stainless Steel Base	
SEK149	IN-2108	Manhole Guard	

#### **ALUMINUM TRIPODS**

- Lightweight and portable
- Ideal for manhole entry and retrieval applications
- Easily set-up by one worker
- Adjustable locking legs
- Will span a 5' diameter hole





Model	Mfg.		Price
No.	No.	Description	/Each
SEB437	8000014	7' (2.1 m) Aluminum Tripod	

### SALALIFT II WINCHES

- · Work support and rescue winch is lightweight and easy to use
- · Manually operated by simply rotating the handle to raise or lower personnel or materials
- Incorporates a quick-mount bracket which mates with all DBI Sala® support structures
- Housing made of durable medium-density polyethylene
- · Features a self-locking swivel snap hook
- 60' x 1/4" galvanized cable
- Certified to CSA standard Z259.2.2, Type 3 RSRL





SEB445



			_
Model	Mfg.		Price
No.	No.	Description	/Each
SEB445	8102060	60' (18 m) x 1/4" (6.25 mm) Galvanized Cable	

## **FALL PROTECTION**

### SEALED BLOKTM SELF-RETRACTING LIFELINES - RETRIEVAL/BRACKET

30' Sealed Blok $^{\text{TM}}$  self-retracting lifeline that features a retrieval bracket and swivelling snap hook with impact indicator

- 3-way emergency retrieval system
- New sealed design keeps the critical working components free of dirt, grease, water and chemicals
- · Built-in carrying handle makes transport and anchoring safe and easy, and provides a secondary "dropped objects protection" attachment point
- Large pivoting anchorage handle stays in line with load for added security and allows use of a variety of connecting hardware
- Anti-ratcheting brake stops falls within inches and limits arresting forces to 900 lbs. for added safety
- Cast aluminum housing and heavy gauge steel end plates resist damage and provide corrosion resistance
- Self-locking swivel hook with impact indicator makes connections easy, and provides a visual means of inspection
- Certified to CSA standard Z259.2.2, Type 3 RSRL

Model No. SEB341 Mfg. No. 3400853C Price/Each \$









The Miller® tripod is the anchorage connector for typical confined space and rescue systems.

- Lightweight, high-strength aluminum construction
- Adjustable legs with integral push pins, ideal for uneven surfaces
- Safety chain and tripod feet with rubber skid pads and serrated edge prevent slippage in icy conditions
- Independent leg locking feature holds legs securely in place
- Withstands up to 5000 lbs. (22 kN) of vertical pull
- Available with reflective tape
- Available in 7' (2 m)

### Honeywell MILLER



Note: Available in 9' (2.7 m) upon request.

### MANHANDLER® HOISTS/WINCHES

- · Compact, durable steel construction
- Smooth, controlled winding action
- Effortless lifting and lowering with 5:1 gear ratio
- Anti-backlash crank handle braking system prevents freewheeling
- Digital indicating system which counts drum turns in order to determine maintenance periodicity



# Honeywell

Model No.	Mfg. No.	Description	Price /Each
SAR489	8442-Z7/65FT	ManHandler® Hoist w/ 65 ft. 3/16" Galvanized Steel Cable	
SAR490	8442-77/100FT	ManHandler® Hoist w/ 100 ft 3/16" Galvanized Steel Cable	

### SEALED SELF-RETRACTING LIFELINE W/RETRIEVAL WINCH

- This sealed SRL incorporate a revolutionary patented concept that separates all dynamic components from foreign elements such as grease, moisture and dirt, ensuring your SRL is always operating at peak efficiency, no matter how dirty or damp your environment
- Incorporates a self contained bi-directional retrieval winch suitable for raising and lowering personnel in emergency rescue/retrieval situations
- Winch drive incorporates and overload device thus reducing the possibility of injury should the worker become entangled during retrieval
- Input crank handle brake will prevent movement of the load if the operator accidentally released the handle during raising/lowering
- In the event of a fall, the self adjusting disk brake will stop the fall and limit the arresting forces imposed on the worker to 900 lbs. or less
- Incorporates a quick-mount bracket that enables the user to attach it to a DBI/SALA support structure (tripod, davit arm, etc.) with ease
- Swiveling anchorage loop to prevent twisting of lifeline
- Self-locking swivel snap hook with impact indicator
- Reserve lifeline retention system for added safety
- 50 ft. 3/16" galvanized steel wire rope for durability
- Stainless steel and cast aluminum housing for corrosion resistance
- Certified to CSA standard Z259.2.2, Type 3 RSRL









Model No.	Mfg. No.	Description	Price /Each
SEN426	3400923C	15 m (50') Sealed SRL	
SEH133	8301000	15 m (50') Sealed SRL w/7' Tripod	

#### ADVANCED DIGITAL SERIES WINCHES

- · Performs both descent and retrieval functions
- Removable aluminum crank handle
- · Utilizes both 9:1 and 4:1 drives
- · Capable of average speeds from 4 m/min (13 ft/min) up to 9 m/min (30 ft/min)
- Manually operated by simply rotating the handle to raise or lower personnel or materials
- Features a self-locking swivel snap hook
- Built-in mounting bracket
- 60' x 1/4" galvanized cable

Model No. SEI417 Mfg. No. 8518560 Price/Each \$





## **CONFINED SPACE RESCUE KITS**

- Ready-to-use combination of North equipment for rescue, entry/egress
- 7' portable tripod with safety chain around legs
- 3-way self-retracting lifeline with cast aluminum housing - 50' stainless steel cable 3/16"
- Capacity: 310 lbs. (140 kg)
- Kit includes: Tripod, 3-Way SRL, Mounting Bracket, and Carrying Bag
- Workload winch and winch mounting bracket sold separately



## Honeywell



Model No.	Mfg. No.	Description	Price /Each
SN130	FP664155R	Confined Space Kit	
SA0558	FP2/7155R	Retrieval Winch	
SAH548	FP6610/15	Winch Mounting Bracket	

#### THE ABC'S OF FALL PROTECTION

A typical Person Fall Arrest System (PFAS) incorporates three components, often described as the ABC's of fall protection. The anchorage connector, body support, and connecting device, when used together, form a complete system for maximum worker protection. But don't forget about another required component of any fall protection program – descent, rescue, and retrieval of a fallen worker.







Fall Protection



Anchorages are a secure point of attachment. They must be able to hold fast under more than a ton of force generated in a fall.



**B**ody support harnesses distribute fall forces over the upper thighs, pelvis, chest, and shoulders. They provide a connection point on the worker for the PFAS.



Connectors such as shock absorbing lanyards or self retracting lifelines connect a workers harness to the anchorage.



Descent and rescue devices are used to retrieve an injured worker or lower him to the ground.

### **FULL BODY HARNESS APPLICATIONS**

CSA STANDARD Z259.10 DIVIDES HARNESSES INTO 5 CLASSES:



CLASS A

PERSONAL FALL ARREST

Class A full body harnesses are designed to support the body during and after the arrest of a fall.



# CLASS D SUSPENSION AND

CONTROLLED DESCENT

Class D full body harnesses are designed for suspension or controlled descent from a height.





CLASS E
LIMITED ACCESS
(EVACUATION)

Class E full body harnesses are designed to support a worker in a position that reduces the worker's profile during passage through a limited access area.



## CLASS L (LADDER)

LADDER CLIMBING

Class L full body harnesses are designed for use with fall restrict systems involving the use of a fall arrester that travels on a vertical lifeline or rail.



## CLASS P

**WORK POSITIONING** 

Class P full body harnesses are designed to position a worker during a work operation.

#### EXOFIT™ NEX HARNESSES

- The newest, most advanced harnesses in the industry
- Soft, lightweight, water repellent webbing reduces attraction of mold and dirt, and has up to 5 times more abrasion resistance
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Comfortable design dons without tangling
- Duo-Lok™ quick-connect buckles provide one-handed operation for fast, easy donning
- Revolver<sup>TM</sup> vertical torso adjusters eliminate loose ends and lock into place, preventing slippage
- Tech-Lite™ aluminum D-Rings offer a higher level of security and comfort
- Lightweight, moisture wicking, breathable hybrid comfort padding won't move or slip
- Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- Molded lanyard keepers prevent dangerous entanglements, and snap free when snagged
- Shoulder caps provide protection and comfort when carrying heavy materials
- Reflective piping enhances visibility in low-light conditions
- Built-in carrying pocket conveniently protects a cell phone, camera, or other items
- Integrated trauma straps help minimize suspension trauma post fall
- i-Safe $^{\text{TM}}$  enabled providing the ability to track inspections, control inventory, and manage information
- Weight capacity: 420 lbs (190 kg)
- Certified to CSA standard Z259.10



### EXOFIT™ NEX ROPE ACCESS & RESCUE HARNESS

- · Ideal for professionals performing rescue and emergency services, industrial rope access and rigging, wind energy and tower maintenance, as well as arborist activities
- Combines specialized designs, components and hardware to optimize rope rescue and industrial rope access work
- Soft, lightweight, water repellent webbing reduces attraction of mold and dirt and has up to 5 times more abrasion resistance
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Comfortable design dons without tangling
- Duo-Lok<sup>™</sup> quick-connect buckles provide one-handed operation
- Revolver<sup>TM</sup> vertical torso adjusters eliminate loose ends and lock into place
- Tech-Lite™ aluminum D-Rings
- Lightweight, moisture wicking, breathable hybrid comfort padding won't move or slip
- Soft edging moves with you, preventing uncomfortable rubbing or chafing
- · Molded lanyard keepers prevent dangerous entanglements
- Shoulder caps provide protection and comfort when carrying heavy materials
- Reflective piping enhances visibility in low-light conditions
- Built-in carrying pocket conveniently protects a cell phone, camera, or other items
- Integrated trauma straps help minimize suspension trauma post fall
- track inspections, control inventory and manage information
- Weight capacity: 420 lbs (190 kg)
- Certified to CSA standard Z259.10









Model No.	Mfg. No.	D-Rings	Hip Pad and Body Belt	Size	CSA Class	Price /Each
SEB598	1113001C	Back	No	Small	A	
SEB599	1113004C	Back	No	Medium	A	
SEB600	1113007C	Back	No	Large	A	
SEB601	1113010C	Back	No	X-Large	A	
SEB602	1113013C	Back	No	2X-Large	Α	
SEB592	1113121C	Back and Side	Yes	Small	A, P	
SEB593	1113124C	Back and Side	Yes	Medium	A, P	
SEB594	1113127C	Back and Side	Yes	Large	A, P	
SEB596	1113130C	Back and Side	Yes	X-Large	A, P	
SER747	1113151C	Back, Front, and Side	Yes	Small	A, D, L, P	
SER746	1113154C	Back, Front, and Side	Yes	Medium	A, D, L, P	
SEP881	1113157C	Back, Front, and Side	Yes	Large	A, D, L, P	
SEP879	1113160C	Back, Front, and Side	Yes	X-Large	A, D, L, P	







Model	Mfg.		CSA	Price
No.	No.	Size	Class	/Each
SES066	1113345C	Small	A,D,L,P	
SEP874	1113346C	Medium	A,D,L,P	
SER775	1113347C	Large	A,D,L,P	
SER779	1113348C	X-Large	A,D,L,P	

#### EXOFIT™ XP HARNESSES

- Soft, lightweight webbing is strong, but not stiff or coarse
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Comfortable design dons without tangling
- Quick-connect buckles provide one-handed operation for fast, easy donning
- Complete 5-point adjustment with easy-grip end tabs Removable padding is easily
- cleaned in the washing machine
- Breathable 3D mesh lining guarantees you'll stay dry and comfortable
- Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- Integrated lanyard keepers prevent dangerous entanglements, and snap free when snagged
- Reflective piping enhances visibility in low-light conditions
- i-Safe  $^{\!\mathsf{TM}}$  enabled providing the ability to track inspections, control inventory, and manage information
- Weight capacity: 420 lbs. (190 kg)
- · Certified to CSA standard Z259.10









**SFB415** 

Model No.	Mfg. No.	D-Rings	Size	CSA Class	Price /Eacl
SEB414	1110100C	Back	Small	A	
SEB415	1110101C	Back	Medium	Α	
SEB416	1110102C	Back	Large	A	
SEB417	1110103C	Back	X-Large	A	

### EXOFIT™ FULL BODY HARNESSES

- Constructed from abrasion-resistant anti-tear ballistic nylon, for twice the endurance of standard nylon or polyester
- · Comfortable design dons without tangling
- · Quick-connect buckles provide one-handed operation for fast, easy donning
- · Complete 5-point adjustment with easy-grip end tabs
- · Shoulder, leg, and hip padding is built-in so it can't slip
- Breathable lining guarantees you'll stay dry and comfortable
- Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- Reflective piping enhances visibility in low-light conditions
- i-Safe<sup>TM</sup> enabled providing the ability to track inspections, control inventory, and manage information
- Weight capacity: 420 lbs (190 kg)
- Certified to CSA standard Z259.10







Fall Protection

Model	Mfg.			CSA	Price
No.	No.	D-Rings	Size	Class	/Each
SEB393	1107975C	Back	Small	A	
SEB394	1107976C	Back	Medium	A	
SEB395	1107977C	Back	Large	A	
SEB396	1107981C	Back	X-Large	A	
SEB410	1108600C	Back, Front and Side	Small	A, D, L, P	
SEB411	1108601C	Back, Front and Side	Medium	A, D, L, P	
SEB412	1108602C	Back, Front and Side	Large	A, D, L, P	
SEB413	1108606C	Back, Front and Side	X-Large	A, D, L, P	
		·	-		





#### DELTA™ HARNESSES

- Patented triangular no-tangle design creates a frame that allows the harness to fall into place when donned
- Repel<sup>TM</sup> webbing is water repellent to reduce the attraction of mold and dirt, and has more abrasion resistance
- Revolver<sup>™</sup> vertical torso adjusters eliminate loose ends and lock into place, preventing slippage
- Lanyard keepers hold your unused snap hooks and help reduce trip hazards
- · Spring-loaded stand-up dorsal D-ring
- Impact indicators provide a visual alert that the harness has been involved in a fall
- Vest style harnesses are the most universal, and are used across a wide variety of industries
- Construction style harnesses have excellent tool-carrying capability, a sewn in hip pad, and a removable body belt
- Cross-over style harnesses have a front-mounted D-ring, making them ideal for ladder climbing and rescue applications
- Weight capacity: 420 lbs (190 kg)
- Certified to CSA standard Z259.10





(Back)






**SEB402** 

SEB391









# **FALL PROTECTION**

#### PROTM HARNESSES

- · Harness design provides greater comfort and added safety
- High quality alloy steel dorsal D-ring is adjustable for worker convenience
- Spring-loaded torso buckles provide fast and easy adjustment on the job
- Lightweight hardware reduces fatigue and increases comfort and productivity
- Lanyard keepers provide a place to "park" a lanyard when not in use, to prevent accidental entanglements
- Built-in impact indicators allow for easy inspection
- Weight capacity: 420 lbs. (190 kg)
- Certified to CSA standard Z259.10
- Size: Medium/Large\*







Model No	Mfg. No.	Style	D-Rings	Leg Connections	Additional Features	CSA Class	Price /Each
SEB363	1191201C	Vest - Standard	Back	Pass-Thru	-	Α	
SEB366	1191237C	Vest - Standard	Back	Tongue Buckle	-	Α	
SEB369	1191253C	Vest - Standard	Back	Quick-Connect	Back, Shoulder, and Leg Padding	Α	
SEB360	1191209C	Construction	Back and Side	Tongue Buckle	Hip Pad and Belt	A, P	
SEC036	1191257C	Retrieval	Back and Shoulder	Quick-Connect	Back, Shoulder, and Leg Padding	A, E	

<sup>\*</sup>Small and X-Large sizes are also available

#### FIRST™ HARNESSES

- · Fundamental fall protection with exceptional value
- One adjustable dorsal D-Ring
- Supple back plaque
- 1.75" wide polyester web for durability
- Zinc-plated stamped steel hardware
- · Pass-thru leg and chest closures
- Universal size
- Weight capacity: 310 lbs. (141 kg)
- Certified to CSA standard Z259.10





- · Heat and flame resistant webbing made from modacrylic over Kevlar® and polyester
- · High durability and resistance to abrasion
- Alloy steel connectors and D-rings Specifically designed for welding
- applications to provide char resistance
- · Lightweight design to improve comfort · Web and lanyard storage keepers
- reduce potential entanglement hazards
- Char temperature: 700°F
- · Pass-thru chest connectors
- Weight capacity: 420 lbs. (190 kg)
- Certified to CSA standard Z259.10
- · Size: Medium/Large\*







Fall Protection





Model	Mfg.			CSA	Price
No.	No.	D-Rings	Description	Class	/Each
SEB371	AB17510C	Back	3-Point Adjustment	A	
SEB372	AB17530C	Back	5-Point Adjustment	Α	





Model No.	Mfg. No.	D-Rings	Leg Connections	CSA Class	Price /Each
SEJ400	1191379C	Back	Pass-Thru	Α	
SEJ403	1191381C	Back and Side	Pass-Thru	A, P	
SEJ406	1191389C	Back/Front/Shoulder	Pass-Thru	A, D, E	
SEJ409	1191383C	Back	Tongue Buckle	A	
SEJ412	1191385C	Back and Side	Tongue Buckle	A, P	
SEJ415	1191392C	Back/Front/Shoulder	Tongue Buckle	A, D, E	

<sup>\*</sup>Small and X-Large available on request

## SUSPENSION TRAUMA SAFETY STRAPS

- They are deployed when needed, hook together in seconds, and let a suspended worker stand up in harness, relieving downward pressure
- You can quickly attach them to most harness brands right in the field
- · Compact, lightweight design stays out of your way
- Weight capacity: 310 lbs. (141 kg)
- · Priced per pair

Model No. SEB436 Mfg. No. 9501403C Price/Each \$









# **FALL PROTECTION**

### MILLER® AIRCORETM HARNESSES

- Designed with breathable, open-core padding technology that provides optimal air flow, while reducing heat and moisture entrapment, keeping a worker drier and cooler
- Patented Miller DuraFlex® stretchable webbing provides greater flexibility and increased comfort
- Easy adjustment with cam buckles on shoulder straps
- Contoured ergonomic padding design minimizes contact around a worker's neck, lower back, and inner thighs to reduce chaffing and irritation
- Stand-up back D-ring
- Quick-connect chest strap buckles for easy donning
- Lightweight materials and components reduce fatigue for all-day endurance and increased productivity
- Durable knitted mesh back shield minimizes moisture absorption and maintains optimal air circulation
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Model No.	Mfg. No.	D-Rings	Leg Connections	Additional Features	CSA Class	Price /Each
STEEL HA	ARDWARE					
SEJ642	AC-TB/UGN	Back	Tongue Buckle	-	A	
SEJ643	AC-TB-D/UGN	Back and Side	Tongue Buckle	-	A, P	
SEJ644	AC-TB-BDP/UGN	Back and Side	Tongue Buckle	Lumbar Pad and Removable Belt	A, P	
SEJ645	AC-QC/UGN	Back	Quick Connect	-	A	
SEJ646	AC-QC-D/UGN	Back and Side	Quick Connect	-	A, P	
SEJ647	AC-QC-BDP/UGN	Back and Side	Quick Connect	Lumbar Pad and Removable Belt	A, P	
ALUMIN	UM HARDWARE					
SEJ648	ACA-TB/UGN	Back	Tongue Buckle	-	A	
SEJ649	ACA-TB-D/UGN	Back and Side	Tongue Buckle	-	A, P	
SEJ650	ACA-TB-BDP/UGN	Back and Side	Tongue Buckle	Lumbar Pad and Removable Belt	A, P	
SEJ651	ACA-QC/UGN	Back	Quick Connect	-	A	
SEJ652	ACA-QC-D/UGN	Back and Side	Quick Connect	-	A, P	
SEJ653	ACA-QC-BDP/UGN	Back and Side	Quick Connect	Lumbar Pad and Removable Belt	A, P	



#### MILLER® REVOLUTIONTM HARNESSES

- $\bullet \ \ Donning\ made\ easy\ with\ two-sided\ Dual tech^{TM}\ webbing\ with\ contrasting\ colours\ and\ textures$
- Easy, one-hand cam buckle adjustment/release allows simultaneous adjustment of shoulder straps
- Web finials clip-on design safely organises webbing after proper adjustment
- ErgoArmor<sup>TM</sup> semi-flexible back shield minimises impact from sharp/heavy snap hooks and self-retracting lifelines
- PivotLink<sup>™</sup> hip connections unique rotary design provides greater comfort in bending/mobility
- Integrated pack encapsulates labels minimising damage and loss
- Integrated accessory system wih modular attachment design provides connection points for belts/tools/accessories
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10







Model No.	Mfg No.	D-Rings	Leg Connections	Removable Belt	CSA Class	Price /Each
SAN124	RDT-QC/UBKC	Back	Quick-Connect	No	A	
SAN125	RDT-TB/UBKC	Back	Tongue Buckle	No	A	
SAN126	RDT-QC-B/UBKC	Back	Quick-Connect	Yes	A	
SAN128	RDT-QC-DP/UBKC	Back, Side	Quick-Connect	No	A, P	
SAN129	RDT-TB-DP/UBKC	Back, Side	Tongue Buckle	No	A, P	
SAN130	RDT-QC-BDP/UBKC	Back, Side	Quick-Connect	Yes	A, P	
SAN131	RDT-TB-BDP/UBKC	Back, Side	Tongue Buckle	Yes	A, P	



#### MILLER® REVOLUTION™ HARNESS ACCESSORIES





Hon	<b>eywell</b>
	_
	<u>M</u> ILLER

Model	Mfg.		Price	
No.	No.	Description		
ACCESSO	RIES			
SAN133	RIA-T2	Cell Phone/Jobsite Radio Holder w/Snap-On Connector		
SAN135	RIA-T4	Open Bolt and Bull Pin Bag w/Quick Release Tool Snap		
SAN137	RIA-T6	2-Pocket Nail and Tool Pouch		
OPTIONA	L PADDING			
SAN142	RIA-P1	Shoulder/Leg Pads (2/pack)		
SAN143	RIA-P2	Seat Pad Seat Pad		
BELTS (FIT	S SIZES 32" TO 54")			
SAN146	RIA-B1	Belt w/PivotLink™ Attachments, 5-Accessory Connectors		
SAN147	RIA-B2	Padded belt w/PivotLink™ Attachments, 5-Accessory Connectors		


Note: Inquire about individual accessories.



**SAN137** 

# MILLER® ULTRA HARNESSES

- The new line of Ultra Harnesses is designed with patented DuraFlex® stretchable webbing that provides greater comfort, increases productivity and improves safety
- In addition, the DuraFlex® Python™ Ultra Harness also features cushioned tubular webbing in the shoulder straps to minimize possible discomfort around the neck and shoulders when required to wear a tool belt
- Comfort-touch back D-ring pad is designed with woven, breathable material for greater comfort; orients harness for quick tangle-free donning
- Sleek, quick-connect buckles for chest and leg straps for easy donning and feature a dual-tab release mechanism to prevent accidental opening
- Friction shoulder strap buckles stay firmly in place
- Universal fit
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10







# HP™ HIGH PERFORMANCE HARNESSES

- · Durable, lightweight nylon webbing
- Bright colours make the HPTM harnesses readily visible and easy to inspect
- Back strap prevents user from falling out of the harness
- Lanyard ring allows user to attach lanyard when not in use
- All harnesses include sub pelvic strap
- Universal fit (available in other sizes upon request)
- Available in blue polyester webbing for greater chemical resistance
- Colour: Lime green
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10



Model No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Special Feature	Price /Each
SAP484	650T/UGK	Back	Friction	Mating	Mating	Α	Belt Loops	
SAP485	650T4/UGK	Back	Friction	Tongue Buckle	Mating	Α	Belt Loops	
SAP486	650T7/UGK	Back and Side	Friction	Mating	Mating	A, P	Belt Loops	
SAP488	650T76/UGK	Back and Side	Friction	Tongue Buckle	Mating	A, P	Belt Loops, 6" CoolMax Back Pad/ Tool Belt and CoolMax Shoulder Pads	



#### NON-STRETCH HARNESSES

- Non-stretch nylon webbing is lightweight and durable
- Bright yellow colour makes it visible and easy to inspect
- Fall indicator/warning flag indicates that the harness has been involved in a fall and should be removed from service
- Back strap prevents user from falling out of the harness
- Lanyard ring allows user to attach lanyard when not in use
- Most harnesses include sub pelvic strap
- Universal fit unless specified (other sizes available upon request)
- Also available in polyester webbing for greater chemical resistance
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10







SC975

SAH526

# **DURAFLEX® STRETCHABLE HARNESSES**

- Allows greater freedom of movement and offer improved comfort and overall safety
- Synthetic elastomer webbing stretches with the worker for maximum comfort
- Fall indicator/warning flag indicates that the harness has
- been involved in a fall and should be removed from service
- Back strap prevents user from falling out of the harness
- Injection-molded Santoprene® D-ring back pad is soft and flexible, enhancing comfort
- Pull-free lanyard ring allows user to attach lanyard when not in use
- · Labelling includes inspection tag and space for personal identification
- Belt loops to accommodate belts, back pads and other accessories
- Universal fit (other sizes available upon request)
- Colour: Lime green
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10



Model No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Price /Each
SC973	E650/UGN	Back	Friction	Mating	Mating	А	
SC975	E650-4/UGN	Back	Friction	Tongue Buckle	Mating	Α	



- Shoulder straps are constructed of soft, cushioned tubular webbing
- Lower torso straps are constructed of specially-formulated DuraFlex® stretchable webbing
- Leg straps are constructed of lightweight, non-stretch webbing
- Injection-molded Santoprene® D-ring back pad is soft and flexible, enhancing comfort
- Pull-free lanyard ring allows user to attach lanyard when not in use
- Belt loops to accommodate belts, back pads and other accessories
- Universal fit (other sizes available upon request)
- · Colour: Lime green
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10



# **Honeywell**

Model No.	Mfg. No.	D-Ring	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Price /Each
SAH525	P950/UGN	Back	Friction	Mating	Mating	A	
SAH526	P950-4/UGN	Back	Friction	Tongue Buckle	Mating	A	
SAH527	P950-7/UGN	Back and Side	Friction	Mating	Mating	A, P	
SAH528	P950-58/UGN	Back and Side	Friction	Tongue Buckle	Mating	A, P	



### TITAN™ CONTRACTOR'S HARNESSES

- Full-body harnesses made from lightweight durable polyester webbing for all-day comfort and dependability
- Fully adjustable design
- Sliding back D-ring
- Sub-pelvic strap
- Universal fit (other sizes available upon request)
- Colour: Orange
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Hone	vwei
	, , , , , ,

**M**ILLER

Model No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Price /Each
SN064	T4000/UAK	Back	Mating	Mating	Mating	Α	
SN065	T4007/UAK	Back and Side	Mating	Mating	Mating	A, P	
SN066	T4500/UAK	Back	Mating	Tongue Buckle	Mating	Α	
SN067	T4507/UAK	Back and Side	Mating	Tongue Buckle	Mating	A, P	



# T-FLEX TITAN™ STRETCHABLE HARNESSES

- · Durable, stretch polyester webbing construction for improved comfort and greater mobility
- Fully adjustable design for maximum comfort
- Non-slip chest strap assures proper fit
- Sub-pelvic strap for added safety and support
- Mating shoulder and chest strap buckles stay firmly in place
- · Pull-free lanyard rings for added convenience
- Sliding back D-ring and pad ensure correct back D-ring position
- Universal fit
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10









Model	Mfg.		Chest	CSA	Price
No.	No.	D-Rings	Connections	Class	/Each
SAK297	TF4000/UAK	Back	Mating	A	
SAK298	TF4500/UAK	Back	Tongue Buckle	A	
SAK299	TF4007/UAK	Back and Side	Mating	A,P	
SAK300	TF4507/UAK	Back and Side	Tongue Buckle	A,P	

# WELDER'S HARNESSES

- Blue, flame-retardant Nomex® webbing to protect against weld splatter
- · The special inner Kevlar® core adds strength and high-temperature resistance
- Features one back D-ring, friction shoulder straps and mating leg and chest connections
- Contrasting webbing colours make inspection easier
- Includes unique, durable Lexan® labeling with inspection grid for easy tracking
- Universal fit (other sizes available upon request)
- · Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10

Model No. SAK325 Mfg. No. 850K/UBL Price/Each \$





# MILLER® REVOLUTION™ ARC-RATED HARNESSES

Designed to protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources.

- Features the same key elements as the Miller® Revolution Harness (see page 499)
- Kevlar®/Nomex® Miller® DualTech™ webbing patent-pending 10 000 lb. tensile strength webbing is engineered with permanent fire retardant (FR) properties.
- Webbing offers the durability and FR properties of Kevlar® on the outer side, with softer FR Nomex® on the inside of the webbing for greater comfort
- Webbing assures arc protection and durability that eclipses any nylon webbing
- PivotLink<sup>™</sup> design allows unmatched freedom of motion and comfort, while the unique cam buckles provide easy two-finger adjustment
- Leather insulators under all metal hardware offer additional protection for the worker
- Kevlar® web loop on the back pad allows for a "metal-less" connection when used with a Kevlar® shock-absorbing lanyard with a choke-off loop
- All Miller® Revolution™ arc-rated harnesses have bright red binding on every pad, making them easily identifiable as an arc-rated product
- Weight capacity: 400 lbs. (181.4 kg)
- Meets stringent ASTM F887-05 arc-flash standards
- Certified to CSA standard Z259.10



Model No.	Mfg No.	Leg Connections	CSA Class	Price/Each
SAR473	RKNAR-QC/UBK	Quick-Connect	A	
SAR474	RKNAR-TB/UBK	Tongue Buckle	A	

Note: Other styles available upon request





# RELIEF STEP™ SAFETY DEVICES

- · Allows the user to "stand up" in their harness, permitting the ability to move and flex leg muscles
- Provides support and enhances blood circulation until rescue
- · Small and lightweight, can be attached to any brand of full-body harness
- Utilizing two devices per harness (one for each leg/foot) is recommended to assure greater user comfort

Model No. SAK162 Mfg. No. 9909X/12 Price/Each \$










# RITE-ON™ HARNESSES

Designed with two things in mind: Simplicity and Comfort. It's constructed to shape around the user with ease. The harnesses are engineered with a lumbar support to make the donning of a harness a breeze. The comfort pad also eliminates the tangling of the straps which are common with traditional harnesses. The bayonet style connectors allow users to connect their chest and legs straps in a single action.

#### RITE-ON™ HARNESSES

- · Integrated back and shoulder pad Conforms to the wearers' shape to provide all-day comfort
- · Fast-action bayonet style connectors Allow quick and easy donning
- Extended D-ring option Makes lanyard connection easier and safer
- Sweat wicking pad fabric Keeps wearers comfortable in hot conditions
- Tangle-free pad design Harness keeps its shape between use, aiding quick and easy donning
- Lightweight polyester webbing Offers superior UV and chemical resistance Universal size with full adjustability One size fits most
- Weight capacity: 400 lbs. (181.4 kg)
- · Certified to CSA standard Z259.10







#### RITE-ON™ II HARNESSES

- Designed for more simplicity and comfort, this series is constructed to shape around the user with ease
- · Open cell foam padding wicks sweat away from the body, keeping workers cool and dry throughout the day, and improving productivity
- · Integral back and shoulder pad eliminates tangling of the harness's straps
- Lumbar pad decreases back injuries
- Removable 11" comfort leg pad reduces of pinch point and strain while in work position
- Quick-connect buckles allow easy, single action secure connection
- · Protective label pouch makes identification and inspection easier
- Fall arrest indicator makes it easier for a worker to identify if a large load has been applied to the harness
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10



NORTH

Model	Mfg.				CSA	Price
No.	No.	D-Rings	Belted	Size	Class	/Each
SEA288	FP81T/1DBASM	Back	No	Small/Medium	Α	
SEA287	FP81T/1DBALXL	Back	No	Large/X-Large	Α	
SEA290	FP81T/1EDBASM	Extended-back	No	Small/Medium	Α	
SEA296	FP81V/6D3ASM	Back, Front, Side and Shoulder	Yes	Small/Medium	A, P, L, E	
SEA295	FP81V/6D3ALXL	Back, Front, Side and Shoulder	Yes	Large/X-Large	A, P, L, E	
SEA297	FP81V/6ED3ALXL	Extended-back, Front, Side and Shoulder	Yes	Large/X-Large	A, P, L, E	



# **VEST-STYLE UNIVERSAL HARNESSES**

- Adjustable shoulder straps and chest strap can be positioned in the optimum location for the user, eliminating the need for stretchable webbing
- Proven polyester webbing provides added UV protection and chemical resistance
- Sub-pelvic strap adds comfort and helps distribute the forces generated in a fall
- Universal fit (X-Large available upon request)
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10





NORTH

Model No.	Mfg. No.	D-rings	Leg Connections	CSA Class	Special Feature	Price /Each
SN128	FP759/1DP	Back	Quick-Connect	Α	-	
SN129	FP759/1DGP	Back	Tongue Buckle	A	-	



# TREND-X CROSS-CHEST HARNESSES

- Lightweight, slip-on convenience and form fitting comfort
- No chest strap means comfort and mobility are enhanced while allowing access to breast pockets
- D-Stop strap in the back helps keep you in the harness in case of a fall
- Polyester webbing
- Universal sizing
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10



# Honeywell

N	O	R	7	7
•	~	••	۳	۲

Model No.	Mfg. No.	D-Rings	Leg Connections	CSA Class	Price /Each
SAH757	FP721/1DP	Back	Quick-Connect	A	
SA0543	FP722/2DP	Back and Front	Quick-Connect	A, D, L	
SA0562	FP722/4DP	Back, Front and Side	Ouick-Connect	A. P. D. L	




# **VEST-STYLE HARNESSES**

- · Lightweight comfort and durability
- Tough nylon webbing and forged hardware for long-term wear and safety
- Sub-pelvic strap to help evenly distribute the forces generated in a fall
- Pass-thru leg and chest straps
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10





Model	Mfg.			CSA	Price
No.	No.	D-Rings	Size	Class	/Each
SAJ266	FP700/1DS	Back	Small	A	
SN088	FP700/1DM	Back	Medium	A	
SN089	FP700/1DL	Back	Large	A	
SN090	FP700/1DXL	Back	X-Large	A	
SAJ268	FP700/1EDS	Extended-back	Small	A	
SN091	FP700/1EDM	Extended-back	Medium	A	
SN092	FP700/1EDL	Extended-back	Large	A	
SN093	FP700/1EDXL	Extended-back	X-Large	A	



# **HEAVY-DUTY HARNESSES**

- Back and side D-rings with 2" polyester webbing, extra wide for strength and wearer comfort
- Features an integrated back and shoulder pad which conforms to the wearer's shape to provide all-day comfort
- Integrated 440-lb rated, Soft-Pak lanyard Permanently attached lanyard ensures that both lanyard and harness are correctly rated to 440 lbs.
- Tongue and buckle leg straps Provide faster and easier donning and adjustment
- Universal size with full adjustability One size fits most
- Weight capacity: 440 lbs. (200 kg)
- Certified to CSA standard Z259.10





Model	Mfg.	D-Rings	CSA	Price
No.	No.		Class	/Each
SA0636	FP80K/3DYQ320	Extended back and Side	A, P	



# **DURABILT HARNESSES**

- · Basic lightweight universal harness for everyday use
- User friendly, cost effective
- Polyester webbing for greater resistance to chemicals
- Universal style, one size fits most
- ISO 9001 manufacturing facility
- Weight capacity: 400 lbs. (181.4 kg)
- Certified to CSA standard Z259.10





Model	Mfg.		Leg		CSA	Price
No.	No.	D-Rings	Connections	Size	Class	/Each
SAH533	FPD698/1DP	Back	Pass-thru	Universal	A	
SAH535	FPD698/1DPXL	Back	Pass-thru	X-Large	Α	
SAH534	FPD698/1DGP	Back	Tongue Buckle	Universal	Α	
SAH536	FPD698/1DGPXL	Back	Tongue Buckle	X-Large	A	
SAH762	FPD698/3DGP	Back and Side	Tongue Buckle	Universal	A, P	
SAH764	FPD698/3DGPXL	Backand Side	Tonque Buckle	X-Large	A, P	



Model	Mfg.	Description	Price
No.	No.		/Each
SAR472	FB780L	Leg or Shoulder Pad w/Hook & Loop Enclosure	







# CANADA'S LEADING MATERIAL HANDLING MANUFACTURER

Kleton Manufacturing is built strong to withstand all types of applications



DOLLIES
STORAGE
CARTS & TRUCKS
DRUM HANDLING
MATERIAL HANDLING
LADDERS & PLATFORMS













# **EVOTECH® FULL-BODY HARNESSES**

- · Designed to improve user comfort, ease of use, durability and safety
- No binding edge on shoulder padding prevents neck from chafing
- Washable shoulder pad is easily added and removed with VELCRO®
- Reflective piping integrated into harness webbing increases visibility in low-light environments
- · NanoSphere coating on webbing repels dirt, grease and moisture
- Web finials prevent fraying on web ends
- · RFID chip provides easy means of tracking and inspecting product
- Covered label pack protects labels from environment
- Weight Capacity: 400 lbs.



Model	Mfg.		Leg Strap	Chest Strap		CSA	Price
No.	No.	D-Rings	Connections	Connections	Size	Class	/Each
SGD370	10105889	Back	Pass-Through	Pass-through	Universal	Α	
SGD371	10105890	Back	Pass-Through	Pass-through	X-Large	Α	
SGD372	10105931	Back	Tongue Buckle	Quick-Connect	Universal	Α	
SGD373	10105932	Back	Tongue Buckle	Quick-Connect	X-Large	Α	
SGD374	10105940	Back	Quick-Connect	Quick-Connect	Universal	Α	
SGD375	10105941	Back	Quick-Connect	Quick-Connect	X-Large	Α	
SGD376	10105956	Back	Tongue Buckle	Pass-Through	Universal	Α	
SGD377	10105957	Back	Tongue Buckle	Pass-Through	X-Large	A	
SGD378	10105933	Back/Side	Tongue Buckle	Quick-Connect	Universal	A, P	
SGD379	10105935	Back/Side	Tongue Buckle	Quick-Connect	X-Large	A, P	
SGD380	10105942	Back/Side	Quick-Connect	Quick-Connect	Universal	A, P	
SGD381	10105943	Back/Side	Quick-Connect	Quick-Connect	X-Large	A, P	



# **EVOTECH® ARC FLASH HARNESSES**

- Reflectivity on shoulder padding provides increased visibility in low-light applications
- Moisture-wicking padding keeps users cool
- 100% Kevlar webbing is fire-resistant and self-extinguishing
- Lighter than comparable harnesses
- Padded shoulders
- Weight Capacity: 400 lbs.
- Chest Strap Connections: Quick-Connect






Model	Mfg.		Leg Strap		CSA	Price
No.	No.	D-Rings	Connections	Size	Class	/Each
SGE629	10150156	Back	Pass-Through	Universal	A	
SGE630	10150144	Back	Quick-Connect	Universal	A	
SGE631	10150145	Back	Quick-Connect	X-Large	Α	
SGE632	10155824	Back/Side	Pass-Through	Universal	A,P	
SGE633	10150152	Back/Side	Quick-Connect	Universal	A,P	
SGE634	10150153	Back/Side	Quick-Connect	X-Large	A, P	



# **EVOTECH® LITE CONSTRUCTION HARNESSES**

- 20% lighter than standard versions
- Lightweight, durable aluminum buckles
- Aluminum D-rings and hardware
- Shoulder and lumbar padding
- CSA Class: A/P
- Weight Capacity: 400 lbs.
- D-Rings: Back/Side







# **GRAVITY UTILITY FULL-BODY HARNESSES**

- Suitable for electrical environments
- Waist and leg padding with flame-resistant fabrics using aramid fibers like Kevlar
- Leather pad insulators
- · Reflective tape is flame-retardant-treated cotton fabric
- PVC-coated dielectric D-rings
- Buckles are easy to adjust and do not slip during use
- RFID capability
- CSA Class: D/A/L/P
  Weight Capacity: 400 lbs.
- · D-Rings: Back/Front/Side
- Leg Strap Connections: Quick-Connect
- · Chest Strap Connections: Quick-Connect









Model No.	Mfg. No.	Size	Price /Each
SGD382	10162117	Small	
SGD383	10162118	Medium	

# **GRAVITY® URETHANE-COATED HARNESS**

- · Urethane-coated webbing provides protection against heavy oil and grease
- Extremely easy to clean
- · Weight Capacity: 400 lbs.
- Leg Strap Connections: Tongue Buckle
- Chest Strap Connections: Quick-Connect





# MSA

Model	Mfg.			CSA	Price
No.	No.	Size	D-Rings	Class	/Each
SGE635	10155871	Universal	Back	Α	
SGE636	10155872	X-Large	Back	Α	
SGE637	10155875	Universal	Back and Side	A,P	
SGE638	10155876	X-Large	Back and Side	A,P	

# WORKMAN™ HARNESSES

- · Economical
- Abrasion-resistant, strong, durable webbing
- Yellow polyester webbing for high visibility
- Web retainer collars to keep excess webbing neat
- Easy to don and adjust
- Qwik-Fit™ chest strap
- Certified to CSA standard Z259.10-12







					ALC: UNKNOWN
Model No.	Mfg. No.	Size	D-Rings	CSA Class	Price /Each
TONGUE E	BUCKLE LEG STRA	APS			
SAP206	10072486	X-Small	Back	Α	
SAP167	10072487	Universal	Back	A	
SAP168	10072491	Universal	Back and Side	A, D, P	
SGC210	10108744	Universal	Back/Front	D,A	
SGC211	10172978	Universal	Back/Shoulder	A,E	
SAP207	10072488	X-Large	Back	A	
SAP208	10072489	2X-Large	Back	Α	
QWIK-FIT <sup>1</sup>	M LEG STRAPS				
SAP202	10072478	X-Small	Back	A	
SAP203	10072479	Universal	Back	Α	
SAP166	10072483	Universal	Back and Side	A, D, P	
SAP204	10072480	X-Large	Back	Α	
SAP205	10072481	2X-Large	Back	Α	

# **GRAVITY®** WELDER HARNESS

- · Made of 100% Kevlar webbing
- Performs very well in high heat and welding applications
- CSA Class: A
- · Weight Capacity: 400 lbs.
- D-Rings: Back
- Leg Strap Connections: Pass-Through
- Chest Strap Connections: Pass-Through







Model No.	Mfg. No.	Size	Price /Each
SGE639	10103216	Universal	
SGE640	10103217	X-Large	

# CONSTRUCTION ROOFER'S KIT

- Reusable roof anchor installs to sloped or flat wood and metal decking roofs, resists corrosion, includes a hinged design with D-Ring
- Durable and lightweight corrosion resistant rope grab with attached 2 ft shock absorber; includes a built in gravity latch for added security
- 50 ft polyester/polypropylene 5/8" lifeline with Snap hook at one end, sewn termination at the other end
- Kit specifications: 100% durable and lightweight polyester, vest style 5-point harness
- Harness Capacity: 310 lbs.
- · Harness Size: Universal
- Harness approval: CSA
- Roof Anchor Capacity: 310 lbs.
- Roof Anchor Approval: ANSI
- Rope Grab Capacity: 310 lbs.
- Rope Grab Approval: CSA
- Lifeline Approval : CSA

Model No. SDT008 Mfg. No. 2199910 Price/Each \$



# **COMPLIANCE IN A** CANTM FALL PROTECTION KITS

- · A complete CSA compliant fall protection system in one handy container
- Harnesses are certified to CSA standard Z259.10, Class A
- · Lanyards are certified to CSA standard Z259.11, Class E4
- · Economical solution for short term jobs or stand-by inventory
- · Includes: Vest style harness with pass-thru connections

and 6' shock absorbing lanyard with 2 locking snap hooks















# TITAN READYROOFER® FALL PROTECTION KITS

#### LIGHTWEIGHT, FULL-BODY HARNESS

- · Fully adjustable, non-stretch harness
- · Certified to CSA standard Z259.10, Class A

#### SHOCK-ABSORBING LANYARD

- 3' (0.9 m) polyester web lanyard with integral shock absorber and two locking snap hooks
- Certified to CSA standard Z259.11, Class E4

#### **COMPACT TRAILING ROPE GRAB**

- Lightweight, easy-to-use design with hands-free operation
- Durable, corrosion-resistant, stainless steel construction
- Attaches anywhere on the lifeline
- · Certified to CSA standard Z259.2.5-12

#### HIGH-STRENGTH ROPE LIFELINE

- 5/8" (16 mm) diameter copolymer construction with loop and locking snap hook
- 9300-lb tensile strength, treated to combat ultraviolet rays

#### VERSATILE, REUSABLE ROOF ANCHOR W/ATTACHMENT D-RING

- · Easily installs on steep-pitched or flat surface roofs
- · Reusable roof anchor

#### WATER-PROOF CONTAINER

- 5 gallon bucket
- Ideal for equipment storage

Model No.	Mfg. No.	Description	Price /Each
SAK303	BRFK25/25FTC	25' (7.6 m) Rope Lifeline	
SAK304	BRFK50/50FTC	50' (15 m) Rope Lifeline	



Honeywell MILLER

# HARNESS/LANYARD KITS

- Harness with permanently attached decelerator energy absorbing lanyard
- Harness certified to CSA standard Z259.10, Class A,P
- Lanyard certified to CSA standard Z259.11, Class E4



Harness	Price
Size	/Each
Universal	
Universal	
X-Large	
Universal	

Universal







Length'

Model

SAH769

SAH771

SAH772

SAH540

SAH542

No.

Mfg.

No.

FPDCOMB01/4

FPDCOMB01/6

FPDCOMB02/4

FPDCOMB02/6

FPDCOMB01XL/6

Connection

Double Locking Snap Hook

Double Locking Snap Hook

Double Locking Snap Hook

**Double Locking Rebar Hook** 

Double Locking Rebar Hook

# **AERIAL FALL PROTECTION KITS**

- · Polyester full body harness
- Permanently attached polyester decelerator energy absorbing lanyard with double locking snap hook
- Carrying bag included
- Harness certified to
- CSA standard Z259.10, Class A
- Lanyard certified to CSA standard Z259.11. Class E4



# Honeywell

# NORTH

Model No.	Mfg No.	Lanyard Length'	Harness Size	Price /Each
SAH777	FPDKIT1/4	4	Universal	
SAH780	FPDKIT1XL/6	0	X-Large	

# SCAFFOLDING/FORMING **FALL PROTECTION KITS**

- Polyester full body universal harness
- Polyester decelerator energy absorbing lanyard with double locking snap hook and 2 1/2" stamped scaffolding hook
- Carrying bag included
- · Harness certified to CSA standard Z259.10, Class A
- Lanyard certified to CSA standard Z259.11, Class E4



# NORTH

Model No.	Mfg No.	Lanyard Length'	Harness Size	Price /Each
SAJ339	FPDKIT3/4	4	Universal	
SAJ340	FPDKIT3XL/4	4	X-Large	
SAJ341	FPDKIT3/6	6	Universal	
SAJ342	FPDKIT3XL/6	6	X-Large	

# CONSTRUCTION FALL PROTECTION KITS

- · Polyester full body universal harness
- · Polyester decelerator energy absorbing lanyard with double locking snap hook
- Carrying bag included
- Harness certified to CSA standard Z259.10, Class A
- Lanyard certified to CSA standard Z259.11, Class E4



Model No.	Mfg No.	Lanyard Length'	Price /Each
SAH794	FPDKIT2/4	4	
SAH797	FPDKIT2/6	6	

# ROOFER'S FALL PROTECTION KITS

- Lightweight universal harness
- Soft pack energy absorbing lanyard and rope grab, permanently attached
- Three-strand copolymer 5/8" (16 mm) rope
- One roof bracket
- One carabiner connector
- · Ten 4" (100 mm) Ardox spiral nails
- · Durabilt storage bucket



# NORTH

Model	Mfg	Rope	Price
No.	No.	Length'	/Each
SAJ348	FPD90/50	50	

# SHOCKWAVETM 2 LANYARDS

· Tubular core style lanyards uniquely designed to expand and contract in reaction to a workers movements

SEB869

- Stays out of your way when not in use, avoiding trips and snags Built in impact indicator provides visual evidence if the lanyard has been involved in a fall
- Length: 6'
- Certified to CSA standard 7259 11. Class F4







Model No.	Mfg. No.	No. of Legs	Harness Connection	Anchorage Connections	Price /Each		
STANDAI	RD LANYARDS						
SEB868	1244306C	One	Snap Hook	Snap Hook			
SEB869	1242450C	Two	Snap Hook	Snap Hooks			
NOMEX/KEVLAR ARC FLASH RATED LANYARDS							
SEP841	1244610C	One	Snap Hook	Snap Hook			

**SEB868** 

# PRO™ PACK SHOCK ABSORBING LANYARDS

- Pack-type shock absorber limits fall arrest forces to 900 lbs. for added safety







Fall Protection

Model No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections	CSA Class	Price /Each
SEB871	1341004C	4	0ne	Snap Hook	Snap Hook	E4	
SEB872	1341001C	6	One	Snap Hook	Snap Hook	E4	
SEB384	1340125C	6	One	Snap Hook	Gate Hook	E4	
SEF153	1340180C	6	Two	Snap Hook	Gate Hooks	E4	
SES801	1360180C	6	Two	Snap Hook	Gate Hooks	E6	

# WEB ADJUSTABLE POSITIONING LANYARD

- 6 ft. (1.8m) adjustable single-leg lanyard
- Ideal for work positioning or restraint Abrasion resistant polyester webbing
- Built-in wear indicator
- User friendly self locking
- snap hooks at each end
- Equipped with i-Safe<sup>TM</sup>
- CSA standard Z259.11, Class B











# EZ-STOP™ SHOCK ABSORBING LANYARDS

- Features the lightest, smallest, and strongest shock absorber in the world; 66% smaller and 40% lighter than previous EZ-Stop™ models
- Lightest and strongest rebar hooks on the market
- Thinnest-ever webbing using HI-10™ Vectran® energy management material for reduced weight and bulk
- Vectran® is a multifilament high tenacity performance fibre spun from liquid crystal polymer that is five times stronger than steel
- Repel<sup>TM</sup> webbing repels water to reduce the attraction of mold and dirt
- High abrasion resistance
- Excellent chemical and cut resistance
- High impact resistance
- High visibility accents keep you safe in low-light conditions
- Protected labels for durability and longevity
- Rugged and durable soft shock absorber cover is designed to last
- Certified to CSA standard Z259.11, Class E4



Model No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections	Price /Each
SEJ418	1246012C	3	One	Snap Hook	Snap Hook	
SEJ419	1246017C	4	0ne	Snap Hook	Snap Hook	
SEJ420	1246011C	6	One	Snap Hook	Snap Hook	
SEJ421	1246102C	6	One	Snap Hook	Rebar Hook	
SEJ422	1246022C	6	Two	Snap Hook	Snap Hooks	
SEJ423	1246024C	6	Two	Snap Hook	Rebar Hooks	
SEJ424	1246195C	6	Two, Elastic	Snap Hook	Rebar Hooks	
SEJ480*	1246193C	6	Two, Elastic	Snap Hook	Rebar Hooks	

<sup>\*</sup>Made with lightweight aluminum snap and rebar hooks

# PRO-STOP™ SHOCK ABSORBING LANYARDS

- Tubular web shock absorber limits fall arrest forces to 900 lbs. for added safety
- Durable 1" polyester web construction
- Durable alloy steel, zinc-plated hardware
- Certified to CSA standard Z259.11, Class E4





Fall Protection Model No. of Anchorage Price Legs Connection Connections /Each **SEB875** 1340240C Two Snap Hook Snap Hooks

# PRO™ SHOCK ABSORBING LANYARD FOR HOT WORK USE

- · Lightweight user friendly design
- Fire resistant Kevlar® fiber webbing
- PVC shock pack with Kevlar® cover
- Energy absorbing design limits fall arrest forces
- User friendly self locking snap hooks at each end
- Impact indicator

No.

CSA standard Z259.11, Class E4



SDP386



51	W	
		Fall Protection

Model	Mfg.		No. of	Harness	Anchorage	Price
No.	No.	Length'	Legs	Connection	Connection	/Each
SDP386	1340129C	6	One	Snap Hook	Rebar Hook	
SDP387	1340131C	4	0ne	Snap Hook	Rebar Hook	
SDP388	1340186C	4	Two	Snap Hook	Rebar Hooks	

# MILLER® MANYARD® SHOCK-ABSORBING LANYARDS

- · Unsurpassed in the market for safety, comfort and mobility
- Special woven shock-absorbing inner core reduces fall arrest forces Heavy-duty tubular outer jacket serves as a back-up web lanyard
- Unique warning flag provides visual proof that a lanyard has been involved in a fall and should be removed from service
- Locking snap hook harness connection



# Honeywel

Model No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections	Price /Each
SC980	216WLS-Z7/4FTYLC	4	One	Locking Snap Hook	
SEI549	216WLS-Z7/5FTYLC	5	One	Locking Snap Hook	
SC982	216WLS-Z7/6FTYLC	6	One	Locking Snap Hook	
SC983	216WLS-Z7/8FTYLC	8	One	Locking Snap Hook	
SC984	219WRS-Z7/4FTYLC	4	One	Locking Rebar Hook	
SC985	219WRS-Z7/5FTYLC	5	One	Locking Rebar Hook	
SC986	219WRS-Z7/6FTYLC	6	One	Locking Rebar Hook	
SC987	219WR-Z/8C	8	One	Locking Rebar Hook	
SAH529	231WRS-Z7/6FTYLC	6	Two	Locking Rebar Hooks	

# MILLER® MANYARD® II STRETCHABLE SHOCK-ABSORBING LANYARDS

Manyard® II shock-absorbing lanyards offer the same features as the Manyard® lanyards, with additional value-added features:

- Unique stretchable design offers greater manoeuvrability and safety
- Integral bright red core makes visual inspection easier and more reliable
- Locking snap hook harness connection
- Length: 6'
- Certified to CSA standard Z259.11, Class E4





			SAH532		
Model Mfg.		No. of	Anchorage	Price	
No.	No.	Legs	Connections	/Each	
SAH530	216M-Z7/6FTGNC	One	Locking Snap Hook		
SAH531	219M-Z7/6FTGNC	One	Locking Rebar Hook		
SAH532	231M-Z7/6FTGNC	Two	Locking Rebar Hooks		

# MILLER® SOFSTOP® SHOCK-ABSORBING LANYARDS

- Features the versatile Miller® SofStop® shock absorber pack
- · Specially-woven inner core smoothly expands to reduce fall arrest forces
- Locking snap hook connection
- Certified to CSA standard Z259.11, Class E4



Model No.	Mfg. No.	Length'	Material	Price /Each
SA036	913WS-Z/4C	4	Webbing	
SA037	913WLS-Z7/5FTYLC	5	Webbing	
SA038	913WLS-Z7/6FTYLC	6	Webbing	

# ARC-RATED SHOCK-ABSORBING LANYARDS

- · Arc-rated Kevlar® webbing available in both single and double-legged models upon request
- Also available with choke-off loop upon request





Model No.	Mfg. No.	Style	Anchorage Connections	Price/Each
SAR475	216MK-Z7/6FTBKC	Manyard® II	Locking Snap Hooks	
SAR476	219MK-Z7/6FTBKC	Manyard® II	Locking Rebar Hook	
SAR477	913K-Z7/6FTBKC	SofStop®	Locking Snap Hooks	
SAR478	913KR-Z7/6FTBKC	SofStop®	Locking Rebar Hook	

# TITAN™ SHOCK-ABSORBING LANYARDS

- · Made of lightweight, durable polyester webbing
- Tubular built-in core lanyards feature a built-in woven inner core which smoothly expands to reduce fall arrest forces, while the outer jacket serves as a back-up web lanyard
- Pack-type style includes the shock absorber pack that expands to reduce fall forces while a back-up safety strap deploys
- · Length: 6'
- Locking snap hook harness connection
- Certified to CSA standard 7259 11, Class F4

Model No.	Mfg. No.	No. of Legs	Shock-Absorber Type	Anchorage Connections	Price /Each
SN069	T5111-Z7/6FTAFC	0ne	Tubular Built-In Core	Locking Snap Hook	
SN070	T5112-Z7/6FTAFC	One	Tubular Built-In Core	Locking Rebar Hook	
SN071	T5121-Z/6C	Two	Tubular Built-In Core	Locking Snap Hooks	
SN072	T5122-Z7/6FTAFC	Two	Tubular Built-In Core	Locking Rebar Hooks	
SN073	T6111-Z7/6FTAFC	0ne	Pack-Type	Locking Snap Hook	
SN074	T6121-Z/6C	Two	Pack-Type	Locking Snap Hooks	
SN075	T6122-Z7/6FTAFC	Two	Pack-Type	Locking Rebar Hooks	





Honeywell

# **BACKBITER® TIE-BACK LANYARDS**

- Made with the Miller® 5K snap hook (gate load capacity of 5000 lbs.), which is designed especially for wrapping around objects and snapping back onto the lanyard
- Offers a solution to the common, yet unsafe, practice of workers wrapping a regular lanyard around their anchor point
- All models come with the SofStop® shock absorber
- Harness connects with a locking snap hook
- Length: 6'
- Certified to CSA standard Z259.11, Class E4



Model No.	Mfg. No.	Colour	Price /Each
SH005	913B/6FTGNC	Green	
SH007	913BD/6FTBLC	Blue	

# WELDER'S SHOCK-ABSORBING LANYARDS

- · Blue, flame-retardant Nomex® webbing to protect against weld splatter
- The special inner Kevlar® core adds strength and high-temperature resistance
- Features Sofstop® shock-absorber and two locking snap hooks
- Contrasting webbing colours make inspection easier
- Length: 6'
- Certifified to CSA standard 7259.11. Class F4

Model No. SAK326 Mfg. No. 913K-Z76FTBLC Price/Each \$





# TITAN™TIE-BACK LANYARDS

· Pack-type shock absorber is designed for tie-back use, eliminating the need for a separate anchorage connector

Special polyester webbing (9800 lbs.) for greater abrasion resistance

- Forged sliding D-ring for ease of use
- Pack type shock-absorber that keeps fall forces at or below 900 lbs.
- · Locking snap hook harness connection
- Auto-locking carabiner anchorage connectors
- Certified to CSA standard Z259.11, Class E4

# Honeywell MILLER





# **DECELERATOR ENERGY-ABSORBING** LANYARDS

- Simple design Limits complexity and keeps down cost
- Proven performance Effectively limits maximum arrest force to less than 900 lbs.
- Flagging system Even partial deployment causes a flag to become visible, indicating that the lanyard has been subjected to a fall equivalent load and should be withdrawn from service
- Nylon webbing Offers superior resistance to abrasion and alkaline chemicals
- Two-leg lanvards available
- Provide 100% tie-off
- Snap hook harness connection
- Certified to CSA standard Z259.11, Class E4

Honeywell





Model No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections	Price /Each
SN107	FP28822/4	4	One	Snap Hook	
SN108	FP28822/6	6	One	Snap Hook	
SN109	FP28829/4	4	One	Rebar/Ladder Hook	
SN110	FP28829/6	6	One	Rebar/Ladder Hook	
SN111	FP289299/4	4	Two	Rebar/Ladder Hook	
SN112	FP289299/6	6	Two	Rebar/Ladder Hook	

# SOFT PAK ENERGY-ABSORBING LANYARDS

- Shock-absorbing design Proven over years of service, the Soft Pak effectively limits maximum arrest force to less than 900 lbs.
- Easily visible deployment The slightest deployment of the Soft Pak is clearly visible, aiding equipment inspection and identification of lanyards that have been subjected to a fall equivalent load and should be withdrawn from service
- Lightweight polyester webbing
- Offers superior UV and chemical resistance
- Two-leg lanyards available
- Provide 100% tie-off
- Snap hook harness connection
- Certified to CSA standard Z259.11, Class E4





SAK301

# Honeywell

Model No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections	Price /Each
SN113	FP26322/6	6	One	Snap Hook	
SAK515	FP2562GG/6	6	Two	Scaffold Hooks	

# DURABUILT LANYARDS

- Energy absorbing lanyard
- Durable polyester construction
- Variety of constructions and configurations available
- Double locking snap hook harness connection
- Certified to CSA standard 7259.11, class E4





Honey	well
	NORTH

Model No.	Mfg. No.	Length'	Number of Legs	Anchorage Connections	Price /Each
CONTIN	UOUS WEB				
SAK520	FPD26311/4	4	One	Double Locking Snap Hook	
SAK521	FPD26311/6	6	One	Double Locking Snap Hook	
DECELER	ATOR				
SAH537	FPD29811/4	4	One	Double Locking Snap Hook	
SAH750	FPD29811/6	6	0ne	Double Locking Snap Hook	
SAH761	FPD29819/6	6	One	Double Locking Rebar Hook	
SAK524	FPD2981G/4	4	One	Scaffolding Hook	
SAK525	FPD2981G/6	6	One	Scaffolding Hook	
DOUBLE	LEG DECELERAT	OR			
SAK526	FPD299111/4	4	Two	Double Locking Snap Hooks	
SAK527	FPD299111/6	6	Two	Double Locking Snap Hooks	
SAK528	FPD2991GG/4	4	Two	Scaffolding Hooks	
SAK529	FPD2991GG/6	6	Two	Scaffolding Hooks	

# FP5K™ TIE-BACK SHOCK-ABSORBING **LANYARDS**

- Uses the FP5K<sup>™</sup> carabiner, a new tie-back lanyard connector with a 5000-lb gate strength and a 1" gate opening, as well as a HL2000 snap hook with a 3/4" gate opening (6' adjustable)
- Web utilizes Monster-Edge™ webbing with increased abrasion resistance
- Utilises the Sure-Stop™ shock absorber
- Available in both single and twin-leg configurations
- Locking snap hook harness connection
- Carabiner anchorage connections
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Price /Each
NYLON WEB			
SAM459	10047084	One	
SAM460	10047085	Two	

# FP DIAMOND™ SHOCK-ABSORBING LANYARDS

- · Available in a single or twin-leg configuration
- Durable polyester sheath for increased abrasion and UV resistance
- · Locking snap hook harness connection
- Certified to CSA standard



Model No.	Mfg. No.	Number of Legs	Anchorage Connections	Length'	Price /Each
SAM463	10023932	0ne	Snap Hook	6	
SAM464	10023970	Two	Snap Hooks	6	
SAM465	10023971	Two	Rebar Hooks	6	
SAM466	10023936	One	Snap Hook	5	
SAM467	10023937	Two	Snap Hooks	5	

### WORKMAN™ RESTRAINT LANYARDS

- · Restrain a worker from reaching a fall hazard
- Stabilizing a worker at an elevated location
- Tear-tape design to keep fall arrest forces below 900 lbs.
- Adjustable Web Restraint Lanyard comes with self-closing, self-locking snap hooks
- CSA Class: E4
- No. of Legs: 1
- Harness Connection: Snap Hook



#### Model Mfa Price /Each SGC217 10072499

# **WORKMAN**<sup>TM</sup> **ENERGY-ABSORBING LANYARDS**

- · Lightweight with a low-profile body
- Shock absorber includes a clear, durable protective cover over the labels to increase service life and allow for easy inspection
- Choice of single-leg or twin-leg configuration
- · Choice of adjustable or tie-back configuration
- Certified to CSA standard Z259.11-05, Class E4





Model No.	Mfg. No.	Number of Legs	Special Features	Anchorage Connection	Length'	Price /Each
SAP195	10072472	One	Tie-Back	Snap Hook	6	
SAP196	10072474	0ne	Adjustable	Snap Hook	6	
SAP197	10072475	Two	Adjustable	Rebar Hooks	6	
SGC216	10073708	Two	Adjustable	Snap Hooks	6	
SBA604	10072475	One	Adjustable	Rebar Hook	6	

# ARCSAFE™ SHOCK-ABSORBING LANYARDS

- Nylon webbing
- Adjustable in length from 4' to 6'
- Sewn loop on shock absorber end
- Locking snap hook connections
- SEI-certified to the requirement of the ASTM F887-05 standard for electrical arc flash protection up to 40 cal/cm<sup>2</sup>



Model No.	Mfg. No.	Number of Legs	Price /Each
SAP198	10060139	One	
SAP199	10060140	Two	

# LATCHWAYS® STANDARD SELF-RETRACTING LANYARD

- Designed for use in a number of different environments, enabling an unhindered, hands-free fall protection solution
- Completely field-serviceable
- Frictionless Constant Force® technology braking mechanism
- Impact-resistant toughened case
- 100% Full Contact<sup>™</sup> locking mechanism
- Harness Connection: Snap Hook

Model No.	Mfg. No.	Lifeline	Anchorage Connection	Price /Each
SGD366	62209-00US	30' Stainless Steel Cable	Carabiner	
SGD367	62215-00US	50' Stainless Steel Cable	Carabiner	
SGC213	62409-00US	30' Galvanized Cable	Snap Hook	
SGD368	62415-00US	50' Galvanized Cable	Carabiner	





SFU591

# LATCHWAYS® PERSONAL FALL LIMITER

- · Compact and lightweight
- · New design eliminates the need for an external energy-absorber outside of the housing
- · High-impact polycarbonate transparent housing allows for easy visual inspection of internal components
- · 360 fully rotating attachment point for complete flexibility

Model No.	Mfg. No.	Lifeline	Harness Connection	Anchorage Connection	Price /Each
SGC214	62215-00US	6' Web	Snap Hook	Snap Hook	
SGC215	63111-00A	6' Web	Snap Hook	Snap Hook	
SGD369	62409-00US	6' Web	Rebar Hook	Carabiner	
SFU591	63013-00E	10' Web	Snap Hook	Carabiner	





# WORKMAN™ SELF RETRACTING LIFELINES

- · Lightweight design
- Durable thermoplastic housing
- Impact-absorbing bumpers for added durability
- Integral ergonomic carrying handle for easy transport and installation
- Swivel snap hook with load indicator greatly limits twisting of cable and alerts users when the device has been involved in a fall
- Certified to CSA standard Z259.2.2, Type 2 SRL

Model No.	Mfg. No.	Lifeline	Price /Each
SDL521	10119507	30' Galvanized Cable	
SDL522	10120724	30' Stainless Steel Cable	
SDL523	10121834	50' Galvanized Cable	
SDL524	10121778	50' Stainless Steel Cable	



# LATCHWAYS® MINI PERSONAL FALL LIMITER

- The most compact & lightweight self-retracting lanyard ever developed using multiple spring radial energy-absorbing technology
- Design eliminates the need for an external energy-absorber outside of the housing making it the smallest retractable lanyard on the market
- 360° fully rotating attachment point for complete flexibility
- · High-impact polycarbonate housing
- No. of SRLs: 1
- · Lifeline Length: 6'
- Lifeline Material: Web
- · Harness Connection: Snap Hook
- Anchorage Connection: Snap Hook

		MSA
Model	Mfg	Price
No	No.	/Each
SGC214	63011-00B	





SDL521

# NANO-LOK<sup>TM</sup> EDGE **SELF-RETRACTING LIFELINES**


- · Designed for foot-level tie-off and sharp-edge applications
- Extremely compact, lightweight design
- Tough and impact-resistant thermoplastic housing
- Swiveling anchorage loops
- Quick-activating
- speed-sensing brake systems High-capacity external energy absorbers and impact indicators
- i-Safe™ equipped
- Certified to CSA standard Z259.2.2, Type 1 SRL
- Lifeline Material: Galvanized Cable
- Harness Connection: Direct











# NANO-LOK<sup>TM</sup> **SELF-RETRACTING** LIFELINES

- · Extremely compact, lightweight design
- Tough and impact-resistant thermoplastic housing
- Swiveling anchorage loops
- Quick-activating speed-sensing brake systems
- Protected labels, equipped with i-Safe<sup>T</sup>
- Certified to CSA standard Z259.2.2, Type 1 SRL
- Lifeline Material: Web











Model No.	Mfg. No.	Lifeline Length'	Harness Connection	Anchorage Connection	Price /Each
SINGLE	LEG				
SEE926	3101242	6	Cab Mount Stainless Steel Bracket	Steel Swivel Snap Hook	
SEE927	3101233	6	Direct	Steel Snap Hook	
SEE928	3101258	6	Direct	Steel Swivel Snap Hook	
SEE929	3101230	6	Direct	Aluminum Carabiner	
SGD983	3101671	6	Direct	Comfort Grip Snap Hook	
SGD985	3101676	6	Direct	Comfort Grip Snap Hook	
SGD986	3101677	6	Direct	Comfort Grip Snap Hook	
SGD987	3101678	9	Direct	Comfort Grip Snap Hook	
TWIN-L	EG				
SEE930	3101286	6	Direct	Steel Rebar Hooks	
SEE931	3101283	6	Direct	Aluminum Rebar Hooks	
SGD980	3101668	6	Direct	Comfort Grip Snap Hook	
SGD981	3101669	6	Direct	Comfort Grip Snap Hook	
SGD982	3101670	6	Direct	Comfort Grip Snap Hook	
SGD984	3101672	9	Direct	Comfort Grip Snap Hook	

# TALON™ WEB SELF-RETRACTING LIFELINE

- 8' (2.4 m) nylon web self-retracting lifeline
- Extremely lightweight design, under 3 lbs. (1.3 kg)
- Direct harness attachment option
- Built-in anchorage connector
- Greater freedom of movement without compromising safety
- Certified to CSA standard Z259.2.2, Type 1 SRL

Model No. SEB337 Mfg. No. 3101001C Price/Each \$



SF1600

SGD988







# ULTRA-LOK™ SELF-RETRACTING LIFELINES


- · Galvanized wire rope lifeline
- Maximum durability with minimal weight
- Stainless steel working components for corrosion resistance
- Durable polyurethane housing and aluminum side plates
- Anti-ratcheting, twin disc brake system limits arresting forces to 900 lbs. (4 kN) or less
- Smooth performance
- Swivel snap hook harness connection and steel hook anchorage connection
- Certified to CSA standard Z259.2.2, Type 2 SRL











# SEALED BLOKTM SELF-RETRACTING LIFELINES

30' Sealed Blok™ self-retracting lifeline that features a retrieval bracket and swivelling snap hook with impact indicator

- · New sealed design keeps the critical working components (brake, power spring, energy absorber) free of dirt, grease, water and chemicals
- Built-in carrying handle makes transport and anchoring safe and easy, and provides a secondary "dropped objects protection" attachment point
- Large pivoting anchorage handle stays in line with load for added security and allows use of a variety of connecting hardware
- Anti-ratcheting brake stops falls within inches and limits arresting forces to 900 lbs. for added safety
- Cast aluminum housing and heavy gauge steel end plates resist damage and provide corrosion resistance
- Self-locking swivel hook with impact indicator makes connections easy, and provides a visual means of inspection
- Certified to CSA standard Z259.2.2, Type 2 RSRL

Model No. SES589 Mfg. No. 3400850C Price/Each \$









SES589

SEE928

SEB345

# REBEL™ SELF RETRACTING LIFELINE – LEADING EDGE


- · Lifeline Material: Galvanized Cable
- Harness Connection: Snap Hook
- · Anchorage Connection: Carabiner
- Certification(s): CSA Standard Z259.2.2
- Rugged and extremely lightweight thermoplastic housing
- Stackable housing design
- Built-in carrying handle
- Galvanized steel cable lifeline is abrasion resistant and extremely durable
- Internal energy absorption system
- Swiveling self-locking snap hook with impact indicator
- Reserve lifeline system
- Swiveling anchorage point
- · Side lifeline exit with ergonomic handle
- High strength, corrosion resistant components
- Self-locking anchorage carabiner keeps the SRL securely attached to the anchorage device
- SES695: Designed for the abusive leading edge applications, incorporating over-sized cable and an external energy absorption system that helps maintain lifeline integrity over abrasive edges













- · Self-locking hooks
- Great value with superior features
- Compact and lightweight
- Swivel carabiner anchorage connection
- Certified to CSA standard Z259.2.2







					<i>y</i>
Model	Mfg.		Harness		Price
No.	No.	Length'	Connection	Lifeline	/Each
TYPE 1					
SDP278	3100406	6	Snap Hook	Web	
SDP279	3100407	6	Swivel Snap Hook	Web	
SEB349	3100429	10	Swivel Snap Hook	Web	
TYPE 2					
SEB350	3590502	20	Swivel Snap Hook	Web	



# MIGHTYLITE™ SELF-RETRACTING LIFELINES

Perfect solution for an array of construction, industrial, warehouse, utility, telecommunications, agriculture, mining and confined space applications.

- Ideal for hard-to-mount locations
- Corrosion-resistant stainless steel and aluminum components extend service life
- · Carabiner and tagline included
- Locking snap hook harness connection and carabiner anchorage connection
- · Length: 20
- Rated to 310 lbs. (140.6 kg) capacity
- Certified to CSA standard Z259.2.2, Type 2 SRL





# **DURALITE III SELF-RETRACTING LIFELINES**

- This lightweight unit, weighing 2.4 lbs. (1.1 kg), is a favourite of workers using a telescopic pole or a first-man-up system
- One of the few CSA Type 1 units on the market that is serviceable, reducing cost of ownership
- Superior braking system Unit will sense the worker has fallen and lock up only when required; the unit will not lock up when the worker is travelling to or away from the anchor
- Dyneema<sup>®</sup>/polyester webbing is up to 15 times stronger than quality steel and up to 40% stronger than aramid fibres, both on weight-for-weight basis
- Load indicator built into snap hook reveals when fall has occurred allowing the worker to quickly see if the unit requires servicing
- Swiveling anchor prevents the webbing from twisting and tangling
- · Locking snap hook harness connection
- Carabiner sold seperately
- Certified to CSA standard Z259.2.2







# MIGHTEVAC™ SELF-RETRACTING LIFELINES

- Combines the MightyLite self-retracting lifeline series with a quick-activating retrieval mechanism for emergency evacuation
- · 20% lighter than competitive models
- Provides quick and easy rescue with a 4:1 mechanical advantage (average speed of 25 feet per minute)
- · Durable, field-tested construction
- Corrosion-resistant stainless steel/aluminum components
- Convenient, heavy-duty carrying handle
- · Galvanised wire rope lifeline

SD002

SAO680

- Locking snap hook harness connection and carabiner anchorage connection
- Also available with stainless steel wire rope and Kevlar® rope upon request
- 310 lbs. weight capacity
- Certified to CSA standard Z259.2.2, Type 3 RSRL





Model	Mfg.	Louish	Price (Footb
No.	No.	Length'	/Each
W/O MOUN	NTING BRACKET		
SAH519	MR50G-Z7/50FT	50	
SAH520	MR100G-Z7/100FT	100	
SAH521	MR130G-Z7/130FT	130	
W/MOUNT	ING BRACKET		
SAH522	MR50GB-Z7/50FT	50	
SAH523	MR100GB-Z7/100FT	100	
SAH524	MR130GB-Z7/130FT	130	

# SELF-RETRACTING LIFELINES

- · Corrosion-resistant alloy housing
- Stainless steel cables, ideal for the food industry and environments involving chemicals
- Load indicator triggers to show the unit has been subjected to a severe force
- High corrosion resistance, high strength and relatively low weight
- · Lifeline retracts under light tension
- · Easy to use and install
- 3/16" (5 mm) stainless cable with swivel load-indicating snap hook
- Snap hook harness connection
- Length: 50'
- Certified to CSA standard Z259.2.2, type 1 SRL

Model No. SAO556 Mfg. No. FP2/3155 Price/Each \$








# MINILITETM FALL LIMITERS

- Lightweight, compact design only 2.5 lbs.
- Corrosion-resistant interior, frame and components
- Visual load indicator
- Quick-activating, high-strength stainless steel braking system
- Arrests free falls within inches
- Fits in the palm of your hand
- Provides the best overall value when compared with competitive units
- High-impact protective outer cover
- Prominent reflective labeling
- Available with a variety of integral anchorage connectors
- Snap hook harness connection
- Length: 11'
- Certified to CSA standard Z259.2.2, Type 1 SRL

#### Honeywell MILLER



# MILLER® SCORPIONTM PERSONAL FALL LIMITERS

- Greater versatility through dual operation:
  - For use as a personal fall limiter or as a traditional retractable lifeline (utilizing a variety of anchorage connectors)
- Small, lightweight design: 2.9 lbs. (1.3 kg)
- Quick-activating, high-strength stainless steel braking system - arrests free falls within inches
- No annual factory recertification required
- Visual load indicator indicates when the unit must be removed from service
- Variety of integral anchorage connectors available
- 400-lb. (181.4 kg) capacity models available upon request
- Locking snap hook harness connection
- Length: 9
- Certified to CSA standard Z259.2.2, Type 1 SRL



SG987


Model	Mfg.	Anchorage	Price
No.	No.	Connection	/Each
<b>SAK314</b>	PFI-4-77/9FT	Carabiner and Swivel Shackle	

# BLACK RHINOTM SELF-**RETRACTING LIFELINES**

- Repairable; no annual factory recertification required
- Ideal for concrete construction, welding, steel erection and warehouse applications
- Quick-activating, high-strength stainless steel braking system
- Variety of integral anchorage connectors available
- Integral load indicator indicates when the unit must be removed from service
- Extended service life corrosion-resistant stainless steel and aluminum components
- Integral internal shock absorber consistently reduces fall forces to 900 lbs./f (4 kN) or less for greater safety
- Length: 9'
- Certified to CSA standard Z259.2.2, Type 1 SRL

# Honeywell MILLER





# MILLER® TURBOLITE™ & TWIN TURBOTM PERSONAL **FALL LIMITERS**

- First affordable alternative to shock-absorbing lanyards
- Compact and lightweight PFL, workers will no longer need to "switch-out" equipment to maintain a safe fall distance
- Extremely compact and lightweight 1.9 lbs. (0.86 kg)
- Unit attaches directly to the harness back D-ring for greater mobility and versatility
- Engineered webbing for greater abrasion resistance and long service life
- High-strength, impact-resistant nylon housing for maximum durability
- Built-in swivel prevents lifeline from twisting
- Rated for up to a 400 lbs. (181.4 kg) user
- Quick-activating, high-strength stainless steel braking system

No. TURBOLITE™

MFL-1-Z7/6FT

MFL-3-Z7/6FT

MFL-11-Z7/6FT

MFL-12-Z7/6FT

MFL-1-Z7/9FT

MFL-5-Z7/9FT

MFI-11-77/9FT

MFLC-12-Z7/6FT

Model

**SAR481** 

SAR482

SAR483

SEJ629

SEJ633

SEJ634

SE1635

SE1632

No.

- Twin-Turbo™ models feature a G2 connector and 2 legs for 100% tie off
- Certified to CSA standard 7259.2.2. Type 1 SRI



**SAR481** 



_	
Anchorage	Price
Connection	/Each
Locking Snap Hook	
Locking Snap Hook	
Aluminum Locking Snap Hook	
Aluminum Locking Rebar Hook	
Locking Snap Hook	
Swivel Snap Hook	
Aluminum Locking Snap Hook	
	Locking Snap Hook Locking Snap Hook Aluminum Locking Snap Hook Aluminum Locking Rebar Hook Locking Snap Hook Swivel Snap Hook

Aluminum Locking Rebar Hooks

MFL-12-Z7/9FT SEJ636 Aluminum Twist-Lock Carabiner Aluminum Locking Rebar Hook TWIN TURBO™\* SEJ630 MFLC-3-Z7/6FT G2 Connector Locking Snap Hooks SEJ631 MFLC-4-Z7/6FT G2 Connector Locking Rebar Hooks

G2 Connector

# FALCON™ SELF-RETRACTING LIFELINES

Pound for pound the strongest, most durable retractable lifeline available.

- Corrosion-resistant stainless steel
- and aluminum internal components
- Lightest composite unit on the market Smooth, quiet operation; engineered spring retraction
- tension designed not to pull or drag on a worker to improve productivity and reduce fatigue
- Built-in, ergonomically-designed molded handle on the 50' unit provides support and leverage
- Dual swivels (unit top and snap hook) included on all models to prevent lifeline from twisting Improved load indicator on the snap hook identifies
- when the unit needs to be removed from service Maximum Working Load: 310 lbs. (148 kg)
- Maximum Arresting Force: <900 lbs/f (4 kN)
- Swivel snap hook harness connection and swivel carabiner anchorage connection

LIFETIME HOUSING

GUARANTEF\*

Nearly indestructible,

high impact-resistant

the harsh rigors for the

Certified to CSA standard Z259.2.2, Type 2 SRL







#### toughest applications. \* When used under typical working conditions





<sup>\*</sup> Also available in 9' length

# CABLE LADDER SAFETY SYSTEMS

- The Lad-Saf<sup>TM</sup> flexible cable system consists of a top and bottom bracket that act as anchors for a steel cable that runs the length of the climbing area
- A Lad-Saf<sup>TM</sup> sleeve connects the worker to the system, automatically follows the user during the climb, and locks on to the cable in the event of a fall
- · Designed for ease of use, economy, and versatility
- Integrated tension indicating bottom brackets take the guess work out of installation
- Galvanized and stainless steel construction stands up to harsh environements for added longevity
- Integrated shock absorbing top bracket reduces forces imposed on ladder during a fall
- Intermediate cable guides prevent cable wear against the ladder and permit the climber to bypass without disconnecting
- Complete system includes both top and bottom brackets, cable and cable guides. They do not include a sleeve, carabiner, or harness
- System is also customizable, call today to learn more









Model No.	Mfg. No.	Length'	Price /Each
SEE810	LADSAF-20	20	
SEE811	LADSAF-30	30	

# ROLLGLISS™ R550 RESCUE & DESCENT DEVICE

- Emergency rescue and evacuation from a wide variety of elevated work areas
- Fully automatic controlled descent
- Bidirectional design enables multiple rescues
- Built-in rescue lifting wheel
- 100 ft. (30.5 m) 3/8" (9.5 mm)
- kernmantle rope lifeline
- Rated for up to 1 640 ft. (500 m) height for one user, 575 ft. (175 m) for two users
- · Compact and lightweight design
- High strength corrosion resistant construction
- Integrated rope ears
- Dual brake design
- Equipped with i-Safe™
- Kit also contains 4 ft. (1.2 m) anchor sling, two carabiners and carrying bag
- · No. of users: 2
- · Lifeline material: Kernmantle
- · Harness connection: Carabiner
- · Anchorage connection type: Snap hook
- CSA Standard Z259.2.2

Model No. SDL610 Mfg. No. 3327100 Price/Each \$

#### PULLEY - ROLLGLISS™ R550

- Single
- 9-16 mm

Model No. SDL611 Mfg. No. 9504733 Price/Each \$







# LAD-SAF™ X2 DETACHABLE CABLE SLEEVE

- Sleeve for Lad-Saf<sup>TM</sup> fixed ladder safety system
- For use on 3/8" (9.5 mm) and 5/16" (8 mm) 1 x 7 or 7 x 19 solid core cable
- Mobile design follows user for convenient climbing protection
- · Easy to install and detach anywhere along lifeline
- · Mechanical and inertial locking system stops falls within inches
- Built-in energy absorber and fall indicator with swivel
- Anti-inversion feature prevents incorrect installation
- Saflok  $^{\!\mathsf{TM}}$  steel carabiner for secure connection to harness
- Extremely rugged and corrosion resistant construction
- Extremely compact, lightweight design
- Order top and bottom brackets, cable and guides separately Sleeve for Lad-Saf<sup>TM</sup> fixed ladder safety system
- · Attachment: Without Lanyard

Model No. SDK982 Mfg. No. 6160030 Price/Each \$



# Ask us about volume prices!



In many cases you will benefit from quantity prices.

# **SAFLOK**<sup>TM</sup> **CARABINERS**

- · Steel carabiners
- Self locking/closing
- 3600-lb. gate







Fall Protection for Tools

	,		
Model	Mfg.	Gate	Price
No.	No.	Opening"	/Each
SEH168	2000117	11/16	
SFF719	2000113	1 3/16	

# CONCRETE **DETENT ANCHORS**

- · Reusable detent pin assembly allows a user to tie-off anywhere a socket is pre-installed with a push of a button
- Lightweight and portable
- · Socket can be installed vertically or overhead into a concrete wall, floor, or ceiling
- Rugged, corrosion resistant stainless steel

Model No. SEJ623 Mfg. No. 2101004 Price/Each \$







# **ANCHORAGE CONNECTING CARABINERS**

- Zinc plated, 5000-lb.anchorage point
- Easy one-hand operation
- Self-locking
- 3/4" gate opening
- Meets OSHA 1926 and ANSI SZ359 standards

Model No. SEB926 Mfg. No. AJ514A Price/Each \$





Fall Protection

# **CABLE TIE-OFF ADAPTORS**

- 1/4" coated galvanized cable
- Lightweight and extremely durable
- · Stands up to harsh environments
- Snap hook at one end, O-ring at the other
- Length: 6'

Model No. SEB470 Mfg. No. AJ408CG-6 Price/Each \$







# SAFLOK® MINING **ANCHORS**

- Designed to be used with friction rock bolts in a variety of mining applications
- The hybrid swivel anchor is designed to stay in one spot, while the bolt anchor offers the flexibility to move from location to location
- Durable, lightweight, and easy to install





Fall Protection

Model No.	Mfg. No.	Description	Bolt Width mm	Price/Each
SEJ619	2100153	Bolt Anchor w/Swivel O-Ring	39	
SEJ620	2100154	Bolt Anchor w/Swivel O-Ring	47	
SEJ621	2100155	Hybrid Swivel Anchor	39	
SEJ622	2100156	Hybrid Swivel Anchor	47	

# TIE-OFF ADAPTORS

Pass-thru style polyester web tie-off adaptor



F	II Prote	ction
fr	r Tools	

a compact, reliable connection point

Two 1/2" diameter attachment holes

· Cadmium plated steel D-ring 304 stainless steel anchorage plate

• Plate size: 1/4" x 2" x 4 1/2"

Model No. SEB449 Mfg. No. 2101639 Price/Each \$

Model No.	Mfg. No.	Length'	Price /Each
SEB389	1003000	3	
SEB390	1003006	6	

### **CONCRETE D-RING ANCHORS**

- · Reusable D-ring assembly
- Rugged design for harsh environments

Model No. SEB438 Mfg. No. 2104568

















# FIXED BEAM ANCHORS

Installs in seconds to the beam structure in any orientation

Final tightening using a built-in adjustment handle Fits up to 1 1/2" thick beam flange, 2 1/2" to 12" wide

Model No. SEE808 Mfg. No. 2108406 Price/Each \$







### FREESTANDING COUNTERWEIGHT ANCHORS

Freestanding system is easily placed on top of the roof surface to provide tie-off point for one worker

Model No. SEE809 Mfg. No. 7200439 Price/Each \$







# LAD-SAF™ ROPE GRABS

- · Mobile design automatically follows users for hands-free operation
- Detachable design can be attached or removed anywhere along lifeline
- · Inertia and cam locking systems for safety and to prevent "panic-grab"
- For use on 5/8" (16 mm) polyester/polypropylene rope lifeline

Use with 3' shock absorbing lanyard

Model No. SEB433 Mfg. No. 5000335C Price/Each \$





# **ROPE LIFELINES**

- 30' lifeline
- 5/8" diameter
- Snap hook at one end
- Features additional abrasion and UV resistance, for added durability, longevity, and safety

Model No. SEC130 Mfg. No. 1202754C Price/Each \$



# Fall Protection

# COBRA™ ROPE GRAB

- Constructed of high impact resistant steel
- Operates in automatic or manual mode
- Can be used on approved horizontal rope systems
- Can be removed and reattached to rope at any point during traverse
- Designed for use with nylon or polyester rope
- Accommodates 5/8" (16 mm) rope
- Total weight: 1.75 lbs. (0.79 kg)
- Certified to CSA standard Z259.2.1

Model No. SEB385 Mfg. No. AC202C Price/Each \$









# GLYDER™ II SLIDING BEAM ANCHORS

- Wear pads eliminate metal-to-metal contact, for smooth operation
- Easy installation
- Dual beam grip adjustment prevents twisting and turning
- Extremely light weight at only 3.7 lbs.
- User capacity of 420 lbs.
- Fits flange 3 1/2" to 14" wide and up to 1 1/4" thick

Model No. SEB435 Mfg. No. 2104700 Price/Each \$









# DOOR/WINDOW JAMB ANCHORS

- Fits door or window sizes ranging from 21 1/2" to 51 1/2" in width
- Non-penetrating design ensures no damage to structure
- Fast and easy installation with built-in adjustment knob – no tools or drilling are required
- · Lightweight and extremely portable design

Model No. SEI618 Mfg. No. 2100080 Price/Fach \$









# BEAM TROLLEY ANCHORAGE CONNECTORS

- · Installs easily and quickly overhead with no tools necessary at ends or midpoint on beams
- Non-corrosive double-shielded wheel bearings provide smooth and effortless operation
- Trolley guards protect the wheels from damage and keep the beam ahead of the trolley clear of debris
- Provides added maneuverability, improved safety, and increased productivity
- Fits flat or tapered beam flanges 3" to 8" wide, and up to 11/16" thick

Model No. SEJ617 Mfg. No. 2103143 Price/Each \$







### ROPE LIFELINES

- 16 mm (5/8") diameter, polyester sheath with polypropylene core
- Tensile strength: 2540 kg (5600 lbs.)
- · Zinc plated stamped steel hook
- Net weight: 5.6 lbs. (25 kg)







Model	Mfg.		Price
No.	No.	Length'	/Each
SEB381	SSR100-50	50	
SEB382	SSR100-100	100	

# ANCHORAGE CONNECTORS

Designed as the intermediary for securing a connecting device to an anchorage, careful consideration should be given to selecting a proper anchorage for ultimate safety. The anchorage should be easily accessible, located a safe distance above any lower obstacles and support 5000 lbs. (22 kN) per worker.



# **D-BOLT PERMANENT ANCHORAGE CONNECTORS**

- 1/2" diameter D-bolt anchor
- · One-piece unit with lockwasher and nut
- 400-lb. maximum capacity

Model	Mfg.	Prio
No.	No.	/Eac
SD005	415	



#### **REBAR HOOK ANCHORS**

- Facilitates anchoring to scaffolding, pipe or angle iron
- · Features a locking rebar hook
- · 400-lb. maximum capacity

Model No.	Mfg. No.	Description	Price /Each
SD538	485-Z7/221NYLC	w/Shock Absorber	
SD008	480-Z7/19INGN	w/out Shock Absorber	



#### **BEAM TROLLEYS**

- Steel anchor point that can be attached to horizontal I-beams
- Adjustable beam trolley slides along with the worker to provide maximum mobility
- 400-lb. maximum capacity

Model No.	Mfg. No.	Description	Beam Width"	Price /Each
SD010	9065/BK	Beam Trolley	3 to 4 1/2	
SAK435	9065-1	Adapter Kit for SD010	3 to 8 1/2	



#### **CROSS-ARM STRAPS**

- · Web cross-arm strap wraps around I-beams and other structures
- Attaches with a 2" D-ring that slips through a 3" D-ring
- Forms a secure attachment point for lanyards and other connecting devices
- Length: 6'
- · 400-lb. maximum capacity

Model	Mfg.			Price
No.	No.	Length'	Description	/Each
SD009	8183/6FTGN	6	Standard	
SAR479	8185K/3FTBK	3	Arc-Rated Kevlar	
SAR480	8185K/6FTBK	6	Arc-Rated Kevlar	



#### **BEAM CLAMPS**

- · Steel anchor point that can be attached to horizontal I-beams, S-beams or W-beams
- Swivel attachment ring prevents twisting of the worker's connecting device
- · 400-lb. maximum capacity



Model	Mfg.	Max Beam	Price
No.	No.	Width"	/Each
SD006	450	9	
SD007	455	12 1/2	

# ANCHORAGE CONNECTORS

A variety of wrap around anchorage connectors and other connectors for beams will suit most applications. All anchorage connectors have a minimum breaking strength of 22 kN (5000 lbs.), unless otherwise stated.

#### PASS-THROUGH **WEB ANCHOR SLINGS**

- · 2" heavy-duty nylon web
- Small D-ring passes through large D-ring to form a loop around the anchorage point

Model No.	Mfg. No.	Length'	Price /Eacl
SAK491	FP03/4	4	
SN136	FP03/6	6	



#### **CABLE ANCHOR SLINGS**

- 1/4" (6.35 mm) galvanized steel cable
- Swaged eyes at each end
- PVC coated against corrosion

	SN137	ص
Price /Each	0	

Honeywell

NORTH

Model	Mfg.		Price
No.	No.	Length'	/Each
SN137	FP02/3	3	
SN138	FP02/6	6	

# SPECTRA WEB ANCHOR SLINGS

- Made of revolutionary Spectra® webbing for lightweight, small size, and exceptional strength
- 1" web can be used without additional protective materials in concrete forming

			-
Model No.	Mfg. No.	Length'	Price /Each
SAK501	FP242/2	2	
SAK502	FP242/3	3	
SAJ445	FP242/4	4	
SA0629	FP242/5	5	
SAJ446	FP242/6	6	



**SAI446** 

#### **BOLT-ON D-RING ANCHORAGE CONNECTORS**

- · Gate opening of 4 1/4" (10.8 cm)
- Reduces roll-out possibilities
- Mounting hardware required

Model No. SAK492 Mfg. No. FP3730 Price/Each \$



# MILLER® ROPE GRABS & VERTICAL LIFELINES

Miller® rope grabs move easily up and down vertical lifelines to provide continuous fall protection. Trailing models offer complete handsfree operation for increased productivity. In the event of a fall, Miller® rope grabs lock quickly.

- Compact design; corrosion-resistant stainless steel construction
- Lightweight and easy to use
- Certified to CSA standard Z259.2.1





Model	Mfg.		Price
No.	No.	Description	/Each
SAK318	8175/C	Stainless Steel Trailing Rope Grab For Use With 5/8" (16 mm) Rope	

Note: Locking snap hook - 3/4" (19 mm) gate opening.

#### **VERTICAL LIFELINES**

Model	Mfg.		Price
No.	No.	Description	/Each
SC996	300C/25FTBL	25' Polyester/Polypropylene Blend Rope Lifeline w/Carabiner	
SC998	300L-2/25FTBLC	5/8" dia. Polyester/Polypropylene Blend Rope w/Snap Hook, 25'	
SC999	300L-5/50FTBLC	5/8" dia. Polyester/Polypropylene Blend Rope w/Snap Hook, 50'	

# LIFTING YOKES & SPREADER BARS

- To be used with the harness equipped with shoulder D-rings for confined space rescue
- Nylon webbing

Model No. SAR485 Mfg. No. FP4017B Price/Each \$

#### Honeywell

NORTH



# **CARABINERS**

- Twist-lock gates
- 400-lb. (181.4 kg) maximum capacity.

# Honeywell MILLER



# **CARABINERS**

- Made of steel
- · Auto-locking
- 1" (25 mm) gate opening

Model No. SEB610 Mfg. No. FP88 Price/Each \$

# Honeywell

NORTH






# ROPE GRABS & VERTICAL LIFELINES

Rope grab and lifeline combinations still provide some of the most cost-effective solutions for fall protection needs. North offers you the widest assortment of rope implements in the market ranging from automatic rope grabs to rope adjusters.

- Constructed from quality, corrosion-resistant materials for long service life
- Match the device with the lifeline product that most suits your needs
- Certified to CSA standard Z259.2.1



#### **VERTICAL LIFELINES**

Model	Mfg.			Tensile	Price
No.	No.	Description	Composition	Strength	/Each
SN118	FP16E/PS50	5/8" (16 mm) 3-Strand, 50'	Copolymer Blend	8100 lbs. (3680 kg)	
SN119	FP16E/PS100	5/8" (16 mm) 3-Strand, 100'	Copolymer Blend	8100 lbs. (3680 kg)	
SEC449	195R-5/100FTWH	5/8" (16 mm) Non-Shock Absorbing Rope, 100'	Polyester	12 570 lbs. (5700 kg)	

SAG159

**Honeywell** 

NORTH

# **POINTGUARD**<sup>TM</sup> ANCHORAGE STRAPS

- · Durable polyester webbing is economical, quick and easy to install
- When anchorage connector is no longer needed, simply cut strap and throw away
- Available in two models:
  - Residential construction (3' length)
  - Concrete construction (4' length, includes protective sheath)
- 400-lb. (182 kg) capacity





# ANCHORAGE STRAPS

· D-ring on one end and a sewn loop on the other end • Length: 5'



Model No.	Mfg. No.	Material	Price/Each
SAM474	505282	Nylon	
SAM475	505298	Polvester	

# MSA

Model	Mfg.		Anchorage		Price
No.	No.	Type	Connector	Length'	/Each
SAM476	10042792	Residential	D-Ring	3	
SAM477	10042793	Residential	Web Loop	3	
SAM478	10042794	Concrete	D-Ring	4	
SAM479	10042795	Concrete	Web Loop	4	

# **D-PLATE ANCHORAGE** CONNECTORS

- · Provides permanent anchorage point
- · Bolts to beams or columns

No.

506632





Easy, single hand installation Lightweight 4.5 lbs. unit

Low friction wear pads with Teflon allows the anchor to glide effortlessly along the beam flange

- Integral load indicator alerts the user if the unit has been exposed to a fall
- · Versatile design allows for mounting overhead or at worker's feet
- Easy to use, push-button adjustment with 1/4" adjustment intervals
- 400 lbs. work capacity



# MSA

Model No.	Mfg. No.	Fits Beams"	Price /Each
SGC228	10144431	4 to 13.5	
SA0684	10144432	14 to 23.5	

# ROPE GRAB FALL ARRESTER

Material

Zinc-Plated Steel

- Hands-free operation while ascending or descending
- · Ultra-smooth travel action
- · Cam and hinge design allows for a quick, easy installation on the rope
- Rope Diameter: 5/8"

No.

SAM483





Model No. SGC222 Mfg. No. 10077718 Price/Each \$

# **CONCRETE ANCHORS**

- Quickly and easily removed and reinstalled in another location
- Compact and lightweight
- Durable stainless steel and aluminum construction
- Stores wet
- Type: Temporary
- Style: Concrete



# MSA

Model No.	Mfg. No.	Load Capacity lbs.	Price /Each
SGC227	10081594	5000	
SGD365	10144432	10 000	



# **SQUIDS® TOOL LANYARDS**

- Nylon tubular elastic material stretched to allow flexibility in use and to help absorb the impact of a dropped tool
- Lightweight aluminum carabiner quickly attaches to a wide range of locations
- Reflective stitching runs the length of the product for added visibility
- All lanyards have a maximum working capacity of 10 lbs., sewn directly on to the product



Model No.	Mfg. No.	Colour	Length"	Anchorage Connection	Tool Connection	Price /Each
SEE100	19008	Lime	28-35	Locking Carabiner	Adjustable Barrel Lock	
TEP213	19002	Black	35-42	Carabiner	Adjustable Barrel Lock	
SEE102	19003	Lime	35-42	Carabiner	Adjustable Barrel Lock	
SEE103	19022	Black	35-42	Carabiner	Carabiner	
SEE104	19023	Lime	35-42	Carabiner	Carabiner	
SEJ654	19009	Lime	35-42	Triple Locking Carabiner	Adjustable Barrel Lock	
SEJ655	19007	Lime	35-42	Screw-LockCarabiner	Adjustable Barrel Lock	

# **ARSENAL CANVAS TOOL BUCKETS**

- High wall, heavy-duty construction Molded plastic top ring
- Interior pocket
- 12.5" diameter
- Maximum safe working capacity: 150 lbs.
- Available with safety tops to prevent tools and equipment from falling when hoisting them to an at-heights job site





Model	Mfg.		Price	
No.	No.	Description	/Each	
MOLDEI	D PLASTIC BA	ASE		
SEE107	14433	15" H Bucket w/Rope Handle		
SEE108	14443	15" H Bucket w/Rope Handle and Swivel Snap Hook		
LEATHE	R REINFORCE	ED BASE		
SEE105	14430	17"H Bucket w/Rope Handle		
SEE106	14440	17"H Bucket w/Rope Handle and Swivel Snap Hook		
SEE109	14438	Optional Safety Top		

# SQUIDS® 3770 TAPE MEASURE TRAP

- 1200D and 600D polyester main material
- Hook and loop straps secure tape measure inside trap for safe and easy tethering
- Zinc-plated cast alloy D-Ring
- Maximum safe working capacity: 2 lbs.
- Third party tested using a 2:1 safety factor
- Length: 4-1/5"
- · Capacity: 2 lbs.

Model No. SDN854 Mfg. No. 19770 Price/Each \$





# SQUIDS® HARD HAT LANYARDS

- · Comfortably attaches to hard hats and other headwear to prevent the item from falling
- Buckle connecting lanyards feature a double lock plastic buckle that attaches to your fall protection
- Maximum safe working capacity: 2 lbs. (0.9 kg)
- Third party tested using a 2:1 safety factor
- Hard hat not included

#### SQUIDS 3150 & 3155 STANDARD LANYARDS

· High-stretch elastic material allows workers to move their head freely SED573

#### SQUIDS' 3157 & 3158 COIL LANYARDS

· Coil design reduces lanyard length and prevents snag and tangle hazards while maintaining the workers range of motion





Model	Mfg.		Connection	Price
No.	No.	Colour	Туре	/Each
STANDA	RD LANYARDS			
SED573	19150	Lime	Buckle	
SED574	19155	Lime	Clamp	
COIL LA	NYARDS			
SDL089	19156	Black	Buckle	
SDL090	19157	Lime	Buckle	
SDL091	19158	Black	Clamp	
SDL092	19159	Lime	Clamp	

Safety Top

SEE106

Optional **Safety Top** 

not included

# **D-RING TOOL** ATTACHMENT POINT

#### **WEB D-RING**

- · D-Rings can be attached to virtually any tool under their Load Rating lbs. using Quick Wrap Tape
- Creates an instant attachment point in less than a minute
- Compact size is perfect for many hand tools

#### **CORDED D-RING**

- · Loop the D-Ring cord through a pre-drilled hole or closed handle to create an instant attachment point
- Long lasting construction will stand up to the elements
- Reusable device can easily be moved from one tool to another as required



SALA

Fall Protection

**SDP315** 

Model	Mfg.		Load	Dim	ens	ions	Price
No.	No.	Style	Rating lbs.	W"	X	L"	/Each
SDP315	1500003	Web D-Ring	2.0	0.5	Х	2.25	
SDP316	1500007	Web D-Ring	5.0	1	Х	3.5	
SDP317	1500009	Corded D-Ring	5.0	-	Х	-	

# QUICK SPIN TOOL ATTACHMENT POINT

- Simply slides on to the handle of a tool, making it tether-ready in seconds
- Swivel spin top makes tethering tangle-resistant
- Reusable and suitable for non-conductive use
- Load Rating lbs.: 1.0 lbs.









Model No.	Mfg. No.	Diameter"	Price/Each
SDP322	1500029	1	
SDP323	1500030	1.2	

# ADJUSTABLE TOOL TETHERING WRISTBAND

Constructed with a hook and loop system to adjust to any wrist size





Model No.	Mfg. No.	Load Rating lbs.	Connection Point	Price/Each
SDP340	1500082	5.0	Sewn-on D-Ring	
SDP341	1500084	5.0	Built-in cord	
SDP342	1500086	1.5	Built-in retractor	

### **BUNGEE TOOL TETHER**

- Features a locking carabiner with screw locks that prevent accidental opens
- Versatile bungee design reduces trip and entanglement hazards while remaining suitable for use with a variety of hand tools
- 5/8" tubular webbing, built from abrasion-resistant materials to last longer in harsh work environments



Model No

**SDP327** 

SDP328



Mfg. No.

1500047

1500049



# SPRAY CAN/BOTTLE HOLSTER

- · Neoprene holster with a side-release composite buckle
- Adjustable strap allows the holster to conform to the size of your water bottle or spray can
- Includes a 7-70 mm aluminum carabiner

Model No. SDP344 Mfg. No. 1500091 Price/Each \$







# TOOL CINCH ATTACHMENT POINT

- Cinch design allows users to quickly secure a wide variety of tools, minimizing delays and improving productivity
- Suitable for many medium and large tools
- Stabilization wings allow the cinch to be secured to the tool using Quick Wrap tape for added security and stability





SALA

Fall Protection



Model No.	Mfg. No.	Stabalization Wings	Load Rating lbs.	Price/Each
SDP318	1500011	None	35.0	
SDP319	1500013	1	35.0	
SDP320	1500015	2	35.0	
SDP321	1500017	2	80.0	

### QUICK WRAP TOOL TETHERING TAPE

- · Made from a self-fusing silicone rubber that leaves behind no adhesive or residue when removed
- Creates instant connection points for nearly any tool when used with an appropriate attachment D-Ring or cinch
- Conforms to the shape of whatever it is applied to, making it ideal for even the most irregular shaped tools
- Temperature range of -65°F to 500°F (-54°C to 260°C) Inner fibreglass webbing increases the strength of
- the tape and makes it resistant to sharp objects
- Length: 108"
- Width: 1"





Model No.	Mfg. No.	Colour	Price/Each
SDP324	1500035	Blue	
SDP326	1500044	Yellow	

# TOOL LANYARD

- · Economical tethering solution for most hand tools
- User-friendly thumb triggers are provided on both ends of the lanyard
- Trigger latches swivel for tangle resistance
- Connector Type: Dual Latch
- Load Rating lbs.: 10.0 lbs.



**SDP331** 



6			
Model No.	Mfg. No.	Length"	Price/Each
SDP331	1500053	12	
SDP332	1500055	24	

# COIL TOOL TETHER

- · Built from non-conductive, lightweight vinyl that is easy to clean and withstands harsh work environments
- Ultra-compact coil design naturally stays out of the way






SI	DP335	
		Relaxed
g	Length"	Length"
	24	1 75

Model No.	Mfg. No.	Connector Type	Load Rating	Length"	Relaxed Length"	Price /Each
SDP333	1500059	Dual Clip	2.0 lbs.	24	1.75	
SDP334	1500060	Clip/Loop	2.0 lbs.	34	7	
SDP335	1500061	Dual Clip For Hard Hat	2.0 lbs.	34	4	
SDP336	1500063	Dual Carabiner	5.0 lbs.	62	4	
SDP337	1500067	Dual Latch	5.0 lbs.	24	1.75	

# TOOL TETHERING BELT LOOP ATTACHMENT POINT







· Load Rating lbs.: 5.0 lbs.

SDP354



Model No.	Mfg. No.	Style	Price/Eacl
SDP353	1500115	Web D-Ring	
SDP354	1500117	Shackle	

### COMFORT TOOL BELT

- · Unique design that provides both strength and comfort
- Extra padding provides superior comfort compared to many other tool belts
- Modular approach allows user to customize their own holster and pouch system
- Size: Large/X-Large
- Waist Size: 36" 44"

Model No. SDP351 Mfg. No. 1500111 Price/Fach \$







# TOOL POUCH HOLSTER

- Belt holster with rear-feed retractor
- Quickly holster tape measures and other small tools
- Tether Included: Single Retractor Lanyard
- Tether Connector Type: Key Ring
- Tether Length: 52"
- Tether Load Rating lbs.: 1.5 lbs.

Model No. SDP345 Mfg. No. 1500095 Price/Each \$







# TAPE MEASURE HOLSTER

- · Heavy-duty neoprene conforms to many tape measure sizes
- A clip on the back of the sleeve can be used to clip to a belt or holster
- Designed for use with Tape Measure Holster
- Tether Included: Single Retractor Lanyard
- Tether Connector Type: Key Ring
- Tether Length: 52"
- Tether Load Rating lbs.: 1.5 lbs.

Model No. SDP347 Mfg. No. 1500100 Price/Each \$





# **SMALL PARTS POUCH**

- Innovative self-closure system makes it nearly impossible for objects to fall out, even when the pouch is flipped vertically
- Easy to retrieve objects since no opening or closing is necessary
- Compatible with most tool belts or harnesses
- Colour: Black
- Material: Canvas

Model No. SDP355 Mfg. No. 1500119 Price/Each \$









# ADJUSTABLE RADIO HOLSTER & TETHERING KIT

- · Adjusts to the fit virtually any hand-held radio, cell phone and many other portable devices
- Includes a micro D-ring that can be placed on the device and then tethered to the radio holster
- Can be worn from a belt or harness
- Tether Included: Single Coil Lanyard
- Tether Connector Type: Clip/Loop
- Tether Length: 34"
- Tether Length Relaxed: 7"
- Tether Load Rating lbs.: 2 lbs.

Model No. SDP343 Mfg. No. 1500089 Price/Each \$







# SCAFFOLD WRENCH HOLSTER

- · Hook and loop closure strap keeps tools secure
- High visibility reflectors
- Rear-feed retractor tether included
- · Includes an additional D-ring connection point that can be used in conjunction with appropriate tether (sold separately) when higher Load Rating lbs. is required
- · D-Ring Load Rating lbs.: 5 lbs.
- Tether Included: Single Retractor Lanyard
- · Tether Connector Type: Key Ring
- Tether Length: 52"
- Tether Load Rating lbs.: 1.5 lbs.

Model No. SDP346 Mfg. No. 1500096 Price/Each \$





# TOOL LIFTING SAFE BUCKET

- Designed to be used at height, with a built-in closure system that helps to prevent dropped objects
- Includes multiple D-Ring connection points that can be used to tether tools
- · Hard composite plating sewn into the bottom and covered with a protective leather sleeve protects the bucket from accidental punctures and is resilient to the elements and harsh work environments
- Equipped with a heavy-duty hoisting/shoulder strap that features a highquality, lightweight aluminum twist-lock carabiner for lifting and hoisting
- Closure System: Hook & Loop
- Material: Canvas
- Capacity: 1840 in<sup>3</sup>
- Diameter: 12.5"
- Height: 15"
- Load Rating lbs.: 100 lbs.
- · D-Ring Load Rating lbs.: 10 lbs.

Model No. SFV223 Mfg. No. 1500134 Price/Each \$









# TOOL HOLSTER

- Equipped with two D-Rings for tool tethering
- Features Quick-Mag<sup>TM</sup>, a powerful magnetic tool staging system that allows tools to stick to the holder and holds them in place without holstering so they are always at the ready
- Beacon<sup>™</sup> High Visibility Reflectors stitched into the front and back of the holster
- Bottom drain vent allows water to pass through in rainy conditions, protecting your tools from rusting and your holster from dry rot
- D-Ring Load Rating lbs.: 5 lbs.





						1 101 10	JOIS
Model	Mfg.		Tether	Tether	Tether	Tether	Price
No.	No.	Туре	Included	Connector Type	Length	Load Rating lbs.	/Each
SDP348	1500104	Single Tool Holster	Single Retractor Lanyard	Key Ring	52"	1.5	
SDP349	1500105	Extra Deep Single Tool Holster	None	-	-	-	
SDP350	1500107	Dual Tool Holster	Dual Retractor Lanyard	Key Ring	52"	1.5	



# LIMITED GENERAL USE PROTECTIVE CLOTHING

# **BOUFFANT CAPS**

#### **NON-WOVEN**

- · Non-woven polypropylene
- · Elasticized band for an optimum fit



Model			Qty	Price
No.	Size	Colour	/Pkg.	/Each
SEC375	Medium 18"	White	100	
SEC376	Large 21"	White	100	
SEC377	X-Large 24"	White	100	
SEC378	Large 21"	Blue	100	
SEN410	X-Large 24"	Blue	100	

#### LINT-FREE

- · Lint-free, lightweight non-woven material
- · Elasticized band for an optimum fit
- Colour: White
- 100% latex-free



100

#### **PLEATED**

- · Lightweight and breathable fabric with elastic band closures provides a comfortable fit
- Practical and cost-effective solution to protect against dry particulates
- Material: Polypropylene





Model			Qty	Price
No.	Size"	Colour	/Pkg.	/Each
SGF185	19	White	100	
SGF186	21	White	100	
SGF187	24	White	100	
SGF188	21	Blue	100	
SGF189	24	Blue	100	

### HAIR NETS

- Fine nylon mesh
- Elasticized band for an optimum fit
- Colour: White
- 100% latex-free



Model No.	Size	Qty /Pkg.	Pri /Ea
SEC372	Medium 18"	100	
SEC373	Large 21"	100	
SEC374	X-Large 24"	100	

### **BEARD NETS**

- · Non-woven polypropylene
- Elasticized band for an optimum fit

Large 21"

- Covers beard and mustache
- One size fits all
- Colour White

SEC380

100% latex-free



Two string, behind ears

100

# **FINE MESH NYLON HAIRNETS**

Latex-free



Model			Qty	Price
No.	Size"	Colour	/Pkg.	/Each
SDM174	18	White	100	
SDM175	21	White	100	
SDM176	24	White	100	

# LIGHTWEIGHT **NYLON HAIRNETS**

- · Light weight netting
- Latex free

SDK998

# **HEAVYWEIGHT**

Latex free


SEC384

White

# **POLYESTER HAIRNETS**



e: "		Qty	Price
Size"	Colour	/Pkg.	/Each
22	Brown	144	
22	White	144	
28	Brown	144	



# PLEATED BOUFFANT CAPS

- Pleated spunbond polypropylene with elastic band located within the fabric for added comfort
- Latex-free



Model			Qty	Price
No.	Size"	Colour	/Pkg.	/Each
SDM162	19	White	100	
SDM163	21	White	100	
SDM164	24	White	100	
SDM165	21	Blue	100	
SDM166	24	Blue	100	

Model

SDK998

SDK999

SDM177

# MITED GENERAL USE PROTECTIVE CLOTHING

# **BOUFFANT CAPS**

- Elasticized band for an optimum fit
- 100% latex-free



		Qty	Price
Size"	Colour	/Pkg.	/Each
21	White	100	
24	White	100	
19	Blue	100	
21	Blue	100	
24	Blue	100	
19	Green	100	
21	Green	100	
24	Green	100	
21	Red	100	
24	Red	100	
21	Yellow	100	
24	Yellow	100	
	21 24 19 21 24 19 21 24 21 24 21	21 White 24 White 19 Blue 21 Blue 24 Blue 19 Green 21 Green 24 Green 24 Green 24 Red 24 Red 21 Yellow	Size"         Colour         /Pkg.           21         White         100           24         White         100           19         Blue         100           21         Blue         100           24         Blue         100           19         Green         100           21         Green         100           24         Green         100           24         Red         100           24         Red         100           24         Red         100           21         Yellow         100

# POLYESTER MESH **BEARD NETS**

· Latex-free



Model		Qty	Price
No.	Colour	/Bag	/Each
SDM181	White	100	
SDM182	Brown	100	

# DISPOSABLE HOODS

- · Suitable for a wide range of sizes
- · Lightweight and breathable
- · Practical and cost-effective solution to protect against dry particulates

Material: Polypropylene



Model		Qty	Price
No.	Colour	/Bag	/Each
SGF184	White	100	

# **BEARD COVERS**

- · Spunbond polypropylene beard covers
- Latex-free





Model		Qty	Price
No.	Colour	/Bag	/Each
SDM179	White	100	
SDM180	Blue	100	

# **SHOE COVERS**

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free models have a textured
- sole for improved traction



Model No.	Description	Size	Qty /Pkg.	Price /Each
SEC385	Regular sole	Large	100	
SEC386	Regular sole	X-Large	100	
SEC387	Skid-free sole	Large	100	
SEC388	Skid-free sole	X-Large	100	

# NON-CONDUCTIVE SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free models have a textured sole for improved traction



Model No.	Description	Size	Qty /Pkg.	Price /Each
SEC389	Regular sole	Large	100	
SEC390	Regular sole	X-Large	100	
SEC391	Skid-free sole	X-Large	100	

# **SHOE COVERS**

- 100% polyethylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- No seams are ideal for protection from liquids





Model	Size	Qty	Price
No.		/Pkg.	/Each
SEL089	Large	100	

# CAST POLYETHYLENE "CPE" EMBOSSED SHOE COVERS

- Shoe covers help prevent unwanted dust, dirt, and grime from being tracked into sensitive work areas
- Cast polyethylene with textured tread
- · 100% latex free



Model			Qty	Price
No.	Size	Colour	/Bag	/Each
SDM191	Large	White	100	
SDM192	X-Large	White	100	
SDM194	X-Large	Blue	100	

# **POLYETHYLENE BOOT COVERS**

- 16" clear 100% polyethylene boot cover with elastic top
- 100% latex free



Model			Qty	Price
No.	Size	Colour	/Pkg.	/Each
SDM195	X-Large	Clear	50	
SDM196	2X-Large	Clear	50	

# LIMITED GENERAL USE PROTECTIVE CLOTHING

# **NYLON MESH SLEEVES**

- Adjustable dome snap closure
- Length: 9"
- Colour: Black
- Sold in pairs



Model	Price
No.	/Each
SAM210	

### LIGHTWEIGHT VINYL SLEEVES

- Elastic cuffs
- 100% latex free
- Length: 18"
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- Sold per 12 pairs



Model	Mfg.		Price
No.	No.	Colour	/Each
SDL002	DSWV-18	White	
SDL001	DSBV-18	Blue	

# POLYPROPYLENE SLEEVES

- Made of a breathable microporous material that is more comfortable to wear over the course of a work shift
- 100% latex free
- 28 grams per square meter
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- · Meets or Exceeds Class 100 Clean Room Standards
- 200/bag

Model No.	Mfg. No.	Length"	Colour	Price /Each
SDM161	DSPP-18-200	18	White	

# **COTTON SLEEVES**

- Elastic at both ends
- Length: 18"



Model	Mfg.	Price
No.	No.	/Each
SAL705	440030	

# **FLAME RESISTANT PVC/POLYESTER SLEEVES**

- Elastic cuffs
- Length: 18"
- Available in regular and heavy-duty
- Colour: Yellow
- Accepted for use in Canadian food processing facilities
- Sold in pairs



# POLYETHYLENE SLEEVES

- Disposable
- 0.02 mm polyethylene
- · Elastic at both ends
- 100/bag
- Sold per Package



Sai	ety Products		
Model			Price
No.	Length"	Colour	/Each
SEK350	16	White	
SFU586	18	Blue	

# TUBE STYLE COTTON **SLEEVES (S-SERIES)**

- Made wide for a better fit and greater comfort
- Length: 24"
- Colour: Beige
- 2 ply
- Up to 250°F/121°C
- Made in Canada
- Sold in pairs

Model	Mfg.	Price
No.	No.	/Each
SAL755	S-24-WIDE	

# COTTON SLEEVES

- Knitted on both ends prevents debris from entering the sleeve
- Single ply
- Length: 8"
- Colour: Beige
- Sold individually



Model	Price
No.	/Each
SAQ743	

# KEVLAR/COTTON BLEND SLEEVE

- · Kevlar and cotton fibres are blended together making a softer more comfortable sleeve
- Abrasion-resistant and ANSI level 2 cut protection
- Double ply
- **SDN372**: Thumbhole structure allows sleeves to be tucked into gloves, and provides added protection to the palm



# Honeywell

Model No.	Mfg. No.	Length"	Price /Each
WITHOUT THUMB H	OLE		
SDN373	KVS44-2-18	18	
WITH THUMB HOLE			
SDN372	KVS44-2-18TH	18	

# NITED GENERAL USE PROTECTIVE CLOTHING

# **PVC APRONS**

- Green PVC apron with string ties and belly patch
- 20-mil thickness
- 36" W x 50" L



Model	Mfg.	Price
No.	No.	/Each
SDM186	DAV20-36X50	

# **COAT APRONS**

- Blue cast polyethylene apron with thumb hole sleeves and waist ties
- 100% latex free
- 4.5-mil +/- .5-mil thickness
- Colour: Blue
- Qty/Bag: 10



Model No.	Mfg. No.	Size W" x L"	Price /Each
SDM184	CPE-LG-PE	35 x 45	
SDM185	CPE-XL-PE	35 x 48	

# **NITRILE ON POLYESTER APRONS**

- · Heavy-duty bib-style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents
- Length 48" x width 35"
- 0.45 mm thick
- Accepted for use in Canadian food processing facilities
- Colour: Black

Model	Mfg.	Price
No.	No.	/Each
SAL664	440100	

# LIGHTWEIGHT POLYURETHANE APRONS

- Bib-style apron
- Length 48" x width 35"
- 0.45 mm thick
- Colour: Yellow

Model	Price
No.	/Each
SAL666	

# FLAME RESISTANT NEOPRENE ON POLYESTER APRONS

- · Bib-style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents
- Length 48" x width 35"
- 0.45 mm thick
- Accepted for use in Canadian food processing facilities
- Colour: Yellow

Model	Mfg.	Price
No.	No.	/Each
SAL663	440090	











# **KEVLAR® SLEEVES**

- Tube style sleeves
- · Resists burns, abrasions and cuts
- Available with or without thumb hole
- · Available in both double ply and single ply, wide and regular fit
- Other sizes available
- · Colour: Yellow
- Made in Canada
- · ANSI 2 Single ply
- ANSI 3 2 ply
- · Sold in pairs



Model	Mfg.			Price
No.	No.	Description	Length"	/Each
WITHOU	T THUMB HOLE			
SAL745	SK-10	Double ply, regular fit	10	
SAL746	SK-10-WIDE	Double ply, wide fit	10	
SAL747	SK-14-1PLY-WIDE	Single ply, wide fit	14	
SAL748	SK-14	Double ply, regular fit	14	
SAL749	SK-14-WIDE	Double ply, wide fit	14	
SAL750	SK-18	Double ply, regular fit	18	
SAL751	SK-18-WIDE	Double ply, wide fit	18	
SAL753	SK-24	Double ply, regular fit	24	
SAL754	SK-24-WIDE	Double ply, wide fit	24	
WITH TH	UMB HOLE			
SAL738	SK-10H	Double ply, regular fit	10	
SAL739	SK-10H-WIDE	Double ply, wide fit	10	
SAL740	SK-14H-1PLY-WIDE	Single ply, wide fit	14	
SAL741	SK-14H-WIDE	Double ply, wide fit	14	
SAL742	SK-18H-1PLY-WIDE	Single ply, wide fit	18	
SAL743	SK-18H	Double ply, regular fit	18	
SAL744	SK-18H-WIDE	Double ply, wide fit	18	

# **ARMGUARDS**

- · Ideal for animal and wood/lumber handling, metal and glass fabrication and assembly operations
- Made of high-performance SuperFabric®, a cut and puncture-resistant fabric
- Spandex wrist insert with thumb hole maximizes fit; will not fall down like knit sleeves
- Reduce costs: lasts 10-15 times longer than typical protective wear
- Compatible with most gloves
- Ambidextrous
- · Length: 9" Sold individually



Model	Mfg.		Price
No.	No.	Size	/Each
SAM145	AG10009S-S	Small	
SAM146	AG10009S-M	Medium	
SAM147	AG10009S-L	Large	
SAM148	AG10009S-XL	X-Large	

# DISPOSABLE APRONS

- · Convenient dispenser boxed aprons
- 100% virgin polyethylene
- · 2-mil thickness
- 100% latex free
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- Size: 28" W x 46" L
- · Colour: White
- · Qty/Box: 100







# LIMITED GENERAL USE PROTECTIVE CLOTHING

# POLYETHYLENE APRONS

- Disposable, 0.02 mm thick white polyethylene apron
- This bib style apron is 35" x 46" with waist ties
- Accepted for use in Canadian food processing facilities



Priced per Package

Model	Price
No.	/Each
SEK351	

# **COTTON CANVAS APRONS**

- 100% cotton
- Cotton straps for adjustability
- Dimensions: 29" x 36"
- Fabric weight: 10 oz.
- Colour: Natural
- Accepted for use in Canadian food processing facilities



Model	Price
No.	/Each
SFF852	



# LIGHTWEIGHT VINYL APRONS • Bib style

- Cotton straps for adjustability
- Seamless edges prevent residue and bacteria accumulation
- Dimensions: 36" x 45"
- Thickness: 0.20 mm
- · Colour: Blue
- Accepted for use in Canadian food processing facilities



Model	Price
No.	/Each
SEE888	

# **DENIM APRONS**

- Bib style
- 100% cotton
- Cotton straps for adjustability
- · Includes one chest pocket and three waist pockets
- Dimensions: 28" x 38"
- · Fabric weight: 10 oz.
- Colour: Blue
- · Accepted for use in Canadian food processing facilities



Model	Price
No.	/Each
SEE851	



# **HEAVY-DUTY HYCAR APRONS**

- · Heavy-duty hycar aprons protect workers in even the most demanding food or chemical processing environments
- Four grommets and string ties
- Reinforced with 65/35 cotton/polyester blend backing



Model	Mfg.		Size			Price
No.	No.	W"	х	L"	Colour	/Each
14 OZ. /	MEDIUM WEI	GHT				
SDM187	AP-WH-45MT	36	Х	45	White	
SDM188	AP-WH-48MT	36	Х	48	White	
16 OZ.	<b>HEAVY WE</b>	IGHT				
SDM189	AP-YH-45HT	36	Х	45	Yellow	



# **BONING APRONS**

- · Boning apron with adjustable buckle strap
- · Hemp with PVC coating on both sides
- To be worn under an apron
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food



Model	Mfg.		Size			Price
No.	No.	W"	X	L"	Colour	/Each
SDM190	AP-BON-APN	12	Х	18	White	



# SPUNBOUND POLYPROPYLENE LAB COAT

- Lightweight lab coat offers the highest levels of protection in lab and medical environments
- Collar, 3 pockets, elastic wrists, 4 front snaps and special breathable materials that provide greater comfort while still protecting workers from hazards
- 40 grams
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- 30 per case

Model No.	Mfg. No.	Size	Colour	Price /Each
SDM153	DLWH-MD	Medium	White	
SDM154	DLWH-LG	Large	White	
SDM155	DLWH-XL	X-Large	White	
SDM156	DLWH-2X	2X-Large	White	
SDM157	DLWH-3X	3X-Large	White	
SDM158	DLWH-4X	4X-Large	White	
SDM159	DLWH-5X	5X-Large	White	





# MITED GENERAL USE PROTECTIVE CLOTHING

# FLAME RESISTANT PVC ON POLYESTER APRONS

- Bib-style apronHeavy-duty features oil resistant and fire retardant material
- Rustproof heat sealed grommets
- Seamless edges that prevent buildup of bacteria and residue
- Length 48" x width 36"
- Accepted for use in Canadian food processing facilities
- Colour: Yellow



Model No.	Mfg. No.	Description	Thickness mm	Price /Each
SAL660	440060	Regular	0.35	
SAL661	440070	Oil/Fire retardant	0.35	
SAL662	440075	Oil/Fire retardant w/reinforced belly	0.45	

# ISOLATION GOWN WITH TIES

- · Lightweight gown offers the highest levels of protection in lab and medical environments
- Polypropylene
- Special breathable materials that provide greater comfort while still protecting workers from hazards
- · Latex-free



Model No.	Mfg. No.	Size	Colour	Qty /Case	Price /Each
SDM160	DGIH-XL-Y	X-Large	Yellow	50	



# SPRAY SOCK HEAD COVER

- · One size fits all
- Material: Cotton
- · Colour: White
- Sold/Priced Per: Pack
- Qty/Pack: 12



Model	Price
No.	/Each
SGC036	







# LIMITED GENERAL USE PROTECTIVE CLOTHING

# POLYPROPYLENE COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrist and ankle
- Front zipper for optimum fit
- 1.6 oz/m² fabric

Applications: Food processing, laboratories/pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments.






Model			Qty	Price
No.	Colour	Size	/Case	/Each
WITH HOO	D			
SEK356	Blue	Medium	50	
SEK357	Blue	Large	50	
SEK358	Blue	X-Large	50	
SEK359	Blue	2X-Large	50	
SEK360	Blue	3X-Large	50	
SEK361	Blue	4X-Large	50	
SEK362	Blue	5X-Large	50	
WITHOUTH	HOOD			
SGD164	White	Medium	50	
SGD165	White	Large	50	
SGD166	White	X-Large	50	
SGD167	White	2X-Large	50	
SGD168	White	3X-Large	50	
SGD169	White	4X-Large	50	
SGD170	White	5X-Large	50	

# SMS PROTECTIVE CLOTHING

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against dry particles and water-based liquids in work environments with hazardous or non-hazardous contaminants
- Double outer layer offers greater protection against tearing and abrasion
- Lightweight and flexible fabric permits superior comfort and breathability
- Colour: White (Hooded coveralls available in white or navy blue)
- Anti-static coating helps prevent static discharges from occurring
- Fabric weight: 1.50 oz/yd2

Applications: Food processing, laboratories/pharmaceutical, light oil and grease, maintenance, manufacturing/assembly, refineries/chemical producers.

















# LIMITED GENERAL USE PROTECTIVE CLOTHING

# PREMIUM POLYPROPYLENE COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic liquids, dust and particles
- Economical disposable option for protection in grimy work environments
- · Elastic wrists, ankles and hood
- Heavy-duty front zipper for optimum fit
- Protective front zipper flap
- · Features front left breast pocket
- 2.1 oz/m² fabric
- · Colour: Light blue
- · 50 coveralls/case

**Applications:** Food processing, laboratories/pharmaceutical, warehouses, maintenance, manufacturing/assembly and dusty environments

Model		Price	
No.	Size	/Each	
SEK370	Medium		
SEK371	Large		
SEK372	X-Large		
SEK373	2X-Large		
SEK374	3X-Large		
SEK375	4X-Large		
SEK376	5X-Large		



# SMS COVERALLS

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against toxic particles, water based liquids and dust
- Elastic wrist, ankle and hood
- · Front zipper for optimum fit
- 1.85 oz/m² fabric
- · Royal blue



Model		Price		
No.	Size	/Each		
SEK363	Medium			
SEK364	Large			
SEK365	X-Large			
SEK366	2X-Large			
SEK367	3X-Large			
SEK368	4X-Large			
SEK369	5X-Large			



# MICROPOROUS PROTECTIVE CLOTHING

- Microporous film laminated to a polypropylene substrate
- · Offers protection against liquid, dust and light chemical splashes
- · High quality microporous fabric provides comfortable fit and breathability
- · Can be used in dry and wet work environments
- Passed penetration tests with Diazinon, motor oil, bleach, isocyanate based paint, sodium hydroxide, sodium hypochlorite and blood
- · Anti-static coating helps prevent static discharges from occurring
- Fabric weight: 1.55 oz/yd²
- Colour: White

**Applications:** Asbestos and lead abatement, clean rooms, radioactive dirt and dust, printing, refineries/chemical producers, maintenance, crime scenes, painting.



	Model		Qty	Price
Description	No.	Size	/Case	/Each
OVERALLS				
Zipper front w/storm flap, elastic wrists and ankles	SEC807	Small	25	
	SEC808	Medium	25	
	SEC809	Large	25	
	SEC810	X-Large	25	
	SEC811	2X-Large	25	
	SEC812	3X-Large	25	
	SEC813	4X-Large	25	
HOODED COVERALLS				
Zipper front w/storm flap, attached hood, elastic wrists and ankles	SEC814	Small	25	
	SEC815	Medium	25	
	SEC816	Large	25	
	SEC817	X-Large	25	
	SEC818	2X-Large	25	
	SEC819	3X-Large	25	
	SEC820	4X-Large	25	
AB COATS				
Plastic snaps, 2 pockets, collar	SEC821	Small	30	
	SEC822	Medium	30	
	SEC823	Large	30	
	SEC824	X-Large	30	
	SEC825	2X-Large	30	
	SEC826	3X-Large	30	
	SEC827	4X-Large	30	
APRONS				
Sewn ties	SEC828	28" x 36" Long	100	





### TYVEK® 400 PROTECTIVE CLOTHING

· Serged seams

Applications: Asbestos removal, paint spraying, light splashes, maintenance, general clean-up, dry particulate protection.











**SAV183** 



SAV190

	Model	Mfg.		Qty	Price
	No.	No.	Size	/Case	/Each
	SAV183	TY303S-S	Small	50	
	SAV182	TY303S-M	Medium	50	
SHIRT	SAV181	TY303S-L	Large	50	
Snap front	SAV184	TY303S-XL	X-Large	50	
Shap from	SAV178	TY303S-2XL	2X-Large	50	
	SAV179	TY303S-3XL	3X-Large	50	
	SAV180	TY303S-4XL	4X-Large	50	
	SAV190	TY350S-S	Small	50	
	SAV189	TY350S-M	Medium	50	
20076	SAV188	TY350S-L	Large	50	
PANTS	SAV191	TY350S-XL	X-Large	50	
Elastic waist	SAV185	TY350S-2XL	2X-Large	50	
	SAV186	TY350S-3XL	3X-Large	50	
	SAV187	TY350S-4XL	4X-Large	50	
PULLOVER HOOD Pullover, elasticized face opening, covers shoulders	SAV193	TY657S	One-Size	100	
	SAV174	TY212S-S	Small	30	
	SAV173	TY212S-M	Medium	30	
LAB COAT	SAV172	TY212S-L	Large	30	
Snaps 2 pockets, collar	SAV175	TY212S-XL	X-Large	30	
Shaps 2 potnets) condi	SAV169	TY212S-2XL	2X-Large	30	
	SAV170	TY212S-3XL	3X-Large	30	
	SAV171	TY212S-4XL	4X-Large	30	
APRON Sewn ties	SAV176	TY273B	28" x 36" Long	100	
SLEEVES Elastic at both ends	SAV192	TY500S	18" Long	100 pairs	
SHOE/BOOT COVER Elastic top	SA174 SA173	TY450S-LG TY454S-WH	8 1/4" High, O/S, pr. 17" High, O/S, pr.	100 pairs 50 pairs	

### TYVEK® 800 J COVERALLS

- New limited-use Type 3 chemical protective garment that combines resistance to pressurized jets of lowconcentration, water-based, inorganic chemicals with protection, durability and freedom of movement
- Designed for work in very humid applications requiring chemical, liquid and/or oil protection
   Good for use in industrial cleaning, petrochemical installations, sewage and maintenance
- Protects against Sodium Hydroxide (50%), Bleach (15%) and Sulfuric Acid (30%)
- Seams are both sewn and taped to provide strong chemical resistance against heavy liquid splashes and tough seam stress
- Additional taping of cuffs, ankles, hood and zipper flap required to achieve Type 3 liquid tightness
- Chemical protective clothing, category III, Type 3-B, 4-B, 5-B and 6-B
- Colour: White

Model	Mfg.		Qty	Price
No.	No.	Size	/Case	/Each
SFQ731	TJ198T-S	Small	25	
SFQ732	TJ198T-M	Medium	25	
SFQ733	TJ198T-L	Large	25	
SFQ734	TJ198T-XL	X-Large	25	
SFQ735	TJ198T-2XL	2X-Large	25	
SFQ736	TJ198T-3XL	3X-Large	25	





#### TYVEK® 400 COVERALLS

- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops sub-micron particles better than reusable garments
- · Colour: White



#### Applications:

General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica.



**Priced per Unit** 

				• • • • • • • • • • • • • • • • • • • •	cea per omi
~ 1	Model No.	Mfg. No.	Size	Qty /Case	Price /Each
/ / / / / / / / / / / / / / / / / / /	SAS028	TY120S-M	Medium	25	
COVERALLS	SAS029	TY120S-L	Large	25	
Serged seams, collar,	SAS030	TY120S-XL	X-Large	25	
front zipper closure	SAS031	TY120S-2XL	2X-Large	25	
1	SAS032	TY120S-3XL	3X-Large	25	
	SAS033	TY120S-4XL	4X-Large	25	
COVERALLS	SAS035	TY125S-M	Medium	25	
Serged seams, collar,	SAS036	TY125S-L	Large	25	
front zipper closure,	SAS037	TY125S-XL	X-Large	25	
elastic wrists and ankles	SAS038	TY125S-2XL	2X-Large	25	
clastic wises and annies	SAS039	TY125S-3XL	3X-Large	25	
	SAS040	TY125S-4XL	4X-Large	25	
HOODED	SAS042	TY127S-M	Medium	25	
COVERALLS	SAS043	TY127S-L	Large	25	
Serged seams, attached	SAS044	TY127S-XL	X-Large	25	
hood, front zipper closure,	SAS045	TY127S-2XL	2X-Large	25	
elastic wrists and ankles	SAS046	TY127S-3XL	3X-Large	25	
	SAS047	TY127S-4XL	4X-Large	25	
	SAV166	TY122S-M	Medium	25	
W00050	SAV 100	TY1225-W TY122S-L	Large	25	
HOODED	SAV168	TY1225-XL	X-Large	25	
COVERALL w/BOOTS	SAV162	TY1225-XL	2X-Large	25	
Zipper front, attached hood,	SAV 102 SAV 163	TY1225-2XL TY122S-3XL	3X-Large	25	
boots and elastic wrists	SAV 163	TY1225-3XL TY122S-4XL	4X-Large	25	
	5AV 107	TIIZZJ TAL	Th Luige	23	

### TYVEK® 400 D COVERALLS

- The ideal balance of protection, durability, and comfort for workers
- Unique zoned garment designed specifically for composite manufacturing applications
- Front zone features Tyvek® fabric to provide excellent durability and an inherent barrier to fine particles
- Rear zone features ProShield® fabric to help increase breathability for reduced heat stress and advanced worker comfort
- Comfort fit design helps to enable a greater range of movement while providing a more tailored fit
- Thumb loops keep the sleeves in place while donning gloves or reaching
- Respirator-fit hood with elastic around the face opening
- · Longer zipper extends to chin for complete coverage of the neck area
- Unique outside serged seams provide better liquid mist holdout



Model No.	Mfg. No.	Size	Qty /Case	Price /Each
NO.	NO.	Size	/Case	/EdCII
SEH058	TD127-M	Medium	25	
SEH059	TD127-L	Large	25	
SEH060	TD127-XL	X-Large	25	
SEH061	TD127-2X	2X-Large	25	
SEH062	TD127-3X	3X-Large	25	
SEH063	TD127-4X	4X-Large	25	





### **COMBINAISONS PROSHIELD® 10**

- Soft, breathable, comfortable and lightweight spunbond meltblown spunbond (SMS) material
- Feature a proprietary comfort fit design that is specially engineered for enhanced worker range of motion and durability in use
- Provides protection from dirt, grime, and non-hazardous dry particles

Applications: Food processing, general maintenance, janitorial, visitor garments, hospitals and situations where you want to avoid nuisance contamination.



Priced per Unit

~~	Model No.	Mfg. No.	Description	Qty /Case	Price /Each
100					
	SEJ892	PB125SBU-MD	Medium, Blue	25	
COVERALL	SEJ893	PB125SBU-LG	Large, Blue	25	
Zipper front,	SEJ894	PB125SBU-XL	X-Large, Blue	25	
elastic wrists	SEJ895	PB125SBU-2X	2X-Large, Blue	25	
and ankles	SEJ896	PB125SBU-3X	3X-Large, Blue	25	
	SEJ897	PB125SBU-3X	4X-Large, Blue	25	
	SEJ899	PB127SBU-MD	Medium, Blue	25	
HOODED COVERALL	SEJ900	PB127SBU-LG	Large, Blue	25	
Zipper front, attached	CEICOS	PB127SBU-XL	X-Large, Blue	25	
hood, elastic wrists an		PB127SBU-2X	2X-Large, Blue	25	
ankles	SEJ903	PB127SBU-3X	3X-Large, Blue	25	
( ) l	SEJ904	PB127SBU-4X	4X-Large, Blue	25	
The same of the sa					
(1 1-1)	SDL501	PB212SBU-M	Medium, Blue	30	
LAB COAT	SDL502	PB212SBU-L	Large, Blue	30	
Snaps 2 pockets,	SDL503	PB212SBU-XL	X-Large, Blue	30	
collar	SDL504	PB212SBU-2XL	2X-Large, Blue	30	
PI	SDL505	PB212SBU-3XL	3X-Large, Blue	30	
/ 1			• '		



### PROSHIELD® 60 COVERALLS

- Effective barrier against a variety of common industrial aerosols and liquids
- Proprietary microporous technology
- Colour: White



Applications: Anywhere general protective coveralls are used from dirty jobs to paint spraying to agricultural applications.



**Priced per Unit** 

	Model	Mfg.		Qty	Price
NO.	No.	No.	Size	/Case	/Each
COVERALL Zipper front, collar	SN880 SN881 SN882 SN883 SN884 SN885 SN886	NG1205-5 NG1205-M NG1205-L NG1205-XL NG1205-2XL NG1205-2XL NG1205-3XL NG1205-4XL	Small Medium Large X-Large 2X-Large 3X-Large 4X-Large	25 25 25 25 25 25 25 25	
COVERALL Zipper front, elastic wrists and ankles	SN887 SN888 SN889 SN890 SN891 SN892 SN893	NG125S-S NG125S-M NG125S-L NG125S-XL NG125S-2XL NG125S-3XL NG125S-4XL	Small Medium Large X-Large 2X-Large 3X-Large 4X-Large	25 25 25 25 25 25 25 25	
HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles	SN894 SN895 SN896 SN897 SN898 SN899 SN900	NG1275-S NG1275-M NG1275-L NG1275-XL NG1275-2XL NG1275-3XL NG1275-4XL	Small Medium Large X-Large 2X-Large 3X-Large 4X-Large	25 25 25 25 25 25 25 25	

#### TYCHEM® 2000 COVERALLS

- · Polyethylene-coated Tyvek® fabric
- · Flexible, durable and lightweight
- · Light liquid splash protection
- · Provides at least 30 minutes of protection against 42 chemical challenges
- Ideal for Petroleum; pulp and paper; food and chemical processing; and pharmaceutical
- · Colour: Yellow for high visibility



#### **Priced per Unit**

<u> </u>	Model No.	Mfg. No.	Description	Qty /Case	Price / Each
HOODED COVERALL Zipper front, elastic wrists, attached boots	SAV091 SAV090 SAV093 SAV087	QC1225YL-MD QC1225YL-LG QC1225YL-XL QC1225YL-2XL	Medium Large X-Large 2X-Large	12 12 12 12	
HOODED COVERALL Zipper front, elastic wrists and ankles	SAV113 SAV112 SAV115 SAV109	QC1275YL-MD QC1275YL-LG QC1275YL-XL QC1275YL-2XL	Medium Large X-Large 2X-Large	12 12 12 12	



#### TYCHEM® 4000 COVERALLS

- Lightweight fabric made from Tyvek® laminated with a chemical-resistant Dow Saranex® 23P film
- Offers dependable protection against a broad spectrum of chemicals
- Provides great protection against hazardous particles and liquids
- Rugged and durable strong fabric, reducing the risk of tears and abrasion
- Bound seams
- Colour: White



#### Applications

Petrochemical manufacturing, waste management, industrial plants, hazardous material response, emergency medical response, paint spraying, radioactive environments, environmental cleanups and other emergency services. Commonly used in domestic preparedness for protection from biohazards, several toxic industrial chemicals and some chemical warfare agents.




#### **Priced per Unit**

	Model No.	Mfg. No.	Description	Qty /Case	Price /Each
( Sec.)					
COVERALL	SAS056	SL125B-M	Medium	12	
Bound seams,	SAS057	SL125B-L	Large	12	
collar, front zipper,	SAS058	SL125B-XL	X-Large	12	
storm flap, elastic	SAS059	SL125B-2XL	2X-Large	12	
wrists and ankles	SASO60	SL125B-3XL	3X-Large	12	
Wilsto and annes	SASO61	SL125B-4XL	4X-Large	12	
HOODED COVERALL	SA194	SL127B-M	Medium	12	
A   A				· <del>-</del>	
Bound seams,	SA193	SL127B-L	Large	12	
attached hood,	SA196	SL127B-XL	X-Large	12	
front zipper, storm flap,	SC252	SL127B-2XL	2X-Large	12	
elastic wrists and ankles	SC253	SL127B-3XL	3X-Large	12	
	SC254	SL127B-4XL	4X-Large	12	

#### TYCHEM® 6000 COVERALLS

- A proprietary barrier laminated to a Tyvek® substrate
- Strong and lightweight, with broad chemical barrier
- Used for protection from chemical warfare agents
   Widely and by military from read and for
- Widely used by military first responders for weapons of mass destruction situations
- Taped seams, attached hood (respirator fit), front zipper closure, storm flap, elastic wrists and attached socks
- · Colour: Grey
- · Available in sizes small to 4X-Large



#### Priced per Unit

Model	Mfg.		Qty	Price
No.	No.	Size	/Case	/Each
SAS200	TF169T-M	Medium	6	
SAS201	TF169T-L	Large	6	
SAS202	TF169T-XL	X-Large	6	
SAS203	TF169T-2XL	2X-Large	6	





### CHEMMAXTM 1 COVERALLS

- · Offers quality and durability at an economical price
- Constructed with a unique polyethylene barrier film and a continuous filament polypropylene non-woven
- Bars many harmful contaminants from penetrating to inner clothing
- Bound seams for added protection
- Ideal for manufacturing, environmental clean-up or chemical handling





		Model No.	Mfg. No.	Size	Qty /Case	Price /Each
775	HOODED	SAR003	C1B428-S	Small	25	
	COVERALL	SAR004	C1B428-M	Medium	25	
	Zipper front,	SAR005	C1B428-L	Large	25	
011	attached hood,	SAR006	C1B428-XL	X-Large	25	
1	elastic wrists	SAR007	C1B428-2XL	2X-Large	25	
) A )	and ankles	SAR008	C1B428-3XL	3X-Large	25	
1 11 3	anu anvies	SAR009	C1B428-4XL	4X-Large	25	
				-		



### CHEMMAX<sup>TM</sup> 3 COVERALLS

- Durable and lightweight, provides a barrier against a broad spectrum of toxic industrial chemicals, dual use chemicals, chemical warfare agents and other harmful contaminants
- Multi-layer film is applied to a heavy polypropylene non-woven for increased strength and durability
- Barrier film is significantly softer than other products on the market, resulting in a quiet, more comfortable garment
- Material has its roots in NATO shelter fabrics, and is backed up by chemical warfare test data (not surrogates)
- Sealed seams for maximum protection
- Ideal for industrial environments, emergency responders and law enforcement





Priced per Unit

717		Model No.	Mfg. No.	Size	Qty /Case	Price /Each
	HOODED COVERALL	SEB994	C3T132-S	Small	6	
	Zipper front,	SEB995	C3T132-M	Medium	6	
	attached hood, elastic	SEB996	C3T132-L	Large	6	
) A 1	wrists and ankles	SEB997	C3T132-XL	X-Large	6	
1 11 1	WIIStS and ankies	SEB998	C3T132-2XL	2X-Large	6	

#### PYROLON PLUS II® COVERALLS

#### FLAME RETARDANT FABRIC

- · Overgarment enhances protection for expensive thermal protective garments
- Protection from a wide range of dry particulate hazards
- Water and oil repellency

(2)

- Will not melt and drip or cause additional injury
- Used in combination with thermal protective garments
- Ideal for welding, steel mills, coal mines, maintenance work, refineries, laboratories, utilites
- Meets the standards of ANSI/ISEA 101-1996
- Colour: Blue





		Model	Mfg.		Qty	Price
		No.	No.	Size	/Case	/Each
	7/1/7	SN346	7428-SB	Small	25	
HOODED COVERALL	0110	SN347	7428-MB	Medium	25	
Zipper front, attached hood,	1 1	SN348	7428-LB	Large	25	
elastic wrists and ankles	} A 1	SN349	7428-XLB	X-Large	25	
	1 11/4	SN350	7428-2XLB	2X-Large	25	



#### KLEENGUARD\* A20 COVERALLS

- · Breathable, Particle Protection Apparel
- Patented Microforce\* barrier SMS fabric
- Coveralls have patented Reflex\* design which is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length
- Seamless front for more protection
- Zipper flap, elastic back
- NFPA 99 compliant antistatic material
- · Available in 3X and 4X sizes

**Applications:** Laboratories, remediation, decontamination modesty garment, pesticides and heavy dust environments.



#### Priced per Unit

		Model No.	Mfg. No.	Size	Colour	Qty /Case	Price /Each
COVERALLS							
694		SAQ362	58532	Medium	Denim Blue	24	
17	Zipper front	SAQ363	58533	Large	Denim Blue	24	
	z.ppc. none	SAQ364	58534	X-Large	Denim Blue	24	
0110		SAQ365	58535	2X-Large	Denim Blue	24	
		SAQ368	58502	Medium	Denim Blue	24	
	Zipper front, elastic back,	SAQ369	58503	Large	Denim Blue	24	
	wrists and ankles	SAQ370	58504	X-Large	Denim Blue	24	
	( TOP)	SAQ371	58505	2X-Large	Denim Blue	24	
LAB COAT							
C		SAQ755	10019	Medium	White	25	
Snap fron	v   1   1	SAQ756	10029	Large	White	25	
and hip p	Jocket	SAQ757	10039	X-Large	White	25	



#### KLEENGUARD\* A40 COVERALLS


Applications: Fiberglass manufacturing, tank cleaning, utilities, liquid

handling, pressure washing, and maintenance/general manufacturing.

- Liquid and particle protection
- · Breathable microporous film laminate
- Passes ASTM F1670 testing for penetration of blood and body fluids
- Meets ANSI/ISEA 101-1996 sizing standard
- NFPA 99 compliant antistatic material

#### Priced per Unit


**SAQ759** 





#### KLEENGUARD\* A60 COVERALLS

- Bloodborne pathogen and chemical splash protection apparel
- Patented 3-layer fabric construction: middle layer of microporous film allows heat and sweat vapour to escape, yet protects against many dry particulates and liquids, even under pressure
- Outer layer cloth like, yet tough and abrasion-resistant spunbond polypropylene
- Coveralls have patented Reflex design which is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length
- Seamless front for more protection
- Resistant to many liquid and dry particulate chemicals
- Passes ASTM F1670/F1671 testing for penetration of blood, body fluids and blood borne pathogens





#### Priced per Unit

Q.		Model No.	Mfg. No.	Size	Colour	Qty /Case	Price /Each
711		SAQ424	45022	Medium	Denim Blue	24	
O(1)	Zipper front, storm flap,	SAQ425	45023	Large	Denim Blue	24	
	elastic back, wrists,	SAQ426	45024	X-Large	Denim Blue	24	
} A A	ankle and hood	SAQ427	45025	2X-Large	Denim Blue	24	
1 1/4	alikie aliu lioou	SAQ428	45026	3X-Large	Denim Blue	20	
		SAQ429	45027	4X-Large	Denim Blue	20	





**SAQ425** 

## **RAINWEAR**

#### **RZ100 RAIN SUITS**

- 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners,
- fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Ultrasonically welded seams



Model No.	Size	Price /Each
SEH078	Small	
SEH079	Medium	
SEH080	Large	
SEH081	X-Large	
SEH082	2X-Large	
SEH083	3X-Large	
SEH084	4X-Large	



#### **RZ300 RAIN SUITS**

- 0.20 mm material thickness
- · Unsupported yellow PVC material with an embossed finish
- Jacket features storm flap and dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams



Model No.	Size	Price /Each
NU.	Size	/Eatii
SEH092	Small	
SEH093	Medium	
SEH094	Large	
SEH095	X-Large	
SEH096	2X-Large	
SEH097	3X-Large	
SEH098	4X-Large	



#### **RZ900 PREMIUM TRAFFIC RAIN SUITS**

- 0.35 mm thick Hi-Viz lime-yellow dual layer laminated PVC/Polyester
- 3M<sup>™</sup> Scotchlite<sup>™</sup> reflective material for maximum visibility
- 2" reflective stripes
- Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- · Non-conductive fasteners
- Ultrasonically welded seams
- Meets CSA standard Z96-02, Class 3, Level 2 requirements



	Suicty Froducts	
Model		Price
No.	Size	/Each
SEH113	Small	
SEH114	Medium	
SEH115	Large	
SEH116	X-Large	
SEH117	2X-Large	
SEH118	3X-Large	
SEH119	4X-Large	



#### RZ200 LONG COATS

- · 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PVC material
- 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Cuff take-up snaps
- · Fire retardant
- · Ultrasonically welded seams



Model		Price
No.	Size	/Each
SEH085	Small	
SEH086	Medium	
SEH087	Large	
SEH088	X-Large	
SEH089	2X-Large	
SEH090	3X-Large	
SEH091	4X-Large	



#### **RZ500 FLAME RESISTANT RAIN SUITS**

- · 0.35 mm material thickness
- Yellow tear-resistant PVC/Nylon/PVC material
- · Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- · Cape back vent on jacket with underarm vents
- · Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance of textiles



Model		Price
No.	Size	/Each
SEH099	Small	
SEH100	Medium	
SEH101	Large	
SEH102	X-Large	
SEH103	2X-Large	
SEH104	3X-Large	
SEH105	4X-Large	



### **RZ PONCHOS**

- · 0.10 mm material thickness
- 100% unsupported single-ply PVC material
- · Ultrasonically welded seams
- · One size fits all





Yellow



SEH121

# WAVERLEY PACKABLE STORM SUITS

 High visibility waterproof, packable, used widely in construction, mining and service industries

100% PVC coated Denier Nylon

CSA Z96 Class 3, Level 2 when jacket worn with bib

- Taped seams
- Removable draw cord hood and serves as carrying case
- WCB BC
- BC MOT
- ANSI 107 (2010) 3,2

#### **JACKETS**

- · Zipper front closing with external storm flap
- Stand up corduroy lined collar
- · Vented chest and back
- Two front chest patch pockets
- with snap closure

   Snap adjustment at sleeve hem

#### **BIB PANTS**

- Adjustable suspenders
- Hook and loop closing fly
- · Snap adjustment at waist and leg hem



Model No.	Mfg. No.	Size	Price /Each
SAR223	70620-S	Small	
SAR224	70620-M	Medium	
SAR225	70620-L	Large	
SAR226	70620-XL	X-Large	
SAR227	70620-2XL	2X-Large	

#### SBR VULCAN RAIN SUITS

- 100% SBR (Styrene butadiene rubber), no substitutes
- Provides excellent puncture and tear resistance and protection from acids, mildew, fertilizers and industrial chemicals
- 50/50 polyester/cotton textile material
- Seam work is double lapped with industrial adhesives and fully vulcanized for maximum durability
- Industrial grade rustproof
- brass hardware and fasteners

  Jacket is designed with cape
- back vent and storm flapsDouble bib pants feature
- wide pant leg design
- Material thickness: 0.40 mmJackets, pants and hood sold separately



Model	Mfg.		Price
No.	No.	Size	/Each
JACKETS			
SAL715	R882K20	Small	
SAL716	R882K30	Medium	
SAL717	R882K40	Large	
SAL718	R882K50	X-Large	
SAL719	R882K60	2X-Large	
SAL720	R882K70	3X-Large	
SAL721	R882K80	4X-Large	
SAP039	R882K90	5X-Large	
BIB PANTS			
SAL722	R883K20	Small	
SAL723	R883K30	Medium	
SAL724	R883K40	Large	
SAL725	R883K50	X-Large	
SAL726	R883K60	2X-Large	
SAL727	R883K70	3X-Large	
SAL728	R883K80	4X-Large	
SAP040	R883K90	5X-Large	
HOOD			
SAL729	R885K00	One size fits all	

### RZ600 FLAME RESISTANT RAIN SUITS

- · 0.35 mm material thickness
- Yellow PVC/polyester/PVC material
- Jacket comes with storm flap, dome snaps, two patch pockets and detachable hood
- · Cape back and underarm vents
- Bib overall pants come with fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance of textiles



Model No.	Size	Pric /Eacl
		/ Euc
SEH106	Small	
SEH107	Medium	
SEH108	Large	
SEH109	X-Large	
SEH110	2X-Large	
SEH111	3X-Large	
SEH112	4X-Large	

NEO-SLICK CHEMICAL & ACID RESISTANT RAIN SUITS

- Double-coated neoprene on polyester provides excellent puncture and tear resistance and protection from acids, oils, mildew, fertilizers and industrial chemicals
   Flame retardant to meet or exceed
- two-second flame-out as in CGSB standard CAN/CGSB-155.20
- Double-lapped seams with industrial adhesives, fully vulcanized for maximum durability
- Industrial rustproof grade brass hardware and fasteners
- Jacket is designed with cape back vent and storm flaps
- Double bib pants feature wide pant leg design
- Material thickness: 0.38 mm
- · Jacket, pants and hood sold separately



Model	Mfg.		Price
No.	No.	Size	/Each
JACKETS			
SAM407	R882Y20	Small	
SAM408	R882Y30	Medium	
SAM409	R882Y40	Large	
SAM410	R882Y50	X-Large	
SAM411	R882Y60	2X-Large	
SAM412	R882Y70	3X-Large	
SAP019	R882Y80	4X-Large	
SAP020	R882Y90	5X-Large	
PANTS			
SAM413	R883Y20	Small	
SAM414	R883Y30	Medium	
SAM415	R883Y40	Large	
SAM416	R883Y50	X-Large	
SAM417	R883Y60	2X-Large	
SAM418	R883Y70	3X-Large	
SAP021	R883Y80	4X-Large	
SAP022	R883Y90	5X-Large	
HOOD			
SAM419	R885Y00	One size fits all	

### **OPEN ROAD FR PVC RAIN SUITS**

- · Entry level incidental flame contact protective garment
- Good splash protection and chemical resistance due to sandwich construction
- 0.35 mm FR treated PVC/polyester material
- Micro welded seams to prevent leaking through the garment
   Ideal for low risk hazard, FR required job sites
- Tested in accordance with test method CAN/CGSB-4.2 No.27.10 & ASTM D6413 flame resistance, self extinguishing for momentary contact with open flame
- 2" yellow prism reflective tape
- Generous sizing for comfort and freedom of movement
- Welded seams for durability and waterproofness
- ESR nylon snap closure systems
- Cotton corduroy collar on jacket
- Removable hood included
- · Bib pants with adjustable waist panel and ESR suspenders
- Colour: Orange
- Certification: CSA Z96-09 Class 1, Level FR



Model	Mfg.		Price
No.	No.	Size	/Each
SDP048	2110FR-S	Small	
SDP049	2110FR-M	Medium	
SDP050	2110FR-L	Large	
SDP051	2110FR-XL	X-Large	
SDP052	2110FR-2XL	2X-Large	
SDP053	2110FR-3XL	3X-Large	



#### HI-VIS FR/PU SAFETY RAIN SUITS

- Stretchable FR treated PU/Polyester fabric lightweight and flexible in sub-zero conditions
- A light weight alternative to PVC with a high level of waterproofness (10000+)
- Good resistance to chemicals such as animal fats, fish oil, motor oil, and diesel fuel
- Meets testing method of CAN/CGSB-4.2 No.27.10 & ASTM D6413 Flame Resistance
- 2" 3M Scotchlite reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Resistant to motor oil, diesel, chemicals, animal fats and fish oils
- Micro welded seams
- ESR nylon snap closure systems
- Ideal for highway and road work, oil and gas, agriculture, fisheries and forestry
- Certification: CSA Z96-09 Class 1, Level FR

#### **JACKETS**

- · Large detachable hood to cover hard hat
- Adjustable wrist cuffs
- Underarm vents for breathability
- Two durable integrated front pockets

#### **BIB PANTS**

- · Bib pants with adjustable waist panel and ESR suspenders
- Adjustable boot cuffs

#### MINER 49ER MINING SUITS · Heavy risk chemical splash protection

- Heat and flame incidental contact protection
- High abrasion contact protection
- Heavy duty neoprene with nylon/PU backing
- 100% waterproof
- Seams are heat sealed and taped
- Resistant to acids, chemicals, oils and solvents
- Excellent puncture, tear and abrasion resistance
- Generous sizing for working ease
- Ideal for petro chemical processing, mining, oil and gas
- 2" reflective tape strategically placed front and back

- Durable nickel plated brass buttons
- · D Ring slot on back (also provides venting)

#### **BIB PANTS**

- · Heavy duty elastic suspenders
- Double bib design with inner pouch and pen holder





Fluo Orange Model No.	Mfg. No.	Fluo Green Model No.	Mfg. No.	Size	Price /Each
JACKETS					
SDP054	6055FRJO-S	SDP068	6055FRJG-S	Small	
SDP055	6055FRJO-M	SDP069	6055FRJG-M	Medium	
SDP056	6055FRJO-L	SDP070	6055FRJG-L	Large	
SDP057	6055FRJ0-XL	SDP071	6055FRJG-XL	X-Large	
SDP058	6055FRJ0-2XL	SDP072	6055FRJG-2XL	2X-Large	
SDP059	6055FRJ0-3XL	SDP073	6055FRJG-3XL	3X-Large	
BIB PANTS					
SDP061	6055FRPO-S	SDP075	6055FRPG-S	Small	
SDP062	6055FRPO-M	SDP076	6055FRPG-M	Medium	
SDP063	6055FRPO-L	SDP077	6055FRPG-L	Large	
SDP064	6055FRPO-XL	SDP078	6055FRPG-XL	X-Large	
SDP065	6055FRP0-2XL	SDP079	6055FRPG-2XL	2X-Large	
SDP066	6055FRP0-3XL	SDP080	6055FRPG-3XL	3X-Large	



<b>V</b> •••			
Model	Mfg.		Price
No.	No.	Size	/Each
JACKETS			
SDP035	5200J-S	Small	
SDP036	5200J-M	Medium	
SDP037	5200J-L	Large	
SDP038	5200J-XL	X-Large	
SDP039	5200J-2XL	2X-Large	
SDP040	5200J-3XL	3X-Large	
BIB PANTS			
SDP041	5200P-S	Small	
SDP042	5200P-M	Medium	
SDP043	5200P-L	Large	
SDP044	5200P-XL	X-Large	
SDP045	5200P-2XL	2X-Large	
SDP046	5200P-3XL	3X-Large	
HOOD			
SDP047	5212	-	-

#### TRAFFIC VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release



Size
Medium
Large
X-Large
2X-Large



## **5-POINT TEAR-AWAY** TRAFFIC SAFETY VESTS

- · Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model		
No.	Size	
SEF097	Medium	
SEF098	Large	
SEF099	X-Large	
SEF100	2X-Large	



#### TRAFFIC SAFETY VESTS

- Lightweight and comfortable, fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- 2" reflective stripes offer maximum nighttime visibility
- Front hook and loop enclosure permits optimal fitting
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model			Price
No.	Colour	Size	/Each
SEB698	Orange	Medium	
SEB699	Orange	Large	
SEB700	Orange	X-Large	
SEB701	Orange	2X-Large	
SEB702	Lime-Yellow	Medium	
SEB703	Lime-Yellow	Large	
SEB704	Lime-Yellow	X-Large	
SEB705	Lime-Yellow	2X-Large	

#### SURVEYOR TRAFFIC SAFETY VESTS

- · Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- · Two top hook and loop sealed pockets and two bottom open pockets
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements





Mod	lel No.		ı	
<b>Orange</b>	Lime-Yellow	Size	1	
SEF101	SEK232	Medium		
SEF102	SEK233	Large		
SEF103	SEK234	X-Large		
SEF104	SEK235	2X-Large		



#### TRAFFIC SAFETY VESTS

- Soft mesh polyester material
- 4" reflective stripes
- Safety D-ring slot access
- 5-point hook and loop tear away design
- Four front pockets
- Dual chest strap for ID badge, cell, or radio
- Meets CSA Class 2, Level 2 requirements





Model	Mfg		Price
No.	No.	Size	/Each
SEK051	61250-S/M	Small/Medium	
SEI378	61250-L/XL	Large/X-Large	
SEK052	61250-2XI /3XI	2X-Large/3X-Large	

#### TRAFFIC SAFETY VESTS

- Breathable solid polyester material
- 2" reflective material on 4" contrasting tape
- Safety D-ring slot access
- 5-point hook and loop tear away design
- Four front pockets
- Dual chest straps for ID badge, cell, or radio
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2






Model	Mfg.			Price
No.	No.	Colour	Size	/Each
SDL041	61350-S/M	High Visibility Orange	Small/Medium	
SEI377	61350-L/XL	High Visibility Orange	Large/X-Large	
SEJ804	61350-2XL/3XL	High Visibility Orange	2X-Large/3X-Large	
SDP431	61350-S/M	High Visibility Lime Green	Small/Medium	
SEI715	61350-L/XL	High Visibility Lime Green	Large/X-Large	
SDP432	61350-2XL/3XL	High Visibility Lime Green	2X-Large/3X-Large	

#### FLAME-RESISTANT HI-VIZ VEST

Lightweight and comfortable, fluorescent FR-treated polyester mesh fabric provides daytime visibility and flame resistance



- 5-point tear-away features on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Three hook & loop sealed pockets and one open pocket
- Two radio loops
- Compliant with CSA testing under CAN/CGSB standard 4.2 No. 27.10 for flame resistance of textile fabrics
- Reflective Stripe Colour: Silver
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 Level 2

Model No.	Colour	Size	Price /Each
SGF136 High Visibility Orange		Medium	
SGF137	High Visibility Orange	Large	
SGF138	High Visibility Orange	X-Large	
SGF139	High Visibility Orange	2X-Large	
SGF140	High Visibility Lime-Yellow	Medium	
SGF141	High Visibility Lime-Yellow	Large	
SGF142	High Visibility Lime-Yellow	X-Large	
SGF143	High Visibility Lime-Yellow	2X-Large	

#### FIRE RETARDANT SAFETY VEST


- 5-point hook and loop tear away design
- Four front pockets
- Safety D-ring access slot
- Machine washable
- Lightweight hi visibility garment with incidental flame and convective heat protection
- Strong, breathable, FR treated premium polyester material
- 2" reflective stripes
- High Visibility Orange
- CSA Z96 Class 2, Level FR and ASTM F2302-08 Heat and Flame resistant



Model	Mfg.		Price
No.	No.	Size	/Each
SDP389 6136FR-S/M		Small/Medium	
SDP390	6136FR-L/XL	Large/X-Large	
SDP391	6136FR-2XL/3XL	2X-Large/3X-Large	

#### ALL-TRADES 1000D® SURVEYOR SAFETY VEST

- Double stitched tape and background for superior durability
- Heavy-duty front tooth zipper closure
- 4 large storage pockets with hook-and-loop fasteners and 4 inside pockets
- Cell/radio pouch pocket
- 11" zippered pack across entire back area
- Back pouch with hook-and-loop fastener
- Dual reflective chest straps
- Material: Polyester
- Colour: Red





Model	Mfg.		Price
No.	No.	Size	/Each
NJF054	4915R-M	Medium	
NJF053	4915R-L	Large	
NJF055	4915R-XL	X-Large	
NJF056	4915R-XXL	2X-Large	
NJF057	4915R-XXXL	3X-Large	

#### SURVEYOR SAFETY VEST

- · 2" reflective material on 4" contrasting tape
- Mesh underarm cooling ventilation panels
- Dual chest straps for ID badge, cell, or radio
- Hook and loop sealed pocket
- Safety D ring slot access

ZENTH

- 8 hook and loop sealed pockets (5 Outside 3 Inside)
- Surveyor tape dispenser grommets on lower front pockets
- Long ruler slot pocket
- Brass snaps and grommets
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2



High Visibility Lime-Green		,	High Visibility Orange		
Model No.	Mfg. No.	Model No.	Mfg. No	Size	/Each
SDP456	6165G-S	SDP449	61650-S	Small	
SDP457	6165G-M	SDP450	61650-M	Medium	
SDP458	6165G-L	SDP451	61650-L	Large	
SDP459	6165G-XL	SDP452	61650-XL	X-Large	
SDP460	6165G-2XL	SDP453	61650-2XL	2X-Large	
SDP461	6165G-3XL	SDP454	61650-3XL	3X-Large	

### FIRE RETARDANT SURVEYOR SAFETY VEST

- 2" reflective material on 4" contrasting tape
- 100% FR Treated Cotton for comfort and durability
- Mesh underarm cooling ventilation panels
- Hook and loop sealed pocket
- Safety D ring slot access
- 8 hook and loop sealed pockets (5 Outside 3 Inside)
- Surveyor tape dispenser grommets
- on lower front pockets Long ruler slot pocket
- Large zippered pocket across back
- CSA Z96-09 Class 1 Level FR and ASTM F2302-08 Heat and Flame Resistant





Model	Mfg.		Price
No.	No.	Size	/Each
SDP463	6165FR-S	Small	
SDP464	6165FR-M	Medium	
SDP465	6165FR-L	Large	
SDP466	6165FR-XL	X-Large	
SDP467	6165FR-2XL	2X-Large	
SDP468	6165FR-3XL	3X-Large	

#### FIRE RETARDANT SURVEYOR SAFETY VEST

- · 2" reflective material on 4" contrasting tape
- Heavy duty FR treated 300 Denier Trilobal Rip-stop polyester with PU backing gives superior abrasion, puncture, rip and snag resistance
- Multi pen/marker/chalk and small ruler pocket
- Cell/radio pouch pockets
- Dual chest straps for ID badge, cell, or radio
- Four inner storage pockets
- Safety D ring access slot
- Mesh side vents for breathability
- 11" large ruler slot pocket
- 14" zippered pocket across back
- 4 large hook and loop sealed outer storage pockets CSA 796-09 Class 1 Level FR and
- ASTM F2302-08 Heat and Flame Resistant





Model	Mfg.		Price
No.	No.	Size	/Each
SDP482	3995FR-S	Small	
SDP483	3995FR-M	Medium	
SDP484	3995FR-L	Large	
SDP485	3995FR-XL	X-Large	
SDP486	3995FR-2XL	2X-Large	
SDP487	3995FR-3XL	3X-Large	

### FIRE RETARDANT WINTER SURVEYOR SAFETY VEST

- 2" reflective material on 4" contrasting tape
- Heavy duty FR treated 300 Denier Trilobal Rip-stop polyester with PU backing gives superior abrasion, puncture, rip and snag resistance
- Insulated vest provides warmth without the restriction of sleeves
- FR Treated inner lining
- Dual chest straps for ID badge, cell, or radio
- Cell/radio pouch pocket
- Two front slash pockets
- Four inner storage pockets
- Heavy duty zipper with storm flap for weather protection
- 125GSM ThermoMAXX® Insulation rated up to -30°C/-22°F
- CSA Z96-09 Class 1 Level FR and ASTM F2302-08 Convective Heat and Flame Resistant

Model	Mfg.		Price
No.	No.	Size	/Each
SDP488	3995FRW-S	Small	
SDP489	3995FRW-M	Medium	
SDP490	3995FRW-L	Large	
SDP491	3995FRW-XL	X-Large	
SDP492	3995FRW-2XL	2X-Large	
SDP493	3995FRW-3XL	3X-Large	

#### **SAFETY T-SHIRT**

- UPF (Ultraviolet Protection Factor) of 50+ Blocks 98% of UV Radiation
- 2" reflective material on 4" contrasting tape
- Cotton inner layer for comfort and breathability
- Dual chest straps for ID badge, cell, or radio
- Hook and loop sealed pocket on left side of chest
- CSA Z96 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2



<b>High Visibil</b>	ity Lime-Green	Orange High V	isibility		Price
Model No.	Mfg. No.	Model No.	Mfg. No	Size	/Each
SHORT SL	.EEVE				
SDP407	6000G-M	SDP402	60000-M	Medium	
SDP408	6000G-L	SDP403	60000-L	Large	
SDP409	6000G-XL	SDP404	60000-XL	X-Large	
SDP410	6000G-2XL	SDP405	60000-2XL	2X-Large	
SDP411	6000G-3XL	SDP406	60000-3XL	3X-Large	
LONG SLE	EVE				
SDP397	6015G-M	SDP392	60150-M	Medium	
SDP398	6015G-L	SDP393	60150-L	Large	
SDP399	6015G-XL	SDP394	60150-XL	X-Large	
SDP400	6015G-2XL	SDP395	60150-2XL	2X-Large	
SDP401	6015G-3XL	SDP396	60150-3XL	3X-Large	

#### **SAFETY JACKET**

- Premium 300 Denier Rip-stop polyester material gives good abrasion, puncture, rip and snag resistance
- Dual chest straps for ID badge, cell, or radio
- Ultimate Arctic LITE liner
- Insulated detachable hood
- Double sewn, taped and heat sealed seams
- 2" reflective material on 4" contrasting tape
- Rated to -30°C/-22°F
- CSA Z96 Class 2, Level 2



Model	Mfg.		Price
No.	No.	Size	/Each
SDP412	6410JG-S	Small	
SDP413	6410JG-M	Medium	
SDP414	6410JG-L	Large	
SDP415	6410JG-XL	X-Large	
SDP416	6410JG-2XL	2X-Large	
SDP417	6410JG-3XL	3X-Large	

#### PREMIUM POLYESTER T-SHIRTS

- · Moisture wicking, lightweight, soft and breathable fabric
- Fluorescent lime-green 100% polyester "bird's eye" mesh material
- 3" fluorescent orange/silver dual reflective stripes
- Upper left breast pocket with hook and loop closure
- Two radio loops
- Machine washable

ZEN/TH®

Meets CSA standard 796-09. Class 2, Level 2 requirements





lo.		Price
Orange	Size	/Each
SEL243	Medium	
SEL244	Large	
SEL245	X-Large	
SEL246	2X-Large	
	<b>Orange</b> SEL243 SEL244 SEL245	Orange         Size           SEL243         Medium           SEL244         Large           SEL245         X-Large

#### SAFETY FLEECE HOODIE

- 2" Vi-Brance® reflective tape in 4" WCB/Worksafe/DOT configuration
- Thermal protective layer with ANSI compliant visibility protection
- · Premium knitted polyester fleece for warmth and breathability
- Anti pill, warm 260 gm polyester quick dry
- Taffeta lined sleeves
- Tear away detachable hood
- Warm full size hood with drawstring adjustors
- Dual chest straps for ID badge/cell/radio
- Two front storage pocketsCell phone pocket on left side of chest
- Comfort snug elastic wrist and waistband
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2





AIKING	

High Visibili	ty Lime-Green	High Visibility Orange			Price
Model No.	Mfg. No.	Model No.	Mfg. No	Size	/Each
SDP424	6420JG-S	SDN679	6420J0-S	Small	
SDP425	6420JG-M	SDN680	6420J0-M	Medium	
SDP426	6420JG-L	SDN681	6420J0-L	Large	
SDP427	6420JG-XL	SDN682	6420J0-XL	X-Large	
SDP428	6420JG-2XL	SDN683	6420J0-2XL	2X-Large	
SDP429	6420JG-3XL	SDN684	6420J0-3XL	3X-Large	

#### SAFETY PARKA

- Premium 300 Denier Rip-stop polyester material gives good abrasion, puncture, rip and snag resistance
- Dual chest straps for ID badge, cell, or radio
- Adjustable hook and loop wrist with double cuff to seal out rain and wind
- Insulated detachable hood
- · Heavy duty tooth zipper with storm flap for weather protection
- Warm & comfortable fleece collar
- Rated to -50°C/-60°F
- Two large front pockets with velcro flap closure, one inner chest pocket
- Insulated 34" long parka for added warmth
- 2" reflective material on 4" contrasting tape CSA Z96-09 Class 2 Level 2 and ANSI/ISEA
- 107-2010 Class 3 Level 2





Model No.	Mfg. No.	Size	Price /Each
SDP418	6450JG-S	Small	
SDP419	6450JG-M	Medium	
SDP420	6450JG-L	Large	
SDP421	6450JG-XL	X-Large	
SDP422	6450JG-2XL	2X-Large	
SDP423	6450JG-3XL	3X-Large	

#### HI-VIS FR/PU SAFETY RAIN SUITS

- Stretchable FR treated PU/Polyester fabric lightweight and flexible in sub-zero conditions
- A light weight alternative to PVC with a high level of waterproofness (10 000+)
- Good resistance to chemicals such as animal fats, fish oil, motor oil, and diesel fuel
- Meets testing method of CAN/CGSB-4.2 No.27.10 & ASTM D6413 Flame Resistance
- 2" 3M Scotchlite reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- · Resistant to motor oil, diesel, chemicals, animal fats and fish oils
- · Micro welded seams
- ESR nylon snap closure systems
- Ideal for highway and road work, oil and gas, agriculture, fisheries and forestry
- · Certification: CSA Z96-09 Class 1, Level FR

#### **JACKETS**

- Large detachable hood to cover hard hat
- Adjustable wrist cuffs
- Underarm vents for breathability
- Two durable integrated front pockets

#### **BIB PANTS**

- · Bib pants with adjustable waist panel and ESR suspenders
- Adjustable boot cuffs



Fluo Orange Model No.	Mfg. No.	Fluo Green Model No.	Mfg. No.	Size	Price /Each
JACKETS					
SDP054	6055FRJO-S	SDP068	6055FRJG-S	Small	
SDP055	6055FRJO-M	SDP069	6055FRJG-M	Medium	
SDP056	6055FRJO-L	SDP070	6055FRJG-L	Large	
SDP057	6055FRJO-XL	SDP071	6055FRJG-XL	X-Large	
SDP058	6055FRJ0-2XL	SDP072	6055FRJG-2XL	2X-Large	
SDP059	6055FRJ0-3XL	SDP073	6055FRJG-3XL	3X-Large	
<b>BIB PANTS</b>					
SDP061	6055FRPO-S	SDP075	6055FRPG-S	Small	
SDP062	6055FRPO-M	SDP076	6055FRPG-M	Medium	
SDP063	6055FRPO-L	SDP077	6055FRPG-L	Large	
SDP064	6055FRPO-XL	SDP078	6055FRPG-XL	X-Large	
SDP065	6055FRPO-2XL	SDP079	6055FRPG-2XL	2X-Large	
SDP066	6055FRP0-3XL	SDP080	6055FRPG-3XL	3X-Large	

### **JOURNEYMAN 3-IN-1** SAFETY RAIN SUITS

- · 100% waterproof, windproof, and machine washable
- All-season 3-in-1 design includes zip-in fleece liner
- Premium 300 Denier Ripstop polyester material gives good abrasion, puncture, rip, and snag resistance
- Jacket shell is flexible even in sub-zero conditions
- Double-sewn, taped and heat-sealed seams
- Heavy-duty brass snaps
- Both shell and zip-in fleece meet CSA standard Z96-09, Class 2, Level 2 requirements





Size

Small

Medium

Large

X-Large

2X-Large

3X-Large

SFI910

#### Orange Mfg. Lime-Yellow Mfg. Model No Model No **JACKETS** SEF133 6400J0-S SEF140 6400JG-S 6400JO-M 6400JG-M **SEF141** SEF134 6400J0-L SEF142 6400JG-L SEF135 SEF136 6400J0-XL SEF143 6400JG-XL SEF137 6400J0-2XL SEF144 6400JG-2XL SEF138 6400J0-3XL SEF145 6400JG-3XL **SFF139** 640010-4XI SFF146 6400IG-4XI

SEF139	6400J0-4XL	SEF146	6400JG-4XL	4X-Large	
<b>BIB PANT</b>	rs				
SFI910	6400PO-S	SFI917	6400PG-S	Small	
SFI911	6400PO-M	SFI918	6400PG-M	Medium	
SFI912	6400PO-L	SFI919	6400PG-L	Large	
SFI913	6400PO-XL	SFI920	6400PG-XL	X-Large	
SFI914	6400P0-2XL	SFI921	6400PG-2XL	2X-Large	
SFI915	6400PO-3XL	SF1922	6400PG-3XL	3X-Large	
SFI916	6400P0-4XL	SF1923	6400PG-4XL	4X-Large	
HOOD					

**SEJ953** 

#### TRAFFIC HARNESSES

- 1 1/2" lime-yellow/silver reflective stripes
- · Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability





	Safety Products		
Model			Price
No.		Size	/Each
SEF117		Medium	
SEF118		Large	
SEF119		X-Large	
SEF120		2X-Large	
SEF121		3X-Large	



- · 2" lime-yellow/silver reflective bands · Hook and loop closure
- permits optimal fit

ZENTH

- Available in various lengths
- · Sold individually

ZENTH





	Safety Products		
Model			Price
No.		Length"	/Each
SEF122		10	
SEF123		12	
SEF124		13 1/2	
SEF125		15	
SEF126		17	
SEF127		19	



SEJ952

6330HG

Price

/Each

#### LEIGHTNING HI-VISIBILITY® EARMUFFS

- Fluorescent lime-yellow earcups provide additional visibility and contrast on the job
- Air Flow Control<sup>TM</sup> technology provides better attenuation, especially at low frequencies
- Robust design withstands demanding use, especially in tough environments
- Ideal for roadway construction, utility workers, survey engineers, ferry service operators, emergency response workers, railroad workers, and many others



## Honeywell

HOWARD **LEIGHT** 

Model No.	Mfg. No.	Style	NRR dB	Price /Each
SA0695	1013941	Over-Head	30	
SA0696	1013942	Foldable	27	

#### HIGH VISIBILITY KNITTED TOQUES

- 100% acrylic knitted toques with silver retro reflective stripe
- One size





Model Mfg. No. No.			
SDP616	10701125HV0	High-Visibility Orange	
SDP617	10701125HLG	High-Visibility Lime-Green	

#### RETRO-REFLECTIVE ADHESIVE STRIPS

- · High-visibility, excellent for night workers
- 360° strip has a curved shape to fit the helmet
- 7 strips per sheet





Model		Price
No.	Colour	/Each
SAX903	High-Visibility Lime	
SAX904	High-Visibility Orange	
SAX905	Silver	

### N-FERNO® 6821 FLEECE BALACLAVA

- · Polyester stretch fleece keeps head and neck warm
- · Single wash, FR-treated
- Long length
- Material: Fleece





Model	Mfg.		Price	
No.	No.	Colour	/Each	
SGC107	16829	Green		

# PREMIUM QUALITY HI-VIZ GRAIN COWHIDE FITTERS GLOVES

- · Premium quality
- 100-g Thinsulate™ liner provides superior warmth
- · Superior abrasion resistance
- · Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff





Case Qty: 72

Model			Price
No.	Size	Colour	/Each
SED428	Large	Fluorescent Yellow	
SEK237	Large	Fluorescent Orange	

### PREMIUM QUALITY HIGH-VIZ GRAIN COWHIDE FITTERS GLOVES

- · Good abrasion resistance
- Full leather-tipped fingers and knuckle strap
- Fluorescent back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff

**Applications:** Material handling, fabrication, metal handling and construction





Case Qty: 120

Model No.	Size	Description	Price /Each
SEK239	Large	High Visibility Green, Unlined	
SEK242	Large	High Visibility Orange, Cotton lined	

### INDUSTRIAL SOLID WORK SHIRTS

- 4.25-oz. poplin, 65% polyester / 35% cotton
- Touchtex<sup>™</sup> technology with superior colour retention, soil release and wickability
- Two-piece, lined collar with sewn-in stays
- Six-button front with gripper at neck
- Two button-thru hex style pockets with bartacked pencil still on left pocket





Model No.	Mfg.	Model No.	Mfg.	Size	Price
Navy	No.	Green	No.		/Each
SHORT SLEE	VE				
SEE148	SP24NVM	SEE157	SP24SGM	Medium	
SEE149	SP24NVL	SEE158	SP24SGL	Large	
SEE150	SP24NVXL	SEE159	SP24SGXL	X-Large	
SEE151	SP24NV2XL	SEE160	SP24SG2XL	2X-Large	
LONG SLEEV	E				
SEE166	SP14NVM	SEE175	SP14SGM	Medium	
SEE167	SP14NVL	SEE176	SP14SGL	Large	
SEE168	SP14NVXL	SEE177	SP14SGXL	X-Large	
SEE169	SP14NV2XL	SEE178	SP14SG2XL	2X-Large	

Note: Other sizes & colours available, call us today

#### **COVERALLS**

- 7.5-oz. twill, 65% polyester/35% cotton
- Gripper at top of zipper and lapel
- Two set-in front pockets, patch hip pockets, chest pockets, and rule pocket on right leg
- Two-way brass zipper
- · Hemmed sleeves



RED KAP
DONE RIGHT.


Model No. Navy	Mfg. No.	Model No. Green	Mfg. No.	Size	Pric /Eac
SEE208	CT10NV38	SEE220	CT10SG38	38	
SEE209	CT10NV40	SEE221	CT10SG40	40	
SEE210	CT10NV42	SEE222	CT10SG42	42	
SEE211	CT10NV44	SEE223	CT10SG44	44	
SEE212	CT10NV46	SEE224	CT10SG46	46	
SEE213	CT10NV48	SEE225	CT10SG48	48	

Note: Other sizes available, call us today

#### LAB COATS

- 5-oz. performance blend poplin, 80% polyester/20% combed cotton
- One-piece, lined collar with notched lapel
- Non-yellowing UV buttons for long-lasting whiteness through industrial laundering process
- Left chest pocket with pencil stall and two lower pockets
- Side vent openings
- 41.5" back length on all sizes
- Colour: White





Note: Other sizes available, call us today. Also available in navy, light blue and grey.

#### PERFORMANCE SHOP PANTS

• Inseam: 37"

Model No.

SDM069

SDM070

SDM071

SDM072

SDM073

Navy

- First IL-friendly spandex fabric
- Full inseam gusset for added mobility
- Double-needle stitching
- Reinforced front pocket bags to help prevent common wear and tear
- Relaxed cut leg fits easily over work boots
- Invisible stretch waistband expands up to 3 additional inches for added comfort and mobility
- Wider and longer belt loops to accommodate a variety of work belts



PT2ACH-42-37U

	DONE RIGHT.		
D. 	Mfg. No.	Size	Prio /Eac
	PT2ACH-34-37U	34	
	PT2ACH-36-37U	36	
	PT2ACH-38-37U	38	
	PT2ACH-40-37U	40	

SDM062 \* Inseams are unhemmed. Hemmed pants are available, please call for more details. Note: Other sizes available, call us today. Also available in black.

Model No

Charcoal

SDM058

SDM059

SDM060

SDM061

#### SHOP COATS

Mfg.

No.

PT2ANV-34-37U

PT2ANV-36-37U

PT2ANV-38-37U

PT2ANV-40-37U

PT2ANV-42-37U

- 7.5-oz. twill, 65 % polyester/35 % cotton
- Five concealed grippers
- One-piece notch lapel
- Two chest pockets and two lower pockets
- · Side vent openings and back vent
- 43.75" length (based on size 42)





Model No. Navy	Mfg. No.	Model No. Charcoal	Mfg. No.	Size	Price /Each
SEE232	KT30NV38	SEZ849	KT30CH38	38	
SEE233	KT30NV40	SEZ850	KT30CH40	40	
SEE234	KT30NV42	SEZ851	KT30CH42	42	
SEE235	KT30NV44	SEZ852	KT30CH44	44	
SEE236	KT30NV46	SEZ853	KT30CH46	46	
SEE237	KT30NV48	SEZ854	KT30CH48	48	

Note: Other sizes available, call us today. Also available in Postman Blue.

#### ENHANCED VISIBILITY COVERALLS

- 7.25 oz. twill, 65% polyester / 35% cotton
- 2-way brass zipper, gripper at top of zipper and lapel
- One piece topstitched, lay-flat collar
- · Hemmed-sleeves with adjustable snap closures
- Utility pocket on left sleeve
- Two set-in front pockets, two patch hip andchest pockets, action back
- 2" yellow/silver/yellow (3M Scotchlite<sup>TM</sup> #9920) reflective striping
- Orange model meets CSAZ96 Class 3, Level 2





DONE MIGHT.					
Model No. Orange	Mfg No.	Model No. Navy	Mfg No.	Size	Price /Each
SDH968	CT5SOR-RG-38	SDH951	CT5CNV-RG-38	38	
SDH969	CT5SOR-RG-40	SDH952	CT5CNV-RG-40	40	
SDH970	CT5SOR-RG-42	SDH953	CT5CNV-RG-42	42	
SDH971	CT5SOR-RG-44	SDH954	CT5CNV-RG-44	44	
SDH972	CT5SOR-RG-46	SDH955	CT5CNV-RG-46	46	
SDH973	CT5SOR-RG-48	SDH956	CT5CNV-RG-48	48	
SDH974	CT5SOR-RG-50	SDH957	CT5CNV-RG-50	50	

Note: Other sizes and specialty sizes are available, call today. Also available in khaki and orange.









#### **WORK PANTS**

- 7.5 oz. twill, 65% polyester, 35% cotton, precure
- · Long life "Vat" dye
- · Plain front
- · Permanent press
- · Hook & eye closure on waistband
- · Two double thickness front pockets
- Seven wide belt loops
- Two rear welt pockets
- Loop on left back pocket with button closure
- Brass zipper front closure
- High resistance thread
- · Bar-tacks at all stress points
- 33" inseam
- Colour: Navy



Model No. Regular Fit	Mfg. No.	Model No. Low Rise	Mfg. No.	Size	Price /Each
SAL882	1947-NAVY-34/33	SAL894	2947-NAVY-34/33	34	
SAL883	1947-NAVY-36/33	SAL895	2947-NAVY-36/33	36	
SAL884	1947-NAVY-38/33	SAL896	2947-NAVY-38/33	38	
SAL885	1947-NAVY-40/33	SAL897	2947-NAVY-40/33	40	
SAL886	1947-NAVY-42/33	SAL898	2947-NAVY-42/33	42	
SAL887	1947-NAVY-44/33	SAL899	2947-NAVY-44/33	44	
SAL888	1947-NAVY-46/33	SAL900	2947-NAVY-46/33	46	
SAL889	1947-NAVY-48/33	SAL901	2947-NAVY-48/33	48	
SAL890	1947-NAVY-50/33	SAL902	2947-NAVY-50/33	50	

Note: Other colours and sizes available, call us today

### ARC FLASH WORK COVERALLS - UNLINED

- · Left front chest pocket has flap and concealed snap closure
- Pencil division on left chest pocket
- Side openings at waist with concealed snap closure
- 2 large double stitched back pockets
- YKK® #5 Concealed Nomex® taped two-way brass zipper and snap front closure
- All snaps are covered with material
- Telescopic back
- Bar-tacked at all stress points
- · Colour: Navy
- Arc Rating: 12.4 cal/cm<sup>2</sup>
- Standard(s) Met: NFPA 70E/NFPA 2112
- Arc Flash PPE Category Level: 2



Model	
No.	Size
SEC061	40/42
SEC062	44/46
SEC063	44/46
SEC064	48/50
SEC065	52/54
SEC066	56/58

### ORIGINAL "HYDRO" PARKAS

- 10-oz. 100% cotton duck
- Lined with 100% acrylic pile in the upper body and with 6-oz. 100% polyester quilting in the arms and bottom 10" of the body
- Two big front pockets and one inside chest pocket on left side
- Adjustable hood with string and four snaps on back collar
- Two-way zipper front closure
- High resistance thread



Model	Mfg.		Price
No.	No.	Size	/Each
SAL953	124-NAVY-S	Small	
SAL954	124-NAVY-M	Medium	
SM671	124-NAVY-L	Large	
SM673	124-NAVY-XL	X-Large	
SAL955	124-NAVY-2XL	2X-Large	
SAL956	124-NAVY-3XL	3X-Large	

Note: Other colours and sizes available, call us today

### TWILL WORKWEAR DELUXE COVERALLS

- 7.5 oz. twill 65% polyester fibre, 35% cotton, precured
- · Long life dye
- Two snaps on collar
- Two chest pockets (pencil division on left pocket) and flap on right side
- 2-way brass zipper front closure
- Two front pockets
- · Side openings
- Long sleeves with snap closure on cuffs
- · Double stitches on waistband with elastic on back
- · Telescopic back for comfort
- Two big rear pockets
- · One tool pocket on right leg
- Hammer loop on left leg
- High resistance thread
- · Bar-tacked at all stress points
- Other sizes and colours available
- Colour: Navy



Model	Mfg.		Price
No.	No.	Size	/Each
SAQ496	429-NAVY-36	36	
SAQ497	429-NAVY-38	38	
SAQ498	429-NAVY-40	40	
SAQ499	429-NAVY-42	42	
SAQ500	429-NAVY-44	44	
SAQ501	429-NAVY-46	46	
SAQ502	429-NAVY-48	48	
SAQ503	429-NAVY-50	50	
SEC067	429-NAVY-52	52	
SEC353	429-NAVY-54	54	

#### **INSULATED COVERALLS**

- 7 1/2 oz. twill, 65 % polyester, 35 % cotton, pre-shrunk
- 4 oz. 100 % polyester fill lining
- · Two big rear pockets
- Two big chest pockets with brass zipper closure (pencil division on left)
- Side openings and zipper closure on legs
- Two-way zipper front closure with two snaps on collar
- Double stitch on waistband, two front pockets
- Telescopic back for comfort
- High resistance thread
- Bar-tacked at all stress points
- · Long life vat dye
- Colour: Navy

/Each

Tall and bigger sizes available





Model	Mfg.		Price
No.	No.	Size	/Each
SAL944	837-NAVY-M	Medium	
SAL946	837-NAVY-L	Large	
SAL948	837-NAVY-XL	X-Large	
SAL950	837-NAVY-2XL	2X-Large	

Note: Other colours and sizes available, call us today

#### 100% COTTON SHOP COATS

- 8.2-oz. drill, 100% cotton, pre-shrunk
- · Three front pockets
- · Side openings
- Front snaps closure
- High resistance thread
- · Bar-tacked at all stress points
- Colour: NavyOther sizes available





Model	Mfg.		Price
No.	No.	Size	/Each
SAL917	160-NAVY-34	34	
SAL918	160-NAVY-36	36	
SAL919	160-NAVY-38	38	
SAL920	160-NAVY-40	40	
SAL921	160-NAVY-42	42	
SAL922	160-NAVY-44	44	
SAL923	160-NAVY-46	46	
SAL924	160-NAVY-48	48	
SAL925	160-NAVY-50	50	
SAL926	160-NAVY-52	52	

#### **ALUMINIZED CLOTHING**

- · 18.5 oz. aluminized rayon provides protection against moderate exposure to molten metal splash
- Provides greater resistance to wear, abrasion and heat reflectivity using the five ply manufacturing process



	MA	
Ì	E 4	

	20		-		
	月	W		Ų	
1	þ	ħ	100	1	ì
	U	(N lot	VI.	1	
	7	h	V	4	ı

### JOURNEYMAN CHEMICAL **RESISTANT RAINWEAR**

- · Medium to heavy risk chemical splash protection
- · Excellent chemical protection against acids, animal fats, and motor oils
- Good protection against foul weather wind and cold temperatures
- Heavy duty .45 mil PVC/Polyester material

- Double H.D. chrome plated brass snap system
- · Hood attached to the jacket

#### **PANTS**

- H.D. elastic suspenders & reversible bib
- · Adjustable waist panel
- · Large zip pocket & pen holder behind bib







Y INTINO					
Green	Mfg.	Yellow	Mfg.	Size	Price
Model No.	No.	Model No.	No.		/Each
JACKET					
SFI873	4125J-S	NJE976	5125J-S	Small	
SFI874	4125J-M	NJE975	5125J-M	Medium	
SFI875	4125J-L	NJE974	5125J-L	Large	
SFI876	4125J-XL	NJE977	5125J-XL	X-Large	
SFI877	4125J-2XL	NJE978	5125J-2XL	2X-Large	
SFI878	4125J-3XL	NJE979	5125J-3XL	3X-Large	
SFI879	4110P-S	SEA759	5110P-S	Small	
SFI880	4110P-M	SEA760	5110P-M	Medium	
SFI881	4110P-L	SEA761	5110P-L	Large	
SFI882	4110P-XL	SEA762	5110P-XL	X-Large	
SFI883	4110P-2XL	SEA763	5110P-2XL	2X-Large	
SFI884	4110P-3XL	SEA764	5110P-3XL	3X-Large	

Model	Mfg.			Price
No.	No.	Description	Size	/Each
SFV236	EY107	Bib Apron	24" L x 42" W	
SFV239	BY117-S	Labcoat	Small	
SFV238	BY117-M	Labcoat	Medium	
SFV237	BY117-L	Labcoat	Large	
SFV240	BY117-XL	Labcoat	X-Large	
SFV241	BY117-XXL	Labcoat	2X-Large	
SFV244	AY760-S	Jacket	Small	
SFV243	AY760-M	Jacket	Medium	
SFV242	AY760-L	Jacket	Large	
SFV245	AY760-XL	Jacket	X-Large	
SFV246	AY760-XXL	Jacket	2X-Large	
SFV247	AY760-XXXL	Jacket	3X-Large	
SFV248	GY380	Leggings	15"	
SFV249	CY610	Sleeves	24"	
SFV250*	PY02F	Hood	One Size	
SFV251	PY03F	Replacement Hood Window	6" x 10"	

<sup>\*</sup> Comes with 6"x10" clear window and hat

#### TEMPEST CLASSIC OUTERWEAR

• High-tech Polyester/PVC shell and Taffeta/mesh lining

#### **JACKETS**

- · Adjustable hem and wrists
- Safety reflective piping front and back
- · Five large pockets, one large interior pocket and one MP3 pocket
- Underarm vent zips for breathability

#### **PANTS**

**IACKETS** 

Model No.

SAL402

SAL403

SAL404

SAL405

SAL406

**SAL407** 

Red/Charcoal

- · Heavy-duty full length 2-way covered zippers for vented pant or tearaway options
- Wide elastic waist with hook and loop adjusters
- Hook and loop adjusters at bottom of legs
- · Snap waist and zippered fly access

Mfg. No.

838CR-S

838CR-M

838CR-L

838CR-XL

838CR-2XL

838CR-3XL

- Articulated knees for mobility
- · Full lining inside for comfort



	MINO			
Mfg. No.	Navy/Charcoal Model No.	Mfg. No.	Size	Price /Each
838CB-S	SAL414	838CN-S	Small	
838CB-M	SAL415	838CN-M	Medium	
838CB-L	SAL416	838CN-L	Large	
838CB-XL	SAL417	838CN-XL	X-Large	
838CB-2XL	SAL418	838CN-2XL	2X-Large	
838CB-3XL	SAL419	838CN-3XL	3X-Large	





**PANTS** 

Model	Mfg.		Price	
No.	No.	Size	/Each	
SAX012	838PZ-S	Small		
SAX013	838PZ-M	Medium		
SAX014	838PZ-L	Large		
SAX015	838PZ-XL	X-Large		
SAX016	838PZ-2XL	2X-Large		
SAX017	838PZ-3XL	3X-Large		

Blue/Charcoal

Model No.

SAL408

SAL409

SAL410

SAL411

SAL412

**SAL413** 

#### TEMPEST TRI-ZONE OUTERWEAR

• High-tech Polyester/PVC shell and Taffeta/mesh lining

#### **JACKETS**

- Adjustable hook and loop wrists
- Safety reflective piping front and back
- 4 large pockets, 1 utility sleeve pocket, 1 large interior pocket and 1 MP3 pocket
- New thicker 300 GSM non-pill deluxe fleece liner can be worn as a standalone jacket or along with outer shell for thermal protection down to -25°C

#### **PANTS**

- Heavy-duty full length 2-way covered zippers for vented pant or tearaway options
- Wide elastic waist with hook and loop adjusters and removable suspenders
- Snap waist and zippered fly access



858JN-3XL

SAI 396

SDN755

SDN754



#### **JACKETS**

Red/Blac Model No.	k Mfg. No.	Black Model No.	Mfg. No.	Navy Model No.	Mfg. No.	Size	Price /Each
SDN755	858JBR-S	SDN743	858JB-S	SDN749	858JN-S	Small	
SDN756	858JBR-M	SDN744	858JB-M	SDN750	858JN-M	Medium	
SDN757	858JBR-L	SDN745	858JB-L	SDN751	858JN-L	Large	
SDN758	858JBR-XL	SDN746	858JB-XL	SDN752	858JN-XL	X-Large	
SDN759	858JBR-2XL	SDN747	858JB-2XL	SDN753	858JN-2XL	2X-Large	

858JB-3XL

#### SDN760 **PANTS**

Black	Mfg.		Price
Model No.	No.	Size	/Each
SAL396	858PB-S	Small	
SAL397	858PB-M	Medium	
SAL398	858PB-L	Large	
SAL399	858PB-XL	X-Large	
SAL400	858PB-2XL	2X-Large	
SAL401	858PB-3XL	3X-Large	

### LIGHT-DUTY INSULATED COOLER JACKETS, VESTS & LONG COATS

Insulated with a full 7-oz Dacron® fibrefill

858JBR-3XL **SDN748** 

- 100 % nvlon water-resistant shell
- Knit collar and cuffs provide an extra cold barrier
- 2 insulated hand warmer pockets
- Machine washable

Model	Mfg.		Price
No.	No.	Size	/Each
JACKETS			
SAN543	1100-S	Small	
SAN544	1100-M	Medium	
SAN545	1100-L	Large	
SAN546	1100-XL	X-Large	
SAN547	11001-2XL	2X-Large	
SAN548	11001-3XL	3X-Large	
VESTS			
SAN549	1006-S	Small	
SAN550	1006-M	Medium	
SAN551	1006-L	Large	
SAN552	1006-XL	X-Large	
SAN553	10061-2XL	2X-Large	
SAN554	10061-3XL	3X-Large	
LONG CO	ATS		
SAN555	1004-S	Small	
SAN556	1004-M	Medium	
SAN557	1004-L	Large	
SAN558	1004-XL	X-Large	
SAN559	10041-2XL	2X-Large	
CANSON	100/1-3YI	3Y-Large	



SAN544

#### 6465 THERMAL JACKETS

- Rugged nylon outer shell with water repellent treatments
- Fleece lining for soft warmth
- Reflective accents help keep workers safe and visible
- Drawstring waist and adjustable cuffs
- Armortex<sup>TM</sup> reinforcements protect heavy wear zones
- Multiple pockets, including back document and front
- Colour: Black

Model No.	Mfg. No.	Size	Price/Each
SEB753	41103	Medium	
SEB754	41104	Large	
SEB755	41105	X-Large	
SEB756	41106	2X-Large	





### 6470 THERMAL BIB PANTS

- Rugged 500D nylon outer shell provides protection
- Armortex™ reinforcement zones in heavy wear areas
- Several pockets including hip and chest
- Full length YKK° sippers on each leg for easy on/off
- Removable PE foam knee/shin pads
- Non-slip adjustable elastic straps
- Reflective accents help keep workers safe and seen
- Elastic side gatherings for extra comfort and better fit
- Straight leg design with inside elastic bottom, snap closure



Model No.	Mfg. No.	Size	Price/Each
SEI684	41203	Medium	
SEI685	41204	Large	
SEI686	41205	X-Large	
SEI687	41206	2X-Large	
SEI688	41207	3X-Large	



#### 6435 LONG SLEEVE THERMAL SHIRTS

- Ripped fit crew T-shirt in medium-weight wicking fabric for warmth
- Comfort design: raglan sleeves, stretch fabrics, flat seams
- Anti-stink treatment helps workers remain unscented
- Stretch fabric, brushed interior for warmth and comfort
- Moisture wicking treatments keep workers dry
- Thumb loops to keep sleeves in place and wind out
- · Long tail design keeps you covered
- · Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEC962	40203	Medium	
SEC963	40204	Large	
SEC964	40205	X-Large	
SEC965	40206	2X-Large	
SEC966	40207	3X-Large	



#### 6480 THERMAL PANTS

- Stretch fabric, brushed interior for warmth and comfort
- Moisture wicking treatments keep workers dry
- Stretch fabrics, flat seams and tagless waistband for comfort
- Anti-stink treatment helps workers remain unscented
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEC967	40803	Medium	
SEC968	40804	Large	
SEC969	40805	X-Large	
SEC970	40806	2X-Large	
SEC971	40807	3X-Large	



#### WINTER LINERS

#### FLAME RESISTANT OUTER SHELL

Winter liners give you added protection in cold conditions or on windy days. Can be worn with caps, hats, welding helmets, hard hats or alone. One size fits all. Flame resistant outer shell.



#### **SEVERE COLD**

Twill outer layer, sheep thermal lined and full neck flap for severe cold. Model No. SAM455 Price/Each \$



#### **MODERATE COLD**

Twill outer layer and polyfiber/cotton lined for moderate to severe cold.

Model No. SAM456 Price/Each \$



#### MILD COLD

Single twill layer with napped inside for mild cold.

Model No. SAJ553 Price/Each \$




6810/6815 STRETCH CAPS

100% polyester knit

ZEN

- Keeps ears and head protected from wind and cool conditions
- Single wash, FR-treated
- One size







SEE076



SEE077

#### WINTER LINERS

- Inner pockets at ears can hold warming packs for extra warmth
- Hook and loop straps for easy hard hat installation
- One size



Model No.	Mfg. No.	Style No.	Layers	Lining	Length	Price/Each
SEE069	16850	6850	2	Fleece	Chin	
SEE070	16852	6852	2	Fleece	Shoulder	
SEE065	16863	6863	3	Fleece	Chin	
SEE066	16867	6867	3	Fleece	Shoulder	
SEE067	16950	6950	3	Sherpa Fleece	Chin	
SEE068	16952	6952	3	Sherpa Fleece	Shoulder	









### N-FERNO® 6821 FLEECE BALACLAVA

- Polyester stretch fleece keeps head and neck warm
- Long length
- One size





Model No.	Mfg. No.	Color	Price/Each
SEE075	16821	Black	
SGC107	16829	Hi-Viz Lime	

### N-FERNO® 6823 WIND-PROOF HINGED BALACLAVA

- Fleece with wind-protectant fabric at most vulnerable places protects against a variety of elements
- Unique hinged design
- 3-panel construction with flat lock stitching for a comfortable "made just for you" fit
- Reflective accents help keep workers safe and seen
- Long length
- Material: Fleece
- Colour: Black • Size: One Size
- Model No. SEL893 Mfg. No. 16823 Price/Each \$





### IQ ENDURANCE® MEN'S WORK SHIRTS

- Material: 65% Cotton / 35% Polyester
- Arc Rating: ATPV 9.0 calories/cm2
- Certification: NFPA 2112, EN ISO 11612:2008, EN 340:2003 and IEC 61482-2:2009
- Flame-resistant, 7 oz. Ripstop Twill
- Gas Monitor pocket at front shoulders for convenient storage
- Full underarm gussets allow for unrestricted movement
- Reinforced pocket
- Exterior Cat 2 & 2112 Labels easily visible
- Patch Chest pocket with integrated pencil stall



Navy Blue Model No.	Mfg No.	Grey Model No.	Mfg No.	Size	Price /Each
SGB985	QS40NV-RG-S	SGB990	QS40GY-RG-S	Small	
SGB986	QS40NV-RG-M	SGB991	QS40GY-RG-M	Medium	
SGB987	QS40NV-RG-L	SGB992	QS40GY-RG-L	Large	
SGB988	QS40NV-RG-XL	SGB993	QS40GY-RG-XL	X-Large	
SGB989	QS40NV-RG-XXL	SGB994	QS40GY-RG-XXL	2X-Large	

### **EXCEL FR® COMFORTOUCH® LOOSE FIT JEANS**

- Material: 88% Cotton / 12% Nylon
- Inseam: 32"
- Arc Rating: ATPV 12 calories/cm<sup>2</sup>
- Certification: NFPA 2112
- Flame-resistant, 8.5 oz.
- One-piece waistband with button closure
- Five jean-style pockets
- Two deep scoop pockets, two reinforced hip pockets, exterior utility pocket on left leg and welt utility pocket on right leg
- After garment wash for soft hand
- Triple-needle felled main seams
- Colour: Navy



Model	Mfg.		Price
No.	No.	Size	/Each
SGC010	PLJ6NV-34-32	34	
SGC011	PLJ6NV-36-32	36	
SGC012	PLJ6NV-38-32	38	
SGC013	PLJ6NV-40-32	40	
SGC014	PLJ6NV-42-32	42	

\*Inseams are unhemmed. Hemmed pants are available, please call for more details

Note: Other sizes available, call us today

#### ISO 11611 FLAME-RESISTANT WELDING COVERALLS

- · Material: 100% Cotton
- Arc Rating: ATPV 11 calories/cm<sup>2</sup> (CAT 2)
- Certification: EN ISO 11611:2007, Class 1, A1 and EN ISO 11612:2008, A1, B1, C1
- Snapped, stand-up collar for complete neck coverage
- Concealed Nomex® two-way brass zipper
- Flame-resistant for the life of the garment
- Two pockets with concealed snap flaps to keep liquid metal from entering the pocket
- Hemmed sleeves with adjustable snaps
- Colour: Navy Blue



Model No.	Mfg. No.	Size	Price /Each
SGB978	CECWNV-RG-38	38	
SGB979	CECWNV-RG-40	40	
SGB980	CECWNV-RG-42	42	
SGB981	CECWNV-RG-44	44	
SGB982	CECWNV-RG-46	46	
SGB983	CECWNV-RG-48	46	
SGB984	CECWNV-RG-50	48	

Note: Other sizes available, call us today

#### IQ ENDURANCE® PREMIUM COVERALLS

· Two front swing pockets, two angled chest pockets with flaps and concealed snap closure, two patch hip pockets, left sleeve pocket, one cargo pocket, one patch pocket on leg, cell phone pocket in pocket bag

- Material: 65% Cotton / 35% Polyester
- Arc Rating: ATPV 9.0 calories/cm2
- Certification: NFPA 2112, EN ISO 11612:2008, EN 340:2003 and IEC 61482-2:2009
- · Flame-resistant, 6.9 oz. Ripstop Twill
- Two-way, concealed Nomex® taped brass break-away zipper
- · Concealed snap at top of zipper and at neck
- Adjustable concealed snap closure on cuff
- Elastic waist back
- Yoke with deep pleated action back
- Side vent openings with snap closure



Navy Blue Model No.	Mfg No.	Grey Model No.	Mfg No.	Size	Price /Each
SGB995	QC10NV38	SGC003	QC10GY38	38	
SGB996	QC10NV40	SGC004	QC10GY40	40	
SGB997	QC10NV42	SGC005	QC10GY42	42	
SGB998	QC10NV44	SGC006	QC10GY44	44	
SGB999	QC10NV46	SGC007	QC10GY46	46	
SGC001	QC10NV48	SGC008	QC10GY48	48	
SGC002	QC10NV50	SGC009	QC10GY50	50	

### FLAME-RESISTANT COOL TOUCH® 2 CARGO PANTS

- 7-oz. 45% modacrylic/35% lyocell/ 15% polyamide-imide/5% para-aramid
- Inner-lined waistband with hook-and-loop closure
- Pockets: Two slack style front pockets, two set-in hip pockets, one left hip pocket with button closure, one left cargo pocket and one right leg utility pocket
- Colour: Navy
- Arc Rating: ATPV 10.1 cal/cm<sup>2</sup>, HRC 2



				vai k FK
Model No.	Mfg. No.	Size	Length" (Inseam)	Price /Each
SED693	PMU2NV33	33	37	
SED694	PMU2NV36	36	37	
SED695	PMU2NV38	38	37	
SED696	PMU2NV40	40	36	
SED697	PMU2NV42	42	36	
SED698	PMU2NV44	44	36	

Note: Other sizes and specialty long sizes are available, call us today Also available in Khaki and Orange

### FLAME-RESISTANT CLASSIC COVERALLS

- 9-oz. Excel FR® 100% cotton
- 2-way concealed Nomex® taped brass break-away zipper
- 1-piece, topstitched, lay-flat collar
- Concealed snap at neck

No.

CEC2NV38

- Hemmed sleeves
- Pockets: Two set-in front pockets, two patch hip pockets and one chest pocket
- Side vent openings

Navv

Model No.

SED738

Arc Rating: ATPV 11.2 cal/cm2, HRC 2



SED739	CEC2NV40	SED197	CEC2RB40	40
SED740	CEC2NV42	SED198	CEC2RB42	42
SED741	CEC2NV44	SED199	CEC2RB44	44
SED742	CEC2NV46	SED200	CEC2RB46	46
SED743	CEC2NV48	SED201	CEC2RB48	48
SED744	CEC2NV50	SED202	CEC2RB50	50
Note: Otl	ner colours, s	izes and spe	cialty	

**Royal Blue** 

Model No.

SED196

Mfg.

No.

long sizes are available, call us today

## FLAME RESISTANT CLOTHING

### CSA COMPLIANT 7 OZ. ULTRA **SOFT® COVERALLS**

- 88% cotton, 12% nylon
- Protection: ATPV 8.7 calories/cm<sup>2</sup>
- Mandarin, stand-up, 2-way safety collar
- Deep pleated action-back
- 2-way concealed Nomex® taped brass breakaway zipper, concealed snap at top of zipper and at neck
- Two topstitched patch chest pockets with flaps and concealed snap closures
- Two inset lower front pockets are topstitched and lined, side vent openings with snaps
- Two patch hip pockets with single concealed snap closures
- One patch pocket with pencil stall on left sleeve and one piece rule pocket on right leg
- Elastic waist inserts
- WestexUltra Soft® interior and exterior brand labeling
- 360° visibility with 3M 2" silver reflective
- Striping configuration meets CAN/CSA Z96-09 Class 3, Level 2 compliance
- Garment is 2112 compliant and UL certified

Mfg.		Price
No.	Size	/Each
CTBBOR-RG-38	38	
CTBBOR-RG-40	40	
CTBBOR-RG-42	42	
CTBBOR-RG-44	44	
CTBBOR-RG-46	46	
CTBBOR-RG-48	48	
	No.  CTBBOR-RG-38  CTBBOR-RG-40  CTBBOR-RG-42  CTBBOR-RG-44  CTBBOR-RG-46	No.         Size           CTBBOR-RG-38         38           CTBBOR-RG-40         40           CTBBOR-RG-42         42           CTBBOR-RG-44         44           CTBBOR-RG-46         46

Note: Other sizes available, call us today

### **EXCEL FR® COMFORTOUCH®** LINED BOMBER JACKETS

- Material: 7 oz. (235 g/m<sup>2</sup>) twill 88% cotton/12% nylon, water repellant
- Arc Rating: ATPV 30 calories/cm<sup>2</sup> (HRC3)
- Lining: 7 oz.(235 g/m²) 100% cotton
- Separating, heavy-duty Nomex taped brass zipper covered with two layer storm flap
- Two layer stand-up collar
- Two large external patch pockets and one inside chest pocket
- Deep-pleated action back
- Fully-tunneled elasticized waistband
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping
- Meets Class 2/Level 2 of the CAN/CSA Z96-09 standard for high visibility safety apparel

Model	Mfg.		Price
No.	No.	Size	/Each
SDM199	JLJCNV-RG-S	Small	
SDM200	JLJCNV-RG-M	Medium	
SDM201	JLJCNV-RG-L	Large	
SDM202	JLJCNV-RG-XL	X-Large	
SDM203	JLJCNV-RG-XXL	2X-Large	
SDM204	JLJCNV-RG-3XL	3X-Large	



Bulwark\*





### FLAME-RESISTANT PREMIUM COVERALLS WITH REFLECTIVE TRIM

- 9-oz. Excel FR° ComforTouch° twill 88% cotton/12% nylon
- 2-way concealed Nomex® taped brass break-away zipper
- Mandarin style stand-up, two-way safety collar
- Concealed snap on sleeve cuff, at the top of zipper and at neck
- · Elastic waist inserts
- · Multiple pockets
- Deep-pleated action back
- Side vent openings with concealed snap closure
- 360° visibility with front and back
- 2" yellow/silver/yellow reflective stripes
- Colour: Royal blue
- Arc Rating: ATPV 12.2 cal/cm², HRC 2

Model	Mfg.		Price
No.	No.	Size	/Each
SED783	CLBTRB38	38	
SED784	CLBTRB40	40	
SED785	CLBTRB42	42	
SED786	CLBTRB44	44	
SED787	CLBTRB46	46	
SED788	CLBTRB48	48	
SED789	CLBTRB50	50	
SED790	CLBTRB52	52	
SED791	CLBTRB54	54	

Note: Specialty sizes are available, call today





#### FLAME RESISTANT PARKAS WITH CSA COMPLIANT REFLECTIVE STRIPING

- 7 oz., 88% cotton / 12% nylon, water-repellent
- Insulation package: 12 oz., lining 100% cotton, insulation - 100% modacrylic
- Arc rating: ATPV 43.3 calories/cm<sup>2</sup>
- 2-way separating, heavy-duty Nomex® taped brass zipper covered with insulated storm flap and concealed snap closure
- Insulated stand-up collar
- Knit Nomex® storm cuffs with hook and loopsuppression tabs
- Three large patch pockets with concealed snaps
- Deep-pleated action back
- Flastic inserts at waist
- 360° yellow/silver/yellow reflective striping
- Meets class 1 of CAN/CSA Z96-09 standard forhigh visibility safety



Orange Model No.	Mfg. No.	Navy Model No.	Mfg. No.	Size	Price /Each
SGC015	JLPSOR-RG-S	SDK087	JLPCNV-RG-S	Small	
SGC016	JLPSOR-RG-M	SDK086	JLPCNV-RG-M	Medium	
SGC017	JLPSOR-RG-L	SDK085	JLPCNV-RG-L	Large	
SGC018	JLPSOR-RG-XL	SDK088	JLPCNV-RG-XL	X-Large	
SGC019	JLPSOR-RG-XXL	SDK089	JLPCNV-RG-XXL	2X-Large	
SGC020	JLPSOR-RG-3XL	SDK083	JLPCNV-RG-3XL	3X-Large	

Note: Other sizes available, call us today

### **DELUXE INSULATED BIB OVERALLS** WITH REFLECTIVE STRIPING

- Arc rating: ATPV 43.3 calories/cm2 (HRC 4)
- · EXCEL FR® ComforTouch® fabric
- Outershell- 7 oz. 88% cotton/12% nylon, water repellant, Insulation-12 oz. 2-layer Modacrylic®
- Will meet class 1 of CAN/CSA Z96-09 standard for high visibility safety apparelwhen paired with flame-resistant Bulwark parka with CSA compliant reflectivestriping (Mfg No. JLPCNV)
- 2-way extra heavy-duty Nomex® taped brass zipper
- Five large patch pockets, hip pocket with closure
- · Reinforced double knees
- · Full Nomex® taped brass ankle to hip brass zippers and concealed snap closures
- Elastic waist inserts
- · Inside zipper guards on all zippers
- Elasticized shoulder straps with non-conductive adjustable hardware
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping around leg calves





Orange Model No.	Mfg. No.	Navy Model No.	Mfg. No.	Size	Price /Each
SGC021	BLCSOR-RG-S	SD1066	BLCTNV-RG-S	Small	
SGC022	BLCSOR-RG-M	SD1065	BLCTNV-RG-M	Medium	
SGC023	BLCSOR-RG-L	SD1064	BLCTNV-RG-L	Large	
SGC024	BLCSOR-RG-XL	SD1067	BLCTNV-RG-XL	X-Large	
SGC025	BLCSOR-RG-XXL	SD1068	BLCTNV-RG-XXL	2X-Large	
SGC026	BLCSOR-RG-3XL	SD1063	BLCTNV-RG-3XL	3X-Large	

Note: Other sizes available, call us today Also available in Royal Blue

## **ELECTRICAL SAFETY**

**ARC FLASH PROTECTION COVERALLS** 

- Made from arc flash resistant material
- Full cut with set-in sleeves
- AR hook and pile front closure
- 30" inseam
- Expansion back
- 2-ply Nomex® wristlets
- · Hook and pile cuff opening
- Colour: Navy blue
- 8 cal/cm<sup>2</sup> ATPV ratings
- Meets current ASTM standards F1506 and ASTM F1959

Mfg.

No.

ACCA8BLM

ACC ARRIT

ACCA8BLXL

ACCA8BL2XL

CE 0120 certified

Model

SED821

SED822

SED823

SED824

No.



Note: Other sizes and colours are available, call today

#### ARC FLASH PROTECTION COATS

Size

Medium

Large

X-Large

2X-Large

- · Made from arc flash resistant material
- Expansion back for added comfort
- Dual stage front closure with high temperature plastic zipper
- AR hook and pile front closure
- Length: 32"
- Colour: Grey
- 40 cal/cm<sup>2</sup> ATPV ratings
- Meets current ASTM standards F1506 and ASTM F1959
- CF 0120 certified

Model	Mfg.		Price
No.	No.	Size	/Each
SED826	ACC4032GYS	Small	
SED827	ACC4032GYM	Medium	
SED828	ACC4032GYL	Large	
SED829	ACC4032GYXL	X-Large	
SED830	ACC4032GY2XL	2X-Large	
			1

Note: Other sizes and colours are available, call today

ARC FLASH SAFETY KITS

8 cal/cm<sup>2</sup> kits include: Arc flash coverall,

AS1200 headgear, SPL lens, hard hat,

# Honeywell

#### Honeywell SALISBURY



#### 8 CAL/CM<sup>2</sup> KITS

Model No.	Mfg. No.	Standard(s) Met	Garments Size	Arc Flash PPE Category	Price /Each
SGF065	SKCA8L-1200-SPL	NFPA 70E	Large	2	
SGF068	SKCA8XL-1200-SPL	NFPA 70E	X-Large	2	
SGF064	SKCAR2XI-1200-SPI	NEPA 70F	2X-Large	2	

#### 40 CAL/CM<sup>2</sup> KITS

Model No.	Mfg. No.	Standard(s) Met	Garments Size	Arc Flash PPE Category	Price /Each
SGF054	SK40L-SPL	NFPA 70E	Large	4	
SGF063	SK40XL-SPL	NFPA 70E	X-Large	4	
SGF053	SK402XL-SPL	NFPA 70E	2X-Large	4	

### **ARC FLASH PROTECTIVE BALACLAVA-STYLE HOODS**

- · Create 360° head and neck protection from arc flash dangers, when used with a faceshield
- Made from AR materials
- Made from two layers of rib knit material
- · Elastic face opening maintains its shape and size
- ATPV rating of 10 cal/cm<sup>2</sup>

Model No. SED820 Mfg. No. AFHOOD10 Price/Each \$

# Honeywell



#### ARC FLASH HOOD

- Made from Arc Flash resistant material
- Sewn with Nomex thread
- Arc-rated 10"x20" anti-fogging replaceable lens
- Slotted bracket
- · Hook and pile tabs to attach Salisbury's PRO-AIR belt mounted compact air system
- One -size-fits-all
- Colour: Grey
- Arc Rating: 40
- Standard(s) Met: NFPA 70E
- Arc Flash PPE Category Level: 4

Model No. SGF051 Mfg. No. FH40GY-NZ Price/Each \$

# Honeywell



### ARC FLASH PROTECTION **BIB OVERALLS**

- · Made from arc flash resistant material
- Integrated heavy-duty suspenders
- Relaxed cut for greater mobility
- 30" inseam
- Adjustable hook and pile waist straps
- Bib front for added protection
- Adjustable gussets on pant cuffs
- · Colour: Grey
- 40 cal/cm<sup>2</sup> ATPV ratings
- Meets current ASTM standard F2178, and the flammability requirements for ASTM standard F1506
- CE 0120 certified

Model No.	Mfg. No.	Size	Price /Each
SED831	ACB4030GYS	Small	
SED832	ACB4030GYM	Medium	
SED833	ACB4030GYL	Large	
SED834	ACB4030GYXL	X-Large	
SED835	ACB4030GY2XL	2X-Large	

Note: Other sizes and colours available, call today



Honeywell SALISBURY

#### STORAGE BAGS

- · Includes: Large storage bag for Salisbury's Pro-Wear® arc flash clothing, gloves, and other accessories
- 24" L x 12" D x 15" H

Model No. SED846 Mfg. No. SKBAG Price/Each \$

Honeywell SALISBURY



## **ELECTRICAL SAFETY**

#### ARC FLASH LIFT-FRONT HOOD SAFETY KIT

- Includes: Arc Flash coat and bib overalls, hood, hard hat, Salisbury storage bag and safety glasses
- Arc Rating: 40
- Arc Flash PPE Category Level: 4
- Standard(s) Met: NFPA 70E



Model	Mfg.		Price
No.	No.	Size	/Each
SGF060	SK40PLTS-LFH40-SPL	Small	
SGF059	SK40PLTM-LFH40-SPL	Medium	
SGF058	SK40PLTL-LFH40-SPL	Large	
SGF061	SK40PLTXL-LFH40-SPL	X-Large	
SGF056	SK40PLT2XL-LFH40-SPL	2X-Large	
SGF057	SK40PLT3XL-LFH40-SPL	3X-Large	

### **ARC FLASH PROTECTION** FACESHIELD & HEADGEAR

- · Extra-light tint
- Shield/window designed to be easily replaced without tools
- · Absorbs >99.9% of harmful UV radiation
- 7  $1/2" \times 20"$  viewing area with extra light tint
- 0.06" thick
- · Fog-resistant



Model No.	Mfg. No.	Description	Price /Each
SGF046	AS1200PPC-NZ	Fits new North Zone hard hats	
SGF047	AS12FS-PPC	Replacement window for AS1200 series front brim	

#### ARC FLASH LIFT-FRONT HOOD

- Shield and chin guard offer an additional 45 degrees of vertical view over standard hoods
- Vertical peripheral vision field increases by 109% which allows for a clearer view of surroundings
- Contoured lens naturally extends range of peripheral vision giving user a greater outward visibility and more access to natural light
- Allows for use of task lights to add much needed convenience lighting in dark work places
- Contains 60% less fabric weight than standard hoods which makes it lighter and more comfortable to wear
- Reduction in fabric allows for more natural head movement and eliminates the need for frequent hood adjustments due to shifts in the excess fabric
- Industrial design creates a natural ventilation system beneath the brim of the hard hat
- Ventilated bracket design allows carbon dioxide and heat to escape as it rises from the body
- Colour: Grey
- Arc Rating: 40
- Standard(s) Met: NFPA 70E Arc Flash PPE Category Level: 4

Model No. SGF052 Mfg. No. LFH40-SPL Price/Each \$





#### ARC FLASH PROTECTION FACESHIELDS

- · Full face and neck protection
- Broader, deeper 4" headgear and chin protector, moulded from Noryl
- Available in dual crown ratchet headgear model or duel channel cap peak mounting bracket with chin protector
- High performance injection moulded, preformed optically correct propionate visor with 25 cal ratings when used as tested
- Both models meet CSA and NFPA 70E, category 1 or 2



### **Honeywell** FIBRE-METAL

Model No	Mfg. No	Description	Price /Each
SAP523	FM400DCAF25	Dual Crown Protective Mask and Visor	
SAP524	FM70DCAF25E2	Dual Crown Protective Mask, Visor and Safety Cap	

## **ELECTRICAL SAFETY**

#### **RUBBER INSULATING GLOVES**

- Made from Class 0 Type I natural rubber
- Extremely flexible; working with small parts is easy
- Proper fit is important to minimize chafing and fatigue; allow for additional room if fabric liners are to be worn
- Meets or exceeds ASTM standard D120 and IEC standard EN60903



Honeywell SALISBURY

Priced per Pair

Black Model No.	Mfg. No.	Red Model No.	Mfg. No.	Size	Length"	Price /Each
model No.	NO.	model No.	NO.	Size	Length	/Eacii
SED847	E011B7	SED856	E011R7	7	11	
SED849	E011B8	SED858	E011R8	8	11	
SED850	E011B8.5	SED859	E011R8.5	8.5	11	
SED851	E011B9	SED860	E011R9	9	11	
SED852	E011B9.5	SED861	E011R9.5	9.5	11	
SED853	E011B10	SED862	E011R10	10	11	
SED854	E011B10.5	SED863	E011R10.5	10.5	11	
SED855	E011B11	SED864	E011R11	11	11	

Note: Other sizes and classes available

#### SUMMER GLOVE LINERS

- · Liner absorbs perspiration from hands
- Wrist knit style, 10" in length
- Material: Cotton
- · Coating: Non-Coated
- Gauge: 10
- Size: One SizeSold/Priced Per: Pair

Model No. SGB975 Mfg. No. 89-1402 Price/Each \$

#### Honeywell SALISBURY

## SALISBURY

NATURAL RUBBER INSULATING GLOVES

- Offers electrical protection
- Anatomically shaped and chlorinated for maximum comfort
- Compliant with OSHA 1910.137, OSHA1910.268 NFPA 70E and exceeds the ASTM D120 and European EN60903 standard





Yellow	Mfg.	Black	Mfg.			Price
Model No.	No.	Model No.	No.	Size	Length"	/Each
CLASS 0						
SAR266	51203	SAR282	9999242	8	11	
SAR267	51204	SAR283	9999243	9	11	
SAR268	51205	SAR284	9999244	10	11	
SAR269	51206	SAR285	9999245	11	11	
SAR270	51403	SAR286	9999254	8	14	
SAR271	51404	SAR287	9999255	9	14	
SAR272	51405	SAR288	9999256	10	14	
SAR273	51406	SAR289	9999257	11	14	

Note: Other sizes and classes available

#### LEATHER PROTECTOR GLOVES

- Leather protector gloves should always be worn over insulating rubber gloves to provide the needed mechanical protection against cuts, abrasions and punctures
- Manufactured from top grain cowhide or goatskin
- Elastic wrist
- Length: 10"
- Minimum distance between top of protectors and rubber gloves is 1/2" for class 0



Honeywell SALISBURY

Priced per Pair

Goatskin		Cowhide		Fits Insulating	Price
Model No.	Mfg. No.	Model No.	Mfg. No.	Glove Size	/Each
SED865	ILPG10/7	SED871	ILP10/7	7 & 7.5	
SED866	ILPG10/8	SED872	ILP10/8	8 & 8.5	
SED867	ILPG10/9	SED873	ILP10/9	9 & 9.5	
SED868	ILPG10/10	SED874	ILP10/10	10 & 10.5	
SED869	ILPG10/11	SED875	ILP10/11	11 & 11.5	

**Warning:** Do not use leather protectors alone for protection against electric shock. Serious injury or death will result. Always use proper insulating rubber gloves.

#### WINTER GLOVE LINERS

- · Liner absorbs perspiration from hands
- 10" in length
- Material: Polyester
- Coating: Non-Coated
- Gauge: 10
- Size: One Size
- Sold/Priced Per: Pair

Model No. SGB974 Mfg. No. 89-4702 Price/Each \$

## Honeywell SALISBURY

# LEATHER PROTECTOR GLOVES

- Should always be worn over rubber insulating gloves to meet OSHA and ASTM standards to provide mechanical protection against cuts, abrasions and punctures
- Available in full sizes from 7-12 and perfectly matched to the shape of Marigold's" rubber insulating gloves



SAR451



Model	Mfg.				For Use	Price
No.	No.	Description	Size	Length"	With	/Each
SAR450	M60602	Goatskin	7	10	Class 0	
SAR451	M60603	Goatskin	8	10	Class 0	
SAR452	M60604	Goatskin	9	10	Class 0	
SAR453	M60605	Goatskin	10	10	Class 0	
SAR454	M60606	Goatskin	11	10	Class 0	
SAR455	M60607	Goatskin	12	10	Class 0	

#### **INSULATED TOOL SET**

- · Voltage Rating: 1000 V
- · No. of Pieces: 10
  - VDE Slotted Screwdriver 7/32" x 5"
- VDE Slotted Screwdriver 5/32" x 4"
- VDE Slotted Screwdriver 3/32" x 3"
- VDE Phillips® Screwdriver #1 x 3-1/8"
- VDE Phillips® Screwdriver #2 x 4"
- VDE Pozidriv° Screwdriver #1 x 3-1/8"
- VDE Pozidriv® Screwdriver #2 x 4"
- 6" VDE Lineman Plier
- 6" VDE Long Nose Plier
- 6" VDE Side Cutting Pliers

Model No. TYP305 Price/Each \$

#### auroratoois e

**GLOVE BAGS** 

points for extra durability Features a snap hook for



SFU579

#### hanging on work belts Tapered gussets with wide opening tops for easy insertion

## Honeywell

SALISBURY

· Constructed of heavy-duty canvas duck Double-stitched at stress

Model No.	Mfg. No.	Language	Price /Each
SED877	GB112	English	
SFU579	GB112F	French	

## TEN-FOUR® GLOVE DUST

- A cooling, frictionless powder that absorbs moisture and perspiration when wearing rubber gloves
- The 5-oz. bottle easily fits in a pocket or glove bag

Model No. SED958 Mfg. No. 10-4 Price/Each \$

# Honeywell SALISBURY

### **CANVAS GLOVE BAGS**



Model	Mfg.
Mari Indu	<b>Igold</b> <b>Strial</b>

Model No.	Mfg. No.	Description	Price /Each
SAR461	M69002	For 11" Gloves	
SAR462	M69003	For 14" Gloves	
SAR463	M69004	For 16" Gloves	

### FLAME RESISTANT ATTACHABLE TASK LIGHTS FOR FACESHIELDS

- · Arc tested AR task light features a high intensity long lasting white LED lamp with an overall brightness of 35 lumens
- From 24" distance, the beam is approximately 6-7" in diameter
- · High intensity illumination is very useful when working up close
- Waterproof to 10 ft/3 m
- Two AAA batteries provide 3-4 hours of high brightness



#### Honeywell SALISBURY

Model	Mfg.		Price
No.	No.	Description	/Each
SED818	FLKIT	Attachable Task Light and Clip	

Note: The SED816 hard hat can hold two task lights. The SED818 only contains one task light and one clip

#### PORTABLE GLOVE INFLATORS

Electrical insulating gloves must be inspected before each use. Inspection is simplified by using a portable glove inflator such as the Salisbury G100 with adapter for Class 00 and 0, and smaller size gloves, patent pending.

- · Simple, easy to use
- · Provides a quality means of inspecting gloves in the field
- Glove is secured to the inflator using a nylon strap and fastened with hook and pile, or a rubber O-ring
- Inflation is accomplished by pumping the bellows of the inflator

Model No. SED957 Mfg. No. G100 Price/Each \$



# Honeywell SALISBURY

### ACCUFORM ARC FLASH TRAINING AIDS

Promote awareness of the dangers associated with arc flash accidents and make sure your workers know how to protect themselves!

Accuform offers a variety of stock labels, signs and wallet cards for Arc Flash.

FOR MORE INFORMATION CONTACT US





<b>WARNING</b>	A MEHTSSENEN
	Stranger and Control of Control Director and Control
FEF	


#### MILLER® REVOLUTIONTM ARC-RATED HARNESSES

Designed to protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources.

- Features the same key elements as the Miller® Revolution Harness (see page 499)
- Kevlar®/Nomex® Miller® DualTech™ webbing patent-pending 10 000 lb. tensile strength webbing is engineered with permanent fire retardant (FR) properties.
- strength webbing is engineered with permanent fire retardant (FR) propertie
   Webbing offers the durability and FR properties of Kevlar® on the outer side,
- with softer FR Nomex® on the inside of the webbing for greater comfort
- Webbing assures are protection and durability that eclipses any nylon webbing
   PivotLink™ design allows unmatched freedom of motion and comfort,
- PivotLink<sup>™</sup> design allows unmatched freedom of motion and comfor while the unique cam buckles provide easy two-finger adjustment
- · Leather insulators under all metal hardware offer additional protection for the worker
- Kevlar® web loop on the back pad allows for a "metal-less" connection when used with a Kevlar® shock-absorbing lanyard with a choke-off loop
- All Miller® Revolution™ arc-rated harnesses have bright red binding on every pad, making them easily identifiable as an arc-rated product
- Meets stringent ASTM F887-05 arc-flash standards
- · Certified to CSA standard Z259.10



Model No.	Mfg No.	Leg Connections	CSA Class	Price/Each
SAR473	RKNAR-QC/UBK	Quick-Connect	A	
SAR474	RKNAR-TB/UBK	Tongue Buckle	A	



#### ARC-RATED SHOCK-ABSORBING LANYARDS

- Arc-rated Kevlar® webbing available in both single and double-legged models upon request
- · Also available with choke-off loop upon request
- · Locking snap hook harness connection
- Length: 6'
- Certified standard Z259.11, Class E4



Model No.	Mfg. No.	Style	Anchorage Connections	Price/Each
SAR475	216MK-Z7/6FTBKC	Manyard II	Locking snap hooks	
SAR476	219MK-Z7/6FTBKC	Manyard II	Locking rebar hook	
SAR477	913K-Z7/6FTBKC	w/SofStop® Shock Absorber	Locking snap hooks	
SAR478	913KR-Z7/6FTBKC	w/SofStop® Shock Absorber	Locking rebar hook	

#### **CROSS-ARM STRAPS**

- Web cross-arm strap wraps around I-beams and other structures
- Attaches with a 2" D-ring that slips through a 3" D-ring
- Forms a secure attachment point for lanyards and other connecting devices
- Length: 6'
- · 400-lb. maximum capacity



#### Honeywell Miller

Model No.	Mfg. No.	Length'	Description	Price /Each
SAR479	8185K/3FTBK	3	Arc-Rated Kevlar	
SAR480	8185K/6FTRK	6	Arc-Rated Keylar	

# NON-CONDUCTIVE CORRUGATED SWITCHBOARD NO. 702 & DIAMOND PLATE SWITCHBOARD NO. 701

#### CAN INSULATE UP TO 30 000 V!

- High-performance non-conductive matting protects personnel in areas with dangerous high-voltage equipment
- Maximum rating: 30 000 V
- Recommended usage: up to 17 000 V
- · The corrugated surface is abrasion resistant and easily cleaned
- 1/4" thick
- Conforms to ANSI/ASTM D-178-01 Type 2, Class II
- Passes MSHA IC-246 fire resistance test (mining safety)
- · Colour: Black







#### NO. 702

Model		Dim.		Price
No.	W'	X	Ľ	/Each
CORRUGATED				
SAL242	2	Х	75	
NB657	3	Х	75	

#### NO. 701

Model		Dim.		Price
No.	W'	X	Ľ	/Each
DIAMOND-P	LATE			
SAL236	2	Х	75	
SAL238	3	Х	75	