

PFIZER WOULD DO MENGELE PROUD VACCINE STUDY PARTICIPANTS

Worldwide Medical Experiment on Unsuspecting People

by Luis B. Vega

vegapost@hotmail.com

www.PostScripts.org

'Science can flourish only in an atmosphere of Free Speech'. -Albert Einstein

The purpose of this report is to comment on an article by a Tom at DailyAllegiant.com that outlined what Pfizer knows about the COVID-19 Injections it is fabricating. The following will be a paraphrase form of the actually report that if true, is essentially a War Crime against Humanity. It is a veiled attempt at Genocide as the former Vice President, Dr. Yeadon attested to these same accusations. This new mRNA Nano-Technology has never been tested on humans and once injected with this supposed 'cure' and 'immunization' against COVID-19, it can never be taken out. Already there are reports of how cells are being changed and infused with the Nano-Particulates.

The article starts out by stating that the 'cure' is worse than the manufactured disease of COVID-19. This is one of the guidelines that was deliberately overlooked in that no Emergency Authorization Use can be granted by the FDA in the USA if it has been shown that the 'Cure' is worse than the Disease. All the reports of Death and Adverse Effects are being downplayed and intentionally under-reported. It is true that there is a COVID-19 Virus but the Survivability Rate is above 99% and proven Medical Treatments early on can prevent one from being hospitalized or dying from COVID-19. It is rather interesting that in the year that the COVID-19 hit, miraculously, all forms of Cancer, Heart Attacks and the Season Flu got 'cured' as none were really reported.

Yet, what about other 'vaccines' for other ailments that plague Humanity? Where is the vaccine for AIDS for example? Why the rush in less than a year to approve only the COVID-19 Experimental Injections? Why is there a threat of losing one's job and livelihood or being exempt from participating in Society if one does not forcibly take this unproven Gene Therapy? What is going on here? And yet any credible Scientist and/or Doctor is being discredited for even raising the questions that ought to be about the efficacy and safety of these type of mRNA Injections that are not technically a vaccine.

Then the average person who also questions the Official Scientific Narrative are deemed, 'Anti-Vaxxers', Conspiracy Theorists, Anti-Science, the usual, etc. People are not being informed that it is 'Experimental' and have the right to decline and need Informed Consent. Although there are 2-3-year Clinical Studies going on, they are not subject to the public scrutiny and review of its data collection and interpretation. In other words, the 'fix in in'. The argument by the Fauci's of the World is that if one waits 10 years for a normal process of clinical trials, it might be too late. One would argue that not waiting has spelled inevitable doom and Death to those not having strong Immunity.

The Angels of Death

Humans have enough of a Natural Immune System to survive the COVID-19 Virus but not the Gene Therapy that is programmed in the COVID Shots. The fact the following is what Pfizer's own documents show how dangerous these Injections are. Apparently, the Researcher, Tom obtained Pfizer Source Documentation that presents the following assertions, which are shocking to say the least. And one has to say that all these points are corroborated and also disclosed by the former VP of Pfizer, Dr. Yeadon. In the documents, Pfizer states that both Inhalation and Skin Contact will Transmit whatever is in their 'vaccine' from those who receive it to those who have not received it.

Here is what just this small portion of this Pfizer document is saying in terms of what is now being discovered are the effects of those that are 'vaccinated' in relation to those not. New information is coming to light like what is occurring with Shedding. There is a term called Shedding and Transmitting. Shedding is when the Vaccinated person produces more Variants of the COVID-19 Virus as they are actually now having their own bodies produce a portion of the virus, genetically.

Yet many that still condemn those who show proof by the Scientific Research Papers that indeed, the mRNA's task is to eventually Reverse Transcribe itself into the DNA of cells. In other words, the danger of contamination and Transmission is not, will be not an issue coming from those not 'vaccinated'. The real issue and danger are now from those that are 'vaccinated' with the mRNA Injections. Here are some of Pfizer's protocols on their Test Subjects. If true, Humanity at this stage of its existence is now in true jeopardy. Certain words will be capitalized for emphasis.

1-If a Man who was not vaccinated touches a vaccinated Woman or breathes any of the air she breathes, (in other words, walks by her in the office) and then the Man has sex with his Wife, his Wife can have an Adverse Event and she should avoid having Children.

2- If a Woman who was never vaccinated gets exposed to a Woman who was vaccinated, she can:

A: Miscarry,

B: Spontaneously Abort,

C. Poison a Baby via her Breast Milk

D: Have Babies that have Cognitive Difficulties.

In the next sections, the text was apparently translated into English.

8.3.5.3. Occupational Exposure

An Occupational Exposure occurs when a person receives un-planned direct contact with a Vaccine Test Subject, which may or may not lead to the occurrence of an Adverse Event. These People may include Health Care Providers, Family Members, and other People who are around the Trial Participants. When such exposures happen, the Investigator must report them to Pfizer Safety within 24 hours of becoming aware of when they happened, regardless of whether or not there is an associated Secondary Adverse Event. This must be reported using the Vaccine Secondary Adverse Event Report Form. Since the information does not pertain to a Participant involved in the study, the information will be kept separate from the study.

Divide and Conquer

In other words, Pfizer acknowledges that indeed the Vaccine Study Participants, which are those that are 'volunteering' to be the Experimental 'Guinea Pigs' in this case are the ones that are becoming the 'Super-Spreaders' of something. What? This is the questions and Pfizer will not say what that is. But it triggers or can trigger or will trigger Secondary Adverse Events in People that never had the Pfizer COVID-19 Injection when they are exposed to People who do have the Injection. This is alarming. Can this scenario possibly be true? Well, according to the research of Dr. Tenpenny, it is exactly what she has been warning the World since the 'plandemic' started.

She warns, as does Pfizer's own publications that, for example Un-Vaccinated Men who have been exposed to a Woman who has been injected with the Pfizer shot will then pass whatever is in the Injection to another Woman. This is whether it was through Inhalation and/or skin contact. The report then went on to state that a relatively small portion of the document that was supposedly obtained. It states that the Pfizer Injection triggers spontaneous Abortions and causes Reproductive Problems when Unvaccinated People are exposed to the Vaccinated People. And that Breast Milk from a Vaccinated Mother, for example can harm an Infant. It is making Vaccinated People 'Poison' Makers. Here is a small portion of this huge document, from Pfizer that defines some terms. Certain words will be capitalized for emphasis.

Study Intervention – A Vaccine Test Subject

AE: Adverse Event in someone who gets the Pfizer Injection.

SAE: An Adverse Event in Someone who was exposed to someone who got injected.

EDP: Exposure During Pregnancy.

8.3.5. Exposure During Pregnancy or Breastfeeding, and Occupational Exposure

Exposure to the Study Intervention under study during Pregnancy or Breastfeeding and Occupational Exposure are reportable to Pfizer Safety within 24 hours of Investigator awareness.

8.3.5.1. Exposure During Pregnancy An EDP occurs if:

**A Female Participant is found to be Pregnant while receiving or after discontinuing Study Intervention.*

**A Male Participant who is receiving or has discontinued Study Intervention exposes a Female Partner prior to or around the time of Conception.*

**A Female is found to be Pregnant while being exposed or having been exposed to Study Intervention due to Environmental Exposure. Below are examples of Environmental Exposure during Pregnancy.*

**A Female Family Member or Healthcare Provider reports that she is Pregnant after having been exposed to the Study Intervention by Inhalation or Skin Contact.*

**A Male Family Member or Healthcare Provider who has been exposed to the study intervention by Inhalation or Skin Contact then exposes his Female Partner prior to or around the time of Conception.*

In the Practice of Mengele

The question remains, if this Pfizer COVID-19 Injection is not Shedding into other People, why would contact between Vaccinated and Un-Vaccinated People be an event worth noting? If this Pfizer COVID-19 Injection is not causing the 'vaccinated' persons to be Shedding, or transmitting 'Poisons', then why does a Male who has been around a Vaccinated Female, even if he did not touch her or have sex, need to worry getting a different Woman Pregnant?

The answer is that those having been now injected with the COVID-19 shots are the ones that are 'dangerous' and are contagious in the sense that they are transmitting the bi-products of this massive worldwide Experimental Gene Therapy Medical Device. According to the author of the article, he goes on to state that there is more information which follows from the protocols of how Pfizer Investigators need to report their findings.

**The Investigator must report EDP to Pfizer Safety within 24 hours of the Investigator's awareness, irrespective of whether an SAE has occurred. The initial information submitted should include the anticipated date of delivery (see below for information related to the termination of pregnancy).*

**If EDP occurs in a Participant or a Participant's Partner, the Investigator must report this information to Pfizer Safety on the Vaccine SAE Report Form and an EDP Supplemental Form, regardless of whether an SAE has occurred. Details of the pregnancy will be collected after the start of the study intervention and until 6 months after the last dose of the Study Intervention.*

**If EDP occurs in the setting of Environmental Exposure, the Investigator must report information to Pfizer Safety using the Vaccine SAE Report Form and EDP Supplemental Form. Since the exposure information does not pertain to the participant enrolled in the study, the information is not recorded on a CRF; however, a copy of the completed Vaccine SAE Report Form is maintained in the Investigator site file.*

Follow-up is conducted to obtain general information on the Pregnancy and its outcome for all EDP reports with an unknown outcome. The Investigator will follow the Pregnancy until completion (or until Pregnancy termination) and notify Pfizer Safety of the outcome as a follow-up to the initial EDP Supplemental Form. In the case of Live Birth, the structural integrity of the Neonate can be assessed at the time of birth.

In the event of a Termination, the reason(s) for Termination should be specified and, if clinically possible, the Structural Integrity of the Terminated Fetus should be assessed by gross visual inspection (unless pre-procedure test findings are conclusive for a Congenital Anomaly and the findings are reported).

Abnormal Pregnancy outcomes are considered SAEs. If the outcome of the Pregnancy meets the criteria for an SAE (i.e., Ectopic Pregnancy, Spontaneous Abortion, Intrauterine Fetal Demise, Neonatal Death, or Congenital Anomaly), the Investigator should follow the procedures for reporting SAEs. Additional information about Pregnancy outcomes that are reported to Pfizer Safety as SAEs follows.

**Spontaneous Abortion including Miscarriage and Missed Abortion;*

**Neonatal Deaths that occur within 1 month of birth should be reported, without regard to causality, as SAEs. In addition, Infant Deaths after 1 month should be reported as SAEs when the Investigator assesses the Infant Death as related or possibly related to exposure to the Study Intervention. Additional information regarding the EDP may be requested by the Sponsor.*

Further follow-up of Birth Outcomes will be handled on a case-by-case basis (e.g., follow-up on Preterm Infants to identify developmental delays). In the case of Paternal Exposure, the Investigator will provide the Participant with the Pregnant Partner Release of Information Form to deliver to his Partner. The investigator must document in the Source Documents that the Participant was given the Pregnant Partner Release of Information Form to provide to his partner.

8.3.5.2. Exposure During Breastfeeding *an exposure during Breastfeeding occurs if:*

**A Female Participant is found to be Breastfeeding while receiving or after discontinuing Study Intervention.*

**A Female is found to be Breastfeeding while being exposed or having been exposed to Study Intervention (i.e., Environmental Exposure). An example of Environmental Exposure during breastfeeding is a Female Family Member or Healthcare Provider who reports that she is Breastfeeding after having been exposed to the Study Intervention by Inhalation or Skin Contact.*

The Investigator must report exposure during Breastfeeding to Pfizer Safety within 24 hours of the Investigator's awareness, irrespective of whether an SAE has occurred. The information must be reported using the Vaccine SAE Report Form. When exposure during Breastfeeding occurs in the setting of Environmental Exposure, the Exposure Information does not pertain to the Participant enrolled in the study, so the information is not recorded on a CRF.

However, a copy of the completed Vaccine SAE Report Form is maintained in the Investigator site file. An exposure during Breastfeeding report is not created when a Pfizer drug specifically approved for use in Breastfeeding Women (e.g., Vitamins) is administered in accord with Authorized Use. However, if the Infant experiences an SAE associated with such a drug, the SAE is reported together with the exposure during Breastfeeding.

8.3.5.3. Occupational Exposure *An Occupational Exposure occurs when a person receives unplanned direct contact with the Study Intervention, which may or may not lead to the occurrence of an AE.*

Such persons may include Healthcare Providers, Family Members, and other roles that are involved in the Trial Participant's care. The Investigator must report Occupational Exposure to Pfizer Safety within 24 hours of the Investigator's awareness, regardless of whether there is an associated SAE. The information must be reported using the Vaccine SAE Report Form. Since the information does not pertain to a Participant enrolled in the study, the information is not recorded on a CRF; however, a copy of the completed Vaccine SAE Report Form is maintained in the investigator site file.

As one can attest, even in the slightest of inclination that these protocols of Pfizer of how to report the Adverse Effects is taken directly from off the pages of Dr. Mengele's Medical Journal. This is the stuff of Frankenstein Science and the whole world has been deceived into 'volunteering' their perfectly healthy bodies to this type of unproven nor compensated Science. Did one notice how Pfizer is 'expecting' Pregnancies to be most likely terminated by the mere exposure to Vaccinated People?! Yet what is going to happen is that the few and the minority of those People that will still refuse to be injected with this Nano-Bot Toxins and mRNA Gene Therapy Devise will be blamed for rising Deaths. The Deaths will be because of the Adverse Effects of the Injections.

Yet, the Un-Vaccinated of the World will be seen as those that allow for the continued Strains of the COVID-19 Virus to occur. As it is now, the Adverse Effects and Deaths resulting from taking the COVID-19 Injects are made sure that they are not reported as the predominant cause of Death. The excuse for all the insurmountable Deaths that will occur due to this worldwide Experiment is that Lockdowns, Mask Mandates and Social Distancing will be the permanent 'New Normal'. In over a year now since the plandemic was engineered, the world has pretty much now been transitioned or 'initiated' into the conditioning of such a lifestyle and capitulation to the false Official Scientific Narrative.

What will eventually happen is that those that are 'Vaccinated' and continue to die-off will demand that those not Vaccinated to be forcibly removed from Society, them being seen as a 'Menace to Public Health'. It is coming. The laws and authority are on the books for such to do so. One can look-up Operation Shield of the CDC in the USA. It has provisions to forcibly remove any member of a household and detain them, indefinitely in a Medical Detention Facility, or COVID Camp. There will be only 1 way in and out and no one will be able to leave until they get 'vaccinated'. Welcome to 'Hotel California'.

Main Source

Tom at DailyAllegiant.com

June 3, 2021

<https://dailyallegiant.com/what-pfizer-just-said-about-its-own-vaccine-is-absolutely-frightening/?unapproved=66&moderation-hash=fafbc67e94dfede6469b8d499f1cd63d#comment-66>

Free COVID-19 Resource Page

<https://www.postscripts.org/covid.html>