

Chart Projector LED / Halogen
CP11



Chart Projector LED / Halogen

CP11



Features:

- Ergonomic design, high quality optics and precision mechanical parts.
- CP11 is an automatic chart projector which provides 41 different charts including red /green, polarized filters and horizontal / vertical / single letter mask (Four type of charts A, B, C & D.)
- CP11 offers a wireless control interactive iOS applications to control the functions for the chart system.
- Easy bulb replacement, a hand screw cap allows an easy access for bulb replacement.
- An elegant white LED backlight to indicate when the device is turned on or off.



Chart Projector LED / Halogen

Product Introduction

CP11



Viewlight is proud to present the New Auto Chart Projector Model Smart CP11, the newest High Technology with new features patent by Viewlight.



CP11 offers 4 chart types refracting distance from the patient's eye to the screen. A Type - Fraction Indication B Type (Feet Indication) C Type (Meter Indication) D Type (For Russians)



CP11 is designed for easy maintenance such as the tightening knob which allows a simple installation to the unit table stand (No screws needed)



ETDRS - Early Treatment Diabetic Retinopathy Study. Contrast sensitivity testing with normative data using letters, patented bullseye or linear patterns.



CP11 is a one touch easy to open case. To open the case of the instrument, the user simply presses the two buttons simultaneously, this eliminates the use of any tool.



Viewlights polarized lenses make colors and objects appear clearer, so you can see every detail of the eye test being conducted.



Product Specifications

CP11

Chart Projector LED / Halogen

Chart Projector

Chart	41 selections
Mask	3 Horizontals, 3 Vertical Lines, 21 Single letters
Chart Selection Speed	Average 0.2 sec.
Filter	Red / Green
Projection Distance	2.0m ~ 7.0m (3m is Recommendable)
Projection Magnification	30 x (at 5m)
Lamp	Halogen (12V 30W) / P - LED (3W)
Sleep Mode	3min / 5min / 10min after

Sizes

Dimensions	Main Body: 204 (W) x 313 (D) x 260 (H) mm Remote Control: 64 (W) X 195 (D) X 20 (H) mm
Net Weight	Main Body: 3.8kg / 8.4lbs Remote Control: 180g / 0.4lbs

Chart Type

A Type (Fraction indication)	C 0.05
B Type (Feet indication)	C 400
C Type (Meter indication)	C 120
D Type (For Russian)	B 0.05

Power

Power Source	AC 100-240V, 50/60Hz
Power Consumption	Halogen: 80W / LED: 50W