



Richard L. Ralston
Lab Director

721 W. 9th Street, Pueblo, CO 81003 | Phone: (719) 545-0375 | Fax: (719) 542-2807

Education

AAS Degree, Southern Colorado State College, Pueblo, CO. 1965
BAS, Electronic Education, University of Southern Colorado, Pueblo, CO. 1968
Post Graduate Studies in Education, Adams State College, Alamosa, CO. 1968-70

Certifications and Training

- NIOSH 582 (equivalency) Certificate
- OSHA Hazwoper 1910.120 Emergency Response Certificate
- Colorado and EPA Certified Asbestos Building Inspector #4261
- Colorado and EPA Certified Air Monitoring Specialist #4261
- Colorado and EPA Lead Risk Assessor #9130
- Certified Industrial Hygienist #3394
- Member of the American IAQ Council

Areas of Specialization

- Colorado Certified Asbestos Inspector
- Phase I Assessments
- Technical Report Writing
- Quality Control/Quality Assurance
- OSHA Clearances
- AMS

Professional Experience

Environmental Technician, All-Phase Environmental Consultants, Inc.
May 2014-Present
Mr. Ralston is an Industrial Hygienist actively working in the field for 21 years. He is a field supervisor and responsible for the conducting of asbestos bulk inspections, area and final air monitoring throughout the state of Colorado. He also does AHERA school inspection and reports as well as Operation and Management materials for schools and commercial operations.

Relevant Project Experience

Mr. Ralston has supervised people in the field and has been responsible for managing large amounts of data. His experience has given him the ability to understand the importance of quality control/quality assurance procedures and the capacity to adapt to ever changing regulations.