



... Maker of
America's Finest
and Most
Beautiful Bows.

Damon Stewart



EL DORADO T/D



Howatt El Dorado TD

This is undoubtedly the most unique take-down bow ever offered and its striking appearance is matched only by its exceptionally smooth and consistent performance. The cast magnesium handle is gracefully curved to create a clear view shooting platform with a fully adjustable pressure point device and from which the stabilizer is mounted. The El Dorado T/D is a bow that must be seen and shot to appreciate the rare combination of design and precision engineering that created it.

Available with 66", 68" or 70" limbs.

Draw weights to 55 lbs.

Handle colors: Howatt Purple, Canary Yellow or Light Blue with Black Trim.

Custom Case and Stabi-

lizer are standard.

Optional equipment: Adjustable Prime Weight, Chrome Plated Thumb Screws, Draw Check, Sight Extension Kit (fits Killian Chek-It Sight), High or Low interchangeable Grips.

Howatt Super Diablo Compound T/D

The compound T/D bow with class not only in appearance but in performance as well. Both the superbly sculptured laminated imported hardwood handle and the tough, high performance limbs are fabricated in the traditional, time-tested Howatt manner. The result is a cleanly designed, trouble-free, yet modestly priced compound take-down bow that will more than hold its own in comparative speed tests with any compound on the market.

Overall Length: 48"

Peak Weight to 60 lbs.

Draw Lengths: From 25" to 32"

Glass Color: Black

Handle Riser: Shedua, Bubinga, and East India Rosewood

Stabilizer Insert

Mass Weight: 3 lbs. 8 oz.

Percentage of Relaxation: 40%

Optional Equipment: White Eccentrics with Gold or Silver Anodized Hangers, White Limbs, Howatt Compound Bow Quiver.

Licensed under Allen Patent No. 3486495

Howatt Seville C/C

A really straightforward compound bow with surprising performance. Although fundamentally basic in design and construction, the Howatt Seville C/C provides the smoothness, speed, and accuracy of the much more complicated and costly compounds being offered. The imported tropical hardwood handle riser, beautifully sculptured and perfectly finished, gives it a rich, classic appearance and is warm to the touch in any weather.

Overall Length: 48"

Peak Draw Weights to 60 lbs.

Draw Lengths: 25" to 32"

Glass Color: Black

Handle Riser: Shedua with East India Rosewood

Mass Weight: 2 lbs. 12 oz.

Percentage of Relaxation: 40%


Optional Equipment: White Eccentrics with Gold or Silver Anodized Hangers, White Limbs, Howatt Compound Bow Quiver.

Licensed under Allen Patent No. 3486495

SUPER
DIABLO
COMPOUND
T/D




Seville C/C





Howatt Monterey

A tournament quality bow that perfectly matches beauty with exceptional performance.
Lengths: 66" and 69"
Draw weights to 55 lbs.
Glass Color: White
Handle riser: Shedua and East India Rosewood
Stabilizer insert



Howatt Super Diablo

A truly exceptional hunting bow that delivers power, speed, and dependable accuracy.
Length: 60"
Draw weights to 75 lbs.
Glass color: Black
Handle riser: East India Rosewood
Stabilizer insert



Howatt Hunter

An exceptionally smooth shooting hunting bow with excellent speed and power.
Lengths: 58" and 62"
Draw Weights to 75 lbs.
Glass color: Black
Handle riser: Tropical hardwoods
Stabilizer insert



Howatt Ventura

A fine all purpose bow for men or women and though modestly priced is an excellent performer.

Length: 66"

Draw weights to 55 lbs.

Glass color: White

Handle riser: Shedua and East India Rosewood

Stabilizer insert



Howatt Chinook

A handsome bow for the beginner or the younger archer. Very well made and moderately priced.

Length: 64"

Draw weights to 55 lbs.

Glass color: White

Handle riser: Shedua with Maple

Stabilizer insert



Howatt Triumph

The perfect choice for the archer seeking good performance and low initial investment.


Length: 62"

Draw weights to 55 lbs.

Glass color: White


Handle riser: Shedua and Maple

Stabilizer insert



Howatt Bandito

Fast, smooth, and powerful. A great hunting bow at a very reasonable price.
Lengths: 52" and 58"
Draw weights to 65 lbs.
Glass color: Brown
Handle riser: Tropical hardwoods
Stabilizer insert



Howatt Cavalier

An excellent choice for the novice. Enjoy a very smooth performer at a most modest price.
Length: 62"
Draw weights to 55 lbs.
Glass colors: Assorted
Handle riser: Maple



Howatt Little John

A well made smaller bow designed for children up to about 10 years of age.
Length: 44"
Draw weights to 30 lbs. at 20"
Glass color: Assorted
Handle riser: Maple

Leather Goods

No. 405 Quiver. Top grain leather. Two straps with ring and belt clip. Large pocket, two division with sleeve on divider strap. 19" long. Black, brown or white, right or left hand.

No. 408 Target Queen Quiver. Ladies' model, 18" long with 4½" x 2" opening, divider strap, zipper pocket, two belt clips, pencil holder. White only. Right or left hand.

No. 409 Target King Quiver. Top grain leather. 20" long, 4½" x 2" opening, divider strap, 8" x 1¼" zipper pocket. Two belt clips, pencil holder. Black or brown. Right or left hand.

No. 412 Rangemaster Quiver. Holds quiver at proper angle. Pencil pocket, zipper pocket 8" x 4" x 1". 20" long with top opening 4" x 2" and bottom 3½" x 1½", divider strap. Brown only. Right or left hand.

No. 428 Large Two-Division Quiver. Top grain cowhide 20½" long, 12" x 5" x 1¼" zipper pocket, knife pocket. Long zipper across top and down one side. Moulded bottom. Easy-on harness. Black only. Right or left hand.

No. 441 Quick Action Hip Style Quiver. Holds 8 arrows in rubber clips. Belt loop has 3 positions on each side for proper angle. Leg tie. Rubber insert in bottom. Made of leather, right or left hand.

No. 444 Fieldmaster Roving or Target Quiver. Contoured for hip hugging fit. Tapered zipper pocket, pencil pocket. Right or left hand. Black only.

No. 445S Roving or Target Quiver. Long double leather belt loop, accessory pocket. Size 6½" taper to 4½" deep, 3½" wide. Black split cowhide, beaver grain finish. Right or left hand.

No. 446 Roving or Target Quiver. Flat style, long double leather belt loop. Zipper pocket 7½" x 3" x 1¼". Divider loops. Top grain cowhide. Black, brown or white. Right or left hand.

No. 480 Target Quiver. Heavy gauge vinyl with leather trim. Comes with ring and clip. 17½" long. Black or white.

No. 483 Waist Style Quiver. Heavy gauge vinyl with leather trim. Ring and belt clips, divider strap, flat pocket. 19" long. Black or white. Right or left hand.

No. 492 Hip Pocket Quiver. 10" long with firm leather back. Slotted to hang from belt, protective flap. Brown or black.

No. 210K Glove. Top grain leather, one piece back, open end tips. Men's sizes S-M-L-XL. Ladies' S-M-L.

No. 225 Glove. Soft cream colored leather, one piece back, closed end style. Men's S-M-L-XL. Ladies' S-M-L.

No. 227 Glove. Soft top grain leather, cream color, closed end tips, elastic insert back. Men's S-M-L-XL. Ladies' S-M-L.

Tabs. Has protective flipper long enough to protect finger from nock pressure. Sizes XS-S-M-L. Right or left hand.

No. 252 Tab. Single thickness top grain cowhide.

No. 100K Arm Guard. Fine cowhide, lined, with steel stay and two elastic loops with hook.

No. 102 Arm Guard. Semi-narrow style of vinyl bonded to leather. Steel stay insert, two elastic straps.

No. 105 Arm Guard. Narrow style made of cowhide, lined, steel stay insert, two adjustable elastic straps. Brown only.

No. 108 Arm Guard. Regular style. Two adjustable straps. Leather lined. Vinyl covered cowhide, spring steel insert. Black, brown or white.

No. 112 Arm Guard. Wide style, vinyl bonded to leather, 1" steel stay. Black only.

No. 122 Arm Guard. Extra wide, vinyl bonded to leather, 1" steel stay, 3 straps, leather lined. Brown or black.

No. 150 Arm Guard. Full arm protection, 13" long with steel stay in forward part. Four adjustable straps. Black only.

No. 151 Arm Guard. Same as No. 150 but 2" shorter. White only.

No. 700 Belt. Top grain leather. Fitted. Black, brown or white. Specify left or right.

Kantpinch Tab. Top grain shell cordovan facing. Available in S-M-L.

Kantpinch Hair Tab. Replaceable hair facing.

Arrows

No. 290 Howatt Arrows. 11/32" shaft matched in spine to 10 lb. with 5" fletch. 32½" length or tapered for broadheads.

No. 400 Howatt Custom Arrows. Finest wood arrow. 5/16" or 11/32" shaft, matched in weight and spine, helical three-fletch. Full length or cut to length with 5° taper for broadheads. Four-fletch available.

Hunter Green Glass Arrows. Attractively finished with colorful crest, three-fletch helical fletch. Specify target point or broadhead adapter and length. Four-fletch available.

Howatt Swift Aluminum Three-Fletch Helical Arrows. Available in sizes 1316, 1616, 1716, 1718, 1816, 1818, 1916, 1918, 2016, 2018, 2020 and 2219.

Easton Aluminum XX75 Arrows. One third greater bend resistance and tremendous tensile strength. Target or broadhead insert. Three-fletch or four-fletch helical fletch.

Easton Aluminum X7 Arrows. Three-fletch helical in sizes 1614, 1616, 1714, 1716, 1814, 1816, 1914, 1916 and 2014.

Special Howatt Rabbit Arrows. Matched to 5 lb. spine and target point installed.

Howatt Flu Flu Arrows. Top quality Port Orford cedar, fully dipped and crested. 5/16" or 11/32" shaft.

Arrow Materials

Swift Aluminum Shafts. Full length, points loose.

Easton Shafts XX75. Full length, points loose or cut to length, points installed.

Easton Shafts X7. Full length, points loose.

No. 1 Port Orford Cedar Shafts. Matched within 5 lb. spine, 11/32" or 5/16". Matched in weight and spine. Also available matched in spine only.

No. 1 Premium Feathers. Left wing only, processed and ready for fletching. White or dyed white.

Index Nocks. 1/4", 9/32", 5/16" and 11/32". White, red, blue, yellow, black, orange and green.

Target Points. 5/16" or 11/32".

Field Points. 5/16" or 11/32" in parallel or 5° taper.

Easton 24SRT-X Fletching Cement. 1¼ oz. tube.

Fletch Tite. For aluminum or glass.

Ferr-L-Tite Cement. Stick or liquid type.

Bowfishing Equipment

Solid Glass Bowfishing Arrows. Rubber lay fletch, point.

Mowhawk "Shoot Thru" Reel. Anodized aluminum, 7" diameter, 50 ft. of 80 lb. line.

Mowhawk Deluxe Reel. Anodized aluminum, 4½" diameter, 50 ft. of 80 lb. line.

Mowhawk Custom Reel. 6" diameter of anodized aluminum with 50 ft. of 80 lb. line.

Sights

Killian Chek-It Sight. Complete line of components.

Reynolds Bow Sight. Anodized aluminum with double adjustment and short mounting bracket for sharp contour handles.

Hunting Points

Bear Razor Heads with Inserts. Razor heads only or inserts only.

Bod-Kin "A" 3-Blade. 11/32", 125 grains.

Bod-Kin "B" 3-Blade. 11/32", 115 grains.

H.T.M. Small Game Standard Head. 125 grains.

H.T.M. Small Game Junior Size. 65 grains.

Strings

Compound Bowstring. Mono center served.

Howatt Custom Bowstrings. Finest Type B Dacron and served with soft twisted Nylon. Full range of weights and lengths.

Howatt Professional Monofilament Center Served Bowstring.

Soft Twist Nylon Serving Thread. Red, green, blue, yellow, black and white.

Dacron Super "B" 50 Bowstring Fibre. White, black, yellow or green.

Bowstring Server. Cotton or soft Nylon serving thread. Red, green, blue, yellow and white.

Tool and Nylon Thread.

Tools and Accessories

Standard Berger Button.

Deluxe Berger Button. Comes with two extra springs, large and small Teflon caps and threaded brass plunger.

Super Berger Button. Same as above but in gold finish.

Quiffer Bow Quiver. Fits all bows, right or left hand, protects broadheads.

Bow Pal Bowstringer. Fits in your pocket.

National String Silencer.

Kisser Button.

Nock-Lock.

Heat Nox Nocking Points.

Brush Buttons. Brush proofs bow, quiets string.

Super Brush Buttons. Made of soft rubber.

Bowtip Protectors.

Horizontal Feather Arrow Rest.

Hoyt Flex Rest, Pro Flex Rest and Super Rest.

Black Hawk Tapering Set. Two main bodies, four bushings.

Accurate Arrow Taper and Tenon Tool. 5/16" or 11/32".

Tex-Tite Bow String Wax. Push out tube.

Arrow Clips. Finest spring steel.

HOWATT Jacket Patch.



You And Your Archery Equipment

Your enjoyment of the wonderful sport of archery will be greatly enhanced if you use care in the selection of the proper equipment. Whether you plan to take up bowhunting, target shooting or simply wish to enjoy some occasional recreational archery, your ability to

Howatt Custom Stabilizer.

A precision engineered archery accessory that provides peak stabilizing efficiency. Finish is a distinctive black and gold. Available in 21½" length weighing 8 ounces and 17½" length, 7 ounces.

Howatt Custom Hunting Stabilizer.

A compact, thoroughly engineered, flexible shaft stabilizer for the bowhunter. This all metal unit is finished in black with the distinctive Howatt gold feature trim.

Howatt Stabilizer Flex-Connect.

The Flex-Connect provides a flexible connection between the Custom Stabilizer and the handle riser. It acts to cushion both limb shock and stabilizer reaction at time of release. Like the Howatt Custom Stabilizer it is finished in black and gold.

Stabilizer Insert. 5/16".



consistently hit the target depends on both you and your equipment.

Essentially, it is the perfection of archery's fundamentals of draw, anchor, aim and release which produce satisfactory results. With hours of practice, you or anyone can become an excellent shot. In the beginning, seek out a competent instructor and take advantage of his knowledge. Have him assist you in developing those essential fundamentals so that your practice sessions will be most productive. Your instructor and your HOWATT dealer will also be helpful in the selection of the proper equipment for the kind of shooting you intend to pursue.

Choosing Your HOWATT Bow

Too often the beginning archer selects a bow that is too heavy. That is, the bow has too heavy a draw weight for the size and strength of the archer. The best way to determine the right draw weight for your bow is to select a weight which you can hold at full draw, without quivering, for 10 seconds. Be sure you're not underestimating your strength before you make the final selection. Once the proper draw weight has been found, you will then match arrows and other equipment to that weight.

Your Arrow Length

To select your proper arrow length, use a special measuring arrow which most dealers have. This arrow is marked off in one inch increments. When your bow is drawn normally, the correct arrow length is indicated on the measuring arrow where it stops at the front of the arrow shelf.

One more thing you should be aware of is the variation in draw weights as they are affected by draw length. Normally, draw weights are calculated at 28" draw. Each inch of draw, either more or less than the standard 28", affects the draw weight by 2 pounds. For example, if you have a 40 pound bow and a 29" draw, you would add 2 pounds to the draw weight. If your draw is only 27" you would subtract the 2 pounds making your actual draw weight 38 pounds. Both your draw and the draw weight of your bow are important in the selection of properly matched arrows.

No Secrets

With the proper bow, matched arrows, and the right accessories for your kind of shooting, it's all up to you. Remember those fundamentals — draw, anchor, aim, and release. There are no secrets to successful archery. With the right equipment, practice, and a consistent application of the fundamentals, the results will be rewarding.

HOWATT GUARANTEE

Each HOWATT bow is fully guaranteed against glass failure or delamination during normal use for one full year and replacement or repairs will be made for 50 percent of the retail cost during the second year.

IMPORTANT — *No adjustment will be made when breakage or failure is due to abuse or mishandling. Otherwise, should failure occur, please contact your dealer or DAMON HOWATT ARCHERY MANUFACTURING CORP., for instructions.*

All prices are F.O.B. Yakima, Washington. Specifications and prices are subject to change without notice.

Terms are net 30 days, however all orders will be shipped C.O.D. unless order is prepaid or open account has been approved by HOWATT.

Minimum order is \$5.00.

No returns will be accepted without proper authorization from HOWATT ARCHERY MANUFACTURING CORP.

We urge all HOWATT bow owners to use a bow stringer to string their bow. In lieu of that, use a method of stringing that will minimize the twisting of the bow limbs — the cause of most bow breakage. Fistmele (brace height) is so dependent upon the style of the shooter that it is impractical to specify fistmele measurements for HOWATT bows. HOWATT bows are equipped with strings that will provide proper fistmele in most cases. Because of a particular shooting style, it may be necessary to tighten the string by twisting it to obtain maximum performance.

All HOWATT bows are made of the finest materials available. These exceptional materials together with more than 25 years of bow making experience are combined to produce the world's best performing and most beautiful line of modern bows.



**DAMON
HOWATT**

Archery Manufacturing, Corp.

P. O. BOX 2637, YAKIMA, WASHINGTON 98902