FIRE ALARM AND EMERGENCY COMMUNICATION SYSTEM RECORD OF COMPLETION

To be completed by the system installation contractor at the time of system acceptance and approval. It shall be permitted to modify this form as needed to provide a more complete and/or clear record.

Insert N/A in all unused lines.

Attach additional sheets, data, or calculations as necessary to provide a complete record.

1.	PROPERTY INFOR	RMATION		
	Name of property:			
	Occupancy type:			
	Address:			
			x:	
	Authority having jurison	diction over this pro	perty:	
				E-mail:
	Installation contractor Address:	for this equipment:		
		for this equipment:		
	License or certification	number:		
				E-mail:
	Address:			
	License or certification	number:		
				E-mail:
	A contract for test and	inspection in accord	lance with NFPA stand	lards is in effect as of:
	Contracted testing com	npany:		
	Address:			
	Phone:	Fa	x:	E-mail:
	Contract expires:	Cont	ract number:	
3.	DESCRIPTION OF	SYSTEM OR SE	RVICE	
	☐ Fire alarm system (nonvoice)		
	-		ncy voice alarm comm	nunication system (EVACS)
	☐ Mass notification sy			(2.1700)
	☐ Combination system		g components:	
	☐ Fire alarm		-	way, in-building, emergency communication system
	☐ Other (specify):	_		

NFPA 72, Fig. 10.18.2.1.1 (p. 1 of 12)

3. DESCRIPTION OF SYSTEM OR SERVICE (continued)

NFPA 72 edition:	Additional desc	ription of sy	ystem(s):
3.1 Control Unit			
Manufacturer:			Model number:
3.2 Mass Notification System			☐ This system does not incorporate an MNS
3.2.1 System Type:			
☐ In-building MNS—combination			
☐ In-building MNS—stand-alone	☐ Wide-area MNS ☐	Distributed	recipient MNS
Other (specify):			
3.2.2 System Features:			
☐ Combination fire alarm/MNS	☐ MNS autonomous contr	rol unit	☐ Wide-area MNS to regional national alerting interface
☐ Local operating console (LOC)	☐ Direct recipient MNS (I	DRMNS)	☐ Wide-area MNS to DRMNS interface
☐ Wide-area MNS to high-power spea	aker array (HPSA) interface	☐ In-build	ding MNS to wide-area MNS interface
Other (specify):			
3.3 System Documentation			
☐ An owner's manual, a copy of the n	nanufacturer's instructions, a	written sec	quence of operation, and a copy of
the numbered record drawings are	stored on site. Location:		
3.4 System Software		This systen	n does not have alterable site-specific software.
Operating system (executive) software	revision level:		
Site-specific software revision date:		Revision	completed by:
☐ A copy of the site-specific software	is stored on site. Location:		
3.5 Off-Premises Signal Transmission	n	☐ This sy	stem does not have off-premises transmission.
Name of organization receiving alarm	signals with phone numbers	:	
Alarm:			Phone:
Supervisory:			Phone:
Trouble:			Phone:
Entity to which alarms are retransmitte	d:		Phone:
Method of retransmission:			
If Chapter 26, specify the means of tra	nsmission from the protected	d premises t	o the supervising station:
If Chapter 27, specify the type of auxil	iary alarm system: Loc	al energy	☐ Shunt ☐ Wired ☐ Wireless

4. CIRCUITS AND PATHWAYS

4.1 Signaling Line Pathways		
4.1.1 Pathways Class Designations	and Survivability	
Pathways class: (See NFPA 72, Sections 12.3 and 12.	Survivability level:	Quantity:
4.1.2 Pathways Utilizing Two or M	lore Media	
Quantity:	Description:	
4.1.3 Device Power Pathways		
☐ No separate power pathways from	the signaling line pathway	
☐ Power pathways are separate but of	of the same pathway classification as the	he signaling line pathway
☐ Power pathways are separate and o	different classification from the signal	ing line pathway
4.1.4 Isolation Modules		
Quantity:		
4.2 Alarm Initiating Device Pathwa	ays	
4.2.1 Pathways Class Designations	and Survivability	
Pathways class: (See NFPA 72, Sections 12.3 and 12.	Survivability level:	Quantity:
4.2.2 Pathways Utilizing Two or M	lore Media	
Quantity:	Description:	
4.2.3 Device Power Pathways		
☐ No separate power pathways from	the initiating device pathway	
☐ Power pathways are separate but of	of the same pathway classification as the	he initiating device pathway
☐ Power pathways are separate and o	different classification from the initiati	ing device pathway
4.3 Non-Voice Audible System Pat	hways	
4.3.1 Pathways Class Designations	and Survivability	
Pathways class: (See NFPA 72, Sections 12.3 and 12.	Survivability level:	Quantity:
4.3.2 Pathways Utilizing Two or M	lore Media	
Quantity:	Description:	
4.3.3 Appliance Power Pathways		
☐ No separate power pathways from	the notification appliance pathway	
☐ Power pathways are separate but of	of the same pathway classification as the	he notification appliance pathway
☐ Power pathways are separate and	different classification from the notific	cation appliance pathway

5. ALARM INITIATING DEVICES

5.1 Manual Initiating Devices 5.1.1 Manual Fire Alarm Boxes ☐ This system does not have manual fire alarm boxes. Type and number of devices: Addressable: Conventional: Coded: Transmitter: Other (specify): 5.1.2 Other Alarm Boxes ☐ This system does not have other alarm boxes. Description: Transmitter: Type and number of devices: Addressable: Conventional: Coded: Other (specify): **5.2 Automatic Initiating Devices** 5.2.1 Smoke Detectors ☐ This system does not have smoke detectors. Type and number of devices: Addressable: Conventional: Other (specify): Type of coverage: Complete area Partial area Nonrequired partial area Other (specify): Other (specify): **5.2.2 Duct Smoke Detectors** ☐ This system does not have alarm-causing duct smoke detectors. Type and number of devices: Addressable: Conventional: Other (specify): Type of coverage: ☐ Photoelectric Type of smoke detector sensing technology: ☐ Ionization ☐ Aspirating ☐ Beam 5.2.3 Radiant Energy (Flame) Detectors ☐ This system does not have radiant energy detectors. Type and number of devices: Addressable: Conventional: Other (specify): Type of coverage: 5.2.4 Gas Detectors ☐ This system does not have gas detectors. Type of detector(s): Number of devices: Addressable: Conventional: Type of coverage: **5.2.5 Heat Detectors** ☐ This system does not have heat detectors. Type and number of devices: Addressable: Conventional:

Type of coverage:
Complete area Partial area Nonrequired partial area Linear Spot

Type of heat detector sensing technology: Fixed temperature Rate-of-rise Rate compensated

5. ALARM INITIATING DEVICES (continued) 5.2.6 Addressable Monitoring Modules ☐ This system does not have monitoring modules. Number of devices: 5.2.7 Waterflow Alarm Devices ☐ This system does not have waterflow alarm devices. Type and number of devices: Addressable: Conventional: Coded: Transmitter: 5.2.8 Alarm Verification ☐ This system does not incorporate alarm verification. Number of devices subject to alarm verification: Alarm verification set for 5.2.9 Presignal ☐ This system does not incorporate pre-signal. Number of devices subject to presignal: Describe presignal functions: 5.2.10 Positive Alarm Sequence (PAS) ☐ This system does not incorporate PAS. Describe PAS: **5.2.11 Other Initiating Devices** ☐ This system does not have other initiating devices. Describe: 6. SUPERVISORY SIGNAL-INITIATING DEVICES **6.1 Sprinkler System Supervisory Devices** ☐ This system does not have sprinkler supervisory devices. Type and number of devices: Addressable: Conventional: Coded: Transmitter: Other (specify): 6.2 Fire Pump Description and Supervisory Devices ☐ This system does not have a fire pump. Type fire pump: ☐ Electric pump ☐ Engine Type and number of devices: Addressable: Conventional: Coded: Transmitter: Other (specify): **6.2.1 Fire Pump Functions Supervised** ☐ Power ☐ Running ☐ Phase reversal ☐ Selector switch not in auto ☐ Engine or control panel trouble ☐ Low fuel Other (specify): 6.3 Duct Smoke Detectors (DSDs) ☐ This system does not have DSDs causing supervisory signals. Type and number of devices: Addressable: Conventional: Other (specify): Type of coverage: Type of smoke detector sensing technology: Innization Photoelectric Aspirating Beam **6.4 Other Supervisory Devices** ☐ This system does not have other supervisory devices. Describe:

7. MONITORED SYSTEMS 7.1 Engine-Driven Generator ☐ This system does not have a generator. 7.1.1 Generator Functions Supervised ☐ Engine or control panel trouble ☐ Generator running ☐ Selector switch not in auto ☐ Low fuel ☐ Other (specify): 7.2 Special Hazard Suppression Systems ☐ This system does not monitor special hazard systems. Description of special hazard system(s): 7.3 Other Monitoring Systems ☐ This system does not monitor other systems. Description of special hazard system(s): 8. ANNUNCIATORS ☐ This system does not have annunciators. 8.1 Location and Description of Annunciators Location 1: Location 2: Location 3: 9. ALARM NOTIFICATION APPLIANCES 9.1 In-Building Fire Emergency Voice Alarm Communication System ☐ This system does not have an EVACS. Number of single voice alarm channels: Number of multiple voice alarm channels: Number of speakers: Number of speaker circuits: Location of amplification and sound-processing equipment: Location of paging microphone stations: Location 1: Location 2: Location 3: 9.2 Nonvoice Notification Appliances ☐ This system does not have nonvoice notification appliances. Horns: With visible: Bells: With visible: Chimes: With visible: Visible only: Other (describe): 9.3 Notification Appliance Power Extender Panels ☐ This system does not have power extender panels. Quantity:

Locations:

10. MASS NOTIFICATION	ON CONTROLS, APPLIANCES	S, AND CIRCUITS	n does not have an MNS.
10.1 MNS Local Operat	ting Consoles		
Location 1:			
Location 2:			
Location 3:			
10.2 High-Power Speak	er Arrays		
Number of HPSA speaker	r initiation zones:		
Location 1:			
Location 2:			
Location 3:			
10.3 Mass Notification I	Devices		
Combination fire alarm/N	INS visible appliances:	MNS-only visible appliance	ces:
Textual signs:	Other (describe):		
Supervision class:			
10.3.1 Special Hazard N	Votification		
☐ This system does not h	nave special suppression predischarge	e notification.	
☐ MNS systems DO NO predischarge notificati		quired to provide special suppression	
11. TWO-WAY EMERG	ENCY COMMUNICATION SYS	STEMS	
11.1 Telephone System		☐ This system does not have a two-	way telephone system.
Number of telephone jack	cs installed:	Number of warden stations installed	d:
Number of telephone han	dsets stored on site:		
Type of telephone system	installed:	I ☐ Sound powered	
11.2 Two-Way Radio C	communications Enhancement Sys	tem	
☐ This system does not h	nave a two-way radio communication	ns enhancement system.	
Percentage of area covere	ed by two-way radio service: Critica	al areas: % General buildi	ing areas: %
Amplification component	locations:		
Inbound signal strength:	dBm	Outbound signal strength:	dBm
Donor antenna isolation is	s: dB abov	re the signal booster gain	
Radio frequencies covere	d:		
Radio system monitor par	nel location:		

11. TWO-WAY EMERGENCY COMMUNICATION SYSTEMS (continued)

This system does not have an area of r	refuge (area of rescue assistance) emergency communications system.
Number of stations:	Location of central control point:
Days and hours when central control poin	•
•	
	pint is attended:
11.4 Elevator Emergency Communicat	
☐ This system does not have an elevator	
Number of elevators with stations:	Location of central control point:
Days and hours when central control poin	<u> </u>
Location of alternate control point:	
	pint is attended:
11.5 Other Two-Way Communication Describe:	Systems
12. CONTROL FUNCTIONS	
This system activates the following control	ol fuctions:
☐ Hold-open door releasing devices	☐ Smoke management ☐ HVAC shutdown ☐ F/S dampers
☐ Door unlocking ☐ Elevator recal	l Fuel source shutdown Extinguishing agent release
☐ Elevator shunt trip ☐ Mass notifi	ication system override of fire alarm notification appliances
Other (specify):	
12.1 Addressable Control Modules	☐ This system does not have control modules.
Number of devices:	
Number of devices: Other (specify):	
Other (specify):	
Other (specify): 13. SYSTEM POWER	
Other (specify): 13. SYSTEM POWER 13.1 Control Unit 13.1.1 Primary Power	Control panel amps:
Other (specify): 13. SYSTEM POWER 13.1 Control Unit 13.1.1 Primary Power Input voltage of control panel:	Control panel amps: Amps:
Other (specify): 13. SYSTEM POWER 13.1 Control Unit 13.1.1 Primary Power Input voltage of control panel:	Amps:
Other (specify): 13. SYSTEM POWER 13.1 Control Unit 13.1.1 Primary Power Input voltage of control panel: Overcurrent protection: Type: Location (of primary supply panel board)	Amps:
Other (specify): 13. SYSTEM POWER 13.1 Control Unit 13.1.1 Primary Power Input voltage of control panel: Overcurrent protection: Type: Location (of primary supply panel board)	Amps:
Other (specify): 13. SYSTEM POWER 13.1 Control Unit 13.1.1 Primary Power Input voltage of control panel: Overcurrent protection: Type: Location (of primary supply panel board) Disconnecting means location:	Amps:

NFPA 72, Fig. 10.18.2.1.1 (p. 8 of 12)

13. SYSTEM POWER (continued)

13.1.3 Uninterruptible Power System	☐ This system does not have a UPS.
Equipment powered by a UPS system:	
Location of UPS system:	
Calculated capacity of UPS batteries to drive the system	n components connected to it:
In standby mode (hours):	In alarm mode (minutes):
13.1.4 Batteries	
Location: Type:	Nominal voltage: Amp/hour rating:
Calculated capacity of batteries to drive the system:	
In standby mode (hours):	In alarm mode (minutes):
☐ Batteries are marked with date of manufacture	☐ Battery calculations are attached
13.2 In-Building Fire Emergency Voice Alarm Com	nmunication System or Mass Notification System
☐ This system does not have an EVACS or MNS system	em.
13.2.1 Primary Power	
Input voltage of EVACS or MNS panel:	EVACS or MNS panel amps:
Overcurrent protection: Type:	Amps:
Location (of primary supply panel board):	
Disconnecting means location:	
13.2.2 Engine-Driven Generator	☐ This system does not have a generator.
Location of generator:	
Location of fuel storage:	Type of fuel:
13.2.3 Uninterruptible Power System	☐ This system does not have a UPS.
Equipment powered by a UPS system:	
Location of UPS system:	
Calculated capacity of UPS batteries to drive the system	n components connected to it:
In standby mode (hours):	In alarm mode (minutes):
13.2.4 Batteries	
Location: Type:	Nominal voltage: Amp/hour rating:
Calculated capacity of batteries to drive the system:	
In standby mode (hours):	In alarm mode (minutes):
☐ Batteries are marked with date of manufacture	☐ Battery calculations are attached

13. SYSTEM POWER (continued)

13.3 Notification Appliance Power Ex	tender Panels [☐ This system does not have power extender panels.
13.3.1 Primary Power		
Input voltage of power extender panel(s): P	ower extender panel amps:
Overcurrent protection: Type:	A	amps:
Location (of primary supply panel board	l):	
Disconnecting means location:		
13.3.2 Engine-Driven Generator		☐ This system does not have a generator.
Location of generator:		
Location of fuel storage:	T	Type of fuel:
13.3.3 Uninterruptible Power System		☐ This system does not have a UPS.
Equipment powered by a UPS system:		
Location of UPS system:		
Calculated capacity of UPS batteries to	drive the system components cor	nnected to it:
In standby mode (hours):	In alarm	mode (minutes):
13.3.4 Batteries		
Location:	ype: Nominal	voltage: Amp/hour rating:
Calculated capacity of batteries to drive	the system:	
In standby mode (hours):	In alarm	mode (minutes):
☐ Batteries are marked with date of ma	nufacture	lations are attached
4. RECORD OF SYSTEM INSTAL	LATION	
Fill out after all installation is complete branching, but before conducting opera		r opens, shorts, ground faults, and improper
This is a: ☐ New system ☐ Mod	lification to an existing system	Permit number:
The system has been installed in accord	ance with the following requiren	nents: (Note any or all that apply.)
•		
□ NFPA 72, Edition:		
•	Article 760, Edition:	
□ NFPA 72, Edition:		
□ NFPA 72, Edition: □ NFPA 70, National Electrical Code,		
□ NFPA 72, Edition: □ NFPA 70, National Electrical Code, □ Manufacturer's published instruction	ns	
□ NFPA 72, Edition: □ NFPA 70, National Electrical Code, □ Manufacturer's published instruction Other (specify):	ns	Date:

☐ New system All operational features and functions of this system were tested by, or in the presence of, the signer shown below, on the date shown below, and were found to be operating properly in accordance with the requirements for the following: ☐ Modifications to an existing system All newly modified operational features and functions of the system were tested by, or in the presence of, the signer shown below, on the date shown below, and were found to be operating properly in accordance with the requirements of the following: ☐ *NFPA 72*, Edition: ☐ *NFPA 70, National Electrical Code,* Article 760, Edition: ☐ Manufacturer's published instructions Other (specify): ☐ Individual device testing documentation [Inspection and Testing Form (Figure 14.6.2.4) is attached] Signed: Printed name: Date: Title: Phone: Organization: 16. CERTIFICATIONS AND APPROVALS 16.1 System Installation Contractor: This system, as specified herein, has been installed and tested according to all NFPA standards cited herein. Signed: Printed name: Date: Organization: Title: Phone: **16.2 System Service Contractor:** The undersigned has a service contract for this system in effect as of the date shown below. Signed: Printed name: Date: Title: Phone: Organization: 16.3 Supervising Station: This system, as specified herein, will be monitored according to all NFPA standards cited herein. Signed: Printed name: Date: Title: Phone: Organization:

15. RECORD OF SYSTEM OPERATIONAL ACCEPTANCE TEST

16. CERTIFICATIONS AND APPROVALS (continued)

16.4 Property or Owner Representative:

I accept this system as having been installed and tested to its specifications and all NFPA standards cited herein.

Signed:	Printed name:	Date:
Organization:	Title:	Phone:
16.5 Authority Having Jurisd	liction:	
1		
	acceptance test of this system and find it to be install plans and specifications, with its approved seque	
n accordance with its approved		