

EnviroMatrix



Analytical, Inc.

14 August 2017

Wynola Water District
Attn: Tim Taschler
PO Box 193
Santa Ysabel, CA 92070

EMA Log #: 17H0168

Project Name: WYNOLA WATER DISTRICT
Project Desc./#: PS 3701837 / 4860 Meadowridge

Enclosed are the results of analyses for samples received by the laboratory on 08/04/17 12:55. Samples were analyzed pursuant to client request utilizing EPA or other ELAP approved methodologies. I certify that this data is in compliance both technically and for completeness.

A handwritten signature in black ink, appearing to read 'Dan Verdon', is written over a light gray circular stamp.

Dan Verdon
Laboratory Director

CA ELAP Certification #: 2564

4340 Viewridge Avenue, Suite A - San Diego, California 92123 - (858) 560-7717 - Fax (858) 560-7763
Analytical Chemistry Laboratory

Client Name: Wynola Water District
Project Name: WYNOLA WATER DISTRICT

EMA Log #: 17H0168

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
4860 Meadowridge	17H0168-01	Grnd-Water	08/04/17 11:00	08/04/17 12:55

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.

Client Name: Wynola Water District
Project Name: WYNOLA WATER DISTRICT

EMA Log #: 17H0168

Microbiological Parameters by Standard Methods

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Date Prepared Date Analyzed	Method	Notes
4860 Meadowridge (17H0168-01) Grnd-Water Sampled: 08/04/17 11:00 Received: 08/04/17 12:55								
Total Coliforms	Absent		None	1	7080419	08/04/17 13:24 08/05/17 14:31	SM9223	
E. Coli	Absent		"	"	"	08/04/17 13:24 08/05/17 14:31	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.

Client Name: Wynola Water District
Project Name: WYNOLA WATER DISTRICT

EMA Log #: 17H0168

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
RPD Relative Percent Difference

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.

CHAIN-OF-CUSTODY RECORD



- EnviroMatrix Analytical, Inc.

4340 Viewridge Ave., Ste. A - San Diego, CA 92123 - Phone (858) 560-7717 - Fax (858) 560-7763

EMA LOG #: _____

Client: WYNOLA WATER DISTRICT

Attn: TIM TASCHLER

Samplers(s): TIM TASCHLER

Address: PO BOX 193, SANTA YSABEL, CA 92070

Phone: 760-315-6300

Fax: _____

Email: WYNOLAWATER@GMAIL.COM

Billing Address: PO BOX 193, SANTA YSABEL, CA 92070

Project ID: _____

Project #: _____

PO #: _____

ID #	Client Sample ID	Sample Date	Sample Time	Sample Matrix	Container # / Type
1	4860 Meadowridge	4-Aug	11:00	GW	
2					
3					
4					
5					
6					
7					
8					
9					
10					

Matrix Codes: A = Air, DW = Drinking Water, GW = Groundwater, SW = Storm Water
 WW = Wastewater, S = Soil, SED = Sediment, SD = Solid, T = Tissue, O = Oil, L = Liquid

Shipped By: Courier UPS FedEx USPS Client Drop Off Other

Turn-Around-Time: Same Day 1 day 2 day 3 day 4 day 5 day STD (7 day)

Reporting Requirements: Fax PDF Excel Geotracker/EDF Hard Copy EDT

Sample Disposal: By Laboratory Return to Client: P/U or Delivery Archive

Sample Integrity

Containers Properly Preserved: Yes No N/A

Custody Seals Intact: Yes No N/A

COC/Labels Agree: Yes No N/A

Sampled By: Cheri EMA Autosampler

Requested Analysis

<input type="checkbox"/> Oil & Grease <input type="checkbox"/> 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/> 1664	<input type="checkbox"/> 8015 (TPH) <input type="checkbox"/> Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Ext	<input type="checkbox"/> 624/8260 (VOC) Full BTXE MTBE Oxy Nap	<input type="checkbox"/> 625 / 8270 (SVOC) <input type="checkbox"/> PAH only	<input type="checkbox"/> 608 / 8081 (Organochlorine Pesticides)	<input type="checkbox"/> 608 / 8082 (Polychlorinated Biphenyls)	<input type="checkbox"/> 8141 (Organophosphorus Pesticides)	<input type="checkbox"/> TBT (Organotin Compounds)	<input type="checkbox"/> pH <input type="checkbox"/> EC <input type="checkbox"/> TSS <input type="checkbox"/> TDS	<input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> TKN <input type="checkbox"/> NH3	<input type="checkbox"/> CAC Title 22/CAM17 Metals <input type="checkbox"/> TLLC <input type="checkbox"/> STLC	<input type="checkbox"/> TCLP (RCRA) <input type="checkbox"/> Metals <input type="checkbox"/> Organics	<input type="checkbox"/> Cd <input type="checkbox"/> Cr <input type="checkbox"/> Cu <input type="checkbox"/> Pb <input type="checkbox"/> Ni <input type="checkbox"/> Ag <input type="checkbox"/> Zn <input type="checkbox"/> Dissolved	<input type="checkbox"/> Coliform, <input type="checkbox"/> Total (MTF) <input type="checkbox"/> Fecal (MTF)	<input checked="" type="checkbox"/> Coliform, T+E, Coli <input type="checkbox"/> P/A <input type="checkbox"/> Enumeration	<input type="checkbox"/> Enterococcus, <input type="checkbox"/> MTF <input type="checkbox"/> Enterolent	<input type="checkbox"/> Heterotrophic Plate Count (HPC)	<input type="checkbox"/> BOD <input type="checkbox"/> COD <input type="checkbox"/> Cyanide
---	---	--	--	---	---	---	--	---	---	--	--	--	--	---	---	--	--

DELIVERED BY

Signature: Tim Taschler

Print: _____

Company: _____

RECEIVED BY

Signature: Wm Milamaya

Print: _____

Company: EMA

DATE/TIME

8/4/17
12:55

Sample Integrity

Containers Properly Preserved: Yes No N/A

Custody Seals Intact: Yes No N/A

COC/Labels Agree: Yes No N/A

Sampled By: Cheri EMA Autosampler

Please copy DEH on results: **Jamelle McCullough**

Jamelle.McCullough@sdcountry.ca.gov

*Additional costs may apply. Please note there is a \$35 minimum charge for all clients.
 *EMA reserves the right to return any samples that do not match our waste profile.
 NOTE: By relinquishing samples to EMA, Inc., client agrees to pay for the services requested on this COC form and any additional analyses performed on this project. Payment for services is due within 30 days from date of invoice. Samples will be disposed of 7 days after report has been finalized unless otherwise noted. All work is subject to EMA's terms and conditions.