#### 3-M SUPER 33 VINYL ELECTRICAL TAPE

- Resistant to flame, abrasion, moisture, alkalines, solvents, oil and many acids.
- Wraps and holds in all weather.
- Good to 105°C (220°F).

J&B #	SIZE	QTY
9473	3/4" x 52'	EA
9483	3/4" x 52'	10/SLV

<sup>\*</sup> UL listed



#### 3-M SUPER 88 VINYL ELECTRICAL TAPE

- Thicker for heavy-duty use / withstands harsh conditions Super strong adhesion.
- Resistant to flame, abrasion, moisture, alkalines, solvents, oil and many acids.
- Wraps and holds in all weather.
- Good to 105°C (220°F).

J&B #	SIZE	QTY
9587	3/4" x 66'	EA
9588	3/4" x 66'	10/SLV

<sup>\*</sup> UL listed

# Scotch HEAVY-DUTY GRADE Vinyl Electrical Tape Super 88 • Thicker for heavy-duty use • Withstands harsh conditions • Super strong adhesion • Withstands harsh conditions • Super strong adhesion • Wither the party day use • Withstands harsh conditions • Super strong adhesion • Wither the party day and the party d

#### 3-M 1776 TEMFLEX VINYL ELECTRICAL TAPE

 Excellent resistance to abrasion, moisture, acid, copper, corrosion and varying weather conditions.

J&B #	SIZE	QTY
21117	3/4" x 60'	EA
21118	3/4" x 60'	10/SLV

<sup>\*</sup> UL listed





04-27-17 PAGE 460

#### **COLORED ELECTRICAL TAPE**

J&B#	SIZE	COLOR	QTY
21125	3/4" x 66'	GREEN	EA
21126	3/4" x 66'	WHITE	EA
21127	3/4" x 66'	ORANGE	EA
21128	3/4" x 66'	RED	EA
21129	3/4" x 66'	YELLOW	EA
21130	3/4" x 66'	GRAY	EA
21131	3/4" x 66'	BLUE	EA



#### **BRUSH-ON ELECTRICAL TAPE**

- Use anywhere a dependable weatherproof connection is required.
- Forms a tough, flexible coating on metal, rubber and plastic.
- Great for hard to tape places.

J&B #	QTY
38818	EA



# ELECTRICAL MOISTURE SEALANT PADS 3M SCOTCH

- Vinyl mastic pad is one-stop solution for insulating & moisture sealing connections.
- Aggressive mastic seals and pads connection.
- Tough vinyl backing protects connection from abrasion.

J&B #	SIZE	THICKNESS	QTY
20601	2-1/2" x 2-1/2"	.045 in.	25

<sup>\*\*</sup>Cannot break box







09-17-15 PAGE 460A


#### **COLD SHRINK TAPE**

- Cold shrink tape is an ideal covering for cable lugs, splices and terminations.
- The tape "welds" itself chemically and mechanically to form a tough seal against weather and moisture.
- Can be used in temperatures from -40°C to 100°C.



J&B #	SIZE	QTY
40880	1" x 30'	EA


#### TO APPLY COLD SHRINK TAPE:



After stripping off interleaving film, stretch tape about three times normal length. Keep it stretched while wrapping.



Wrap one inch either side of area to be taped, overlapping each wrap at least one-half tape width. Break tape to end wrap.



Finished job should look like this. The cold shrink tape forms a tough watertight skin.

#### **CAUTION TAPE**

- Material is plastic.
- · Color text is black.

J&B#	COLOR	LENGTH	WIDTH	QTY
59110	YELLOW	1000'	3"	EA



#### WHITE DUCT TAPE

**3M** 

- White, multi-purpose duct tape, durable, waterproof backing & tears easily.
- Applies smoothly and holds well on curved surfaces.



J&B #	WIDTH	COLOR	LENGTH	QTY
48000	1.88"	WHITE	60 YDS.	EA





#### **EXTRA HEAVY DUTY DUCT TAPE**

#### **3M**

- Consists of polyethylene film over a dense cloth scrim with an aggressive rubber adhesive.
- · Moisture resistant backing that tears easily by hand.
- 200°F (93°C) temperature rating.
- Tape thickness is 10.7 mil.

J&B #	WIDTH	COLOR	LENGTH	QTY
20556	1.88"	SILVER	60 YDS.	EA



#### **HEAVY DUTY DUCT TAPE**

#### **3M**

- Composed of a waterproof polyethylene film over cloth scrim backing with a rubber adhesive.
- Moisture resistant backing that tears easily by hand.
- 200°F (93°C) temperature rating.
- Tape thickness is 9.0 mil.

J&B #	WIDTH	COLOR	LENGTH	QTY
42108	1.88"	SILVER	60 YDS.	EA

#### 3939 3939 3939 3939 3939 3939

# PRO STRENGTH DUCT TAPE 3M

- Multipurpose duct tape, durable, waterproof backing & tears easily.
- Applies smoothly & holds well on curved surfaces.
- Professional grade, for light industrial & HVAC applications.
- Meets 723 standards, HUD & Bocca Codes.

J&B #	WIDTH	COLOR	LENGTH	QTY
47000	1.88"	SILVER	60 YDS.	EA





09-17-15 PAGE 462

#### **AUTOMOTIVE REFINISH MASKING TAPE**

3M - Scotch

- The superior masking tape designed expressly for the professional auto refinish painter.
- Tape is conformable; hugs curves and contours.
- Goes on quick and easy; sticks at a touch and stays put.


J&B #	SIZE	SCOTCH#	COLOR	QTY
9469	3/4" x 60 yd.	233+	GREEN	EA
9479	3/4" x 60 yd.	233+	GREEN	12/SLV
41199	1" x 60 yd.	232	TAN	9/SLV
9471	2" x 60 yd.	233+	GREEN	EA
9481	2" x 60 yd.	233+	GREEN	3/SLV



#### **ECONOMY MASKING TAPE**

- Used for holding, bundling, sealing, non-critical masking and a vast number of other jobs where a pressure-sensitive tape is needed.
- Do not subject it to outdoor or UV exposure.

I	J&B #	SIZE	BRAND	COLOR	QTY
ĺ	41198	1" x 60 yd.	3M 200	TAN	9/SLV
	*9195	2" x 60 yd	SHURTAPE	TAN	EA





#### **GORILLA TAPE**

- Double-thick adhesive grips smooth, rough & uneven surfaces.
- Heavy duty cloth backing for added strength & heft.
- Rugged outer shell withstands moisture, UV rays & temperature extremes better than other tapes.
- Sticks to wood, stone, stucco, plaster, brick & more.
- Tape thickness is 10.8 mil.

J&B #	WIDTH	COLOR	LENGTH	QTY
43250	1.88"	BLACK	35 YDS.	EA





06-02-16 PAGE 463

#### **PACKAGING TAPE**

#### Polyvinyl Chloride

- Pressure sensitive tape with superior strength to seal cartons more securely, neater and faster than paper gummed tapes.
- Tensile strength of 25 lbs. per inch width plus an adhesion of 35 oz. per inch for a faster, tighter, cleaner, stronger carton bond.



J&B #	WIDTH	COLOR	LENGTH	QTY
22292	2"	TAN	55 YDS.	EA
22294	2"	CLEAR	55 YDS.	EA

#### **PACKAGING TAPE**

3M 3750

- Scotch superior performance packaging tape used for heavy duty packaging applications.
- Temperature rating short term: 151 F 65 C
- Has high strength Scotchpro backing which reduces closure failures during shipping and storage.

J&B #	WIDTH	COLOR	LENGTH	QTY
* 22296	2"	CLEAR	55 YDS.	6/SL

<sup>\*</sup> MUST ORDER BY SLEEVE ONLY



#### **FILAMENT TAPE**

"Glass Reinforced"

- Outstanding shear resistance.
- Ideal for:
  - \* strapping
    \* packaging
    \* reinforcing
    \* bundling
    \* holding
    \* unitizing
    \* closing
    \* wrapping
    \* palletizing

J&B #	WIDTH	LENGTH	QTY
20785	1"	60 YDS.	EA





Polyester film - glass reinforced




04-21-11 PAGE 464

#### **TAPE DISPENSER**

"Professional Duty"

- Heavy duty construction; metal and tough plastic with special 'Non-Stick' rubber roller wheel.
- Pistol grip handle and flexible plastic guide for faster more efficient taping.
- Dispenser holds tape rolls up to 60 yards long & 2 inches wide.



#### STRETCH FILM Nifty

- 18" x 1500' "shrink wrap."
- On 3" core for palletizing.



J&B #	QTY
9485	EA

#### STRETCH FILM DISPENSER

Nifty

- Portable stretch wrap dispenser.
- Holds 12", 15" or 18" film rolls on 3" core.

		<	-
	1		
I	7. (	58	2

J&B #	PFI#	QTY
NON STOCK	PFI 4915000	EA

7-21-11 PAGE 464A



#### **HIGH DENSITY TEFLON TAPE**

**Thread Sealant** 

- High density, .0035 thick.
- Designed to combat problems caused by inferior imported tape on the market today.
- Even seals on stainless or coarse threads.
- Will not dry out in storage or use.

J&B#	DESCRIPTION	QTY
9702	1/2 x 260"	EA
9704	3/4 x 260"	EA
38458	1/2 x 520"	EA



#### **FRICTION TAPE**

J&B #	DESCRIPTION	QTY
40879	3/4 x 60'	EA



02-22-18 PAGE 465




#### **CONSPICUITY TAPE**

**Avery Dennison** 

- High performance vehicle conspicuity tape.
- Superior outdoor durability and protection against weather, dirt and time.
- Easy application.
- DOT-C2 and NHTSA (49 CRF 571) approved.

J&B #	COLOR	SIZE	QTY
V46432	Red = 11"	2" x 50 YD	RL
	White = 7"		





8-3-12 PAGE 465A

# **MEASURING TAPES**

#### **LUFKIN**

- Top position toggle lock.
- Virtually unbreakable end hook.
- Comfortable, rounded high-impact orange case.

J&B #	SIZE	QTY
46000	1/2" x 12'	EA



#### **LUFKIN**

#### High Visibility

- Rounded design fits hand comfortably.
- Reinforced end hook. Toggle lock button.
- Shock-absorbing bumper.

J&B #	SIZE	COLOR	QTY
R2012706	1" x 25'	ORANGE	EA



#### **STANLEY**

#### **PowerLock**

- Stud markings every 16".
- Mylar-protected blade.
- Belt clip.


J&B#	SIZE	COLOR	QTY
R22475	3/4" x 16'	CHROME	EA





08-15-13

- BUILT TOOLBOX TOUGH. Rayovac Industrial lights are encased in water resistant, nonconductive polypropylene that's shock proof, chemical proof and grease proof. The lens is unbreakable and scratch resistant.
- SUPERIOR LIGHT PERFORMANCE. Advanced design prismatic reflector projects a concentrated spot for detail work and a powerful long range beam.
- PERFORMS LONGER. Unique shock-absorbing design buffers the bulb against impact when dropped, for extended life.



#41871 Magnetic Industrial Flashlight #39380 Industrial Flashlight #39382
Orange Safety Industrial Flashlight



#41184 Roughneck (With Spot-to-Flood-Focus)

J&B #	BATTERY SIZE	DESCRIPTION	QTY
39380	2 Cell D-Size	Industrial Flashlight	EA
41871	2 Cell D-Size	Magnetic Industrial Flashlight	EA
39382	2 Cell D-Size	Orange Safety Industrial Flashlight	EA
41184	2 Cell AA-Size	Roughneck with spot/flood focus	EA



5-16-02 PAGE 468

# **MEASURING TAPES**

#### **LUFKIN**

- Top position toggle lock.
- Virtually unbreakable end hook.
- Comfortable, rounded high-impact orange case.

J&B #	SIZE	QTY
46000	1/2" x 12'	EA



#### **LUFKIN**

High Visibility

- Rounded design fits hand comfortably.
- Reinforced end hook. Toggle lock button.
- Shock-absorbing bumper.

J&B #	SIZE	COLOR	QTY
R2012706	1" x 25'	ORANGE	EA



#### **STANLEY**

PowerLock

- Stud markings every 16".
- Mylar-protected blade.
- Belt clip.

J&B#	SIZE	COLOR	QTY
R22475	3/4" x 16'	CHROME	EA





08-15-13 PAGE 466

#### **SUNLITE PEN FLASHLITE**

- 3-watt LED Penlight
- Uses and comes with 2 AAA batteries.

J&B #	COLOR	MFR.#	QTY
V46050	Black	SNLSM3WW13	EA



12-20-18 PAGE 468B



#### L.E.D. FLASHLIGHT

- 3 super bright white L.E.D's
- Resistant to water, chemicals, oil & corrosion
- 7 foot drop tested. Non roll. Hang hook.
- Uses and comes with 2 D batteries.

J&B #	COLOR	MFR.#	QTY
39451	Yellow	I2DLED-B	EA





05-23-19 PAGE 468C

#### **4D CAMPER LANTERN**

Sportsman

- Bright krypton 360 degree light.
- Floating area lantern. Weather resistant.
- Uses 4 D batteries.

J&B #	COLOR	MFR.#	QTY
39446	Green	SP4D-KB	EA







#### L.E.D. ROUGHNECK

- 200 Lumens XR-E LED. Durable Machined Aluminum body.
- Adjustable spot-to-flood beam. Holster included.
- Uses and comes with 3 AAA batteries.

J&B #	COLOR	MFR.#	QTY
39447	Black	RNT3AAA-B	EA



#### L.E.D. ROUGHNECK

- 120 Lumens LED. Custom optics for long range or flood use.
- Adjustable spot-to-flood beam. Focus control switch.
- Uses and comes with 4 AA batteries.

J&B #	COLOR	MFR.#	QTY
39444	Black	RNF4AA-B	EA





04-07-16 PAGE 468E

# **BATTERIES**

#### **DURACELL PROCELL**

- Contains no added mercury.
- Dependable, long lasting power with up to a 7-year freshness guarantee.

 Lasts up to 10 times longer than super heavy duty and carbon zinc batteries in power demanding applications.

J&B #	SIZE	TYPE	QTY
10000	9V	Alkaline	12/BX
10001	AA	Alkaline	24/BX
10002	D	Alkaline	12/BX
10004	С	Alkaline	12/BX
10005	AAA	Alkaline	24/BX



**\*SOLD IN FULL BOXES ONLY** 



02-27-15 PAGE 468F

# **BATTERIES**

# RAY(YVAC\*

- Rayovac industrial batteries are built to exceed the performance demands of industrial usage.
- The new date-coded package highlights long storage life, up to five years on alkaline and four years on heavy duty.
- Rayovac industrial batteries contain the industry's ultra low mercury content.

J&B #	SIZE	TYPE	QTY
* 40348	AAAA	Alkaline	2/BX
40350	AAA	Alkaline	8/BX
40352	AA	Alkaline	8/BX
40354	9V	Alkaline	6/BX
40356	С	Alkaline	6/BX
40358	D	Alkaline	6/BX
39080	6V	Heavy Duty Lantern	EA



#### **DURACELL**

J&B #	SIZE	TYPE	QTY
V56994	AAA	Alkaline	8/BX
V56995	AA	Alkaline	8/BX
V56996	9V	Alkaline	2/BX
V56997	С	Alkaline	4/BX
V56998	D	Alkaline	4/BX



#### **ELECTRONIC BATTERIES**

Lithium watch, calculator, remote keyless entry batteries.

J&B #	SIZE	QTY
57047	A23	6/BX
38978	303/357	6/BX
V57040	1616	6/BX
V57041	1620	6/BX
V57045	1632	6/BX
V57042	2016	6/BX
V57043	2025	6/BX
V57044	2032	6/BX







10-16-14 PAGE 469




<sup>\*</sup> Energizer

## **ABSORBENTS**

#### **OIL DRY**

- All purpose absorbent. Absorbs like a sponge.
- Lightweight and easy to apply.
- Non-toxic, non-corrosive & non-combustible.




#### **APPLICATIONS:**

Automotive garages \* Workshops \* Clean-ups \* Industrial-spill clean-ups \* Control \* Containment \* Absorbs most liquids

J&B #	SIZE	QTY
48090	40LBS	EA

#### **OIL SORBENT PAD**

- Designed to contain and control petroleum based fluids.
- They repel water while absorbing oil and petroleum based liquids.
- They won't deteriorate, disintegrate or sink even if left in water for months.
- Dimpled and perfed.



<sup>\*</sup> No broken boxes

#### **SORBENT ROLL**

- A tough, universal 3-ply construction perfect for use as a mat in high traffic areas.
- A durable, abrasion resistant upper layer.
- Perforations to help you use only what you need reduces waste.



J&B #	SIZE	DESCRIPTION	QTY
48086	30" x 300'	Medium weight, double-perfed roll	RL



05-07-09 PAGE 469A

# **ABSORBENTS**

#### **GP™ SORBENTS**

- General purpose maintenance pads can be used to clean up virtually all liquid.
- Constructed of high quality dimpled universal polypropylene.
- Grey in color to help hide the dirt.
- Economy weight.



<sup>\*</sup> No broken boxes

#### **DRUM TOP COVERS**

- Pre-cut to fit 55-gallon drums either with 1 or 2 bungholes.
- Keeps drums, floor and surrounding areas clean.
- For all liquids.
- Color gray.



<sup>\*</sup> No broken boxes






02-27-14 PAGE 470

## RAZOR KNIVES

#### **SAFETY SCRAPER**


- Holds single edge razor blades. Push-pull action exposes blade for scraping - retracts it when not in use.
- Overall size: 4" x 1-5/8".
- Use for scraping, trimming and cutting.



J&B #	QTY
38970	EA

#### **BOX CUTTERS**


- Light-weight compact all steel slide cutter with a dual purpose scraper back.
- Inexpensive blade can be reversed or changed in seconds.



J&B #	QTY
38971	3

#### SINGLE EDGE BLADES

- Single edge surgical hone for industrial and general shop use.
- Can be used with J&B #38970 & J&B #38971.



J&B #	QTY
20453	100

11-10-94 PAGE 472




# RAZOR KNIVES

#### **DISPENSER UNIT**

For Utility Blades

- Includes 100 H/D blades per dispenser.
- New safety pusher button.
- Ultra Hi-Impact with double track ratchet.

J&B #	QTY
41185	EA



#### **UTILITY BLADE DISPENSER**

Stanley

• Contains 100 heavy duty blades.

J&B #	QTY
R20536	EA



#### **UTILITY BLADES**

 Reversible blades fit all standard & push button handles.

J&B #	TYPE	QTY
20451	HEAVY DUTY	30
20452	HEAVY DUTY	10



09-01-16 PAGE 473



# RAZOR KNIVES

#### **RAZOR KNIVES**

- 38973 Furnished with one blade.
- 38974 Furnished with one blade. Extra blade stores in handle.

J&B #	TYPE	QTY
38973	FIXED BLADE	EA
38974	RETRACTABLE BLADE	EA





#### **AUTO LOADING UTILITY KNIFE**

- Stores & automatically loads blades.
- Comfortable ergonomic shape with non-slip rubber grip.
- Heavy duty die cast zinc body.

J&B #	QTY	
40394	EA	



#### **UTILITY KNIFE**

Stanley

- 5-5/8" body has auto-retracting blade.
- Includes 1 round point blade.

EΑ



#### 13PT SNAP KNIFE

R2065050

• 13 point, 9mm plastic snap off utility knife.



J&B #	QTY	
8396	10/BX	



09-20-12 PAGE 474

# TARP TIE-DOWN STRAPS

#### TARP STRAPS



- **TOTALLY WEATHER RESISTANT** made of special elastomer that prevents cracking, chipping or peeling.
- TOUGH, RESILIENT CONSTRUCTION designed for stretchability with excellent recovery and longer life.
- ALL WEATHER ELASTICITY stretches easily in winter's cold or summer's heat.
- ROAD RESISTANT guards against salt, sun, chemicals, ozone and diesel fumes.

J&B #	STRAP LENGTH	SPAN RANGE	QTY
39385	10"	15" - 20"	25
39386	15"	20" - 30"	25
39387	21"	30" - 40"	25
39388	31"	40" - 50"	25

<sup>\*</sup> MADE IN THE USA

#### **TIE DOWN STRAPS**

- 500 LB Working load limit, 1500 LB break strength.
- Engineered to provide a safe efficient method of securing cargo for transport
- Spring loaded release ensures that the ratchet will never open accidentally.
- Vinyl coated S hooks are protected from rust & wear.
   Webbing resists rot & abrasion.



J&B #	SIZE	COLOR	QTY
*39383	1" x 12'	GRAY CAMO	4

<sup>\*</sup>Sold by pack of 4 only.




12-20-18 PAGE 475

<sup>\*</sup> EACH BOX INCLUDES 50 S-HOOKS

#### **MECHANICS WIRE**

J&B #	GAUGE	LBS	QTY
38890	14 GA	5	EA
38891	16 GA	5	EA
38892	18 GA	5	EA



#### **PERFORATED STRAPPING**

- Can be nailed or bolted.
- Plated steel.
- Hundreds of uses for your shop.

J&B #	SIZE	QTY
21012	3/4" x 10'	EA



11-10-94 PAGE 477



## SOLDER

#### **ROSIN-CORE SOLDER**

#### "Instant Action"

- A 40% tin, 60% lead solder with energized-rosin flux core.
- Flux residue is completely non-corrosive and electrically **non-conductive**.
- Instant wetting action.
- 460 F melting point.

J&B #	DIAMETER	QTY
38886	.093	1 LB.



#### **ACID-CORE SOLDER**

- A 40% tin, 60% lead solder alloy with acid flux core.
- Designed for general purpose soldering.
- Applications include: plumbing, copper tubing, tools, gutters, auto radiators, galvanized iron, copper, steel, nickel plate, nickel alloys, brass and tin plate.
- 460 F melting point.

J&B #	DIAMETER	QTY	
38887	.125	1 LB.	



TEMPERATURE CHART				
SOLDER ALLOY	COMPOSITION (WT.%)		TEMPERATURE (F)	USES
CLASSIFICATION	TIN	LEAD	MELTING POINT	
30/70	30	70	491	An economical alternative where a torch or sufficient heat are
				used.
40/60	40	60	460	This is the most popular general purpose available in acid and rosin flux core.
50/50	50	50	421	For plumbing, crafts and general purpose soldering.
60/40	60	40	374	Used in electronic and electrical soldering applications where low soldering temperatures are required.
63/37	63	37	361	Lowest melting (Eutectic) solder for electronic applications.



## **SOLDER**

#### **ELECTRICAL REPAIR SOLDER**

Low Temperature

- A 60% tin, 40% lead solder with energized rosin flux core.
- 374 F melting point. Use on wires, motors, radios, TV, VCR, stereos.

J&B #	DIAMETER	QTY
38883	.050	EA



#### FINE ELECTRICAL REPAIR SOLDER

Low Temperature

- A 60% tin, 40% lead solder with energized rosin flux core.
- 374 F melting point. Use on wires, motors, radios, TV, VCR, stereos.

J&B #	DIAMETER	QTY
38884	.032	EA



#### **LEAD FREE SOLDER**

- A 95% tin, 5% Antimony.
- For general non-electrical applications.
- 464 F melting point.

J&B #	DIAMETER	QTY
38878	.125	EA



#### **REGULAR FLUX PASTE**

- Soldering paste flux is ideal for all common metals except aluminum and magnesium.
- Water soluble, non-toxic, non-acid, flash point 400 degrees.

10.5 "	OTV
J&B #	QIY
39041	EA



2 oz.





## SOLDER

#### FINE ELECTRICAL REPAIR SOLDER

#### Low Temperature

- 63% tin 37% lead solder with rosin flux core.
- The wire feeds easily from handy dispenser.
- 361 F melting point.
- Use on wires, motors, radios, TV, VCR and stereos.

J&B #	DIAMETER	OZS.	QTY
28464	.032	.50	EA

#### FINE ELECTRICAL REPAIR SOLDER

#### Low Temperature

- 60% tin 40% lead solder with rosin flux core.
- The wire feeds easily from handy dispenser.
- 374 F melting point.
- Use on wires, motors, radios, TV, VCR and stereos.

J&B #	DIAMETER	ozs.	QTY
57035	.032	.50	EA

#### **ELECTRICAL REPAIR SOLDER**

#### Low Temperature

- 60% tin 40% lead solder with rosin flux core.
- The wire feeds easily from handy dispenser.
- 374 F melting point.
- Use on wires, motors, radios, TV, VCR and stereos.

J&B #	DIAMETER	OZS.	QTY
57037	.050	.75	EA







9-10-09 PAGE 482

## **TORCHES**

#### **BLAZER TORCH**

- Automatic ignition in one second with state of the art Piezo Electronic System. Simply press ignition button and your Blazer is fired up.
- The Blazer has a Burn Time Rate of up to **2 hours** before any refueling is required.
- Blazer comes equipped with stand for Free Standing use so that Blazer can be operated while both hands are free. Stand is removable.
- Precise & controlled high temp. flame 1300°C, 2500°F.



J&B #	QTY
9460	EA

#### **BIG BUDDY**

- Automatic ignition in one second with state of the art Piezo Electronic System. Simply press ignition button and your Blazer is fired up.
- The Blazer has a Burn Time Rate of up to **1 hour** before any refueling is required.
- Blazer comes equipped with stand for Free Standing use so that Blazer can be operated while both hands are free. Stand is removable.
- Precise & controlled high temp. flame 1300°C, 2500°F.



J&B #	QTY
9700	EA

#### **BUTANE REFILL**

- Specially made for Blazer Torch.
- Fits all refillable lighters

J&B #	QTY
9462	EA



Net Wt. 150 Grams



01-22-15 PAGE 483

# TORCH ACCESSORIES

#### **PROPANE** Worthington

#### **MAPP GAS** Worthington



PROPANE AND MAPP GASS ARE **OUR TRUCK ONLY ITEMS.** 

> WILL NOT SHIP UPS OR FEDEX.



Net Wt. 14.1 Oz.

J&B #	QTY
9400	EA

12 in a case

Net Wt. 14.1 Oz.

J&B #	QTY
9401	EA

4 in a case

#### **PUSH BUTTON TORCH HEAD**

Bernzomatic



- \* Adjustable flame.
- \* Solid brass valve threads.
- \* Stainless steel burn tube with brass burn tip.
- \* Burns propane only.

#### **TORCH HEAD Bernzomatic**



- \* On demand trigger for on/off.
- \* Auto igniter lock for continuous flame setting.
- \* Delivers a strong swirl flame.
- \* 360 degree swivel for versatility.
- \* Replaceable burn tube assembly.

J&B #	QTY
9402	EA

J&B #	QTY
9403	EA






# LIGHT BULBS

#### **ROUGH SERVICE BULBS**

- The filament is THORIATED. This makes the tungsten more flexible so it will not break under unusual or repeated shocks or vibrations.
- Every bulb has 9 filament supports plus a thicker, shorter stem for supports. This
  design offers over twice the resistance to the type of shock which destroys filaments in
  common bulbs.

CEC			
J&B #	TYPE	QTY	
20473	50 WATT	6/PKG	
20474	75 WATT	6/PKG	
20475	100 WATT	6/PKG	






#### **TUFF-SKIN LIGHT BULBS**

#### Specially Coated Light Bulb


- SHATTER-PROOF: No danger of glass fragments. Easier to comply to sanitation codes.
- WEATHER-PROOF: No premature burn-outs, shattering or danger from thermal shock.
- LASTS LONGER: Specially coated surface; scratch-proof, scuff-proof, and resists oil scorching.
- LESS HAZARDOUS: Prevents personal injury from flying glass; reduces fire hazards. Thoriated filament for rough service.

J&B #	TYPE	QTY
20472	75 WATT	6/PKG
20492	100 WATT	6/PKG



#### **ROUGH SERVICE BULBS**

J&B #	TYPE	QTY
21874	50 WATT 12 Volt Bulb	EA





01-16-14 PAGE 484

# LIGHT BULBS

#### **BRIGHT FLUORESCENT BULB**

- Super bright fluorescent 120 volt (13 Watt)(6500K).
- Plug in PL-13 style.
- Fits most fluorescent work lights and commercial fixtures.

BAYCO			
J&B #	TYPE	QTY	
20480	120 Volt	EA	



#### **HALOGEN 500**

- Q500T3/CL/CD, 500W, Clear, 11100 lumens.
- Halogen quartz bulb, double ended, 2000 hours, 3000 Kelvin.
- Maximum overall length 4-3/4".

	GE	
J&B #	TYPE	QTY
8394	500 W	EA



#### **EXTENSION CORD**

 16/3 SJTW, orange, round vinyl, indoor/outdoor, 10A, 125V UL listed.

J&B#	GA./COND.	LENGTH	QTY
40000	16/3	100 FT.	EA






06-13-13 PAGE 484A

#### **TROUBLE LIGHTS**

- Features a tough vinyl jacket resistant to oil, alkalies, abrasion and high temperatures.
- Rugged handle includes switch and socket.
- 3 strand wire and 3 prong plug including 1 ground.
- 10 amps / 125 volts / 1250 watts.

J&B #	LENGTH	QTY
54035	25 FT.	EA
54036	50 FT.	EA



#### **PLUGS**







J&B #	CORD HOLE SIZE	QTY
42104	.25655	EA

- Solid brass plug blades are firmly embedded in body.
- Terminal screw clamps are designed to contain wire and prevent binding.
- Terminal screws backed out ready for wiring.
- Terminals in individual chambers to positively insulate conductors.
- Yellow, straight and CSA certified to C22.2 no.42 (file no. LR2081 (6221-02)).
- 15 amps and 125 V/AC.

J&B#

42079

Listed UL 498 (file no. E15012).



4-15-05 PAGE 485

<sup>\* (</sup>UL APPROVED)

#### **EXTENSION CORD**

Yellow Jacket

- SJTW-A. Yellow Jacket commercial cord.
- Super flexible. Power indicator light. Strain relief.
- Won't crack to -58 F or deform to + 140 F.
- Meets OSHA specifications.

J&B #	GAUGE	AMP	LENGTH	QTY
R3009032	12	15	50 FT.	EA
50000	12	15	100 FT.	EA



(UL APPROVED)

#### **SURE SHOT SPRAYER**

- Pressurized sprayer to apply bulk chemicals like cleaners, degreasers, penetrating oils, solvents and lubricants.
- They use readily available compressed air, instead of flammable or dangerous propellants.
- Features relief valve. Holds 1 quart.
- Adjustable from extra fine mist to pin stream.

J&B #	MODEL#	QTY
39429	6102	EA



#### SURE SHOT SPRAYER COMPLETE REPAIR KIT

Complete repair kit for model# 6102 Sure shot sprayer.

J&B #	QTY
45224	EA



02-09-17 PAGE 485A

#### **SPRAY BOTTLE & REPLACEMENT HEAD**

- Multi-purpose trigger operated spray dispenser.
- Nozzle adjusts from fine mist to heavy spray.

J&B #	DESCRIPTION	SIZE	QTY
21249	BOTTLE	22 OZ.	1
21250	REPLACEMENT HD.	9-1/2"	1






#### **HEAVY DUTY SPRAY BOTTLE**

- This heavy duty spray bottle handles cleaners, degreasers weed killers, pesticides, strippers, plus many solvents and acids.
- You can adjust spray pattern from a fine mist to a powerful stream.
- Opaque silver bottle is graduated in oz., cc, and dilution ratiosa clear stripe lets you see liquid level.

NOTE: DO NOT USE WITH CHLORINATED SOLVENTS, PAINTS, OR LIQUIDS THAT COULD HARDEN OR CONGEAL.

J&B #	DESCRIPTION	SIZE	QTY
42106	H/D SPRAY BOTTLE	32 OZ.	EA
*41175	REPLACEMENT HEAD	12"	EA



Use with chemicals that cause standard triggers to fail.





02-28-19 PAGE 486

# **BROOMS & BRUSHES**

#### **BLACK TAMPICO FLOOR BRUSH**



- H/D PLASTIC-TIP THREADED HANDLE

- Fine/Medium.
- Tampico fibers resist heat and chemicals.
- Trim is 2-1/2".

J&B #	LENGTH	QTY
41201	18"	EA
41203	24"	EA
41206	36"	EA

Aluminum handle.

J&B #	LENGTH	QTY
*41208	60"	EA

<sup>\*</sup> Can only UPS in multiples of 2.

#### 24" SOFT SWEEP SUPER BULLDOZER

- 15/16" dia. X 60" metal handle with cushion grip and fine polypropylene fibers that sweep fine debris.
- Tight grip bracket prevents a loose handle.
- Comes with a swivel hang-up cap.

J&B #	LENGTH	QTY
R1069228	24"	EA

<sup>\*</sup> Can only UPS in multiples of 4.



#### 18" STIFF PALM BRUSH BROOM

- 18" pushbroom, stiff palmyra fibers, heavy resin block, 54".
- Powder coated steel handle with hang up feature.
- Good for outdoor use.

J&B #	LENGTH	QTY
41215	18"	EA

<sup>\*</sup> Can only UPS in multiples of 6.



05-23-19 PAGE 489

#### **42" CORN BROOM**

**Heavy Duty** 

- Lacquerd wood handle.
- Heavy metal band with four rows of stitching for strength and durability.

J&B #	LENGTH	DIA.	QTY
* 41202	42"	1-1/8"	EA



<sup>\*</sup> MUST ORDER MULTIPLES OF 6 TO SHIP UPS/FEDEX. OTHERWISE WILL SHIP OUR TRUCK.

#### **ANGLED BROOM**

#### Rubbermaid

- Gray, chemical-resistant polypropylene fill bristles.
- Cut shaped for easy sweeping. Ideal for cleaning hard-to-reach areas.
- Vinyl-coated metal handle. Flagged bristles.

J&B #	LENGTH	DIA.	QTY
* V50550	46-7/8"	1"	EA

\* MUST ORDER MULTIPLES OF 6 TO SHIP UPS/FEDEX, OTHERWISE WILL SHIP OUR TRUCK.



12-01-11 **PAGE 490** 

# **DUST PANS**

#### **SUPER SCOOPER**

#### Aluminum

- 16" W x 10" D. 9" looping handle
- Lies flat for hands off positioning yet accommodates push broom or lawn rake.

J&B #	QTY
R18341	EA



#### **PLASTIC**

- Charcoal pan with dimensions of 8-1/4" x 12-1/4" x 13-1/4".
- Has a thin lip and deep collection area.

J&B #	QTY
R1073634	EA





#### **COUNTER BRUSH**

- General shop use.
- Tampico fill; staple-set construction.



J&B #	TRIM	LENGTH	HANDLE	QTY
38618	2-1/2"	8"	13"	EA

#### **UTILITY SCRUB BRUSH**



- Flared heads made of white tampico.
- Long handle; one-piece solid block.
- · Automotive and industrial applications.

J&B #	BRUSH	LENGTH	QTY
38614	4-1/2 x 6	21-1/2"	EA

#### **WHISK BROOM**

- Selected natural fiber, double-stitched for extra strength.
- Handle is wire wrapped with ring.

J&B #	LENGTH	QTY
21015	10"	EA

#### HAND/NAIL BRUSH

• Wood block with plastic bristles.

J&B #	SIZE	TRIM LENGTH	QTY
R10378	4-3/4 x 1-1/2	3/4	EA





2-16-06 PAGE 491

#### **PARTS CLEANING BRUSH**


 Pure black bristle. Bright seamless ferrule. Round tapered handle.



J&B #	BRISTLES	HANDLE	QTY
20963	3"	8"	EA

#### **ACID CLEANING BRUSH**


Flat face; stiff black horsehair.



J&B #	TRIM	LENGTH	QTY
20083	7/8"	6"	12

#### **CHIP BRUSHES**

- White bristle epoxy model is made with a plain, natural wood, sanded finish handle.
- All synthetic style for general use.



J&B #	WIDTH	APRROX. TRIM	QTY
41194	1"	1-1/2"	6
41290	1-1/2"	1-1/2"	6
41195	2"	1-1/2"	6
41291	2-1/2"	1-1/2"	6
41196	3"	1-1/2"	4
41197	4"	2"	4

#### **TUBE BRUSHES**

- Nylon tube brush with wire loop handle.
   Single stem/ single wire bristles.
- Ideal for cleaning bottles, carburetors, brake cylinders, radiator hose, engine blocks, blocked hoses, drains, etc.

J&B #	LENGTH x DIA.	BRISTLE LENGTH	QTY
50325	8-1/2" x 1/2"	3"	EA
50326	8-1/2 x 3/4"	3"	EA





#### **ANGLE SASH PAINT BRUSH**

- White nylon/gold polyester, chisel trim.
- Brass-plated steel ferrule.
- Pearl-yellow solid plastic handle.



J&B#	WIDTH	LENGTH	THICK	QTY
59112	2"	2-3/16	1/2	EA

#### **ROLLER COVER**

- Proprietary golden yellow fabric for exceptional capacity with all flat or satin paints, stains and waterproofing.
- Copolymer core resists solvents and stops delamination.
- Beveled ends, semi-rough surfaces.

J&B #	LENGTH	NAP	QTY
59104	9"	3/8	EA



#### **POLY BLOCK SCRUB BRUSH**

 Quality poly block & fiber scrub brush, with convenient hang up feature.

J&B #	QTY
38615	EA



#### **FOAM BRUSHES**

Polyurethane foam paint brush with wood handle.

J&B #	SIZE	QTY
41287	1"	6
41288	2"	6
41289	3"	4

06-18-15





#### **SHOE HANDLE BRUSH**

- Hardwood handle.
- Effective for cleaning pipe threads, welds, etc.; popular in the oil & gas industry.



J&B#	BRISTLE MATERIAL	BLOCK SIZE	BRUSH LENGTH	ROWS OF WIRE	TRIM	QTY
20957	Carbon Steel	10-1/4 x 1-1/8	5"	4 x 16	1-3/16"	EA
21163	Stainless Steel	10-1/4 x 1-1/8	5"	4 x 16	1-3/16"	EA

#### **CURVED HANDLE BRUSH**

- Hardwood handle.
- Used for cleaning structural steel, iron works, castings and all types of dirt and rust removal.



J&B #	BRISTLE MATERIAL	BLOCK SIZE	BRUSH LENGTH	ROWS OF WIRE	TRIM	QTY
20958	Carbon Steel	13-3/4 x 7/8	6-1/4"	3 x 19	1-3/16"	EA
21166	Stainless Steel	13-3/4 x 7/8	6-1/4"	3 x 19	1-3/16"	EA







#### WELDERS TOOTHBRUSH STYLE

J&B #	WIRE TYPE	HANDLE TYPE	BLOCK SIZE	BRUSH LENGTH	ROWS OF WIRE	TRIM	QTY
41324	Stainless	Wood	7-7/8 x 1/2	1-1/2	3 x 7	1/2	6/BX
41325	Brass	Wood	7-7/8 x 1/2	1-1/2	3 x 7	1/2	6/BX
V45587	Stainless	Plastic	7-1/2 x 1/2	1-1/2	3 x 7	1/2	6/BX
*V45586	Brass	Soft grip	6-7/8 x 1/2	1-1/2	2 x 7	1/2	6/BX
40399	Nylon	Plastic	6-1/2 x 1/2	1-1/2	4 X 15	1/2	6/BX

<sup>\*</sup> V45586 has dense fill bristles.



41324

41325

06-18-15 PAGE 494

## SHOP SUPPLIES

#### **HEAVY DUTY PAINT MARKERS**

**UNIQUE** Stroke Width: Chisel tip 3/16" (5mm), Bullet tip 1/8" (3.2 mm) REVERSIBLE TIP: To change tip style, simply remove tip and insert opposite end.


bullet on one end, chisel on the other

Black Blue

Green Red White

Yellow

Orange Light Blue Bright Green Silver Pink Violet Gold Brown Easy to remove, air-tight cap with clip



- Quick drying permanent oil-based paint
- Well suited for industrial and factory environments
- Outstanding value: Up to 30% more paint than standard valve paint markers.



REPLACEABLE TIP

J&B #	QTY
22317	EA


J&B #	COLOR	QTY
22308	BLACK	EA
22309	BLUE	EA
22310	GREEN	EA
22311	RED	EA
22312	WHITE	EA
22313	YELLOW	EA
22315	ORANGE	EA
22316	SILVER	EA

#### **SOLID PAINT MARKER**

 Permanent, water & UV resistant paint for marking on porous & non-porous surfaces, including wet, oily & rough surfaces.



J&B#	COLOR	QTY
57060	YELLOW	EΑ





# SHOP SUPPLIES

#### **PUTTY KNIFE**

- Black polypropylene handle is shatterproof and solvent-resistant for safety.
- Stiff blade.

J&B #	BRAND	WIDTH	QTY
V42118	Stanley	1-1/4"	EA
42117	Stanley	2"	EΑ
42121	Stanley	3"	EΑ



#### **FINE POINT PAINT MARKERS**

**Pro-Line** 



- Two nib sizes for the ultimate in paint marking flexibility.
- Convenient self-storing clip cap.
- Will write on any metal, plastic, glass, ceramic, masonry, wood, cardboard, chipboard and all painted surfaces.
- Dries to a permanent mark in 15-30 seconds depending on the surface.

J&B #	COLOR	TIP SIZE	QTY
22300	White	2 mm	EA
22301	Yellow	2 mm	EA
22302	Black	2 mm	EA
22303	Red	2 mm	EA

#### **SOAPSTONES**

- 3/16" Height, 1/2" Width.
- Flat shaped.

J&B#	COLOR	LENGTH	QTY
46390	White	5"	144/BX

<sup>\*</sup> CANNOT BREAK BOX





02-09-17 PAGE 497

# **TOOLS**

#### **LOCKING PLIERS**

#### Vise-Grip Curved Jaw

1/4 cutting edge.

J&B #	LENGTH	MFR.#	QTY
R21706	10"	10R-3	EA




#### **C-CLAMP**

### Adjustable

- Iron frame, steel screws and swivels with a sliding pin handle.
- Bright-plated, rust-resistant finish.

J&B #	DESCRIPTION	QTY
R22118	1" opening, 1" throat	EA
R20518	1-1/2" opening, 1-1/2" throat	EA
R22119	2" opening, 1" throat	EA
R22121	3" opening, 2" throat	EA



3-15-06 PAGE 498B

## **TOOLS**

#### **3 FLINT LIGHTER**

#### **Bernzomatic**

- Features a large flint, round file and bright plated finish.
- When 1 flint is worn down, the slotted screw is released and fresh flint is replaced into position.

J&B #	QTY
R2019057	EA



## REPLACEMENT SPARK LIGHTER FLINTS

#### **Bernzomatic**

- Use as a refill for Bernzomatic flint lighter.
- 5 flints per pack.

J&B #	QTY
8400	EA



#### **DRIVE PIN PUNCHES**

Extra Long 8"



- For driving out and removing already loosened pins and keys after initial movement by starter or solid punch.
- Made of centerless ground hardened tool steel.

J&B #	QTY
38925	SET

SET COMES IN PLASTIC CASE AND INCLUDES:

1/8", 3/16", 1/4", 5/16", 3/8"



12-20-18 PAGE 498C

# <u>TOOLS</u>

#### **SHOVEL**

#### Round Point Razor Back

- 8-3/4" x 12" #2 blade. Ash handle.
- 11" tab socket. Rolled step.

J&B #	HANDLE LENGTH	QTY
R70020	47"	EA





05-07-09 PAGE 498D

# GENERAL SUPPLIES

#### **COOLANT TESTER**

- For permanent anti-freeze.
- · Allows inspection for rust and sediment.

J&B #	QTY
R83091	EA



#### **WALL CLOCK**

- Quartz clock in black case.
- White analog dial with hour, minute, second markings.
- Uses one AA battery. (not included)

J&B #	SIZE	QTY
R6094114	14"	EA



#### PERMANENT MARKER

 Sharpie marker comes with fine point and can be used on glass, metal, film, foils and plastic.

J&B #	COLOR	QTY
R91029	BLACK	EA
8401	SILVER	2/PK
* Ordering 1 8401 will get 1 pack of 2.		





05-23-19 PAGE 498E



# **GENERAL SUPPLIES**

# Fastmelt

- Contains primary potassium chloride & secondary Urea, sodium chloride and MG-104.
- Melts effectively down to 5 degree Fahrenheit.
- Fast acting minerals deliver maximum ice melting power.
- Will not damage concrete or carpets when used as directed.

J&B #	WEIGHT	QTY
48089	50 LBS	EA



#### PAINTER'S PLASTIC

10' x 100'. 4 Mil, Clear polyethylene film.

J&B #	QTY
V46100	EA



#### **ROUND BASE MAGNET**

- 3.19" diameter, round, 95 LBS. pull.
- Powerfull ceramic ring magnet encased in a durable nickel plated cup with mounting hole in center.
- Add an attachment to the .27 inch center hole to hold, lift or hand objects from any ferrous metal surface.
- Magnetic on one side only.

J&B #	QTY
V9707	EA



02-28-19 PAGE 498F























www.jbfleet.com







## J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411





























LET US HELP YOU MAKE THE CONNECTION

**PART # 3045** 

### **HEAVY DUTY PAINT MARKERS**



J & B FLEET-INDUSTRIAL SUPPLY PHONE: 330-821-6342

22308	22309	22310	22311	22312	22313
BLACK	BLUE	GREEN	RED	WHITE	YELLOW
BEAGIN	DEGE	OKLEN	KLD	***************************************	ree con
1	1	1	1	1	1