



5-Ton Equipment Trailer
Model BRO-EQ5

58 Cutrate Road

Phenix City, AL 36870

Phone: 334.448.8888

Fax: 334.448.3800

Email: mclsales@bellsouth.net

5-Ton Equipment Trailer-Model BRD-EQ5

STANDARD FEATURES

GVWR	9950 pounds
Empty Weight	2100 pounds
Overall Width	101.5"
Overall Length	23'
Deck Width	80" Between Fenders
Deck Length	16' Flat + 2' Dovetail
Deck Height	Approx. 26" Unloaded
Dovetail	2' Wood Filled
Decking	2" x 8" Pressure Treated Pine
Main Frame	6" Channel
Tongue	6" Channel, Full Wrap
Cross Members	3" Channel on 24" Centers
Coupler	Adjustable 2-5/16
Landing Gear	7500 lb. Drop Leg
Tires	225-75-R15 10-Ply on White Spoke
Chain Tray	In Tongue w/ Locking Lid
Axles	5200K Dexter EZ Lube
Jack Capacity	7.5K Static Load
Suspension	Multi Leaf Slipper Spring
Brakes	All Wheel Electric w/ Breakaway System
Ramps	4' Long, 3" Channel
Tie Downs	Rub Rail & Cuffs in Front
Lights	LED Rubber Mounted
Wiring	Wire Harness System
Safety Chains	2 Separately Mounted
Paint	Sand Blasted, Primed, and Painted
Colors	Black or Yellow



OPTIONAL FEATURES

- ◆ 16' thru 24' Lengths Available
- ◆ Rubber Decking
- ◆ Oak Decking
- ◆ Spring Assisted Ramps
- ◆ Wood Filled Ramps
- ◆ Additional Ramp Length
- ◆ Cleated Dovetail and Ramps
- ◆ Custom Colors
- ◆ Trickle Charger for Battery
- ◆ Dual Speed Landing Gear
- ◆ Up to 84" Between Fenders
- ◆ Deck as Wide as Fenders
- ◆ D-Rings in Lieu of Rub Rail
- ◆ Gooseneck
- ◆ Spare Tire Mounted
- ◆ Pintle Ring

McLendon Trailers, LLC

58 Cutrate Road

Phenix City, AL 36870

Phone: 334.448.8888

Fax: 334.448.3800

Email: mclsales@bellsouth.net

All specifications are subject to change without notice.