

The Magic is the Media

A ISO 9001:2008 - ANSI-ISO-ASQ Q9001-2008 Company

SECTION I

PRODUCT NAME OR NUMBER (as it appears on label)		
Magic Aerospace WheelBlast® Plastic Abrasive		
MANUFACTURER'S NAME	EMERGE	NCY TELEPHONE
U. S. Technology Media Inc.	NO. (330)	455-1181
ADDRESS (Number, Street, City and Zip Code) DAT		EPARED/REVISED -
509 Water ST., Bolivar OH. 44612 NO. 06/06/2018		5/2018
MATERIAL DESCRIPTION, PROPER SHIPPING NAME: Abrasive		
HAZARD CLASSES (as applicable):		
CHEMICAL FAMILY: Various	FORMULA: N.A.	

SECTION II – INGREDIENTS

(list all ingredients)

CAS REG ISTR Y	Approx. %W	Chemical Name(s)	OSHA PEL	ACGIH TLV	Other Limits Recommended
NO. 9003-08-1 9011-05-6 9004-34-6 1318-93-0	>1%	Polymerized Urea-Melamine Formaldehyde Compound w/Alpha Cellulose Filler and Montmorillonite Clay			
25852-37-3	>1%	Acrylate Polymer – Polymerized and Cross-linked			
2764-13-8	<1%	Anti-Static Agent – Cal Stat 600			
5280-80-8 13463-67-7 12769-96-9	<1%	Pigments and Additives			

Material is a blend of thermoset and thermoplastic plastic.

SECTION III – PHYSICAL DATA

BOILING POINT°F°C	SPECIFIC GRAVITY (H ₂ O=1):	
N.A.	1.36-1.46	
MELTING POINT°F°C	PERCENT VOLATILE BY	PERCENT SOLID BY WEIGHT
N.A.	VOLUME (%) N.A.	(%) 100
VAPOR DENSITY (AIR=1) N.A.	EVAPORATION RATE (=1) N.A.	
SOLUBILITY IN WATER: N.A.	pH = 4-8	
APPEARANCE AND ODOR: Mult	MATERIAL FORM: Solid	
odor		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT	°F _	ºC N.A.	FLAMMABLE: N.A.	LEL: N.A.	UEL: N.A.
EXTINGUISHING MEDIA: Carbon dioxide, dry chemicals or water fog					
SPECIAL FIRE FIGHTING PROCEDURES: None					
UNUSUAL FIRE AND EXPLOSION HAZARDS: None					

SECTION V – HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE – Conditions to a			
Mechanical injury to eyes and/or skin can occur.	PERMISSIBLE EXPOSURE LIMIT:		
PRIMARY ROUTES OF ENTRY: Inhalation			
	rasive dust – cross exposure can irritate respiratory tract.		
Move to tresh air. It irritation persists, a physician sho	ould be consulted. Prolonged exposure to lead chromate		
could lead to increased incidence of disease.	normanho2 Dh. Cr. Cd. OCHA Domilated2 Vec		
CARCINOGENICITY: NTP? Pb, Cr, Cd IARC Mo	nographs? PD, Cr, Cd OSHA Regulated? Yes		
SECTION VI – R	EACTIVITY DATA		
STABILITY: STABLE UNSTABLE	CONDITIONS TO AVOID: None known		
INCOMPATIBILITY (Materials to avoid): None			
HAZARDOUS DECOMPOSITION or BYPRODUCT	S: Noxious gas and odors including, methyl methacrylate,		
formaldehyde, carbon monoxide, hydrogen cyanide.			
HAZARDOUS POLYMERIZATION:	CONDITIONS TO AVOID: Temperatures above 370° C		
✓ MAY NOT OCCUR ☐ MAY OCCUR			
	SECTION VII – SPILL OR LEAK PROCEDURES		
	LEASED OR SPILLED: Careful clean up and return to		
packaging for containment. Vacuum if possible. Avoi			
WASTE DISPOSAL METHOD: Sanitary landfill in ac			
CERCLA (Superfund) REPORTABLE QUANTITY (
RCRA HAZARDOUS WASTE NO. (40 CFR 261.33)			
VOLATILE ORGANIC COMPOUND (VOC) (as pact ☐ Theoretical lbs. /gal. ☐			
□ Theoreticalibs./gai. □	Analytical lbs. /gal.		
SECTION VIII - SPECIAL PROTECTION INFORMATION			
RESPIRATORY PROTECTION (Specify Type): Provide adequate ventilation. NIOSH/MSHA approved respiratory protection as required.			
VENTILATION LOCAL EXHAUST (Specify Rate): Controlled w/hepa filter.			
MECHANICAL (General – Specify Rate):			
SPECIAL:			
OTHER:			
PROTECTIVE GLOVES (Specify Type): Normal EYE PROTECTION (Specify Type): Safety goggles			
OTHER PROTECTION EQUIPMENT: OSHA/NIOSH cartridge filter.			
SECTION IX – SPECIAL PRECAUTIONS			
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Contain in drums, vacuum is preferable in the event of spill.			
OTHER PRECAUTIONS:			

Prepared by:

Name (print): casey Williams
Title: Quality Assurance Manager
Date Reviewed: 06/06/2018